

# 2022 Florida Youth Substance Abuse Survey Statewide Tables

---

**Table 1. Major demographic characteristics of surveyed Florida youth, 2022**

	Unweighted		Weighted	
	N	%	N	%
<b>Sex</b>				
Female	23,291	49.0	22,957	48.3
Male	23,528	49.5	23,857	50.1
<b>Race/Ethnic group</b>				
American Indian	1,065	2.2	422	0.9
Asian	1,165	2.4	785	1.7
African American	6,617	13.9	10,187	21.4
Hispanic/Latino	8,519	17.9	10,291	21.6
Native Hawaiian/Pacific Islander	108	0.2	63	0.1
Other/Multiple	9,623	20.2	6,956	14.6
White, non-Hispanic	19,990	42.0	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	40,565	85.3	41,174	86.6
Yes	6,600	13.9	5,980	12.6
<b>Age</b>				
11	3,013	6.3	2,576	5.4
12	7,329	15.4	6,243	13.1
13	8,211	17.3	6,872	14.4
14	8,023	16.9	7,136	15.0
15	7,399	15.6	7,278	15.3
16	6,069	12.8	6,918	14.5
17	4,826	10.1	6,616	13.9
18	2,217	4.7	3,403	7.2
<b>Grade</b>				
6th	8,059	16.9	6,626	13.9
7th	8,088	17.0	6,817	14.3
8th	8,347	17.5	7,021	14.8
9th	7,421	15.6	7,193	15.1
10th	6,615	13.9	7,025	14.8
11th	5,125	10.8	6,557	13.8
12th	3,917	8.2	6,333	13.3
<b>Middle School</b>	24,494	51.5	20,463	43.0
<b>High School</b>	23,078	48.5	27,109	57.0
<b>Total</b>	<b>47,572</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases.

**Table 2. Demographic characteristics of historical samples—2010 to 2022**

	2010		2012		2014		2016		2018		2020		2022	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Sex</b>														
Female	35,119	48.2	34,179	48.2	31,702	48.1	31,515	47.9	26,340	48.2	25,191	48.4	22,957	48.3
Male	36,540	50.2	35,544	50.2	33,056	50.1	32,905	50.0	27,468	50.3	26,328	50.5	23,857	50.1
<b>Race/Ethnic group</b>														
African American	12,829	17.7	12,176	17.2	12,512	19.0	14,666	22.3	12,088	22.1	11,284	21.7	10,187	21.4
Hispanic/Latino	16,990	23.5	16,088	22.7	12,827	19.5	13,174	20.0	11,242	20.6	11,091	21.3	10,291	21.6
White, non-Hispanic	29,034	40.1	27,787	39.2	29,014	44.0	28,309	43.0	22,618	41.4	20,904	40.1	18,419	38.7
<b>Age</b>														
11	2,655	3.6	4,037	5.7	3,909	17.5	3,856	5.9	3,339	6.1	3,151	6.0	2,576	5.4
12	8,828	12.1	9,151	12.9	8,589	5.9	8,338	12.7	7,363	13.5	7,124	13.7	6,243	13.1
13	10,495	14.4	10,289	14.5	9,491	13.0	9,230	14.0	7,738	14.2	7,698	14.8	6,872	14.4
14	10,640	14.6	10,537	14.9	9,764	14.4	9,454	14.4	7,864	14.4	7,616	14.6	7,136	15.0
15	11,346	15.6	10,727	15.1	10,011	14.8	10,070	15.3	7,982	14.6	7,582	14.6	7,278	15.3
16	11,220	15.4	10,384	14.7	9,431	15.2	9,684	14.7	7,926	14.5	7,502	14.4	6,918	14.5
17	10,069	13.8	9,533	13.5	8,940	14.3	9,348	14.2	7,725	14.1	7,073	13.6	6,616	13.9
18	6,339	8.7	5,217	7.4	4,837	13.6	4,799	7.3	3,990	7.3	3,807	7.3	3,403	7.2
<b>Grade</b>														
6th	10,458	14.4	10,330	14.6	9,610	14.6	9,301	14.1	8,050	14.7	7,718	14.8	6,626	13.9
7th	10,655	14.6	10,332	14.6	9,611	14.6	9,215	14.0	7,706	14.1	7,555	14.5	6,817	14.3
8th	10,428	14.3	10,134	14.3	9,427	14.3	9,326	14.2	7,715	14.1	7,632	14.6	7,021	14.8
9th	11,566	15.9	11,051	15.6	10,281	15.6	10,140	15.4	8,024	14.7	7,668	14.7	7,193	15.1
10th	10,486	14.4	10,314	14.6	9,595	14.6	9,834	15.0	7,925	14.5	7,481	14.4	7,025	14.8
11th	10,131	13.9	9,879	13.9	9,190	13.9	9,254	14.1	7,775	14.2	7,117	13.7	6,557	13.8
12th	9,072	12.5	8,819	12.4	8,203	12.4	8,705	13.2	7,417	13.6	6,923	13.3	6,333	13.3
<b>Middle School</b>	31,541	43.3	30,796	43.5	28,547	43.3	27,678	42.1	23,470	43.0	22,904	44.0	20,463	43.0
<b>High School</b>	41,256	56.7	40,063	56.5	37,164	56.4	37,765	57.4	31,141	57.0	29,189	56.0	27,109	57.0
<b>Total</b>	<b>72,797</b>	<b>100.0</b>	<b>70,859</b>	<b>100.0</b>	<b>65,917</b>	<b>100.0</b>	<b>65,776</b>	<b>100.0</b>	<b>54,611</b>	<b>100.0</b>	<b>52,093</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Demographic results represent samples after sample weights have been applied.

**Table 3. Lifetime prevalence of ATOD use, 2022**

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	14.3	20.7	27.5	29.8	36.2	41.7	47.7
Cigarettes	3.8	5.0	6.3	6.8	7.0	9.0	12.1
Vaping Nicotine	8.8	12.4	17.6	19.5	23.3	28.6	31.5
Vaping Marijuana	3.5	5.5	9.1	11.3	16.2	21.2	26.2
Marijuana or Hashish	3.1	5.5	10.8	14.0	19.3	26.6	33.1
Synthetic Marijuana	--	--	--	1.5	2.4	3.1	3.1
Inhalants	7.0	7.3	7.1	5.2	5.1	4.8	3.2
Club Drugs	0.2	0.5	0.8	0.8	1.0	1.7	2.2
LSD, PCP or Mushrooms	0.5	0.7	1.6	1.7	3.0	4.3	6.4
Methamphetamine	0.7	0.4	0.8	0.6	0.6	1.0	0.8
Cocaine or Crack Cocaine	0.6	0.7	0.7	0.5	0.8	1.3	1.6
Heroin	0.3	0.3	0.5	0.3	0.4	0.5	0.4
Depressants	0.8	1.8	1.8	2.4	2.7	3.4	3.8
Prescription Pain Relievers	3.0	3.3	2.8	2.7	2.6	2.3	2.7
Prescription Amphetamines	1.4	1.7	2.7	2.5	3.1	3.6	4.5
Over-the-Counter Drugs	2.0	2.3	3.1	2.9	3.0	3.5	2.7
Needle to Inject Illegal Drugs	--	--	--	0.4	0.8	0.5	0.5

**Table 4. Past-30-day prevalence of ATOD use, 2022**

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	4.4	6.4	9.2	10.6	13.1	18.1	21.3
Binge Drinking	2.3	2.7	4.0	4.9	5.9	8.6	11.1
Cigarettes	0.5	0.8	1.1	1.0	1.3	1.4	2.0
Vaping Nicotine	3.1	5.3	7.9	9.9	11.0	13.8	16.8
Vaping Marijuana	1.6	2.5	4.5	5.7	8.5	11.0	14.1
Marijuana or Hashish	1.0	2.5	5.4	7.4	10.3	13.6	18.1
Synthetic Marijuana	--	--	--	0.6	0.9	1.0	0.9
Inhalants	2.3	2.3	2.2	1.4	1.1	0.9	1.0
Club Drugs	0.2	0.3	0.3	0.2	0.4	0.4	0.6
LSD, PCP or Mushrooms	0.3	0.3	0.5	0.5	0.8	1.0	1.1
Methamphetamine	0.3	0.2	0.4	0.3	0.3	0.4	0.3
Cocaine or Crack Cocaine	0.3	0.1	0.2	0.1	0.3	0.3	0.5
Heroin	0.1	0.1	0.3	0.2	0.2	0.2	0.1
Depressants	0.3	0.6	0.5	0.7	0.8	1.0	1.0
Prescription Pain Relievers	1.0	1.2	1.2	1.0	1.0	0.7	0.7
Prescription Amphetamines	0.6	0.5	1.0	1.1	1.2	0.9	1.3
Over-the-Counter Drugs	1.2	0.8	1.3	1.0	1.1	1.0	0.7

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

**Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2010 to 2022**

	Alcohol Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	53.0	48.8	44.3	41.3	38.9	38.3	34.5	29.4	25.3	21.7	19.9	16.8	15.9	13.3
Male	50.2	45.8	40.9	37.1	34.1	32.5	27.5	28.3	23.8	19.4	17.0	13.8	13.7	10.3
<b>Race/Ethnic group</b>														
African American	45.0	38.7	34.3	31.0	28.2	26.4	22.9	21.7	17.4	13.8	12.4	9.5	9.1	7.4
Hispanic/Latino	54.0	48.8	45.3	41.5	38.3	35.3	31.0	30.3	25.5	22.0	18.6	15.3	14.0	10.7
White, non-Hispanic	54.4	50.5	46.0	42.1	39.8	39.6	35.1	32.4	27.6	23.7	21.4	18.4	18.0	14.7
<b>Age</b>														
11	15.2	14.6	11.2	10.0	10.9	12.9	13.2	5.7	5.6	3.8	2.5	2.8	4.4	3.9
12	25.2	21.0	18.1	15.7	15.3	18.4	16.9	10.3	7.2	6.1	5.3	4.5	6.0	4.9
13	36.4	31.6	28.0	24.8	23.9	26.1	22.9	16.8	14.0	11.2	9.4	8.3	9.2	7.6
14	49.2	44.8	39.0	34.6	33.9	33.0	29.0	25.3	20.3	18.3	14.7	13.2	12.3	9.7
15	58.0	54.8	48.6	43.4	39.0	38.4	32.7	32.3	29.1	22.7	19.9	15.8	15.8	11.7
16	64.4	62.4	58.0	51.4	49.9	45.3	38.6	37.4	33.4	28.3	23.6	21.4	19.4	15.4
17	68.5	68.4	63.9	60.3	55.5	51.2	43.9	41.9	40.2	34.1	32.4	25.6	24.0	18.6
18	70.2	68.9	64.4	61.3	55.5	52.8	47.4	46.6	42.0	36.2	34.5	28.5	27.3	22.2
<b>Grade</b>														
6th	22.6	17.4	15.1	12.5	12.6	15.3	14.3	9.4	6.5	5.0	4.0	3.8	5.1	4.4
7th	35.1	29.3	24.0	21.6	20.5	22.9	20.7	16.8	12.0	9.5	7.7	6.3	8.1	6.4
8th	48.0	40.2	35.9	31.2	29.5	30.7	27.5	24.1	18.5	15.9	13.2	11.9	11.3	9.2
9th	56.4	51.8	45.4	39.9	37.7	35.0	29.8	31.1	26.7	21.3	17.2	13.9	13.0	10.6
10th	63.7	58.6	54.0	47.9	45.2	42.3	36.2	37.1	31.4	26.3	22.3	19.5	18.2	13.1
11th	67.1	66.6	60.2	56.7	52.7	48.5	41.7	39.7	36.8	30.3	29.2	23.4	21.8	18.1
12th	70.3	70.1	66.9	62.8	57.3	55.1	47.7	46.0	42.7	37.5	34.4	28.3	27.5	21.3
<b>Middle School</b>	35.3	28.9	25.0	21.8	20.8	23.0	21.0	16.8	12.3	10.1	8.3	7.3	8.2	6.7
<b>High School</b>	63.9	61.3	56.0	51.4	48.0	44.9	38.5	38.0	33.9	28.4	25.5	21.2	19.9	15.5
<b>Total</b>	<b>51.5</b>	<b>47.3</b>	<b>42.6</b>	<b>39.1</b>	<b>36.5</b>	<b>35.3</b>	<b>31.0</b>	<b>28.8</b>	<b>24.6</b>	<b>20.5</b>	<b>18.3</b>	<b>15.3</b>	<b>14.8</b>	<b>11.8</b>

**Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2022**

	Alcohol						
	Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
<b>Sex</b>							
Female	86.7	9.1	2.4	0.9	0.6	0.1	0.2
Male	89.7	6.5	1.9	1.0	0.5	0.1	0.3
<b>Race/Ethnic group</b>							
African American	92.6	5.1	1.4	0.6	0.1	0.1	0.1
Hispanic/Latino	89.3	7.3	1.6	0.7	0.7	0.1	0.2
White, non-Hispanic	85.3	9.5	2.7	1.3	0.7	0.2	0.3
<b>Age</b>							
11	96.1	3.2	0.5	0.2	0.0	0.0	0.0
12	95.1	3.7	0.6	0.3	0.2	0.0	0.1
13	92.4	5.5	1.0	0.4	0.4	0.1	0.2
14	90.3	6.5	1.8	0.8	0.3	0.1	0.2
15	88.3	8.3	1.9	0.9	0.5	0.1	0.1
16	84.6	10.0	2.7	1.6	0.7	0.2	0.2
17	81.4	11.8	3.9	1.3	0.8	0.4	0.4
18	77.8	12.7	4.8	2.4	1.5	0.3	0.5
<b>Grade</b>							
6th	95.6	3.3	0.6	0.2	0.1	0.0	0.1
7th	93.6	5.0	0.6	0.4	0.2	0.1	0.2
8th	90.8	6.1	1.7	0.5	0.5	0.1	0.2
9th	89.4	7.1	1.8	0.9	0.5	0.1	0.2
10th	86.9	8.7	2.3	1.2	0.5	0.2	0.1
11th	81.9	11.9	3.1	1.6	0.7	0.3	0.5
12th	78.7	12.6	4.8	1.9	1.3	0.3	0.4
<b>Middle School</b>	93.3	4.8	1.0	0.4	0.3	0.1	0.2
<b>High School</b>	84.5	10.0	3.0	1.4	0.7	0.2	0.3
<b>Total</b>	<b>88.2</b>	<b>7.8</b>	<b>2.1</b>	<b>1.0</b>	<b>0.5</b>	<b>0.2</b>	<b>0.2</b>

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2010 to 2022**

	High-Risk Alcohol Use													
	Binge Drinking							Blacking Out						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %			2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	13.0	10.6	9.5	7.9	6.7	6.8	6.1			19.8	16.5	15.0	14.2	12.7
Male	15.2	11.9	9.4	7.7	6.9	6.4	5.1			18.1	15.4	13.5	13.3	9.5
<b>Race/Ethnic group</b>														
African American	9.7	7.1	6.0	4.9	3.9	4.5	3.9			10.3	8.4	7.7	8.1	7.2
Hispanic/Latino	15.1	12.3	11.3	8.6	7.6	7.0	5.8			18.6	15.3	12.4	11.7	8.2
White, non-Hispanic	16.6	12.8	10.7	8.8	7.9	7.5	6.4			22.4	20.0	18.9	18.0	14.7
<b>Age</b>														
11	1.7	1.5	1.1	0.6	1.2	1.6	2.1			--	--	--	--	--
12	3.7	2.2	1.9	1.8	1.9	2.2	1.7			--	--	--	--	--
13	6.5	4.9	4.4	3.7	3.2	3.9	3.5			--	--	--	--	--
14	10.8	8.3	6.7	5.5	5.1	5.1	4.0			10.0	7.3	7.0	7.7	5.4
15	14.2	13.5	10.2	7.8	6.4	7.0	5.4			14.2	11.5	9.9	10.5	8.2
16	18.7	16.0	14.4	9.6	10.0	9.0	7.1			20.0	15.5	14.4	13.1	10.3
17	22.6	19.9	16.7	15.4	12.1	10.6	9.2			24.5	21.2	17.7	16.7	15.0
18	28.4	22.1	19.0	15.7	13.7	14.6	11.9			23.1	22.3	21.0	20.7	15.8
<b>Grade</b>														
6th	3.8	2.1	1.9	1.6	1.8	2.1	2.3			--	--	--	--	--
7th	6.9	4.6	3.8	3.2	2.8	3.2	2.7			--	--	--	--	--
8th	10.0	7.4	6.0	4.9	4.6	4.9	4.0			--	--	--	--	--
9th	14.0	11.9	9.3	6.9	5.6	5.8	4.9			12.7	9.5	8.6	8.5	6.3
10th	18.0	14.8	12.7	9.0	8.9	8.4	5.9			17.9	14.0	12.3	12.4	9.3
11th	21.0	17.8	14.9	12.7	10.4	9.9	8.6			21.0	18.9	15.8	15.0	13.3
12th	27.1	22.1	19.2	15.8	13.6	13.2	11.1			25.4	22.3	20.7	19.8	16.0
<b>Middle School</b>	6.9	4.7	3.9	3.2	3.1	3.4	3.0			--	--	--	--	--
<b>High School</b>	19.6	16.4	13.7	10.9	9.6	9.2	7.5			18.9	15.9	14.2	13.8	11.0
<b>Total</b>	<b>14.1</b>	<b>11.3</b>	<b>9.5</b>	<b>7.7</b>	<b>6.8</b>	<b>6.7</b>	<b>5.6</b>			<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went.



**Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2010 to 2022**

	Cigarette Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	25.4	21.1	17.2	14.0	11.1	8.5	7.2	8.1	6.0	4.4	3.3	2.6	1.4	1.0
Male	26.5	21.5	18.0	14.1	11.4	9.6	7.0	9.5	7.1	5.3	3.5	2.4	2.1	1.3
<b>Race/Ethnic group</b>														
African American	17.6	13.6	10.3	8.9	6.5	5.8	4.0	3.8	2.9	2.0	1.5	1.2	1.2	0.7
Hispanic/Latino	25.8	20.3	17.2	13.4	11.4	7.7	6.0	7.1	5.2	3.6	2.6	2.0	1.3	0.8
White, non-Hispanic	30.7	25.3	21.2	16.7	13.6	11.3	9.2	12.5	9.1	6.9	4.7	3.3	2.3	1.5
<b>Age</b>														
11	4.8	4.4	3.7	2.4	3.2	2.9	2.6	0.8	0.9	0.4	0.3	0.8	0.5	0.3
12	10.3	7.2	6.5	5.1	4.6	4.8	3.8	2.5	1.1	1.1	0.8	0.7	0.8	0.5
13	16.5	12.9	10.6	9.1	7.4	6.8	5.7	4.1	2.7	2.2	1.7	1.4	1.3	1.0
14	23.1	18.3	15.2	12.4	9.5	8.1	6.3	6.7	4.4	3.6	2.2	1.6	1.4	1.0
15	28.7	24.4	19.3	14.9	11.4	9.3	7.0	9.4	7.2	5.1	3.5	2.5	1.7	1.2
16	32.7	28.0	22.9	18.5	15.1	11.4	8.3	11.6	8.7	6.5	4.3	3.4	2.4	1.2
17	36.9	33.9	28.9	22.4	17.5	12.6	9.7	13.7	12.8	9.0	6.2	4.0	2.9	1.7
18	41.3	36.5	30.2	23.6	19.2	15.9	13.1	17.9	14.6	11.1	7.4	5.4	3.6	2.1
<b>Grade</b>														
6th	10.4	6.7	5.7	4.3	4.4	4.5	3.8	2.4	1.3	1.0	0.8	0.7	0.8	0.5
7th	16.8	11.7	9.5	8.3	6.5	6.3	5.0	4.5	2.4	2.1	1.5	1.2	1.1	0.8
8th	22.6	17.1	14.2	11.3	9.2	7.4	6.3	6.6	4.3	2.9	2.0	1.6	1.4	1.1
9th	27.9	22.8	18.3	13.8	9.8	8.8	6.8	9.3	6.6	5.2	2.9	1.9	1.5	1.0
10th	31.8	26.2	22.0	17.2	14.4	10.1	7.0	10.8	7.8	6.2	4.6	3.5	1.9	1.3
11th	34.1	30.2	24.7	21.4	15.5	11.5	9.0	12.9	11.0	7.2	5.0	3.6	2.8	1.4
12th	39.7	36.5	30.8	22.4	19.5	15.4	12.1	16.3	13.9	10.8	7.1	5.0	3.3	2.0
<b>Middle School</b>	16.6	11.8	9.8	8.0	6.7	6.1	5.0	4.5	2.7	2.0	1.4	1.2	1.1	0.8
<b>High School</b>	33.0	28.5	23.6	18.5	14.7	11.3	8.6	12.1	9.6	7.1	4.8	3.5	2.4	1.4
<b>Total</b>	<b>25.9</b>	<b>21.3</b>	<b>17.6</b>	<b>14.1</b>	<b>11.3</b>	<b>9.0</b>	<b>7.1</b>	<b>8.8</b>	<b>6.6</b>	<b>4.9</b>	<b>3.4</b>	<b>2.5</b>	<b>1.8</b>	<b>1.2</b>

**Table 9. Percentage of surveyed Florida youth who vaped nicotine (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2022**

	Vaped Nicotine												
	Lifetime				Past 30 Days								
	2019 %	2020 %	2021 %	2022 %	2019 %	2020 %	2021 %	2022 %	2019 %	2020 %	2021 %	2022 %	
<b>Sex</b>													
Female	25.2	24.9	26.1	23.8	12.9	12.3	13.9	11.9					
Male	21.9	20.8	19.3	16.7	12.1	10.4	8.7	7.5					
<b>Race/Ethnic group</b>													
African American	11.8	12.0	13.5	13.7	4.4	4.8	5.6	5.7					
Hispanic/Latino	21.6	21.3	22.1	19.6	11.2	9.9	9.0	9.4					
White, non-Hispanic	30.5	28.8	27.0	23.5	18.0	15.2	14.6	11.8					
<b>Age</b>													
11	6.0	4.6	5.8	6.4	2.0	1.8	1.6	2.1					
12	9.8	9.6	10.9	10.1	4.0	3.8	4.4	3.5					
13	16.8	16.3	17.7	14.3	7.4	7.1	7.8	6.5					
14	21.4	22.1	24.2	18.5	10.1	10.1	11.1	8.7					
15	30.0	26.2	25.0	22.2	15.5	13.5	12.7	10.7					
16	32.0	31.8	29.2	25.9	17.6	16.3	15.7	12.5					
17	31.6	32.4	29.8	29.8	19.2	17.1	15.8	15.2					
18	32.7	33.9	30.3	29.6	21.3	19.2	15.7	15.9					
<b>Grade</b>													
6th	7.8	7.4	8.2	8.8	2.7	2.8	3.0	3.1					
7th	13.9	13.0	15.0	12.4	6.1	5.8	5.9	5.3					
8th	19.4	19.8	22.1	17.6	8.9	8.7	10.1	7.9					
9th	26.3	24.1	22.7	19.5	13.2	12.1	11.4	9.9					
10th	30.6	29.3	27.8	23.3	16.9	15.1	14.4	11.0					
11th	33.5	32.0	30.7	28.6	18.3	16.8	16.2	13.8					
12th	33.2	35.1	31.9	31.5	21.6	19.0	17.5	16.8					
<b>Middle School</b>	13.7	13.5	15.1	13.1	5.9	5.8	6.4	5.5					
<b>High School</b>	30.8	30.0	28.1	25.5	17.4	15.6	14.8	12.7					
<b>Total</b>	<b>23.5</b>	<b>22.8</b>	<b>22.5</b>	<b>20.2</b>	<b>12.5</b>	<b>11.4</b>	<b>11.2</b>	<b>9.7</b>					

**Table 10. Percentage of surveyed Florida youth who vaped marijuana (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2022**

	Vaped Marijuana													
	Lifetime				Past 30 Days									
				2019 %	2020 %	2021 %	2022 %				2019 %	2020 %	2021 %	2022 %
<b>Sex</b>														
Female				16.1	16.6	16.8	15.1				8.1	7.3	7.4	7.7
Male				14.6	14.5	13.1	11.4				8.4	7.3	6.1	5.9
<b>Race/Ethnic group</b>														
African American				9.5	10.1	9.0	9.8				4.2	4.2	3.7	4.8
Hispanic/Latino				15.3	15.0	15.2	12.4				8.1	6.8	6.4	6.4
White, non-Hispanic				18.1	18.2	17.2	15.2				10.5	8.5	8.0	7.9
<b>Age</b>														
11				1.5	1.8	2.6	2.0				1.1	0.8	0.9	0.7
12				3.9	4.1	3.4	4.0				1.7	1.8	1.6	1.6
13				8.1	8.4	7.6	6.8				3.4	3.6	2.8	3.4
14				12.0	12.0	12.3	9.6				5.9	5.8	5.5	4.9
15				19.5	17.3	15.6	14.3				10.2	8.5	6.8	7.0
16				22.4	24.2	22.8	17.9				13.3	11.3	10.1	9.4
17				25.5	25.8	24.6	24.2				14.2	12.2	12.3	13.2
18				25.1	28.7	28.2	24.7				14.6	13.8	12.3	13.0
<b>Grade</b>														
6th				2.3	3.1	2.9	3.5				1.4	1.2	1.4	1.6
7th				6.7	6.7	5.6	5.5				2.5	3.1	2.0	2.5
8th				10.7	10.6	10.9	9.1				5.1	4.8	4.2	4.5
9th				16.1	13.8	12.6	11.3				8.2	6.8	6.0	5.7
10th				20.6	21.5	20.4	16.2				11.6	10.3	9.8	8.5
11th				25.5	25.8	23.9	21.2				14.2	12.1	11.1	11.0
12th				26.1	28.4	29.0	26.2				15.4	13.6	12.9	14.1
<b>Middle School</b>				6.6	6.8	6.5	6.1				3.0	3.0	2.5	2.9
<b>High School</b>				22.0	22.2	21.3	18.4				12.3	10.6	9.9	9.7
<b>Total</b>				<b>15.3</b>	<b>15.5</b>	<b>14.9</b>	<b>13.2</b>				<b>8.3</b>	<b>7.3</b>	<b>6.7</b>	<b>6.8</b>

**Table 11. Percentage of surveyed Florida youth who used an electronic vaporizer, such as an e-cigarette, in lifetime and past 30 days—2016 and 2018**

	Electronic Vaporizer Use												
	Lifetime						Past 30 Days						
				2016 %	2018 %					2016 %	2018 %		
<b>Sex</b>													
Female				24.4	26.5					8.4	13.5		
Male				27.1	27.6					10.6	14.0		
<b>Race/Ethnic group</b>													
African American				17.9	17.0					5.5	5.9		
Hispanic/Latino				26.7	27.5					9.6	12.8		
White, non-Hispanic				29.2	32.1					11.8	18.3		
<b>Age</b>													
11				4.9	7.0					1.4	2.2		
12				8.8	10.3					2.9	3.5		
13				17.5	16.8					6.3	7.5		
14				24.4	26.6					8.8	13.5		
15				31.5	31.5					11.7	16.7		
16				35.1	38.6					13.2	19.8		
17				37.0	39.2					13.8	20.6		
18				36.9	38.9					14.9	22.2		
<b>Grade</b>													
6th				6.9	8.7					2.5	3.0		
7th				14.1	14.1					5.1	6.0		
8th				22.8	22.6					7.8	10.2		
9th				28.8	29.9					10.7	16.1		
10th				33.7	36.0					13.4	18.7		
11th				36.8	38.4					12.6	19.8		
12th				36.9	40.2					14.5	22.6		
<b>Middle School</b>				14.6	15.1					5.1	6.4		
<b>High School</b>				33.9	36.0					12.8	19.2		
<b>Total</b>				<b>25.8</b>	<b>27.1</b>					<b>9.6</b>	<b>13.7</b>		

Note: These items were replaced by questions distinguishing between nicotine vaping and marijuana vaping.

**Table 12. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2010 to 2022**

	Marijuana or Hashish Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	22.0	21.9	22.1	21.4	21.0	21.0	18.1	11.4	10.6	11.7	10.9	11.0	10.6	9.1
Male	25.5	24.5	23.0	21.3	19.4	19.2	14.0	14.6	14.1	13.1	11.5	10.7	10.7	7.4
<b>Race/Ethnic group</b>														
African American	19.5	19.3	20.9	19.4	17.9	18.6	14.4	10.4	10.1	10.7	9.1	9.4	9.7	7.3
Hispanic/Latino	22.2	21.5	22.0	20.5	19.4	18.1	13.6	11.7	11.3	11.4	10.7	9.6	9.2	6.9
White, non-Hispanic	27.9	26.0	24.3	22.6	21.8	21.7	18.0	15.5	13.8	13.7	12.3	12.1	11.6	9.4
<b>Age</b>														
11	1.2	1.1	1.4	0.9	1.8	1.9	1.7	0.7	0.4	0.5	0.3	0.8	1.0	0.5
12	4.5	3.4	4.2	2.9	3.5	4.7	3.5	2.2	1.4	2.0	1.1	1.4	2.0	1.2
13	9.5	9.0	8.7	8.0	9.4	9.8	7.4	4.8	4.3	3.8	3.8	4.4	4.3	3.6
14	18.5	17.2	17.1	15.8	15.7	15.9	12.1	10.3	8.7	9.8	7.9	8.1	8.0	6.2
15	26.7	28.0	27.1	24.1	22.4	22.0	16.8	15.1	15.3	15.5	13.3	12.3	11.9	9.0
16	35.0	35.0	35.0	32.5	31.4	31.3	22.2	19.1	19.0	18.1	16.9	17.2	16.6	11.0
17	39.4	41.9	41.1	39.2	35.8	34.6	29.6	21.0	22.8	23.5	20.9	19.2	19.3	15.9
18	41.0	43.8	41.4	41.7	38.1	38.4	32.0	22.9	23.3	23.6	22.3	22.8	21.9	17.8
<b>Grade</b>														
6th	3.8	2.8	3.0	2.1	3.0	3.4	3.1	2.0	1.1	1.1	0.8	1.3	1.4	1.0
7th	9.7	7.5	7.6	6.5	6.8	7.5	5.5	5.0	3.8	3.7	3.0	3.1	3.3	2.5
8th	17.9	14.8	14.6	12.5	13.1	13.7	10.8	9.9	7.7	7.8	5.9	6.7	6.6	5.4
9th	25.9	24.4	23.6	21.1	18.8	18.8	14.0	15.0	13.2	13.5	11.6	9.7	9.8	7.4
10th	33.7	31.7	31.9	29.0	27.9	27.0	19.3	18.5	17.1	17.6	15.8	15.9	14.6	10.3
11th	36.9	39.2	37.5	37.3	33.9	34.3	26.6	19.8	21.6	20.4	19.6	18.2	19.7	13.6
12th	40.7	44.6	42.8	40.7	38.9	37.7	33.1	21.8	23.2	24.1	21.5	21.6	20.2	18.1
<b>Middle School</b>	10.5	8.3	8.4	7.0	7.6	8.2	6.6	5.7	4.2	4.2	3.2	3.7	3.8	3.0
<b>High School</b>	33.8	34.4	33.4	31.7	29.7	29.2	22.9	18.6	18.5	18.6	17.0	16.3	15.9	12.2
<b>Total</b>	<b>23.8</b>	<b>23.2</b>	<b>22.6</b>	<b>21.3</b>	<b>20.2</b>	<b>20.1</b>	<b>16.0</b>	<b>13.0</b>	<b>12.4</b>	<b>12.4</b>	<b>11.2</b>	<b>10.9</b>	<b>10.7</b>	<b>8.3</b>

**Table 13. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2022**

	<b>Marijuana or Hashish</b>						
	<i>Number of Occasions in Past 30 Days</i>						
	<b>0</b>	<b>1-2</b>	<b>3-5</b>	<b>6-9</b>	<b>10-19</b>	<b>20-39</b>	<b>40+</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
<b>Sex</b>							
Female	90.9	3.4	1.6	1.0	1.0	0.9	1.2
Male	92.6	2.4	1.2	0.8	0.9	0.8	1.4
<b>Race/Ethnic group</b>							
African American	92.7	2.5	1.7	0.7	0.9	0.6	1.1
Hispanic/Latino	93.1	2.6	1.2	0.7	0.9	0.7	0.8
White, non-Hispanic	90.6	3.3	1.4	1.0	1.0	1.1	1.7
<b>Age</b>							
11	99.5	0.2	0.1	0.1	0.0	0.0	0.1
12	98.8	0.6	0.2	0.1	0.2	0.0	0.0
13	96.4	1.8	0.7	0.4	0.3	0.3	0.2
14	93.8	2.8	1.0	0.9	0.5	0.4	0.6
15	91.0	3.6	1.5	0.8	1.1	0.9	1.1
16	89.0	3.5	1.8	1.4	1.3	1.4	1.6
17	84.1	4.6	2.6	1.6	2.2	1.6	3.3
18	82.2	5.4	3.2	1.7	2.0	2.6	3.0
<b>Grade</b>							
6th	99.0	0.5	0.2	0.1	0.2	0.0	0.1
7th	97.5	1.4	0.4	0.2	0.1	0.2	0.2
8th	94.6	2.3	0.8	0.9	0.4	0.4	0.5
9th	92.6	3.2	1.3	0.8	0.7	0.7	0.7
10th	89.7	3.5	1.8	1.0	1.3	1.2	1.4
11th	86.4	4.3	2.1	1.4	1.8	1.6	2.4
12th	81.9	5.2	3.2	1.9	2.1	2.1	3.6
<b>Middle School</b>	97.0	1.4	0.5	0.4	0.3	0.2	0.3
<b>High School</b>	87.8	4.0	2.1	1.3	1.5	1.4	2.0
<b>Total</b>	<b>91.7</b>	<b>2.9</b>	<b>1.4</b>	<b>0.9</b>	<b>0.9</b>	<b>0.9</b>	<b>1.3</b>

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 14. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2012 to 2022**

	Synthetic Marijuana Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %		2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	
<b>Sex</b>														
Female	10.9	7.7	4.8	3.7	2.9	2.8		3.3	1.2	0.9	1.1	0.8	1.0	
Male	15.2	10.0	5.0	3.3	2.9	2.2		5.3	1.6	1.2	1.1	1.0	0.7	
<b>Race/Ethnic group</b>														
African American	5.7	4.7	3.1	2.0	1.5	1.3		2.2	0.9	1.2	0.8	0.6	0.8	
Hispanic/Latino	9.1	7.7	4.8	3.7	2.7	2.3		3.8	2.0	1.2	1.2	0.7	0.9	
White, non-Hispanic	17.5	11.0	5.6	4.1	3.5	3.2		5.3	1.4	0.8	1.1	1.0	0.8	
<b>Age</b>														
11	--	--	--	--	--	--		--	--	--	--	--	--	
12	--	--	--	--	--	--		--	--	--	--	--	--	
13	--	--	--	--	--	--		--	--	--	--	--	--	
14	7.5	5.6	2.8	2.7	2.1	1.4		2.7	1.0	0.5	0.9	0.3	0.5	
15	9.9	6.7	3.6	3.4	2.3	1.9		4.0	1.5	1.0	1.2	0.7	0.7	
16	13.5	8.8	4.8	3.6	3.0	2.6		4.3	1.5	1.1	1.3	1.1	1.0	
17	15.6	11.2	6.0	3.5	3.1	3.0		5.1	1.5	1.2	0.9	1.0	0.9	
18	16.9	11.2	6.2	4.2	4.0	3.5		4.5	1.2	0.7	1.1	1.0	1.1	
<b>Grade</b>														
6th	--	--	--	--	--	--		--	--	--	--	--	--	
7th	--	--	--	--	--	--		--	--	--	--	--	--	
8th	--	--	--	--	--	--		--	--	--	--	--	--	
9th	9.7	6.6	3.7	3.2	2.2	1.5		4.1	1.3	1.1	1.2	0.6	0.6	
10th	11.8	8.4	4.7	3.5	2.7	2.4		3.9	1.6	1.1	1.2	0.9	0.9	
11th	14.6	8.9	5.5	3.3	3.2	3.1		4.9	1.4	1.2	0.9	1.1	1.0	
12th	16.7	12.2	5.9	4.2	3.5	3.1		4.4	1.3	0.7	1.1	0.9	0.9	
<b>Middle School</b>	--	--	--	--	--	--		--	--	--	--	--	--	
<b>High School</b>	13.0	8.8	4.9	3.5	2.9	2.5		4.3	1.4	1.0	1.1	0.9	0.8	
<b>Total</b>	--	--	--	--	--	--		--	--	--	--	--	--	

**Table 15. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2010 to 2022**

	Inhalant Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	11.0	8.9	7.2	6.1	6.7	7.7	6.6	3.6	3.0	2.3	1.9	2.1	2.4	1.9
Male	8.9	6.8	5.8	4.7	4.9	5.2	4.6	2.8	2.0	1.9	1.4	1.6	1.4	1.2
<b>Race/Ethnic group</b>														
African American	7.6	6.0	5.8	5.3	5.4	5.1	4.8	3.1	2.4	2.3	1.8	2.3	1.9	1.8
Hispanic/Latino	11.0	8.0	6.9	5.5	5.3	6.1	4.8	3.8	2.6	2.3	1.7	1.6	1.7	1.4
White, non-Hispanic	9.8	7.9	6.2	5.1	5.9	6.9	6.4	2.6	2.1	1.7	1.4	1.7	1.8	1.6
<b>Age</b>														
11	10.3	7.9	6.3	4.8	6.0	6.5	6.5	4.8	2.9	2.9	1.4	2.5	2.5	2.2
12	11.4	9.0	7.8	6.0	7.3	8.3	7.2	4.6	3.9	2.7	2.2	2.8	2.7	2.2
13	13.0	10.8	9.5	6.7	8.5	8.9	7.1	5.2	4.0	3.3	2.4	2.9	2.9	2.3
14	13.2	9.5	8.5	7.1	7.7	7.6	6.2	4.3	3.4	2.5	2.1	2.2	2.4	2.0
15	9.9	7.8	5.8	5.8	4.9	6.0	5.7	2.8	1.8	2.0	1.7	1.3	1.6	1.3
16	7.9	6.1	4.8	4.5	4.3	4.8	4.4	2.1	1.5	1.4	1.1	1.2	1.1	0.8
17	6.8	5.5	4.3	3.8	3.6	4.2	4.4	1.5	1.3	1.0	0.7	0.9	0.9	0.9
18	6.7	5.4	3.5	3.3	3.4	4.6	3.4	1.2	1.1	0.5	1.0	1.0	1.3	0.9
<b>Grade</b>														
6th	10.8	8.3	7.1	5.4	6.7	7.3	7.0	5.0	3.6	2.8	1.8	2.9	2.6	2.3
7th	13.7	10.6	9.3	6.3	8.2	9.2	7.3	5.1	4.1	3.3	2.5	3.1	3.0	2.3
8th	13.1	10.7	9.6	7.6	8.3	8.4	7.1	4.3	3.7	3.1	2.5	2.5	2.8	2.2
9th	10.1	8.1	5.9	6.0	5.5	6.1	5.2	3.0	2.3	1.7	1.8	1.3	1.5	1.4
10th	8.4	6.1	5.3	5.0	4.4	5.3	5.1	2.4	1.5	1.7	1.2	1.1	1.4	1.1
11th	6.9	5.6	4.4	4.3	3.5	4.7	4.8	1.3	1.2	0.9	1.0	1.0	1.0	0.9
12th	6.1	5.4	3.7	3.0	3.7	4.3	3.2	1.2	1.2	0.7	0.7	0.9	1.1	1.0
<b>Middle School</b>	12.5	9.9	8.6	6.4	7.8	8.3	7.1	4.8	3.8	3.1	2.2	2.8	2.8	2.3
<b>High School</b>	8.0	6.4	4.9	4.6	4.3	5.1	4.6	2.0	1.6	1.3	1.2	1.1	1.2	1.1
<b>Total</b>	<b>10.0</b>	<b>7.9</b>	<b>6.5</b>	<b>5.4</b>	<b>5.8</b>	<b>6.5</b>	<b>5.7</b>	<b>3.2</b>	<b>2.5</b>	<b>2.1</b>	<b>1.6</b>	<b>1.8</b>	<b>1.9</b>	<b>1.6</b>



**Table 16. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2010 to 2022**

	Club Drug Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	3.5	3.2	2.8	1.9	1.2	1.3	1.0	1.1	0.9	0.7	0.5	0.3	0.4	0.3
Male	3.9	3.5	3.2	2.2	1.4	1.8	1.0	1.4	1.2	0.8	0.6	0.5	0.6	0.4
<b>Race/Ethnic group</b>														
African American	1.8	1.3	1.4	1.2	0.9	0.7	0.7	0.8	0.4	0.4	0.4	0.4	0.3	0.4
Hispanic/Latino	4.0	3.6	3.1	2.1	1.2	1.4	0.7	1.4	1.2	0.8	0.5	0.5	0.4	0.2
White, non-Hispanic	4.4	3.8	3.5	2.3	1.5	1.8	1.3	1.3	1.1	0.8	0.6	0.3	0.5	0.4
<b>Age</b>														
11	0.3	0.3	0.1	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.1
12	0.7	0.5	0.5	0.4	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.2	0.2
13	1.7	1.0	1.0	0.9	0.6	1.0	0.8	0.6	0.3	0.4	0.3	0.3	0.5	0.4
14	2.8	2.3	2.4	1.3	1.0	1.0	0.7	0.9	0.7	0.7	0.4	0.3	0.3	0.3
15	4.1	3.3	3.3	2.3	1.3	1.6	0.8	1.5	1.1	1.0	0.6	0.4	0.7	0.3
16	5.8	5.1	4.1	2.9	1.6	2.0	1.4	2.0	1.6	1.1	0.8	0.5	0.7	0.3
17	5.3	6.7	5.4	3.6	2.0	2.6	1.8	1.7	1.9	0.9	0.8	0.7	0.6	0.6
18	7.0	7.6	6.9	4.5	3.3	3.2	2.3	2.0	2.3	1.3	0.9	0.8	0.9	0.9
<b>Grade</b>														
6th	0.8	0.6	0.4	0.4	0.5	0.4	0.2	0.3	0.2	0.2	0.2	0.1	0.2	0.2
7th	1.8	0.9	0.9	0.7	0.5	0.7	0.5	0.7	0.4	0.3	0.4	0.2	0.4	0.3
8th	2.6	1.9	2.0	1.1	1.1	1.1	0.8	0.9	0.7	0.5	0.3	0.3	0.5	0.3
9th	4.2	3.1	2.7	2.0	1.0	1.2	0.8	1.5	0.9	0.8	0.5	0.4	0.5	0.2
10th	5.1	4.2	4.0	2.7	1.5	1.7	1.0	1.7	1.4	1.1	0.7	0.3	0.7	0.4
11th	5.7	5.7	4.9	3.4	1.8	2.3	1.7	1.9	1.7	1.1	1.1	0.6	0.6	0.4
12th	6.2	7.8	6.7	4.2	2.8	3.3	2.2	1.8	2.2	1.2	0.8	0.8	0.8	0.6
<b>Middle School</b>	1.7	1.1	1.1	0.7	0.7	0.7	0.5	0.6	0.4	0.3	0.3	0.2	0.3	0.3
<b>High School</b>	5.2	5.1	4.5	3.0	1.8	2.1	1.4	1.7	1.5	1.0	0.8	0.5	0.6	0.4
<b>Total</b>	<b>3.7</b>	<b>3.4</b>	<b>3.0</b>	<b>2.1</b>	<b>1.3</b>	<b>1.5</b>	<b>1.0</b>	<b>1.3</b>	<b>1.1</b>	<b>0.7</b>	<b>0.6</b>	<b>0.4</b>	<b>0.5</b>	<b>0.4</b>

Note: The survey question asks about the use of "club drugs" such as Ecstasy, Rohypnol, GHB, or ketamine.

**Table 17. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2010 to 2022**

	LSD, PCP or Hallucinogenic Mushroom Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	3.2	2.8	2.8	2.7	2.3	2.5	2.6	0.9	0.7	0.8	0.7	0.7	0.7	0.6
Male	4.7	4.3	4.3	3.7	3.1	3.4	2.5	1.3	1.2	1.2	1.1	0.9	1.2	0.7
<b>Race/Ethnic group</b>														
African American	1.3	1.0	1.1	1.1	1.0	1.0	1.2	0.6	0.4	0.5	0.4	0.5	0.5	0.5
Hispanic/Latino	3.4	2.9	3.1	2.8	2.3	2.1	2.0	1.1	1.0	0.9	0.8	0.8	0.7	0.5
White, non-Hispanic	5.3	4.5	4.7	4.2	3.6	4.1	3.6	1.4	1.1	1.3	1.1	1.0	1.2	0.9
<b>Age</b>														
11	0.4	0.5	0.3	0.2	0.3	0.3	0.2	0.0	0.2	0.1	0.0	0.2	0.2	0.1
12	1.0	0.7	0.5	0.5	0.8	0.8	0.5	0.4	0.3	0.3	0.2	0.3	0.2	0.3
13	1.8	1.1	1.4	1.1	0.9	1.3	1.1	0.8	0.4	0.5	0.2	0.3	0.5	0.4
14	3.1	2.6	2.6	2.0	1.7	1.6	1.6	1.0	0.8	1.0	0.5	0.5	0.5	0.5
15	4.1	3.9	4.3	3.7	2.7	3.1	2.1	1.3	1.1	1.2	1.1	0.9	1.0	0.5
16	5.5	4.8	5.1	5.2	4.1	4.5	3.9	1.4	1.3	1.5	1.7	1.2	1.8	0.9
17	6.1	6.7	6.6	5.8	4.8	5.3	5.2	1.3	1.4	1.5	1.4	1.3	1.4	1.2
18	6.8	7.4	6.9	6.8	6.5	6.9	6.4	1.9	1.6	1.6	1.7	1.6	2.0	1.3
<b>Grade</b>														
6th	0.8	0.5	0.4	0.4	0.7	0.6	0.5	0.4	0.2	0.2	0.1	0.3	0.2	0.3
7th	1.9	1.1	1.2	0.8	0.7	1.0	0.7	0.8	0.4	0.4	0.2	0.3	0.4	0.3
8th	3.0	2.5	2.4	1.8	1.6	1.7	1.6	0.9	0.9	1.1	0.5	0.5	0.6	0.5
9th	4.3	3.7	3.5	2.8	2.0	2.4	1.7	1.4	1.1	1.1	0.9	0.7	0.7	0.5
10th	5.1	4.1	5.0	4.5	3.7	3.4	3.0	1.5	1.1	1.6	1.4	1.1	1.3	0.8
11th	5.9	5.6	5.8	5.8	4.3	5.1	4.3	1.2	1.4	1.4	1.6	1.1	1.4	1.0
12th	6.8	7.6	7.2	6.4	6.1	6.7	6.4	1.8	1.6	1.5	1.6	1.6	2.0	1.1
<b>Middle School</b>	1.9	1.4	1.3	1.0	1.0	1.1	1.0	0.7	0.5	0.6	0.3	0.4	0.4	0.4
<b>High School</b>	5.4	5.1	5.3	4.8	4.0	4.3	3.8	1.4	1.3	1.4	1.4	1.1	1.3	0.9
<b>Total</b>	<b>3.9</b>	<b>3.5</b>	<b>3.6</b>	<b>3.2</b>	<b>2.7</b>	<b>2.9</b>	<b>2.6</b>	<b>1.1</b>	<b>1.0</b>	<b>1.0</b>	<b>0.9</b>	<b>0.8</b>	<b>0.9</b>	<b>0.6</b>

**Table 18. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2010 to 2022**

	Cocaine or Crack Cocaine Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	2.7	1.9	1.6	1.6	1.3	1.3	0.9	0.8	0.5	0.5	0.6	0.4	0.4	0.2
Male	3.1	2.6	2.1	1.9	1.6	1.4	0.8	0.9	0.8	0.7	0.6	0.5	0.5	0.3
<b>Race/Ethnic group</b>														
African American	1.2	0.8	0.6	0.9	0.7	0.5	0.6	0.7	0.3	0.3	0.4	0.4	0.3	0.2
Hispanic/Latino	3.7	2.6	2.3	1.8	1.7	1.5	0.7	1.2	0.6	0.7	0.7	0.4	0.4	0.3
White, non-Hispanic	3.2	2.5	2.1	2.1	1.7	1.5	1.1	0.7	0.7	0.6	0.7	0.4	0.4	0.3
<b>Age</b>														
11	0.7	0.5	0.2	0.2	0.6	0.5	0.3	0.3	0.1	0.0	0.1	0.2	0.0	0.2
12	1.0	0.8	0.7	0.5	0.7	0.8	0.6	0.4	0.3	0.3	0.3	0.3	0.3	0.2
13	1.7	1.1	1.2	1.0	0.9	1.0	0.6	0.7	0.2	0.5	0.3	0.3	0.4	0.1
14	2.3	1.8	1.2	0.9	0.9	0.8	0.7	0.8	0.6	0.6	0.3	0.3	0.3	0.3
15	2.4	2.3	1.5	1.8	1.1	1.1	0.5	0.7	0.7	0.5	0.6	0.4	0.5	0.1
16	4.0	3.1	2.3	2.4	1.6	1.7	1.0	1.1	0.9	0.8	0.9	0.6	0.6	0.3
17	4.5	3.5	3.7	2.8	2.3	2.0	1.4	1.1	0.9	0.8	0.9	0.4	0.6	0.3
18	5.4	4.7	3.9	4.4	3.8	3.0	2.1	1.1	1.4	1.1	1.4	0.9	0.7	0.9
<b>Grade</b>														
6th	1.1	0.8	0.5	0.5	0.7	0.7	0.6	0.5	0.2	0.1	0.2	0.3	0.2	0.3
7th	1.8	1.0	1.1	0.7	0.7	0.9	0.7	0.8	0.3	0.5	0.3	0.3	0.4	0.1
8th	2.4	1.7	1.2	1.0	1.1	0.9	0.7	0.8	0.5	0.6	0.3	0.4	0.4	0.2
9th	2.6	2.4	1.5	1.5	0.9	0.9	0.5	0.8	0.7	0.5	0.5	0.3	0.3	0.1
10th	3.3	2.5	1.9	2.0	1.4	1.4	0.8	0.9	0.7	0.5	0.8	0.4	0.7	0.3
11th	4.5	3.4	3.0	2.8	1.7	1.9	1.3	1.1	1.0	0.8	0.9	0.5	0.3	0.3
12th	4.9	4.4	4.1	3.8	3.6	2.7	1.6	1.0	1.3	1.1	1.2	0.7	0.8	0.5
<b>Middle School</b>	1.8	1.1	0.9	0.8	0.8	0.9	0.7	0.7	0.4	0.4	0.3	0.3	0.3	0.2
<b>High School</b>	3.8	3.1	2.5	2.5	1.9	1.7	1.0	0.9	0.9	0.7	0.8	0.5	0.5	0.3
<b>Total</b>	<b>2.9</b>	<b>2.3</b>	<b>1.9</b>	<b>1.8</b>	<b>1.4</b>	<b>1.3</b>	<b>0.9</b>	<b>0.8</b>	<b>0.7</b>	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>

**Table 19. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2010 to 2022**

	Methamphetamine Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	1.2	0.9	0.8	0.6	0.6	0.6	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.3
Male	1.3	1.1	1.2	0.8	0.8	0.9	0.7	0.6	0.5	0.6	0.4	0.5	0.5	0.4
<b>Race/Ethnic group</b>														
African American	1.0	0.8	0.9	0.6	1.0	0.6	0.7	0.6	0.5	0.5	0.4	0.7	0.5	0.5
Hispanic/Latino	1.5	1.1	1.2	0.7	0.8	0.9	0.8	0.7	0.5	0.4	0.4	0.4	0.4	0.3
White, non-Hispanic	1.2	1.0	0.9	0.7	0.5	0.7	0.7	0.4	0.4	0.4	0.3	0.2	0.3	0.3
<b>Age</b>														
11	0.6	0.6	0.2	0.3	0.5	0.6	0.8	0.2	0.4	0.1	0.1	0.2	0.3	0.3
12	0.9	0.9	0.8	0.4	0.6	0.5	0.5	0.5	0.5	0.4	0.2	0.4	0.3	0.2
13	1.3	0.9	1.0	0.6	0.7	0.8	0.7	0.7	0.3	0.5	0.3	0.4	0.5	0.4
14	1.4	1.2	0.9	0.6	0.7	0.5	0.6	0.4	0.6	0.5	0.3	0.4	0.3	0.3
15	1.4	0.9	1.2	0.8	0.6	0.9	0.6	0.5	0.4	0.6	0.4	0.3	0.6	0.3
16	1.3	1.4	1.0	0.9	0.7	0.8	0.6	0.4	0.7	0.5	0.5	0.4	0.4	0.3
17	1.1	0.9	1.3	0.6	0.6	1.1	0.9	0.5	0.3	0.5	0.4	0.3	0.5	0.4
18	1.5	1.1	1.0	1.3	1.4	0.8	0.9	0.8	0.5	0.4	0.5	0.8	0.4	0.3
<b>Grade</b>														
6th	1.0	1.0	0.7	0.4	0.7	0.7	0.7	0.5	0.5	0.3	0.2	0.4	0.4	0.3
7th	1.4	0.9	1.0	0.5	0.6	0.8	0.4	0.7	0.4	0.5	0.3	0.4	0.4	0.2
8th	1.5	1.1	1.0	0.7	0.7	0.6	0.8	0.5	0.5	0.5	0.4	0.4	0.3	0.4
9th	1.4	1.0	1.1	0.7	0.7	0.6	0.6	0.5	0.4	0.5	0.3	0.3	0.5	0.3
10th	1.3	1.0	0.9	1.0	0.6	0.8	0.6	0.4	0.5	0.4	0.6	0.3	0.4	0.3
11th	0.9	1.2	1.0	0.9	0.5	1.0	1.0	0.4	0.7	0.5	0.5	0.3	0.5	0.4
12th	1.4	1.1	1.3	0.8	1.1	0.9	0.8	0.7	0.3	0.5	0.3	0.6	0.4	0.3
<b>Middle School</b>	1.3	1.0	0.9	0.5	0.7	0.7	0.7	0.6	0.5	0.4	0.3	0.4	0.4	0.3
<b>High School</b>	1.3	1.1	1.1	0.8	0.7	0.8	0.7	0.5	0.5	0.5	0.4	0.4	0.4	0.3
<b>Total</b>	<b>1.3</b>	<b>1.0</b>	<b>1.0</b>	<b>0.7</b>	<b>0.7</b>	<b>0.8</b>	<b>0.7</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>

**Table 20. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2010 to 2022**

	Depressant Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	6.5	5.2	5.1	5.3	4.4	4.2	2.8	2.3	1.6	1.8	2.0	1.4	1.0	0.8
Male	5.2	4.1	3.6	4.1	4.3	3.2	1.9	1.7	1.5	1.2	1.5	1.2	1.0	0.6
<b>Race/Ethnic group</b>														
African American	1.6	1.1	1.7	2.0	2.4	1.7	1.2	0.8	0.4	0.8	1.0	1.0	0.6	0.3
Hispanic/Latino	5.0	4.3	4.2	4.7	3.7	3.2	1.8	1.6	1.5	1.4	1.7	1.0	0.8	0.6
White, non-Hispanic	8.2	6.2	5.4	5.8	5.4	4.7	3.1	2.8	2.1	1.8	2.0	1.6	1.2	0.9
<b>Age</b>														
11	0.8	0.6	0.4	0.6	0.9	1.0	0.5	0.1	0.2	0.1	0.1	0.2	0.3	0.3
12	1.6	1.0	1.0	1.4	1.4	1.9	1.1	0.6	0.6	0.4	0.4	0.7	0.7	0.3
13	2.6	1.8	2.4	2.6	2.5	2.5	1.9	1.1	0.6	1.0	1.0	1.0	0.8	0.5
14	4.6	3.2	3.5	3.8	4.1	3.2	2.1	1.8	1.2	1.3	1.6	1.4	1.0	0.7
15	5.9	4.8	5.1	5.5	4.9	3.8	2.4	2.2	1.9	2.2	2.3	1.7	1.3	0.7
16	8.6	7.0	6.6	6.6	6.5	5.3	3.2	3.1	2.4	1.7	2.3	1.7	1.4	0.8
17	9.2	9.0	7.2	7.8	6.5	5.7	3.8	2.7	2.6	2.7	2.8	1.3	1.1	1.2
18	10.4	8.6	7.3	8.0	7.4	5.8	3.3	3.0	2.4	1.9	2.9	2.1	1.5	0.8
<b>Grade</b>														
6th	1.1	0.9	0.8	1.0	1.1	1.4	0.8	0.5	0.5	0.3	0.3	0.5	0.6	0.3
7th	2.9	1.4	1.8	1.9	2.1	2.1	1.8	1.1	0.6	0.8	0.9	0.8	0.7	0.6
8th	4.3	3.0	3.0	3.6	3.9	3.0	1.8	1.6	1.2	1.2	1.3	1.5	1.1	0.5
9th	6.0	4.5	4.3	4.6	4.3	3.6	2.4	2.4	1.5	1.8	1.8	1.5	0.9	0.7
10th	7.9	5.8	6.2	6.4	5.8	4.8	2.7	2.8	2.2	2.1	2.4	1.7	1.6	0.8
11th	9.7	7.9	6.9	7.7	6.4	5.4	3.4	3.0	2.4	2.1	2.8	1.4	1.2	1.0
12th	9.5	9.6	7.8	7.7	7.3	6.1	3.8	2.8	2.5	2.5	2.7	1.8	1.3	1.0
<b>Middle School</b>	2.8	1.8	1.9	2.2	2.3	2.2	1.5	1.1	0.8	0.8	0.8	0.9	0.8	0.5
<b>High School</b>	8.2	6.8	6.2	6.5	5.9	4.9	3.1	2.7	2.1	2.1	2.4	1.6	1.2	0.8
<b>Total</b>	<b>5.8</b>	<b>4.6</b>	<b>4.3</b>	<b>4.7</b>	<b>4.4</b>	<b>3.7</b>	<b>2.4</b>	<b>2.0</b>	<b>1.6</b>	<b>1.5</b>	<b>1.8</b>	<b>1.3</b>	<b>1.0</b>	<b>0.7</b>

Note: In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. As a result of these changes, please exercise caution when comparing to results from earlier years.

**Table 21. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2010 to 2022**

	Heroin Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	1.0	0.5	0.4	0.4	0.3	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.2	0.2
Male	1.1	0.8	0.8	0.4	0.4	0.6	0.3	0.4	0.4	0.3	0.2	0.2	0.3	0.2
<b>Race/Ethnic group</b>														
African American	0.7	0.5	0.6	0.4	0.4	0.5	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3
Hispanic/Latino	1.1	0.5	0.6	0.3	0.4	0.6	0.4	0.4	0.3	0.3	0.2	0.1	0.2	0.2
White, non-Hispanic	1.1	0.8	0.6	0.4	0.3	0.5	0.4	0.3	0.3	0.2	0.1	0.1	0.2	0.1
<b>Age</b>														
11	0.5	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.2	0.1
12	0.6	0.3	0.5	0.3	0.4	0.5	0.2	0.2	0.1	0.3	0.1	0.1	0.1	0.0
13	1.0	0.6	0.7	0.5	0.4	0.7	0.3	0.4	0.2	0.3	0.2	0.1	0.3	0.2
14	1.0	0.8	0.6	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.1	0.1	0.1	0.2
15	0.9	0.6	0.5	0.5	0.4	0.5	0.4	0.3	0.3	0.2	0.2	0.1	0.3	0.2
16	1.4	1.0	0.7	0.5	0.2	0.6	0.3	0.5	0.4	0.4	0.3	0.2	0.2	0.2
17	1.0	0.8	0.9	0.3	0.3	0.7	0.5	0.3	0.4	0.4	0.1	0.1	0.4	0.3
18	1.4	0.8	0.5	0.5	0.5	0.7	0.5	0.4	0.4	0.1	0.2	0.1	0.4	0.1
<b>Grade</b>														
6th	0.6	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.1
7th	1.0	0.5	0.5	0.4	0.3	0.6	0.3	0.5	0.2	0.2	0.1	0.1	0.2	0.1
8th	1.1	0.8	0.9	0.4	0.5	0.5	0.5	0.3	0.3	0.4	0.1	0.2	0.3	0.3
9th	1.0	0.7	0.6	0.4	0.3	0.6	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2
10th	1.1	0.9	0.5	0.6	0.4	0.6	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2
11th	1.2	0.9	0.7	0.3	0.2	0.5	0.5	0.4	0.5	0.3	0.2	0.1	0.3	0.2
12th	1.2	0.8	0.8	0.3	0.3	0.6	0.4	0.4	0.3	0.3	0.1	0.0	0.3	0.1
<b>Middle School</b>	0.9	0.5	0.6	0.4	0.4	0.5	0.4	0.3	0.2	0.3	0.1	0.1	0.2	0.2
<b>High School</b>	1.1	0.8	0.7	0.4	0.3	0.6	0.4	0.4	0.4	0.3	0.2	0.1	0.3	0.2
<b>Total</b>	<b>1.0</b>	<b>0.7</b>	<b>0.6</b>	<b>0.4</b>	<b>0.4</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>

**Table 22. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2010 to 2022**

	Prescription Pain Reliever Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	8.0	7.0	5.9	5.3	4.4	3.7	3.3	3.1	2.6	2.4	2.2	1.5	1.3	1.3
Male	6.9	5.9	5.1	4.2	3.6	2.5	2.2	2.7	2.0	1.8	1.5	0.9	0.8	0.7
<b>Race/Ethnic group</b>														
African American	3.4	3.7	3.4	3.7	3.1	2.1	2.0	2.0	1.8	1.7	1.8	1.2	1.0	0.8
Hispanic/Latino	5.8	5.8	5.2	4.6	3.8	3.0	2.5	2.3	2.5	2.1	2.0	1.4	1.1	0.9
White, non-Hispanic	10.0	7.9	6.3	5.2	4.5	3.3	3.1	3.6	2.3	2.1	1.7	1.2	1.1	1.0
<b>Age</b>														
11	2.5	2.2	1.6	1.7	1.8	1.8	2.9	0.8	1.3	0.5	0.8	0.6	0.7	0.8
12	2.7	2.7	2.0	2.8	2.0	2.9	3.1	1.4	1.2	1.0	1.4	0.8	1.2	1.0
13	4.1	4.0	3.6	3.6	2.8	3.1	3.0	2.0	1.7	1.7	1.6	1.0	1.4	1.3
14	6.2	5.0	4.9	4.6	3.9	3.4	2.8	3.0	2.0	2.4	2.0	1.4	1.2	1.1
15	7.7	6.8	6.6	5.2	4.7	2.7	2.8	3.3	2.8	2.6	2.3	1.7	1.2	1.1
16	10.7	8.8	7.2	6.1	4.9	3.4	2.2	3.8	2.9	2.7	2.1	1.4	0.9	0.9
17	11.0	10.7	8.4	5.9	5.2	3.2	2.9	3.5	2.9	2.6	1.9	1.2	1.0	0.8
18	11.1	10.0	7.4	7.0	6.4	3.9	2.5	3.5	2.8	2.1	1.9	1.1	0.9	0.7
<b>Grade</b>														
6th	2.8	2.5	1.8	2.4	1.8	2.2	3.0	1.5	1.4	0.8	1.1	0.7	0.9	1.0
7th	4.0	3.7	3.4	3.2	2.6	3.2	3.3	2.1	1.6	1.6	1.7	1.0	1.4	1.2
8th	6.2	4.7	3.6	4.2	3.6	3.3	2.8	2.9	2.0	1.8	1.9	1.3	1.3	1.2
9th	7.4	6.4	6.2	5.1	4.2	3.0	2.7	3.1	2.5	2.7	2.3	1.6	1.3	1.0
10th	10.4	7.7	7.5	5.6	5.0	3.0	2.6	3.9	2.8	3.1	2.0	1.7	0.9	1.0
11th	10.8	9.9	7.4	6.3	5.1	3.5	2.3	3.3	2.9	2.1	2.0	1.2	1.0	0.7
12th	10.6	10.5	8.3	6.4	5.8	3.4	2.7	3.4	2.9	2.4	1.8	1.0	0.8	0.7
<b>Middle School</b>	4.4	3.6	3.0	3.3	2.6	2.9	3.0	2.2	1.7	1.4	1.6	1.0	1.2	1.1
<b>High School</b>	9.7	8.5	7.3	5.8	5.0	3.2	2.6	3.4	2.8	2.6	2.0	1.4	1.0	0.9
<b>Total</b>	<b>7.4</b>	<b>6.4</b>	<b>5.5</b>	<b>4.8</b>	<b>4.0</b>	<b>3.1</b>	<b>2.8</b>	<b>2.9</b>	<b>2.3</b>	<b>2.1</b>	<b>1.8</b>	<b>1.2</b>	<b>1.1</b>	<b>1.0</b>

**Table 23. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2010 to 2022**

	Over-The-Counter Drug Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	6.9	5.9	5.1	4.7	4.3	3.9	3.2	2.8	2.5	2.3	2.0	1.7	1.4	1.1
Male	6.2	5.2	4.8	4.2	4.1	3.5	2.4	2.3	2.0	1.8	1.9	1.5	1.2	1.0
<b>Race/Ethnic group</b>														
African American	5.5	4.6	4.8	3.9	4.0	2.9	2.1	2.7	2.5	2.4	1.7	2.0	1.5	1.1
Hispanic/Latino	6.3	5.7	4.4	4.2	3.7	3.3	2.3	2.5	2.4	2.0	1.9	1.5	1.0	0.8
White, non-Hispanic	7.2	5.7	5.0	4.6	4.3	3.9	3.2	2.4	2.0	1.8	2.0	1.5	1.2	1.2
<b>Age</b>														
11	1.9	2.7	1.9	1.9	1.6	1.8	1.7	0.4	1.0	1.2	1.0	0.6	0.9	1.0
12	3.4	2.5	2.6	2.7	2.4	2.2	1.7	1.7	1.2	1.1	1.3	1.1	1.0	0.8
13	4.5	4.1	3.4	3.3	3.5	3.3	2.8	2.1	1.6	1.6	1.8	1.5	1.7	1.2
14	6.4	5.0	4.9	4.6	5.0	4.0	3.2	3.1	2.4	2.4	2.4	2.2	1.6	1.3
15	8.1	6.0	6.1	5.1	4.6	4.8	2.7	3.4	2.7	3.0	2.3	1.6	1.5	0.9
16	8.1	7.3	5.9	5.6	5.2	4.1	3.2	2.7	3.0	2.1	2.1	2.1	1.2	1.0
17	7.8	7.6	6.4	5.6	4.8	4.1	3.3	2.4	2.3	2.1	2.0	1.8	1.0	0.9
18	8.8	8.4	7.2	5.5	5.4	4.8	2.8	2.8	2.7	2.6	2.1	1.2	1.1	1.1
<b>Grade</b>														
6th	3.1	2.8	2.5	2.3	2.0	2.3	2.0	1.3	1.1	1.2	1.2	1.0	1.0	1.2
7th	4.8	3.9	3.2	3.0	3.2	2.6	2.3	2.2	1.8	1.5	1.6	1.4	1.3	0.8
8th	6.3	4.6	4.5	4.3	4.5	4.0	3.1	2.9	2.2	2.2	2.5	1.8	1.8	1.3
9th	7.4	5.9	5.3	4.8	4.4	4.1	2.9	3.5	2.8	2.5	2.2	1.9	1.7	1.0
10th	8.5	6.6	6.8	5.7	5.6	4.4	3.0	3.0	2.5	2.9	2.5	2.3	1.3	1.1
11th	7.9	7.8	6.2	5.6	4.8	4.3	3.5	2.5	3.0	2.1	1.9	1.6	1.0	1.0
12th	8.2	7.5	6.6	5.1	4.9	4.4	2.7	2.4	2.2	2.1	1.7	1.3	1.0	0.7
<b>Middle School</b>	4.8	3.7	3.4	3.2	3.2	3.0	2.5	2.2	1.7	1.6	1.8	1.4	1.4	1.1
<b>High School</b>	8.0	6.9	6.1	5.3	4.9	4.3	3.0	2.9	2.6	2.4	2.1	1.8	1.3	1.0
<b>Total</b>	<b>6.6</b>	<b>5.5</b>	<b>5.0</b>	<b>4.4</b>	<b>4.2</b>	<b>3.7</b>	<b>2.8</b>	<b>2.6</b>	<b>2.2</b>	<b>2.1</b>	<b>2.0</b>	<b>1.6</b>	<b>1.3</b>	<b>1.0</b>



**Table 24. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2010 to 2022**

	Prescription Amphetamine Use													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	3.9	3.4	3.5	3.3	2.6	3.7	3.2	1.1	1.0	1.1	1.1	0.8	1.1	1.1
Male	3.3	3.1	3.2	3.2	2.6	3.2	2.3	1.1	1.0	1.1	1.2	0.7	1.1	0.8
<b>Race/Ethnic group</b>														
African American	1.3	1.1	1.3	1.2	1.2	1.9	1.8	0.6	0.5	0.6	0.6	0.5	0.9	0.7
Hispanic/Latino	2.6	2.3	2.8	2.5	1.9	2.5	2.0	0.9	0.7	1.2	0.9	0.6	0.8	0.7
White, non-Hispanic	5.3	4.5	4.3	4.3	3.6	4.3	3.5	1.4	1.4	1.3	1.5	0.9	1.3	1.1
<b>Age</b>														
11	0.5	0.6	0.4	0.5	0.6	1.1	1.4	0.2	0.2	0.2	0.2	0.3	0.7	0.8
12	1.0	0.8	0.7	1.0	0.9	1.3	1.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5
13	1.5	1.2	1.1	1.4	1.6	2.7	2.0	0.5	0.4	0.6	0.6	0.5	1.0	0.7
14	2.5	1.9	2.1	2.2	2.1	3.3	2.9	1.0	0.8	0.9	0.8	0.8	1.5	1.1
15	3.3	2.9	3.6	3.2	2.5	3.8	2.6	1.2	1.1	1.3	1.3	0.8	1.3	1.1
16	5.4	4.8	4.7	4.9	3.6	4.4	3.3	1.4	1.5	1.5	1.8	1.0	1.3	0.9
17	6.1	6.7	6.9	5.6	4.3	4.9	4.5	1.6	1.8	2.1	2.1	1.1	1.0	1.2
18	7.2	7.1	6.6	6.9	5.6	5.7	3.8	1.6	1.7	2.1	1.8	0.8	1.6	1.3
<b>Grade</b>														
6th	0.9	0.7	0.6	0.8	0.9	1.1	1.4	0.4	0.3	0.4	0.3	0.4	0.5	0.6
7th	1.4	1.2	1.0	1.2	1.0	2.0	1.7	0.5	0.5	0.5	0.7	0.5	0.6	0.5
8th	2.4	1.5	1.4	1.8	1.9	3.2	2.7	0.9	0.5	0.6	0.7	0.6	1.4	1.0
9th	3.4	2.4	3.1	2.6	2.3	3.4	2.5	1.1	1.0	1.1	0.9	0.9	1.5	1.1
10th	4.9	4.2	4.5	4.2	3.1	4.3	3.1	1.4	1.4	1.4	1.6	0.9	1.4	1.2
11th	6.0	5.4	5.4	5.8	3.9	5.1	3.6	1.6	1.6	1.7	2.1	1.0	1.4	0.9
12th	6.8	7.8	7.7	6.4	5.4	5.1	4.5	1.4	1.9	2.5	1.9	1.0	1.2	1.3
<b>Middle School</b>	1.6	1.1	1.0	1.3	1.2	2.1	1.9	0.6	0.4	0.5	0.5	0.5	0.8	0.7
<b>High School</b>	5.2	4.8	5.1	4.7	3.6	4.5	3.4	1.4	1.5	1.7	1.6	1.0	1.3	1.1
<b>Total</b>	<b>3.6</b>	<b>3.2</b>	<b>3.3</b>	<b>3.2</b>	<b>2.6</b>	<b>3.4</b>	<b>2.8</b>	<b>1.1</b>	<b>1.0</b>	<b>1.2</b>	<b>1.2</b>	<b>0.8</b>	<b>1.1</b>	<b>0.9</b>

Table 25. Percentage of surveyed Florida high school youth who used a needle to inject an illegal drug in lifetime—2016 to 2022

	Needle to Inject Illegal Drug					
	Lifetime					
			2016 %	2018 %	2020 %	2022 %
<b>Sex</b>						
Female			0.6	0.5	0.6	0.4
Male			0.8	0.8	0.9	0.7
<b>Race/Ethnic group</b>						
African American			0.6	0.6	0.8	0.8
Hispanic/Latino			0.6	0.5	0.5	0.4
White, non-Hispanic			0.8	0.6	0.6	0.6
<b>Age</b>						
11			--	--	--	--
12			--	--	--	--
13			--	--	--	--
14			0.4	0.7	0.6	0.3
15			0.7	0.5	0.8	0.6
16			0.9	0.5	0.8	0.6
17			0.7	0.7	0.7	0.5
18			0.7	0.7	0.8	0.6
<b>Grade</b>						
6th			--	--	--	--
7th			--	--	--	--
8th			--	--	--	--
9th			0.6	0.6	0.8	0.4
10th			1.0	0.7	0.6	0.8
11th			0.7	0.7	0.9	0.5
12th			0.7	0.5	0.6	0.5
<b>Middle School</b>			--	--	--	--
<b>High School</b>			0.8	0.6	0.7	0.6
<b>Total</b>			--	--	--	--

**Table 26. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2010 to 2022**

	Any Illicit Drug													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	32.7	31.6	30.7	29.0	28.7	31.0	27.3	17.3	16.3	16.4	15.1	15.0	15.5	14.0
Male	33.2	31.8	29.4	26.4	25.2	25.6	20.5	18.6	18.0	16.3	14.2	13.4	14.1	10.7
<b>Race/Ethnic group</b>														
African American	28.4	27.5	27.9	26.1	24.7	25.8	21.5	15.4	14.9	14.4	12.6	13.4	13.6	11.6
Hispanic/Latino	32.1	30.4	29.7	26.9	25.7	26.5	21.6	16.8	16.3	15.7	14.4	12.8	13.4	11.0
White, non-Hispanic	35.9	33.8	31.3	28.6	28.4	29.6	26.1	20.0	18.0	17.5	15.4	15.1	15.3	13.2
<b>Age</b>														
11	13.8	12.0	9.6	8.0	9.5	10.7	11.8	5.8	5.3	4.7	3.2	4.4	4.7	5.0
12	17.0	14.1	12.9	11.9	12.2	15.3	14.0	8.2	6.7	5.7	5.6	5.6	6.6	5.9
13	22.4	21.0	19.5	17.0	18.8	20.8	17.5	11.0	9.8	8.9	8.0	8.8	9.5	8.4
14	29.8	27.0	26.6	23.7	24.1	26.3	21.1	16.3	14.2	14.3	12.2	12.0	13.0	10.9
15	35.6	35.5	34.0	30.0	29.2	29.5	24.6	20.0	20.4	19.8	16.9	15.6	16.2	12.9
16	41.8	41.4	40.4	37.0	36.4	37.7	28.5	23.2	23.1	21.6	19.8	20.3	20.1	14.7
17	44.9	47.8	46.1	43.1	39.4	39.6	35.5	24.7	26.8	26.6	23.4	21.5	22.0	19.2
18	45.7	49.4	45.0	44.8	41.8	43.7	36.4	25.9	27.1	26.6	24.5	24.5	25.9	20.7
<b>Grade</b>														
6th	16.0	13.2	12.0	10.2	11.0	13.1	13.6	8.2	6.3	5.4	4.6	5.4	5.7	6.2
7th	23.2	19.3	17.3	15.1	16.5	18.3	15.8	11.2	9.3	8.3	7.4	7.6	8.4	7.0
8th	29.2	25.7	24.4	21.6	22.0	24.6	20.6	15.6	13.2	12.3	10.5	10.6	12.2	10.2
9th	34.8	32.8	31.1	27.3	25.9	27.5	21.6	20.1	18.4	17.6	15.2	13.3	13.9	11.4
10th	40.9	38.3	38.4	34.5	34.3	33.6	26.7	22.7	21.4	21.8	19.1	19.3	18.5	14.3
11th	42.7	45.5	42.4	41.3	37.3	40.0	32.6	23.2	25.7	23.5	22.4	20.4	22.9	16.6
12th	45.7	49.4	47.0	44.0	42.3	42.7	37.6	25.6	26.9	27.0	23.7	23.5	23.2	21.2
<b>Middle School</b>	22.8	19.4	17.9	15.7	16.5	18.7	16.7	11.7	9.6	8.7	7.5	7.9	8.8	7.8
<b>High School</b>	40.7	41.0	39.3	36.4	34.8	35.7	29.3	22.7	22.9	22.3	20.0	19.0	19.5	15.7
<b>Total</b>	<b>33.0</b>	<b>31.7</b>	<b>30.0</b>	<b>27.7</b>	<b>26.9</b>	<b>28.3</b>	<b>23.9</b>	<b>18.0</b>	<b>17.2</b>	<b>16.4</b>	<b>14.7</b>	<b>14.3</b>	<b>14.8</b>	<b>12.3</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 27. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2010 to 2022**

	Any Illicit Drug Other Than Marijuana													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	22.0	19.7	17.9	16.4	15.5	15.9	14.0	9.8	8.6	7.9	7.3	6.5	6.0	5.2
Male	20.0	17.8	16.4	14.2	13.7	12.7	10.4	8.8	7.7	7.0	6.2	5.1	5.0	4.0
<b>Race/Ethnic group</b>														
African American	15.3	13.5	12.8	12.3	12.0	10.9	9.5	7.6	6.7	6.2	5.7	6.0	4.9	4.6
Hispanic/Latino	21.1	18.9	16.9	15.2	13.7	13.1	10.8	9.3	8.5	7.5	7.0	5.3	4.9	4.1
White, non-Hispanic	23.0	20.2	18.5	16.3	15.9	15.6	14.0	9.9	8.0	7.6	6.8	5.8	5.5	5.0
<b>Age</b>														
11	13.2	11.6	8.7	7.5	8.7	9.2	10.4	5.6	5.2	4.3	3.1	4.1	4.1	4.6
12	15.2	12.5	11.2	10.5	10.7	12.2	11.1	7.1	5.9	4.6	5.0	4.9	5.0	4.4
13	18.1	16.3	15.2	12.9	13.8	14.4	12.3	8.5	6.9	6.7	5.8	5.9	6.1	5.2
14	21.7	17.8	16.9	15.3	15.4	14.5	12.6	10.1	8.2	7.9	7.2	6.4	5.9	5.4
15	22.1	19.0	17.9	16.7	15.3	14.0	11.6	9.7	8.8	8.6	7.8	5.7	5.6	4.4
16	23.7	22.0	19.0	17.6	17.0	15.2	12.1	10.6	9.6	8.4	7.7	6.7	5.7	4.2
17	23.9	24.3	22.9	19.0	16.2	15.9	14.4	9.7	9.3	9.1	7.5	6.0	5.2	4.6
18	24.0	24.5	21.8	19.8	18.3	17.7	13.2	10.1	10.0	8.1	8.5	5.9	6.3	4.3
<b>Grade</b>														
6th	14.4	12.1	10.5	9.2	9.8	10.7	11.3	7.3	5.8	4.8	4.2	4.8	4.6	5.0
7th	19.4	15.4	14.0	11.7	13.0	13.5	11.7	8.8	6.7	6.1	5.7	5.6	5.7	4.7
8th	21.1	18.3	16.7	15.1	15.1	15.2	13.0	9.4	8.3	7.6	6.8	6.2	6.6	5.4
9th	21.9	18.8	16.8	15.6	14.4	13.6	11.1	10.2	8.6	7.8	7.2	5.8	5.1	4.5
10th	23.4	19.5	19.5	17.8	17.1	14.3	12.1	10.4	8.8	9.4	7.9	6.7	5.7	4.5
11th	23.5	23.3	20.2	18.6	15.7	16.1	13.0	9.4	9.5	7.8	7.8	5.7	5.3	4.1
12th	23.8	24.9	23.0	19.2	17.6	17.0	13.9	9.8	9.6	9.0	7.7	6.0	5.7	4.4
<b>Middle School</b>	18.3	15.3	13.7	12.0	12.6	13.2	12.0	8.5	6.9	6.2	5.6	5.5	5.7	5.0
<b>High School</b>	23.1	21.5	19.7	17.7	16.2	15.2	12.5	10.0	9.1	8.5	7.7	6.0	5.4	4.4
<b>Total</b>	<b>21.0</b>	<b>18.8</b>	<b>17.1</b>	<b>15.3</b>	<b>14.6</b>	<b>14.3</b>	<b>12.3</b>	<b>9.3</b>	<b>8.2</b>	<b>7.5</b>	<b>6.8</b>	<b>5.8</b>	<b>5.5</b>	<b>4.7</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 28. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2010 to 2022**

	Alcohol Only													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	24.8	22.1	19.5	18.1	16.8	15.3	14.8	17.5	14.7	11.7	11.1	9.0	8.6	7.2
Male	22.2	19.9	17.8	17.0	15.6	14.3	13.8	15.6	12.7	10.1	9.1	7.4	7.0	5.6
<b>Race/Ethnic group</b>														
African American	23.1	18.8	14.6	13.7	12.4	11.3	10.4	13.0	10.3	7.8	7.3	5.1	5.1	3.5
Hispanic/Latino	26.4	23.1	21.5	20.3	18.6	16.5	15.9	18.7	15.1	12.9	10.8	9.1	7.8	6.2
White, non-Hispanic	22.5	21.2	19.4	18.3	17.0	15.9	15.2	17.6	14.9	12.2	11.4	9.6	9.3	7.9
<b>Age</b>														
11	9.0	9.5	8.0	7.3	7.2	8.5	8.9	4.3	4.4	2.8	1.8	1.8	2.8	2.4
12	14.9	13.2	11.6	10.2	9.4	10.6	10.2	6.9	5.0	4.3	3.7	2.8	4.0	3.6
13	20.2	17.2	15.7	14.1	12.8	12.7	12.7	10.8	9.3	7.3	6.1	5.0	5.2	4.7
14	24.7	23.6	19.4	17.8	17.0	15.5	15.2	14.9	12.0	10.2	8.4	7.5	7.1	5.6
15	26.9	24.5	20.8	19.6	17.2	17.1	15.0	18.9	16.3	11.7	10.9	8.2	8.5	6.6
16	26.6	25.5	22.5	20.5	20.1	15.6	17.0	20.2	17.8	15.0	12.0	11.0	9.9	8.4
17	27.5	24.5	23.0	22.9	21.9	18.5	16.0	22.8	20.7	16.4	17.2	13.6	11.4	8.6
18	26.6	23.4	23.9	21.7	19.5	17.2	17.2	26.0	21.6	17.9	18.0	14.2	12.4	10.5
<b>Grade</b>														
6th	13.5	10.7	9.9	8.4	7.6	9.2	8.9	6.3	4.5	3.5	2.9	2.2	3.5	2.8
7th	18.2	16.6	13.3	12.6	11.6	11.9	11.8	10.5	7.9	5.8	4.6	3.7	4.8	4.5
8th	24.5	20.8	18.7	16.3	14.7	14.4	14.2	14.0	11.4	9.4	8.2	7.0	6.4	5.3
9th	26.2	24.4	20.7	19.1	18.9	16.4	15.2	18.0	15.0	11.4	9.5	7.6	7.5	6.0
10th	27.0	25.2	21.1	20.3	17.9	16.4	16.3	20.5	17.0	13.5	11.6	10.1	9.1	6.8
11th	27.7	25.1	23.1	21.4	21.8	16.6	16.8	22.0	18.8	15.2	15.0	12.1	10.1	9.4
12th	27.2	24.1	24.2	23.4	20.7	19.1	16.6	25.5	22.2	18.5	18.3	14.8	13.5	9.9
<b>Middle School</b>	18.7	16.0	14.0	12.5	11.3	11.9	11.7	10.3	7.9	6.3	5.2	4.3	4.9	4.2
<b>High School</b>	27.0	24.7	22.2	21.0	19.8	17.1	16.2	21.3	18.1	14.5	13.4	11.1	10.0	8.0
<b>Total</b>	<b>23.4</b>	<b>21.0</b>	<b>18.6</b>	<b>17.5</b>	<b>16.2</b>	<b>14.8</b>	<b>14.3</b>	<b>16.5</b>	<b>13.7</b>	<b>10.9</b>	<b>10.0</b>	<b>8.2</b>	<b>7.7</b>	<b>6.4</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 29. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2010 to 2022**

	Alcohol Or Any Illicit Drug													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	57.4	53.6	50.1	46.8	45.2	46.1	42.0	34.4	30.7	27.9	25.8	23.7	23.9	21.0
Male	55.3	51.4	47.0	43.1	40.5	39.6	34.0	33.7	30.2	26.1	22.9	20.4	20.8	16.1
<b>Race/Ethnic group</b>														
African American	51.1	46.1	42.3	39.4	36.8	36.6	31.7	27.9	24.6	21.6	19.4	17.8	18.3	15.0
Hispanic/Latino	58.4	53.3	51.1	46.8	44.0	42.7	37.2	35.3	31.0	28.1	24.7	21.7	21.0	17.0
White, non-Hispanic	58.4	54.9	50.6	46.7	45.3	45.3	41.2	37.4	32.7	29.5	26.6	24.4	24.5	21.0
<b>Age</b>														
11	22.5	21.4	17.4	14.9	16.5	19.0	20.6	9.9	9.6	7.3	5.1	6.2	7.6	7.4
12	31.8	27.2	24.3	21.7	21.3	25.6	24.0	15.0	11.6	9.9	9.0	8.3	10.5	9.3
13	42.5	38.0	35.1	30.8	31.3	33.4	29.9	21.6	19.0	16.1	13.9	13.7	14.5	12.9
14	54.4	50.4	45.9	41.1	40.8	41.6	36.2	30.8	25.9	24.3	20.2	19.3	20.0	16.3
15	62.4	59.8	54.8	49.5	46.2	46.0	39.6	38.5	36.3	31.1	27.4	23.4	24.4	19.3
16	68.2	66.7	62.7	57.4	56.3	52.8	45.4	43.0	40.3	36.1	31.3	30.7	29.7	23.0
17	72.1	72.1	69.0	65.8	61.1	58.0	51.0	47.2	46.8	42.7	40.2	34.3	33.2	27.5
18	72.2	72.6	68.8	66.3	61.1	60.5	53.3	51.0	48.1	44.0	41.7	37.5	37.8	31.0
<b>Grade</b>														
6th	29.5	23.9	21.7	18.2	18.4	22.1	22.4	14.3	10.7	8.9	7.3	7.6	9.1	8.9
7th	41.3	35.8	30.4	27.4	27.7	30.1	27.3	21.7	17.1	14.0	11.9	11.2	13.1	11.3
8th	53.5	46.3	43.0	37.6	36.4	38.8	34.6	29.4	24.5	21.6	18.3	17.5	18.5	15.2
9th	60.9	57.1	51.7	46.2	44.6	43.4	36.6	37.6	33.0	28.6	24.3	20.5	21.1	17.3
10th	67.7	63.4	59.5	54.5	52.0	49.6	42.9	42.8	38.1	34.8	30.2	28.8	27.2	21.1
11th	70.3	70.4	65.5	62.4	58.8	56.3	49.0	44.9	43.9	38.6	36.8	31.9	32.8	25.8
12th	72.8	73.4	71.0	67.4	62.8	61.5	53.9	50.6	48.6	45.1	41.7	37.3	36.3	30.9
<b>Middle School</b>	41.5	35.3	31.7	27.8	27.5	30.4	28.2	21.8	17.4	14.8	12.5	12.1	13.6	11.9
<b>High School</b>	67.5	65.6	61.4	57.2	54.4	52.4	45.3	43.6	40.4	36.3	32.9	29.5	29.1	23.5
<b>Total</b>	<b>56.3</b>	<b>52.5</b>	<b>48.5</b>	<b>44.8</b>	<b>42.9</b>	<b>42.8</b>	<b>38.0</b>	<b>34.1</b>	<b>30.5</b>	<b>27.0</b>	<b>24.3</b>	<b>22.0</b>	<b>22.3</b>	<b>18.5</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 30. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2010 to 2022**

	Any Illicit Drug, But No Alcohol													
	Lifetime							Past 30 Days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	4.5	5.0	5.9	6.0	6.7	7.9	7.7	5.4	5.7	6.5	6.4	7.2	8.1	7.9
Male	5.3	5.8	6.3	6.5	6.7	7.3	6.8	5.8	6.7	6.9	6.3	6.9	7.2	6.0
<b>Race/Ethnic group</b>														
African American	6.4	7.7	8.3	9.0	8.9	10.5	9.3	6.5	7.7	8.2	7.7	8.9	9.4	7.9
Hispanic/Latino	4.5	4.7	6.0	6.0	6.2	7.6	6.5	5.3	5.8	6.3	6.7	6.7	7.1	6.5
White, non-Hispanic	4.1	4.5	4.8	5.0	5.7	5.9	6.4	5.2	5.3	6.0	5.4	6.2	6.6	6.4
<b>Age</b>														
11	7.4	6.8	6.3	5.3	5.7	6.1	7.6	4.3	4.2	3.6	2.7	3.5	3.1	3.6
12	6.7	6.4	6.3	6.4	6.2	7.3	7.4	4.9	4.6	3.8	4.0	3.9	4.6	4.6
13	6.3	6.6	7.3	6.6	7.8	7.5	7.2	5.1	5.1	5.1	4.8	5.6	5.4	5.4
14	5.2	5.8	7.1	7.0	7.3	8.9	7.4	5.9	6.0	6.1	5.9	6.4	7.8	6.8
15	4.5	5.3	6.3	6.4	7.4	7.8	7.2	6.5	7.5	8.6	7.8	7.9	8.7	7.7
16	4.0	4.5	4.9	6.2	6.7	7.6	7.0	5.9	7.1	8.1	8.0	9.6	10.4	7.9
17	3.9	4.0	5.3	5.8	5.8	7.1	7.5	5.8	7.0	8.8	8.1	9.1	9.4	9.2
18	2.4	4.1	4.5	5.2	5.7	7.9	6.3	4.8	6.6	8.1	7.6	9.4	10.8	9.0
<b>Grade</b>														
6th	7.0	6.5	6.7	6.2	6.1	6.9	8.2	5.2	4.3	3.9	3.5	3.9	4.0	4.6
7th	6.3	6.6	6.6	6.3	7.5	7.3	6.8	5.1	5.4	4.7	4.5	5.1	5.2	5.0
8th	5.7	6.4	7.3	7.0	7.2	8.3	7.3	5.6	6.2	5.9	5.5	5.8	7.2	6.2
9th	4.6	5.4	6.4	6.5	7.2	8.7	7.1	6.8	6.7	7.5	7.4	6.9	8.2	6.9
10th	4.2	5.0	5.7	6.9	7.1	7.4	7.1	5.9	7.0	8.7	8.1	9.6	9.1	8.3
11th	3.5	4.1	5.3	6.1	6.3	8.0	7.4	5.5	7.5	8.6	8.0	8.8	11.1	8.0
12th	2.8	3.5	4.4	4.8	5.6	6.7	6.6	5.0	6.2	7.8	7.7	9.3	9.0	9.8
<b>Middle School</b>	6.3	6.5	6.9	6.5	6.9	7.5	7.5	5.3	5.3	4.8	4.5	4.9	5.5	5.3
<b>High School</b>	3.8	4.6	5.5	6.1	6.6	7.7	7.1	5.9	6.8	8.1	7.8	8.6	9.4	8.2
<b>Total</b>	<b>4.9</b>	<b>5.4</b>	<b>6.1</b>	<b>6.3</b>	<b>6.7</b>	<b>7.6</b>	<b>7.2</b>	<b>5.6</b>	<b>6.2</b>	<b>6.7</b>	<b>6.4</b>	<b>7.1</b>	<b>7.7</b>	<b>6.9</b>

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

**Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2010 to 2022**

	Delinquent Behavior													
	Carrying a Handgun							Selling Drugs						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	1.9	1.8	2.7	2.6	3.2	3.6	3.9	3.8	2.8	3.1	3.0	2.7	2.3	1.6
Male	7.8	6.9	7.8	8.3	8.7	8.6	8.1	8.7	7.1	6.6	5.4	5.1	4.2	2.4
<b>Race/Ethnic group</b>														
African American	6.1	4.3	4.8	4.7	5.8	5.7	5.0	5.5	4.3	4.3	3.4	3.3	2.9	1.7
Hispanic/Latino	4.7	3.5	4.0	4.7	5.0	4.9	4.8	6.1	4.7	4.6	4.2	3.3	2.9	1.9
White, non-Hispanic	4.5	4.7	5.9	6.1	6.6	6.7	7.1	6.9	5.6	5.4	4.4	4.3	3.5	2.2
<b>Age</b>														
11	2.6	2.5	2.7	3.5	4.0	5.1	4.4	0.2	0.2	0.5	0.2	0.3	0.2	0.4
12	3.2	3.1	4.3	4.3	4.4	5.1	5.6	1.1	0.9	0.9	0.9	0.8	0.8	0.6
13	3.9	4.3	5.5	5.1	6.3	6.9	7.0	2.7	2.2	2.0	1.6	1.7	2.0	1.1
14	5.5	5.0	5.6	6.0	6.6	6.3	7.0	5.6	4.2	4.0	3.4	3.3	2.5	1.8
15	5.1	4.5	6.3	6.2	6.2	6.1	6.3	8.0	6.1	6.5	5.8	4.8	3.3	2.2
16	5.8	4.6	4.9	5.8	6.4	6.0	5.7	9.4	7.6	7.7	6.2	5.7	4.9	3.0
17	4.7	4.9	5.4	5.7	6.7	5.6	5.5	9.1	8.7	7.8	6.2	6.4	5.3	3.1
18	6.2	4.7	6.2	5.8	5.7	7.8	4.9	9.0	7.3	8.1	7.0	7.1	7.1	3.0
<b>Grade</b>														
6th	3.4	3.0	3.9	4.2	4.4	5.2	5.3	1.3	0.6	0.8	0.6	0.6	0.6	0.8
7th	4.8	4.0	5.3	4.8	5.5	6.3	7.0	3.0	2.0	1.8	1.3	1.2	1.5	1.0
8th	5.5	5.9	6.1	6.1	7.1	7.0	7.6	5.4	4.2	3.8	2.9	2.7	2.7	1.5
9th	5.1	4.5	5.4	6.4	6.0	5.9	6.2	7.7	5.8	5.6	5.4	4.2	2.8	2.0
10th	5.0	4.2	6.0	6.0	6.7	5.9	5.7	9.4	6.7	7.3	6.4	5.7	3.6	2.6
11th	5.0	4.5	5.2	5.8	5.9	5.8	5.5	8.8	7.7	7.7	6.1	5.5	5.9	3.4
12th	5.1	4.6	5.0	4.9	6.3	6.5	4.6	8.3	8.4	7.3	6.4	7.4	6.1	2.7
<b>Middle School</b>	4.6	4.3	5.1	5.0	5.7	6.2	6.7	3.3	2.2	2.1	1.6	1.5	1.6	1.1
<b>High School</b>	5.1	4.5	5.4	5.8	6.2	6.0	5.5	8.5	7.1	6.9	6.0	5.7	4.5	2.7
<b>Total</b>	<b>4.9</b>	<b>4.4</b>	<b>5.3</b>	<b>5.5</b>	<b>6.0</b>	<b>6.1</b>	<b>6.0</b>	<b>6.3</b>	<b>5.0</b>	<b>4.9</b>	<b>4.2</b>	<b>3.9</b>	<b>3.3</b>	<b>2.0</b>



**Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2010 to 2022**

	Delinquent Behavior													
	Attempting to Steal a Vehicle							Being Arrested						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	1.4	1.2	0.9	0.8	1.2	1.1	1.0	3.4	2.4	2.1	1.8	1.7	1.8	1.3
Male	3.1	2.3	1.8	1.7	1.8	1.8	1.2	6.2	4.2	3.5	3.0	2.8	2.7	2.0
<b>Race/Ethnic group</b>														
African American	2.9	2.2	2.1	2.0	2.5	2.2	1.4	6.9	4.7	4.1	3.7	3.7	3.5	2.4
Hispanic/Latino	2.6	1.6	1.1	1.3	1.2	1.4	1.1	4.8	3.1	2.8	2.3	1.9	1.9	1.3
White, non-Hispanic	1.6	1.4	1.1	0.9	1.0	1.1	0.8	3.9	2.8	2.3	1.8	1.7	1.7	1.3
<b>Age</b>														
11	0.6	0.5	0.3	0.2	0.6	0.4	0.4	0.6	0.5	0.6	0.5	0.5	1.5	0.6
12	1.1	1.0	0.6	0.7	0.8	1.0	0.9	1.7	1.2	0.9	1.1	1.0	1.4	1.2
13	1.9	1.4	1.1	1.2	1.3	1.5	1.0	3.8	2.5	2.0	2.0	2.1	2.3	1.7
14	2.8	1.6	1.5	1.4	2.2	1.5	1.3	5.4	3.8	2.9	2.7	2.7	2.8	2.2
15	2.8	2.3	1.8	1.7	2.0	1.8	1.3	5.7	4.3	4.1	3.3	2.9	2.3	1.8
16	2.4	2.2	1.9	1.6	1.7	1.4	1.4	6.0	4.5	3.6	3.1	2.8	2.7	1.8
17	2.2	2.4	1.4	1.3	1.0	1.4	1.0	5.8	4.2	3.4	2.5	2.6	2.0	1.7
18	2.3	1.3	1.7	1.6	1.5	2.3	0.8	5.2	3.5	3.6	2.8	2.3	3.0	1.3
<b>Grade</b>														
6th	1.4	0.9	0.7	0.6	0.7	0.9	0.9	2.4	1.2	1.2	1.1	1.1	1.8	1.4
7th	2.1	1.4	0.9	1.1	1.2	1.3	0.8	4.5	2.6	1.8	1.7	2.0	2.1	1.6
8th	2.6	2.0	1.7	1.3	2.1	1.5	1.5	5.4	3.8	3.4	2.9	2.1	2.7	2.1
9th	2.9	2.1	1.4	1.6	2.2	1.7	1.1	5.2	4.4	3.2	3.1	2.9	2.4	1.9
10th	2.5	1.9	1.9	1.8	1.8	1.5	1.4	5.6	3.9	3.9	3.3	3.1	2.3	1.8
11th	2.1	2.2	1.5	1.3	1.0	1.8	1.1	5.3	4.1	3.0	2.7	2.2	2.5	1.6
12th	1.9	1.8	1.3	1.1	1.2	1.4	0.7	5.0	3.4	3.1	2.0	2.4	2.0	1.4
<b>Middle School</b>	2.1	1.4	1.1	1.0	1.4	1.3	1.1	4.1	2.5	2.2	1.9	1.7	2.2	1.7
<b>High School</b>	2.4	2.0	1.5	1.5	1.6	1.6	1.1	5.3	4.0	3.3	2.8	2.6	2.3	1.7
<b>Total</b>	<b>2.2</b>	<b>1.8</b>	<b>1.4</b>	<b>1.3</b>	<b>1.5</b>	<b>1.5</b>	<b>1.1</b>	<b>4.8</b>	<b>3.4</b>	<b>2.8</b>	<b>2.4</b>	<b>2.3</b>	<b>2.3</b>	<b>1.7</b>

**Table 33. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2010 to 2022**

	Delinquent Behavior													
	Taking A Handgun To School							Getting Suspended						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	0.4	0.4	0.4	0.3	0.3	0.4	0.3	10.7	8.6	7.4	7.0	7.3	9.2	8.8
Male	1.6	1.1	1.0	0.9	0.9	0.8	0.5	18.7	15.2	12.9	12.5	11.7	14.1	13.3
<b>Race/Ethnic group</b>														
African American	1.8	1.0	1.3	1.0	1.4	1.0	0.7	25.2	20.6	18.6	16.4	16.7	20.5	19.1
Hispanic/Latino	1.1	0.6	0.7	0.7	0.5	0.5	0.4	14.1	11.2	10.3	9.5	8.1	9.5	9.4
White, non-Hispanic	0.6	0.6	0.5	0.3	0.3	0.4	0.2	11.0	8.7	7.2	6.7	6.7	8.2	8.2
<b>Age</b>														
11	0.2	0.2	0.4	0.1	0.2	0.4	0.1	8.2	8.0	5.5	5.5	7.3	9.0	10.0
12	0.6	0.3	0.3	0.2	0.4	0.3	0.3	11.1	9.8	8.1	7.8	8.7	11.8	10.2
13	0.6	0.6	0.5	0.6	0.5	0.5	0.3	15.6	13.6	11.8	11.5	11.4	14.6	14.9
14	1.0	0.9	0.8	0.6	0.7	0.6	0.4	18.4	14.4	12.2	12.3	12.0	13.9	13.7
15	1.0	0.8	0.9	0.6	0.8	0.5	0.6	16.1	13.0	12.2	11.5	10.4	12.2	11.5
16	1.1	0.9	0.9	1.0	0.7	0.6	0.5	15.4	11.4	10.9	9.8	8.9	10.0	9.7
17	1.4	0.9	0.8	0.5	0.7	0.7	0.5	13.4	11.3	8.8	8.0	7.5	8.6	8.6
18	1.3	0.8	1.0	0.9	0.9	1.2	0.7	12.3	9.8	7.9	7.6	7.5	10.5	6.8
<b>Grade</b>														
6th	0.6	0.3	0.5	0.2	0.4	0.4	0.3	12.6	10.7	8.2	8.0	8.7	11.6	12.0
7th	0.9	0.6	0.4	0.5	0.4	0.5	0.3	17.0	14.0	12.0	11.2	11.4	14.5	13.8
8th	1.0	1.1	0.8	0.5	0.6	0.5	0.3	18.9	14.6	12.6	12.6	12.0	15.0	14.7
9th	1.1	0.8	0.7	0.8	1.1	0.6	0.5	16.1	14.1	11.6	12.0	11.4	12.5	11.0
10th	1.0	0.9	1.1	0.9	0.7	0.6	0.6	13.9	10.7	10.9	9.4	8.8	9.4	9.9
11th	1.2	0.8	0.9	0.7	0.6	1.0	0.3	12.5	10.4	9.2	8.7	6.7	9.4	8.7
12th	1.2	0.9	0.6	0.6	0.8	0.8	0.6	11.2	8.4	6.5	6.1	7.6	8.6	7.1
<b>Middle School</b>	0.8	0.7	0.6	0.4	0.4	0.4	0.3	16.2	13.1	11.0	10.6	10.7	13.7	13.5
<b>High School</b>	1.1	0.8	0.8	0.7	0.8	0.7	0.5	13.6	11.1	9.7	9.1	8.7	10.0	9.2
<b>Total</b>	<b>1.0</b>	<b>0.8</b>	<b>0.7</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>14.7</b>	<b>11.9</b>	<b>10.3</b>	<b>9.8</b>	<b>9.5</b>	<b>11.6</b>	<b>11.1</b>

**Table 34. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2010 to 2022**

	Delinquent Behavior						
	Attacking Someone with Intent to Harm						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>							
Female	8.9	6.6	6.1	5.3	5.6	5.8	6.2
Male	12.3	9.2	7.7	6.9	7.3	7.6	7.2
<b>Race/Ethnic group</b>							
African American	16.6	12.0	11.2	10.1	11.3	11.3	10.8
Hispanic/Latino	9.4	6.6	6.3	5.2	5.3	5.4	5.3
White, non-Hispanic	8.2	6.0	4.9	4.4	4.3	4.6	5.1
<b>Age</b>							
11	6.0	4.3	4.3	4.2	4.9	6.5	7.1
12	8.8	6.8	5.5	4.6	6.3	7.8	8.6
13	10.4	8.2	7.3	6.7	8.0	8.6	10.2
14	12.1	9.0	7.5	7.3	7.4	7.6	7.8
15	11.7	9.5	8.5	7.6	6.5	6.8	6.3
16	10.9	8.6	7.6	6.6	5.9	5.2	5.5
17	10.6	6.5	6.7	5.6	5.5	4.8	4.0
18	9.8	7.4	4.7	4.2	5.4	5.3	3.4
<b>Grade</b>							
6th	8.9	6.1	5.5	4.5	6.5	7.8	8.9
7th	11.4	8.3	6.6	6.1	6.7	8.2	9.6
8th	11.9	9.5	8.1	7.8	8.3	8.8	9.3
9th	11.6	9.4	8.3	7.8	6.9	6.8	5.9
10th	10.7	8.0	8.4	6.5	6.0	5.2	5.6
11th	10.0	7.1	6.1	5.7	5.2	5.3	4.7
12th	9.1	6.5	4.6	4.1	5.7	4.6	3.1
<b>Middle School</b>	10.8	8.0	6.7	6.2	7.2	8.3	9.3
<b>High School</b>	10.5	7.8	7.0	6.1	5.9	5.5	4.9
<b>Total</b>	<b>10.6</b>	<b>7.9</b>	<b>6.9</b>	<b>6.1</b>	<b>6.5</b>	<b>6.7</b>	<b>6.7</b>

**Table 35. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2010 to 2022**

	Early ATOD Use													
	More Than a Sip of Alcohol							Drinking at Least Once a Month						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	25.3	23.9	20.5	18.3	17.1	16.4	15.5	5.3	4.6	3.9	3.7	2.4	2.9	2.3
Male	29.0	26.8	23.2	20.2	18.1	15.4	12.6	6.4	5.4	3.9	3.4	2.5	2.5	2.1
<b>Race/Ethnic group</b>														
African American	24.1	23.3	19.4	17.5	16.4	13.8	10.7	5.1	4.5	3.6	3.9	2.2	2.7	1.7
Hispanic/Latino	29.1	26.2	22.0	19.1	17.1	15.4	14.4	7.2	5.3	4.1	3.1	2.7	2.6	2.2
White, non-Hispanic	26.2	24.2	22.3	19.5	18.2	17.0	14.9	5.3	4.8	3.9	3.3	2.4	2.6	2.5
<b>Age</b>														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	37.8	35.1	30.3	27.4	27.0	24.8	21.1	9.0	7.0	5.2	4.8	3.3	3.6	3.0
15	32.1	29.3	25.4	21.5	20.0	18.6	16.9	6.5	5.9	4.1	3.8	2.9	2.8	2.6
16	27.2	24.4	20.9	19.0	17.7	15.1	13.8	6.0	4.8	4.0	3.8	2.3	2.5	2.1
17	23.6	21.8	18.8	17.4	13.6	12.3	11.4	5.2	4.0	3.5	2.9	2.3	2.3	1.9
18	20.6	19.0	16.0	13.8	12.9	12.4	8.8	4.0	4.2	3.0	2.7	1.8	3.0	1.1
<b>Grade</b>														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	33.8	32.8	27.5	24.3	23.3	21.5	18.6	7.8	7.1	4.9	4.5	3.3	3.3	3.1
10th	28.0	25.1	22.7	18.3	18.1	16.3	14.9	6.4	4.9	4.2	3.3	2.4	2.5	2.0
11th	24.2	22.6	18.9	18.1	15.0	13.0	12.5	4.7	4.0	3.0	3.1	2.1	2.4	2.0
12th	20.9	19.5	17.2	16.0	13.6	12.4	9.7	4.0	3.9	3.3	3.1	2.1	2.5	1.4
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	27.1	25.4	21.8	19.4	17.6	15.9	14.1	5.8	5.0	3.9	3.5	2.5	2.7	2.2
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 36. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2010 to 2022

	Early ATOD Use													
	Cigarettes							Marijuana						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	15.9	13.7	10.7	8.6	6.9	5.6	4.9	8.5	9.5	9.1	9.0	8.0	7.6	7.2
Male	18.3	15.3	13.1	9.8	7.9	6.2	4.9	13.9	13.8	13.6	12.0	10.6	8.8	5.8
<b>Race/Ethnic group</b>														
African American	12.9	10.1	7.4	6.5	5.2	4.0	2.4	10.1	10.3	10.2	10.0	9.5	7.6	5.5
Hispanic/Latino	16.7	13.4	10.5	8.0	6.7	4.5	4.3	10.8	10.8	10.8	10.3	8.9	6.9	5.3
White, non-Hispanic	18.7	16.2	14.1	10.6	8.7	7.5	6.4	11.9	12.0	11.8	10.6	9.2	8.6	7.4
<b>Age</b>														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	16.3	14.6	12.6	9.5	6.3	6.3	5.2	12.7	12.1	12.8	11.3	11.0	10.3	6.7
15	18.0	14.5	12.1	9.3	7.5	6.0	5.2	12.2	12.5	12.1	11.1	9.3	8.6	6.9
16	17.5	13.6	11.1	9.3	7.3	5.9	4.7	11.7	11.3	11.0	11.2	9.8	7.9	6.6
17	16.8	15.3	12.5	9.5	7.9	5.6	4.8	10.3	11.4	11.3	10.2	8.2	7.1	6.7
18	15.2	14.3	11.3	8.4	6.6	5.4	4.6	9.6	10.7	9.5	8.7	8.8	7.9	5.1
<b>Grade</b>														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	18.9	15.7	13.2	9.9	7.0	6.5	5.6	13.7	13.4	12.6	11.9	9.9	9.7	7.1
10th	17.6	13.5	11.6	9.2	8.1	6.0	4.5	11.7	11.7	12.0	11.0	10.1	7.8	6.0
11th	16.4	14.2	11.0	9.6	7.0	5.4	4.8	9.8	11.0	10.3	10.2	8.6	7.9	6.8
12th	15.0	14.4	11.8	8.3	7.5	5.6	4.6	9.4	10.3	10.2	9.0	8.6	7.2	6.0
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	17.1	14.5	11.9	9.3	7.4	5.9	4.9	11.3	11.7	11.4	10.6	9.3	8.2	6.5
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**Table 37. Percentage of surveyed Florida high school youth who started vaping nicotine or vaping marijuana at age 13 or younger, 2019 to 2022**

	Early ATOD Use													
	Vaping Nicotine				Vaping Marijuana									
				2019 %	2020 %	2021 %	2022 %				2019 %	2020 %	2021 %	2022 %
<b>Sex</b>														
Female				5.0	5.9	8.5	9.6				2.6	3.1	4.2	4.8
Male				5.4	6.2	6.1	7.0				3.0	3.2	3.6	3.6
<b>Race/Ethnic group</b>														
African American				2.8	3.4	3.2	3.5				1.8	2.2	2.1	2.2
Hispanic/Latino				5.4	4.8	6.9	7.8				2.9	2.8	3.9	4.3
White, non-Hispanic				6.6	7.6	9.0	10.7				3.5	3.4	4.2	5.0
<b>Age</b>														
11				--	--	--	--				--	--	--	--
12				--	--	--	--				--	--	--	--
13				--	--	--	--				--	--	--	--
14				12.4	14.4	14.8	11.5				5.1	6.7	6.7	5.1
15				7.1	8.6	11.5	10.5				3.7	4.1	5.5	5.3
16				3.8	4.8	7.5	8.4				2.5	2.8	4.5	4.3
17				3.6	2.8	3.0	6.6				1.8	1.7	1.8	3.5
18				2.1	2.6	0.8	4.4				1.7	1.6	1.2	2.2
<b>Grade</b>														
6th				--	--	--	--				--	--	--	--
7th				--	--	--	--				--	--	--	--
8th				--	--	--	--				--	--	--	--
9th				9.7	11.0	12.1	11.2				4.6	5.5	5.6	5.3
10th				4.3	6.6	9.8	8.3				2.5	3.1	5.4	4.1
11th				4.0	3.2	4.4	8.3				2.4	2.1	2.5	4.5
12th				2.4	2.9	2.0	5.0				1.5	1.6	1.5	2.6
<b>Middle School</b>				--	--	--	--				--	--	--	--
<b>High School</b>				5.2	6.0	7.3	8.3				2.8	3.1	3.8	4.2
<b>Total</b>				--	--	--	--				--	--	--	--

**Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2010 to 2022**

	Perceive Great Risk of Harm If:													
	Drink One or More Alcoholic Drinks Nearly Every Day							Smoke a Pack or More of Cigarettes Per Day						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	46.9	46.0	45.4	46.4	49.1	48.4	47.8	69.2	69.7	69.5	68.4	67.6	67.3	66.3
Male	38.4	37.4	39.7	39.3	42.8	43.1	44.0	64.0	67.0	68.9	68.5	66.6	64.5	65.1
<b>Race/Ethnic group</b>														
African American	44.7	43.0	43.9	44.0	46.3	44.5	44.5	63.4	62.5	64.6	64.1	62.1	58.9	58.4
Hispanic/Latino	43.6	43.7	44.9	44.7	47.8	47.6	49.3	63.5	66.4	67.6	65.7	65.7	64.6	64.1
White, non-Hispanic	39.8	38.5	39.6	40.3	43.9	44.7	43.7	69.1	70.8	71.5	71.2	70.1	69.8	69.6
<b>Age</b>														
11	54.1	50.1	53.8	51.2	56.6	55.7	52.4	72.9	70.9	74.0	71.6	71.3	67.6	68.1
12	45.9	47.8	47.2	47.4	51.7	51.3	49.8	68.5	69.1	69.1	69.0	67.4	66.8	65.6
13	42.4	44.8	44.8	44.7	47.8	48.7	46.2	66.3	68.5	67.1	67.6	66.5	65.9	64.3
14	41.6	39.9	41.2	43.7	43.5	42.3	45.8	66.5	66.7	68.5	68.4	66.3	63.6	65.5
15	42.0	38.3	40.7	41.2	45.1	44.2	44.7	66.6	67.8	69.4	67.0	66.4	66.4	65.8
16	41.8	39.1	39.7	40.1	42.5	43.7	44.9	66.5	69.2	69.7	68.8	67.0	67.3	65.4
17	41.1	39.1	39.2	38.7	43.3	43.3	44.8	66.1	68.4	70.2	69.0	68.2	65.8	67.1
18	40.9	37.5	39.9	40.4	41.7	40.4	40.4	63.7	67.3	70.0	69.3	65.3	65.9	66.4
<b>Grade</b>														
6th	46.2	47.4	48.6	48.1	52.8	51.1	49.9	67.1	66.9	68.6	67.8	66.8	64.7	63.9
7th	43.1	44.7	45.2	44.7	48.6	50.2	47.6	65.6	68.3	66.8	66.7	66.4	65.5	64.6
8th	40.5	43.6	43.3	44.1	46.5	46.0	46.0	67.0	67.8	68.6	69.0	67.3	65.9	65.8
9th	42.3	36.7	40.7	42.3	42.4	41.8	44.2	65.9	66.4	69.2	67.0	65.1	63.9	64.8
10th	42.1	40.5	39.8	41.0	43.9	45.2	45.9	67.3	69.7	69.9	68.5	66.6	67.7	65.8
11th	42.0	38.4	40.0	39.4	44.4	43.5	44.5	67.5	69.5	70.2	69.3	68.7	66.7	66.5
12th	41.7	39.8	39.5	39.9	42.3	42.0	43.3	65.1	69.6	70.5	70.6	68.2	67.0	68.7
<b>Middle School</b>	43.2	45.2	45.7	45.7	49.3	49.1	47.8	66.6	67.6	68.0	67.9	66.8	65.4	64.8
<b>High School</b>	42.1	38.8	40.0	40.7	43.3	43.1	44.5	66.5	68.7	70.0	68.8	67.1	66.3	66.4
<b>Total</b>	<b>42.6</b>	<b>41.6</b>	<b>42.5</b>	<b>42.8</b>	<b>45.9</b>	<b>45.7</b>	<b>45.9</b>	<b>66.5</b>	<b>68.3</b>	<b>69.1</b>	<b>68.4</b>	<b>67.0</b>	<b>65.9</b>	<b>65.7</b>

**Table 39. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2010 to 2022**

	Perceive Great Risk of Harm If:													
	Smoke Marijuana Once or Twice a Week					Try Marijuana Once or Twice								
		2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	
<b>Sex</b>														
Female		39.2	37.5	35.2	34.1	33.9	30.8	29.1	25.5	24.8	22.8	22.7	22.3	
Male		36.3	35.2	33.7	32.8	34.8	27.2	26.0	25.3	25.0	23.6	23.6	24.6	
<b>Race/Ethnic group</b>														
African American		32.5	31.4	29.8	28.2	29.8	30.2	27.1	24.7	23.8	23.2	22.2	23.0	
Hispanic/Latino		38.5	36.2	34.9	35.6	36.6	31.4	29.8	28.1	26.7	25.0	26.1	26.3	
White, non-Hispanic		38.7	38.6	35.9	34.9	34.6	25.9	25.4	23.6	24.3	21.8	21.9	21.5	
<b>Age</b>														
11		70.0	65.1	62.5	57.3	57.8	51.5	46.5	51.7	47.7	44.3	41.2	39.9	
12		60.9	58.8	56.1	52.9	51.5	44.6	43.0	43.0	41.0	38.0	36.3	35.5	
13		50.9	48.4	44.9	44.3	43.7	37.8	36.5	33.7	33.5	29.3	29.8	29.4	
14		37.5	38.3	34.6	32.5	36.2	30.5	28.2	24.1	25.3	22.5	22.0	24.8	
15		30.1	29.0	28.0	26.8	29.3	24.3	21.5	18.4	19.6	17.9	18.4	19.2	
16		24.6	24.3	21.6	21.5	25.6	20.0	19.0	15.8	16.4	15.0	14.6	17.4	
17		20.2	19.5	19.7	21.3	20.9	19.8	17.0	13.6	12.9	14.1	15.3	14.9	
18		21.0	21.4	19.1	17.7	18.2	19.5	16.7	14.8	13.9	13.4	13.1	12.6	
<b>Grade</b>														
6th		62.8	61.0	57.9	53.4	53.0	46.2	43.7	46.3	44.6	41.2	38.1	38.0	
7th		53.9	51.5	50.0	47.6	47.3	39.0	38.4	36.5	35.6	32.6	32.6	31.2	
8th		44.5	42.8	39.4	39.5	39.7	32.1	33.0	28.7	28.4	25.5	26.1	27.4	
9th		31.4	32.4	29.5	27.5	31.5	24.6	22.2	19.9	21.7	19.2	19.1	20.8	
10th		26.6	26.1	24.2	24.1	26.9	20.7	20.8	16.3	17.5	16.3	16.3	17.7	
11th		22.9	21.1	20.8	20.6	22.8	19.4	17.9	15.3	14.2	14.3	14.3	16.0	
12th		19.3	20.0	18.6	19.0	18.6	19.6	15.9	13.1	13.0	13.1	13.9	12.9	
<b>Middle School</b>		53.8	51.7	49.1	46.8	46.5	39.1	38.4	37.1	36.1	33.2	32.3	32.1	
<b>High School</b>		25.4	25.2	23.3	22.9	25.2	21.2	19.4	16.3	16.8	15.8	16.0	17.0	
<b>Total</b>		<b>37.7</b>	<b>36.3</b>	<b>34.4</b>	<b>33.4</b>	<b>34.3</b>	<b>28.9</b>	<b>27.6</b>	<b>25.3</b>	<b>24.9</b>	<b>23.2</b>	<b>23.1</b>	<b>23.5</b>	



**Table 40. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor’s orders or having five or more alcoholic drinks once or twice a week—2012 to 2022**

	Perceive Great Risk of Harm If:													
	Take a Prescription Drug without a Doctor’s Orders							Five or More Alcoholic Drinks Once or Twice a Week						
		2012 %	2014 %	2016 %	2018 %	2020 %	2022 %			2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female		71.9	72.3	70.0	69.5	69.4	69.3			57.7	58.4	61.3	60.4	58.3
Male		65.5	70.3	67.3	65.9	65.8	66.5			51.7	51.2	54.9	54.1	54.8
<b>Race/Ethnic group</b>														
African American		67.4	66.0	63.3	61.7	60.8	60.1			55.4	55.4	56.4	55.0	53.6
Hispanic/Latino		67.3	69.3	67.2	66.7	66.4	67.4			54.1	53.5	57.9	56.3	57.3
White, non-Hispanic		69.7	74.2	71.5	70.8	71.5	71.6			53.6	54.1	58.4	57.9	56.2
<b>Age</b>														
11		--	76.0	72.8	74.1	72.3	71.4			66.8	63.4	68.3	65.6	65.3
12		--	72.6	69.0	69.2	69.4	67.5			60.8	60.0	64.7	63.6	62.2
13		--	70.7	69.0	66.9	68.4	66.2			57.6	57.7	60.8	60.8	57.8
14		70.3	71.4	69.0	66.2	66.6	67.7			55.3	55.8	57.7	55.7	57.7
15		69.5	71.1	67.9	66.0	66.3	67.3			52.9	52.5	56.7	56.2	55.7
16		68.2	70.2	67.7	66.5	67.4	68.2			51.9	52.5	53.7	54.4	54.0
17		68.4	70.6	68.0	68.6	67.1	68.3			49.5	50.4	55.3	53.1	53.1
18		66.6	69.8	68.1	68.2	65.4	68.5			46.9	49.7	51.9	50.4	49.8
<b>Grade</b>														
6th		--	71.9	68.9	70.0	68.9	67.9			61.1	59.6	64.4	61.8	61.4
7th		--	70.4	68.3	67.4	69.1	66.2			57.6	57.8	61.8	62.3	59.7
8th		--	72.7	70.0	67.1	67.7	66.9			57.5	56.6	60.1	59.2	58.3
9th		67.7	71.2	68.2	65.4	66.3	67.8			53.5	53.9	55.5	55.4	55.5
10th		69.8	70.5	67.8	66.5	66.7	68.1			52.8	52.4	55.7	54.8	55.0
11th		68.2	71.2	68.2	68.0	67.1	67.5			51.0	51.6	55.3	54.4	54.6
12th		68.6	70.0	68.3	68.7	67.1	70.1			47.7	51.0	53.3	51.9	51.5
<b>Middle School</b>		--	71.7	69.1	68.2	68.5	67.0			58.8	58.1	62.1	61.1	59.7
<b>High School</b>		68.6	70.8	68.2	67.1	66.8	68.4			51.4	52.3	55.0	54.2	54.2
<b>Total</b>		--	<b>71.2</b>	<b>68.5</b>	<b>67.6</b>	<b>67.6</b>	<b>67.8</b>			<b>54.6</b>	<b>54.7</b>	<b>58.0</b>	<b>57.2</b>	<b>56.6</b>

**Table 41. Percentage of surveyed Florida youth who perceive great risk of harm in vaping nicotine or vaping marijuana, 2019 to 2022**

	Perceive Great Risk of Harm If:														
	Vaping Nicotine				Vaping Marijuana										
				2019 %	2020 %	2021 %	2022 %					2019 %	2020 %	2021 %	2022 %
<b>Sex</b>															
Female				38.5	46.7	41.3	42.8					36.9	44.1	39.6	41.0
Male				36.5	43.1	43.0	44.5					36.1	41.5	40.4	42.6
<b>Race/Ethnic group</b>															
African American				37.7	47.3	43.9	43.0					34.2	42.0	40.2	39.6
Hispanic/Latino				40.1	44.9	39.4	43.4					39.0	43.6	39.4	43.0
White, non-Hispanic				36.0	43.6	43.1	43.4					36.5	42.9	41.1	41.6
<b>Age</b>															
11				56.2	60.1	56.9	59.2					63.7	64.3	61.2	63.0
12				46.8	54.2	51.3	52.4					51.6	57.2	55.4	56.7
13				41.1	48.1	44.7	46.2					44.1	50.1	46.5	48.3
14				36.0	41.6	39.1	44.1					37.0	40.2	38.3	43.6
15				32.2	41.6	37.2	39.5					29.3	38.2	33.8	36.7
16				31.0	39.6	36.5	40.0					25.3	34.6	31.2	35.0
17				34.7	40.9	38.2	38.4					28.1	33.6	31.1	31.1
18				32.5	39.0	42.3	36.4					25.1	32.3	32.3	28.6
<b>Grade</b>															
6th				51.3	55.2	54.9	54.2					57.6	58.9	57.4	58.2
7th				40.2	51.0	46.6	48.2					44.2	53.6	49.5	51.9
8th				40.1	45.2	41.9	45.3					41.8	45.5	43.1	46.1
9th				33.4	40.9	37.7	41.2					32.1	37.5	36.1	38.7
10th				31.5	40.3	34.9	40.5					26.5	36.3	30.1	36.5
11th				31.7	41.0	37.9	38.2					25.3	34.2	31.8	31.7
12th				34.2	39.5	41.9	37.8					27.3	32.2	32.0	29.6
<b>Middle School</b>				43.9	50.4	47.7	49.1					47.9	52.6	49.9	51.9
<b>High School</b>				32.7	40.5	38.0	39.5					27.9	35.1	32.5	34.3
<b>Total</b>				<b>37.5</b>	<b>44.8</b>	<b>42.2</b>	<b>43.6</b>					<b>36.5</b>	<b>42.8</b>	<b>40.1</b>	<b>41.8</b>

Table 42. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2010 to 2022

	Think It Would Be Wrong for Someone Their Age To:													
	Drink Alcohol Regularly							Smoke Cigarettes						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	67.1	70.5	72.7	74.1	75.9	77.4	78.6	82.1	86.1	88.7	91.1	92.6	93.8	93.2
Male	66.4	70.3	73.8	75.2	76.7	79.2	82.0	80.9	85.1	88.5	91.0	92.1	93.3	94.1
<b>Race/Ethnic group</b>														
African American	71.7	75.8	77.9	78.8	79.1	83.1	84.6	87.6	91.0	92.6	93.7	94.5	95.4	95.6
Hispanic/Latino	66.6	70.8	72.6	74.8	76.6	79.5	82.1	83.5	87.9	89.8	91.4	92.9	94.3	94.7
White, non-Hispanic	63.4	67.5	70.1	72.2	74.5	75.2	76.9	76.8	82.0	85.7	89.5	90.9	92.0	92.1
<b>Age</b>														
11	93.8	94.1	96.3	96.4	94.4	94.4	94.4	97.3	97.7	98.3	98.4	98.1	97.9	97.9
12	89.4	92.1	92.8	92.9	92.5	91.8	93.7	94.6	96.1	96.7	97.1	96.9	97.5	97.5
13	80.4	84.4	87.1	87.2	86.2	87.5	88.0	89.3	93.2	94.1	95.1	95.0	95.1	95.7
14	71.0	74.8	78.1	79.8	79.9	80.9	82.6	85.6	89.1	91.8	92.9	93.7	94.4	94.6
15	62.3	64.8	69.2	71.8	74.3	75.8	79.1	81.0	85.1	88.6	91.1	91.9	93.4	93.7
16	55.3	58.6	61.6	65.5	67.6	70.8	73.7	77.4	81.8	85.7	89.3	91.5	92.5	92.1
17	50.7	51.3	54.7	56.8	60.9	65.1	68.9	72.3	74.6	80.3	86.0	88.8	90.9	90.5
18	49.7	49.2	50.1	53.6	58.5	62.0	65.0	62.2	67.2	72.4	78.3	81.6	85.8	87.0
<b>Grade</b>														
6th	90.6	93.2	94.3	94.5	93.5	92.9	93.9	94.8	96.8	97.0	97.7	97.2	97.5	97.5
7th	80.3	86.8	88.9	89.3	88.6	89.2	90.0	89.1	94.0	94.7	95.7	95.7	96.1	96.4
8th	73.4	78.0	81.3	82.7	82.9	84.1	85.2	86.3	89.9	92.2	93.3	93.9	94.6	95.2
9th	62.9	66.5	72.1	74.4	76.4	77.9	81.0	82.0	85.9	89.7	91.1	93.2	93.6	93.8
10th	55.9	61.5	63.9	68.2	70.6	72.2	76.0	77.7	83.2	87.0	90.3	91.5	93.5	93.1
11th	52.4	54.2	58.5	60.2	63.4	68.4	70.7	73.2	77.9	82.8	87.2	89.9	91.2	91.0
12th	49.1	49.2	49.8	53.3	57.9	61.6	65.2	65.1	69.2	74.4	81.5	84.3	87.7	88.1
<b>Middle School</b>	81.4	86.1	88.2	88.8	88.4	88.7	89.6	90.1	93.6	94.7	95.6	95.6	96.1	96.4
<b>High School</b>	55.5	58.3	61.7	64.5	67.2	70.3	73.5	75.0	79.5	83.9	87.7	89.8	91.6	91.6
<b>Total</b>	<b>66.7</b>	<b>70.4</b>	<b>73.2</b>	<b>74.7</b>	<b>76.3</b>	<b>78.3</b>	<b>80.4</b>	<b>81.5</b>	<b>85.6</b>	<b>88.6</b>	<b>91.0</b>	<b>92.3</b>	<b>93.5</b>	<b>93.6</b>

**Table 43. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2010 to 2022**

	Think It Would Be Wrong for Someone Their Age To:													
	Smoke Marijuana							Use Other Illicit Drugs						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	79.4	78.9	75.2	74.4	72.9	73.9	77.0	95.4	96.0	95.2	95.8	96.2	95.9	96.4
Male	74.2	74.3	72.8	73.3	72.8	75.4	79.7	93.4	94.4	94.5	94.7	95.1	94.6	96.1
<b>Race/Ethnic group</b>														
African American	78.4	77.1	74.0	73.7	72.9	73.6	77.1	95.9	96.1	96.1	96.1	96.5	96.0	96.3
Hispanic/Latino	79.5	79.8	75.6	75.8	74.8	78.6	82.9	93.9	94.9	94.4	94.5	95.5	95.4	96.6
White, non-Hispanic	73.9	74.6	72.4	73.1	71.8	73.2	76.1	94.1	95.0	94.5	95.1	95.5	95.0	96.0
<b>Age</b>														
11	98.4	98.0	98.2	98.0	96.9	97.0	97.2	99.3	98.9	99.4	99.3	99.0	98.5	99.1
12	95.2	95.6	94.8	94.8	93.9	93.8	95.7	97.6	98.3	98.5	98.3	98.2	98.5	98.8
13	88.4	89.3	88.4	88.4	86.3	87.2	89.6	96.2	96.9	97.0	97.2	96.8	97.0	97.4
14	80.4	80.4	78.0	78.2	76.0	78.5	83.0	94.7	95.7	95.6	96.0	95.9	96.2	96.7
15	72.2	71.3	68.9	68.7	68.0	70.2	76.9	93.5	94.4	94.4	94.7	95.5	94.8	96.4
16	67.5	65.7	60.9	62.4	60.1	62.6	68.5	92.8	93.3	93.0	93.2	94.6	93.5	95.4
17	64.4	60.4	55.4	55.3	55.0	57.5	60.8	92.4	93.0	91.2	92.8	93.5	92.5	93.8
18	62.9	58.2	53.4	54.2	52.2	52.7	58.2	92.5	92.3	90.4	92.2	92.6	90.9	93.2
<b>Grade</b>														
6th	95.6	96.8	96.4	96.3	95.1	95.5	96.2	97.9	98.6	98.8	98.7	98.4	98.6	98.9
7th	88.6	90.9	90.2	90.8	89.3	90.0	92.7	96.0	97.2	97.1	97.7	97.3	97.5	97.8
8th	81.2	83.2	81.5	82.1	80.9	82.6	85.1	94.8	95.6	96.1	95.9	96.2	96.4	97.0
9th	73.4	73.4	72.2	71.6	71.4	73.0	79.7	93.6	95.1	95.1	95.2	96.0	95.7	96.4
10th	67.8	68.3	63.9	64.5	63.0	65.7	73.1	93.2	93.4	93.1	94.0	94.9	93.8	96.4
11th	65.5	62.4	58.4	58.1	56.9	59.5	63.2	92.6	93.7	92.3	92.4	93.9	93.1	94.3
12th	63.4	58.4	52.0	53.6	51.7	53.4	57.3	92.4	92.1	90.4	92.5	92.3	91.3	93.1
<b>Middle School</b>	88.5	90.3	89.4	89.7	88.5	89.4	91.2	96.2	97.1	97.4	97.5	97.3	97.5	97.9
<b>High School</b>	67.8	66.1	62.2	62.3	60.9	63.2	68.7	93.0	93.6	92.9	93.6	94.3	93.5	95.1
<b>Total</b>	<b>76.8</b>	<b>76.6</b>	<b>74.0</b>	<b>73.8</b>	<b>72.8</b>	<b>74.6</b>	<b>78.3</b>	<b>94.4</b>	<b>95.2</b>	<b>94.8</b>	<b>95.2</b>	<b>95.6</b>	<b>95.3</b>	<b>96.3</b>

**Table 44. Percentage of surveyed Florida youth who think it would be wrong for someone their age to vape nicotine or vape marijuana, 2019 to 2022**

	Think It Would Be Wrong for Someone Their Age To:														
	Vape Nicotine				Vape Marijuana										
				2019 %	2020 %	2021 %	2022 %					2019 %	2020 %	2021 %	2022 %
<b>Sex</b>															
Female				81.2	83.7	80.2	82.4					79.5	81.7	79.8	81.3
Male				80.6	85.0	84.9	87.5					80.0	82.8	82.4	84.9
<b>Race/Ethnic group</b>															
African American				87.1	89.5	89.0	87.3					83.6	85.7	86.1	84.4
Hispanic/Latino				83.8	86.8	82.8	86.0					82.2	84.8	83.6	86.2
White, non-Hispanic				76.4	80.7	79.1	82.9					77.2	79.6	77.5	80.7
<b>Age</b>															
11				95.4	96.0	95.6	96.0					97.3	97.2	96.1	97.2
12				91.1	93.2	92.1	93.9					94.0	95.1	95.2	96.0
13				86.8	88.1	85.9	89.1					90.4	89.9	89.2	90.8
14				81.5	84.8	81.7	86.0					82.6	84.3	83.4	86.5
15				77.4	82.4	81.4	83.7					75.6	79.6	80.7	81.9
16				75.9	80.2	78.2	80.6					71.3	74.2	72.5	76.1
17				74.4	78.8	76.3	78.6					68.6	72.0	68.8	70.8
18				69.4	73.2	74.7	74.4					62.5	67.2	66.4	68.0
<b>Grade</b>															
6th				94.1	94.5	94.4	94.8					95.9	96.1	95.9	96.4
7th				88.1	90.0	88.0	90.7					91.5	91.9	92.0	93.0
8th				83.9	86.1	83.0	87.0					87.4	86.9	85.8	88.0
9th				78.7	83.6	82.4	84.7					77.6	82.0	82.1	83.9
10th				76.0	80.7	79.0	83.1					73.1	75.6	74.4	80.0
11th				75.1	79.6	76.4	78.6					68.0	73.1	70.9	72.1
12th				70.3	75.1	75.0	75.3					64.3	68.4	66.3	67.5
<b>Middle School</b>				88.7	90.2	88.4	90.7					91.6	91.6	91.2	92.4
<b>High School</b>				75.1	79.9	78.3	80.6					70.9	75.0	73.7	76.2
<b>Total</b>				<b>81.0</b>	<b>84.4</b>	<b>82.7</b>	<b>84.9</b>					<b>79.8</b>	<b>82.2</b>	<b>81.2</b>	<b>83.1</b>

**Table 45. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco or drink alcohol regularly—2014 to 2022**

	Friends Feel It Would Be Wrong for You To:												
	Smoke Tobacco					Drink Alcohol Regularly							
		2014 %	2016 %	2018 %	2020 %	2022 %			2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>													
Female		89.4	91.1	92.1	92.1	91.5			84.0	85.6	87.1	87.6	87.9
Male		86.7	89.5	90.2	90.6	91.9			81.0	82.9	83.7	85.7	88.0
<b>Race/Ethnic group</b>													
African American		92.8	93.1	93.8	93.5	93.8			85.9	86.5	87.8	88.9	89.7
Hispanic/Latino		89.4	91.5	92.1	93.0	92.9			81.9	84.4	85.3	86.5	88.4
White, non-Hispanic		85.0	88.3	89.2	89.3	89.9			80.7	82.8	84.2	85.4	86.6
<b>Age</b>													
11		98.1	98.0	97.6	97.1	98.1			96.6	96.9	95.7	95.4	96.0
12		95.7	96.4	96.0	96.2	95.9			93.8	94.5	93.7	94.1	93.9
13		94.4	94.0	93.0	93.3	93.5			89.9	89.9	89.4	89.7	90.3
14		89.8	91.8	91.7	91.6	91.6			83.1	85.6	85.0	87.2	87.2
15		87.7	90.3	91.0	90.8	91.4			79.1	81.5	83.7	83.9	86.5
16		84.5	87.6	89.4	89.1	89.7			76.6	79.0	80.7	82.8	85.1
17		79.7	85.2	87.4	87.5	87.6			73.6	76.6	79.6	81.4	83.9
18		75.2	80.4	83.9	84.8	87.7			71.7	74.8	78.9	80.2	84.6
<b>Grade</b>													
6th		96.7	97.1	96.9	96.5	97.0			94.8	95.4	94.8	94.5	94.9
7th		93.8	94.7	94.4	94.3	94.2			90.6	91.4	90.7	91.2	91.5
8th		91.8	92.5	91.8	92.4	92.3			85.3	87.1	87.0	88.2	88.2
9th		87.6	90.7	91.1	90.8	91.6			80.4	83.0	84.1	85.5	86.9
10th		86.3	88.3	90.4	90.0	90.3			77.2	80.0	81.3	82.9	85.7
11th		81.9	86.0	88.7	88.8	88.3			75.0	78.1	80.1	82.6	84.0
12th		76.0	82.2	84.3	85.2	87.6			72.5	74.1	79.0	80.1	84.5
<b>Middle School</b>		94.2	94.8	94.4	94.4	94.5			90.3	91.3	90.9	91.3	91.4
<b>High School</b>		83.3	87.0	88.7	88.8	89.5			76.5	79.0	81.2	82.8	85.3
<b>Total</b>		<b>88.0</b>	<b>90.3</b>	<b>91.1</b>	<b>91.3</b>	<b>91.7</b>			<b>82.5</b>	<b>84.2</b>	<b>85.3</b>	<b>86.6</b>	<b>87.9</b>

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

**Table 46. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke marijuana or use prescription drugs not prescribed to you—2014 to 2022**

**Friends Feel It Would Be Wrong for You To:**

	Smoke Marijuana					Use Rx Drugs Not Prescribed to You							
	2014 %	2016 %	2018 %	2020 %	2022 %	2014 %	2016 %	2018 %	2020 %	2022 %			
<b>Sex</b>													
Female	72.8	72.6	71.5	73.0	76.0	93.8	93.4	94.1	93.7	94.5			
Male	70.2	71.3	70.6	73.6	79.1	92.6	92.2	92.3	92.6	94.2			
<b>Race/Ethnic group</b>													
African American	71.6	72.3	71.8	72.9	76.8	94.0	93.3	93.4	93.5	94.4			
Hispanic/Latino	72.1	74.0	72.6	76.6	81.4	92.6	91.9	93.3	93.4	94.7			
White, non-Hispanic	70.6	71.2	69.7	71.9	75.5	93.1	93.1	93.2	93.2	94.2			
<b>Age</b>													
11	97.8	97.7	96.8	95.9	97.3	98.5	98.0	97.1	96.8	97.5			
12	93.8	94.2	93.3	93.1	94.0	97.2	96.7	96.4	96.8	96.1			
13	87.5	86.3	83.9	85.5	88.4	96.1	95.4	94.4	94.1	94.7			
14	73.3	75.8	72.4	76.3	80.6	93.3	93.7	92.4	93.3	93.2			
15	65.2	66.5	66.2	67.9	75.7	92.0	91.6	92.2	91.7	94.0			
16	58.0	59.0	58.4	60.1	68.2	91.1	89.4	91.8	91.4	94.1			
17	52.9	53.4	53.1	56.2	60.3	89.8	90.0	91.7	90.9	92.7			
18	51.6	52.9	52.0	54.7	60.8	88.5	90.4	91.3	91.1	93.8			
<b>Grade</b>													
6th	95.7	96.1	95.2	94.6	95.3	97.6	97.4	97.0	96.8	97.0			
7th	89.0	89.3	88.1	88.6	90.9	96.1	95.9	95.0	95.1	95.2			
8th	78.8	80.3	77.5	80.4	83.3	94.4	94.0	93.1	93.7	93.1			
9th	67.4	68.7	68.6	71.5	77.9	92.2	92.4	92.8	92.4	93.6			
10th	61.1	61.7	61.5	62.9	72.1	92.0	90.7	91.6	91.6	94.2			
11th	54.9	55.8	55.1	57.1	63.0	90.1	89.6	91.5	91.0	92.9			
12th	50.6	51.9	50.4	54.6	59.0	89.0	89.3	91.1	90.8	93.9			
<b>Middle School</b>	87.9	88.6	87.0	87.9	89.7	96.1	95.7	95.0	95.2	95.1			
<b>High School</b>	59.0	59.9	59.1	61.8	68.4	90.9	90.6	91.8	91.5	93.7			
<b>Total</b>	<b>71.5</b>	<b>72.0</b>	<b>71.0</b>	<b>73.3</b>	<b>77.6</b>	<b>93.1</b>	<b>92.7</b>	<b>93.2</b>	<b>93.1</b>	<b>94.3</b>			

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

**Table 47. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to vape nicotine or vape marijuana, 2019 to 2022**

**Friends Feel It Would Be Wrong for You To:**

	Vape Nicotine				Vape Marijuana			
	2019 %	2020 %	2021 %	2022 %	2019 %	2020 %	2021 %	2022 %
<b>Sex</b>								
Female	75.8	78.3	75.3	77.6	76.0	78.9	77.5	78.7
Male	75.5	80.3	81.0	83.8	77.1	79.5	81.0	82.8
<b>Race/Ethnic group</b>								
African American	86.0	87.7	84.2	85.2	82.6	84.5	83.5	83.5
Hispanic/Latino	78.9	81.4	79.7	81.8	78.1	80.9	81.4	83.0
White, non-Hispanic	68.8	74.3	75.2	77.4	73.2	76.1	76.6	78.1
<b>Age</b>								
11	94.5	95.3	94.0	94.8	96.2	96.5	96.1	96.9
12	88.0	91.4	90.3	90.2	91.8	93.8	93.7	93.4
13	83.4	84.8	82.8	85.6	86.7	87.7	86.8	88.7
14	74.5	79.8	77.1	80.6	78.8	81.4	81.2	83.2
15	70.5	75.6	76.8	78.5	72.1	75.4	77.5	79.2
16	67.9	72.7	70.6	75.6	65.6	69.7	69.8	73.5
17	68.3	69.8	70.5	72.4	66.0	66.3	68.1	67.3
18	65.2	69.0	70.0	73.7	61.8	66.0	64.3	67.9
<b>Grade</b>								
6th	92.3	93.6	92.9	92.5	95.0	95.2	95.1	95.0
7th	85.0	87.6	85.7	87.1	88.4	90.4	90.1	90.7
8th	77.7	82.3	79.7	82.9	81.2	84.4	83.8	85.3
9th	72.1	77.0	75.5	79.4	74.8	78.2	78.7	80.8
10th	68.2	73.7	73.7	77.5	67.8	71.4	72.6	77.0
11th	68.6	71.3	70.7	72.9	65.3	67.6	68.1	68.9
12th	64.6	68.2	69.3	72.2	62.5	65.0	65.2	66.5
<b>Middle School</b>	85.1	87.8	86.0	87.4	88.2	90.0	89.6	90.2
<b>High School</b>	68.4	72.7	72.4	75.6	67.7	70.7	71.3	73.6
<b>Total</b>	<b>75.7</b>	<b>79.3</b>	<b>78.3</b>	<b>80.7</b>	<b>76.6</b>	<b>79.2</b>	<b>79.3</b>	<b>80.8</b>



**Table 48. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2022**

	Think It Would Be Wrong for Their Parents To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
<b>Sex</b>				
Female	76.1	84.8	85.8	95.7
Male	78.0	86.7	88.4	96.5
<b>Race/Ethnic group</b>				
African American	84.3	90.9	86.6	96.2
Hispanic/Latino	81.9	89.3	91.7	96.5
White, non-Hispanic	70.4	81.5	84.8	95.8
<b>Age</b>				
11	81.1	89.3	94.1	97.4
12	78.9	86.7	91.3	96.9
13	75.4	84.2	84.8	95.4
14	73.1	84.0	80.6	95.1
15	--	--	--	--
16	--	--	--	--
17	--	--	--	--
18	--	--	--	--
<b>Grade</b>				
6th	80.4	87.8	92.3	97.0
7th	76.3	85.0	87.6	95.8
8th	74.4	84.2	81.7	95.3
9th	--	--	--	--
10th	--	--	--	--
11th	--	--	--	--
12th	--	--	--	--
<b>Middle School</b>	76.9	85.6	87.0	96.0
<b>High School</b>	--	--	--	--
<b>Total</b>	--	--	--	--

Table 49. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2022

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
<b>Sex</b>					
Female	33.8	28.2	10.7	33.0	13.5
Male	39.5	33.5	10.6	19.4	7.9
<b>Race/Ethnic group</b>					
African American	45.1	30.5	9.3	20.6	9.6
Hispanic/Latino	32.7	26.5	10.1	24.6	9.7
White, non-Hispanic	35.2	33.2	11.3	28.3	11.1
<b>Age</b>					
11	35.2	43.1	15.7	21.7	8.5
12	35.3	41.1	15.4	21.3	8.1
13	36.3	38.8	14.8	20.1	9.2
14	37.9	35.1	10.9	22.0	8.7
15	37.3	27.1	8.0	26.4	10.5
16	37.7	23.2	7.7	30.5	11.4
17	36.0	21.4	7.4	33.7	14.0
18	34.2	19.1	6.4	34.7	15.0
<b>Grade</b>					
6th	36.5	41.7	15.6	20.9	8.7
7th	36.3	39.1	15.5	20.7	8.6
8th	36.8	38.6	12.8	20.1	9.0
9th	38.1	28.7	7.9	24.0	9.4
10th	37.1	24.3	7.9	28.4	11.0
11th	35.7	22.3	7.5	33.0	12.2
12th	34.1	19.4	7.4	36.3	15.9
<b>Middle School</b>	36.6	39.8	14.6	20.6	8.7
<b>High School</b>	36.4	23.8	7.7	30.2	12.0
<b>Total</b>	<b>36.4</b>	<b>30.7</b>	<b>10.6</b>	<b>26.1</b>	<b>10.6</b>

Table 50. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2022

	Skipped School Because of Bullying	Was Kicked or Shoved	Was Taunted or Teased	Victim of Cyber Bullying	Physically Bullied Others	Verbally Bullied Others	Cyber Bullied Others
	%	%	%	%	%	%	%
<b>Sex</b>							
Female	12.7	34.5	63.4	37.5	14.9	27.9	13.6
Male	4.8	32.5	53.1	22.5	17.8	30.8	12.1
<b>Race/Ethnic group</b>							
African American	5.7	26.4	48.8	23.3	19.3	30.2	13.8
Hispanic/Latino	7.1	27.9	51.9	24.9	13.4	25.6	9.5
White, non-Hispanic	11.0	38.9	65.3	35.8	15.6	30.0	13.6
<b>Age</b>							
11	10.2	48.4	71.2	27.3	19.7	33.7	11.3
12	9.3	45.7	68.8	30.2	21.6	34.8	12.4
13	9.2	42.3	65.1	31.0	21.8	34.5	14.1
14	9.0	37.3	61.1	31.8	19.1	33.3	14.8
15	8.8	29.8	55.3	31.7	15.6	29.7	13.0
16	8.9	25.8	51.8	28.9	12.6	24.0	12.6
17	8.3	22.7	50.1	29.4	10.5	23.2	11.5
18	7.1	21.1	46.8	26.9	8.7	21.4	10.6
<b>Grade</b>							
6th	9.7	47.3	69.4	29.2	22.6	35.4	12.6
7th	10.1	44.6	67.6	31.9	22.0	35.1	13.3
8th	8.9	39.1	61.6	29.9	20.3	33.2	14.5
9th	8.4	31.4	56.7	31.0	16.3	30.0	13.4
10th	8.9	27.0	53.3	30.6	13.2	26.6	12.4
11th	8.5	23.9	51.3	29.2	10.9	23.3	12.1
12th	7.5	21.8	48.2	28.6	9.3	21.8	11.5
<b>Middle School</b>	9.6	43.6	66.1	30.3	21.6	34.5	13.5
<b>High School</b>	8.3	26.2	52.5	29.9	12.6	25.6	12.4
<b>Total</b>	<b>8.9</b>	<b>33.7</b>	<b>58.3</b>	<b>30.1</b>	<b>16.4</b>	<b>29.4</b>	<b>12.8</b>

Table 51. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2022

	Bought in a Store	Bought in a Restaurant, Bar or Club	Bought at a Public Event	Someone Bought it for Me	Someone Gave it to Me	Took it from a Store	Took it from a Family Member	Some Other Way
	%	%	%	%	%	%	%	%
<b>Sex</b>								
Female	9.6	3.4	0.7	8.6	44.4	0.9	15.6	16.9
Male	14.7	2.9	1.0	9.5	37.9	1.7	10.4	21.9
<b>Race/Ethnic group</b>								
African American	9.0	6.3	1.4	8.4	38.8	2.9	14.0	19.3
Hispanic/Latino	8.0	4.1	1.1	6.9	44.9	0.5	14.7	19.8
White, non-Hispanic	15.4	2.3	0.6	10.9	38.4	1.0	12.8	18.5
<b>Age</b>								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	2.3	0.8	1.5	4.3	41.8	2.5	26.3	20.6
15	2.8	3.0	0.6	7.4	42.2	1.0	24.1	18.8
16	10.4	2.9	0.6	8.1	44.6	2.7	13.8	17.0
17	14.9	2.8	1.1	12.1	40.6	0.5	9.0	19.0
18	20.8	5.4	0.6	8.3	38.8	0.3	4.7	21.1
<b>Grade</b>								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	3.4	3.1	1.2	6.5	39.8	1.7	23.8	20.6
10th	6.4	2.5	0.8	7.2	44.5	1.3	20.6	16.7
11th	14.3	3.1	0.8	8.6	41.1	1.8	9.6	20.7
12th	17.8	3.7	0.7	11.9	40.6	0.5	6.1	18.6
<b>Middle School</b>	--	--	--	--	--	--	--	--
<b>High School</b>	11.7	3.2	0.8	9.0	41.5	1.2	13.5	19.1
<b>Total</b>	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 52. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2022

	My Home	Another Person's Home	Car or Other Vehicle	Restaurant, Bar or Club	Public Place	Public Event	School Property	Some Other Place
	%	%	%	%	%	%	%	%
<b>Sex</b>								
Female	45.1	31.0	2.0	3.5	6.9	2.2	0.4	8.8
Male	40.9	31.5	1.7	3.9	6.5	2.7	1.1	11.7
<b>Race/Ethnic group</b>								
African American	54.8	19.7	3.2	3.9	4.5	4.3	0.1	9.7
Hispanic/Latino	43.9	27.4	1.7	4.7	8.5	3.2	0.3	10.3
White, non-Hispanic	40.7	35.3	1.6	3.1	6.9	2.1	0.9	9.4
<b>Age</b>								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	54.6	23.7	2.9	1.3	3.3	2.1	2.1	9.9
15	51.1	27.4	1.5	1.3	5.0	1.8	0.9	11.0
16	42.8	32.8	1.7	2.6	8.9	1.5	0.6	9.1
17	40.6	33.2	1.2	5.4	7.4	3.5	0.4	8.4
18	38.5	33.8	2.8	5.6	5.4	3.0	0.4	10.5
<b>Grade</b>								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	53.0	24.5	2.2	1.9	5.2	1.4	1.2	10.6
10th	48.5	28.7	1.1	2.5	6.0	2.6	0.8	9.9
11th	38.9	34.6	2.1	3.7	8.3	2.0	0.5	9.9
12th	39.7	33.1	2.1	5.3	6.5	3.3	0.4	9.7
<b>Middle School</b>	--	--	--	--	--	--	--	--
<b>High School</b>	43.8	31.0	1.9	3.6	6.6	2.4	0.7	9.9
<b>Total</b>	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 53. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2022**

	1	2	3	4	5 or More
	%	%	%	%	%
<b>Sex</b>					
Female	36.6	22.2	15.6	10.3	15.3
Male	31.0	16.3	15.9	8.8	28.0
<b>Race/Ethnic group</b>					
African American	50.9	23.7	10.9	6.4	8.1
Hispanic/Latino	37.8	19.7	13.8	10.0	18.7
White, non-Hispanic	28.1	18.5	18.3	10.8	24.3
<b>Age</b>					
11	--	--	--	--	--
12	--	--	--	--	--
13	--	--	--	--	--
14	51.7	19.7	11.3	7.7	9.7
15	40.7	22.2	14.8	6.5	15.9
16	32.8	21.4	14.7	9.8	21.2
17	30.5	18.4	17.3	10.7	23.1
18	28.1	17.8	17.8	12.5	23.9
<b>Grade</b>					
6th	--	--	--	--	--
7th	--	--	--	--	--
8th	--	--	--	--	--
9th	44.6	21.6	12.3	6.1	15.4
10th	37.7	19.3	14.3	10.5	18.2
11th	31.6	22.0	15.6	9.5	21.2
12th	28.4	17.8	18.5	11.3	24.0
<b>Middle School</b>	--	--	--	--	--
<b>High School</b>	34.2	20.0	15.7	9.7	20.4
<b>Total</b>	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 54. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana—2012 to 2022**

	Riding in a Vehicle Driven by Someone Who Had Been:													
	Drinking Alcohol							Using Marijuana						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %		2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	
<b>Sex</b>														
Female	22.8	20.1	17.5	15.1	16.2	16.0		25.5	24.4	23.7	24.4	24.0	20.6	
Male	19.9	16.2	15.3	13.4	13.3	11.2		25.3	22.7	21.7	21.5	20.2	15.1	
<b>Race/Ethnic group</b>														
African American	18.3	14.8	14.7	12.5	11.6	10.1		27.0	27.1	26.2	25.4	26.7	20.0	
Hispanic/Latino	22.0	19.0	17.2	14.2	15.4	13.8		23.5	20.6	19.9	19.8	18.0	15.2	
White, non-Hispanic	22.2	19.4	16.7	15.0	15.6	14.9		25.0	23.3	21.6	22.5	21.3	18.3	
<b>Age</b>														
11	--	--	--	--	--	--		--	--	--	--	--	--	
12	--	--	--	--	--	--		--	--	--	--	--	--	
13	--	--	--	--	--	--		--	--	--	--	--	--	
14	18.7	16.8	15.6	15.2	14.8	15.6		13.0	14.8	14.3	16.4	16.4	12.9	
15	20.9	17.8	17.1	14.5	15.9	14.9		21.5	19.1	18.9	18.7	18.5	15.8	
16	20.6	17.2	15.2	13.7	14.8	13.1		26.0	23.6	22.6	23.8	22.0	17.6	
17	22.1	19.3	16.7	14.8	13.6	12.8		30.5	28.7	27.2	25.8	25.0	20.5	
18	23.7	18.9	17.0	13.7	14.6	11.1		31.6	28.9	27.9	29.0	28.6	21.9	
<b>Grade</b>														
6th	--	--	--	--	--	--		--	--	--	--	--	--	
7th	--	--	--	--	--	--		--	--	--	--	--	--	
8th	--	--	--	--	--	--		--	--	--	--	--	--	
9th	21.3	18.2	17.2	15.4	15.8	15.6		19.9	17.5	16.9	17.7	17.2	14.3	
10th	20.0	18.0	15.6	14.2	14.8	13.8		22.5	22.7	21.9	22.3	20.4	16.3	
11th	21.3	17.8	16.3	13.9	13.9	12.8		29.5	26.1	24.6	24.2	24.6	19.9	
12th	23.1	18.6	16.3	13.9	14.4	11.6		31.0	29.3	28.1	28.0	26.7	21.4	
<b>Middle School</b>	--	--	--	--	--	--		--	--	--	--	--	--	
<b>High School</b>	21.4	18.1	16.4	14.3	14.7	13.5		25.4	23.5	22.7	22.9	22.1	17.8	
<b>Total</b>	--	--	--	--	--	--		--	--	--	--	--	--	

**Table 55. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana—2012 to 2022**

	Driving a Vehicle After:													
	Drinking Alcohol							Using Marijuana						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %		2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	
<b>Sex</b>														
Female	7.4	6.2	5.0	3.8	3.6	3.2		8.8	9.6	9.1	8.7	8.2	6.7	
Male	8.8	6.8	5.8	4.9	4.6	3.4		13.4	12.2	11.4	10.1	9.8	6.1	
<b>Race/Ethnic group</b>														
African American	6.4	4.8	5.0	3.7	3.2	2.5		11.1	10.0	10.3	9.4	9.6	7.0	
Hispanic/Latino	8.0	6.7	5.5	4.1	4.1	2.3		9.4	10.2	9.5	7.7	7.5	4.3	
White, non-Hispanic	8.8	7.4	5.6	4.8	4.4	4.3		11.8	11.4	10.4	10.1	9.3	7.2	
<b>Age</b>														
11	--	--	--	--	--	--		--	--	--	--	--	--	
12	--	--	--	--	--	--		--	--	--	--	--	--	
13	--	--	--	--	--	--		--	--	--	--	--	--	
14	3.1	2.6	1.9	1.5	2.0	1.1		3.0	4.5	4.3	3.0	2.2	2.8	
15	5.1	4.2	3.4	3.1	2.7	2.1		6.5	7.1	6.0	5.3	5.7	3.9	
16	8.1	6.1	5.0	3.8	3.4	3.2		11.8	10.1	9.7	9.7	9.1	6.5	
17	10.4	8.6	7.1	5.9	5.4	4.2		15.0	15.1	13.9	12.5	11.7	8.5	
18	12.8	10.5	8.9	7.2	7.2	5.6		17.0	16.5	16.5	15.8	16.0	10.0	
<b>Grade</b>														
6th	--	--	--	--	--	--		--	--	--	--	--	--	
7th	--	--	--	--	--	--		--	--	--	--	--	--	
8th	--	--	--	--	--	--		--	--	--	--	--	--	
9th	5.2	3.8	3.1	2.5	2.5	2.1		6.2	6.5	5.8	4.6	4.2	3.7	
10th	6.0	5.8	4.5	3.9	2.9	2.2		8.8	9.6	8.5	7.8	7.3	5.0	
11th	9.8	7.3	5.9	4.6	4.4	4.0		14.3	12.5	11.8	11.4	11.5	7.3	
12th	12.4	10.2	8.5	6.8	6.9	5.3		16.5	16.1	15.7	14.5	13.8	9.9	
<b>Middle School</b>	--	--	--	--	--	--		--	--	--	--	--	--	
<b>High School</b>	8.1	6.6	5.4	4.4	4.1	3.3		11.2	10.9	10.3	9.5	9.0	6.4	
<b>Total</b>	--	--	--	--	--	--		--	--	--	--	--	--	



**Table 56. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	<b>Drinking Alcohol</b>	<b>Smoking Marijuana</b>	<b>Using Another Drug</b>
	<b>%</b>	<b>%</b>	<b>%</b>
<b>Sex</b>			
Female	4.1	8.2	2.8
Male	2.8	6.0	1.8
<b>Race/Ethnic group</b>			
African American	2.6	6.7	2.3
Hispanic/Latino	3.1	6.4	2.4
White, non-Hispanic	4.0	7.7	2.1
<b>Age</b>			
11	1.2	0.6	0.9
12	1.6	1.8	1.1
13	3.5	3.5	1.9
14	3.9	5.7	3.1
15	4.2	8.0	2.7
16	4.2	9.9	2.8
17	4.1	13.3	3.0
18	3.8	11.4	1.9
<b>Grade</b>			
6th	1.6	1.6	1.1
7th	2.4	2.4	1.7
8th	4.3	5.5	2.8
9th	4.0	6.7	2.8
10th	4.3	9.2	2.8
11th	4.1	11.7	3.1
12th	3.6	12.5	2.1
<b>Middle School</b>	2.8	3.2	1.9
<b>High School</b>	4.0	9.9	2.7
<b>Total</b>	<b>3.5</b>	<b>7.1</b>	<b>2.4</b>

**Table 57. Percentage of surveyed Florida youth who have talked with a parent or guardian in the past 12 months about the dangers of taking a prescription drug that was not prescribed to you—2018 to 2022**

	Talked with a Parent about Prescription Drug Abuse		
	2018 %	2020 %	2022 %
<b>Sex</b>			
Female	25.2	26.1	22.9
Male	23.7	25.1	21.6
<b>Race/Ethnic group</b>			
African American	20.4	20.4	16.5
Hispanic/Latino	26.2	26.9	24.5
White, non-Hispanic	25.7	27.6	24.1
<b>Age</b>			
11	28.6	27.4	24.2
12	27.0	26.4	24.1
13	25.1	26.3	22.4
14	24.9	27.3	23.8
15	25.2	26.5	23.4
16	24.0	24.9	22.2
17	22.1	22.6	18.9
18	19.9	23.6	18.9
<b>Grade</b>			
6th	27.8	27.7	24.3
7th	24.6	25.1	22.3
8th	25.6	26.7	22.9
9th	25.3	27.5	23.9
10th	25.5	24.9	22.5
11th	22.1	24.7	20.5
12th	20.5	22.4	18.8
<b>Middle School</b>	26.0	26.5	23.1
<b>High School</b>	23.4	24.9	21.5
<b>Total</b>	<b>24.5</b>	<b>25.6</b>	<b>22.2</b>

**Table 58. Percentage of surveyed Florida youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Lack of Self-Control					
	Do what brings me pleasure now	More concerned with the short run	Getting in trouble is exciting	Excitement more important than security	People better stay away from me when I'm angry	I get upset when I have a disagreement
	%	%	%	%	%	%
<b>Sex</b>						
Female	35.7	30.2	30.4	26.3	35.2	51.6
Male	30.2	24.5	27.3	26.1	26.1	33.9
<b>Race/Ethnic group</b>						
African American	36.0	29.7	26.1	21.9	37.5	43.3
Hispanic/Latino	33.3	30.2	29.0	26.4	29.6	40.2
White, non-Hispanic	30.7	24.5	30.0	28.3	27.2	43.3
<b>Age</b>						
11	35.9	29.1	21.3	21.5	36.1	54.9
12	31.2	30.1	25.9	24.9	34.1	49.7
13	33.8	30.7	31.1	28.6	34.4	48.8
14	33.6	28.7	33.0	28.6	31.8	44.5
15	31.6	26.4	29.1	27.5	29.6	41.7
16	33.9	26.7	30.3	26.4	29.1	39.3
17	34.0	24.8	29.0	25.0	27.8	36.3
18	30.0	19.9	25.0	22.7	23.3	30.9
<b>Grade</b>						
6th	33.5	29.4	24.3	23.3	36.6	51.5
7th	32.2	30.9	28.2	27.1	34.0	49.0
8th	34.9	30.2	33.3	29.6	33.3	46.7
9th	31.3	26.7	29.5	26.8	29.3	41.4
10th	32.9	27.4	29.0	26.8	29.6	40.3
11th	33.8	25.2	30.7	25.9	27.5	38.4
12th	32.0	21.2	26.7	23.6	24.8	32.7
<b>Middle School</b>	33.6	30.2	28.8	26.8	34.6	49.0
<b>High School</b>	32.5	25.3	29.0	25.8	27.9	38.3
<b>Total</b>	<b>32.9</b>	<b>27.3</b>	<b>28.9</b>	<b>26.2</b>	<b>30.7</b>	<b>42.9</b>

Table 59. Average number of hours of sleep on a school night reported by surveyed Florida youth—2018 to 2022

	Hours of Sleep on a School Night		
	2018	2020	2022
<b>Sex</b>			
Female	6.9	6.8	6.7
Male	7.0	6.9	7.0
<b>Race/Ethnic group</b>			
African American	6.9	6.9	6.8
Hispanic/Latino	6.9	6.8	6.8
White, non-Hispanic	7.0	6.9	6.9
<b>Age</b>			
11	8.2	7.9	7.9
12	7.9	7.7	7.7
13	7.5	7.3	7.3
14	7.0	6.9	6.9
15	6.7	6.6	6.6
16	6.4	6.4	6.4
17	6.3	6.2	6.2
18	6.2	6.2	6.2
<b>Grade</b>			
6th	8.0	7.8	7.8
7th	7.6	7.5	7.4
8th	7.3	7.1	7.2
9th	6.7	6.6	6.7
10th	6.5	6.5	6.5
11th	6.3	6.3	6.3
12th	6.2	6.2	6.2
<b>Middle School</b>	7.6	7.5	7.4
<b>High School</b>	6.4	6.4	6.4
<b>Total</b>	<b>6.9</b>	<b>6.9</b>	<b>6.9</b>

Note: In 2022, two additional response options, “11 hours” and “12 or more hours,” were added.

**Table 60. Percentage of surveyed Florida youth who reported symptoms of depression—2010 to 2022**

	Symptoms of Depression													
	Sometimes I think that life is not worth it							At times I think I am no good at all						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	28.4	28.0	30.3	31.1	35.9	39.5	43.0	38.3	41.0	46.4	46.2	49.9	55.8	57.5
Male	18.4	16.6	15.3	15.8	20.5	21.9	23.2	24.8	24.2	24.9	25.2	29.6	33.5	34.5
<b>Race/Ethnic group</b>														
African American	23.6	20.7	20.2	22.1	27.1	29.9	33.0	27.6	27.7	30.9	33.0	35.4	39.7	41.8
Hispanic/Latino	23.2	21.5	22.5	22.8	27.2	29.2	30.9	31.9	32.6	35.7	35.6	39.6	43.9	46.3
White, non-Hispanic	21.5	21.3	22.9	23.6	27.8	30.7	33.0	31.0	32.3	35.8	35.7	40.0	46.2	46.4
<b>Age</b>														
11	17.1	16.8	15.1	16.7	22.7	27.3	31.4	28.1	30.8	31.2	32.8	36.2	43.5	48.5
12	20.5	18.9	19.6	19.9	23.3	28.1	30.8	30.8	31.5	32.6	32.7	36.4	43.8	47.1
13	24.0	22.1	24.2	24.0	28.4	31.4	33.6	31.9	31.7	36.7	35.4	40.4	45.9	47.5
14	26.5	24.2	25.0	26.0	30.4	31.3	36.4	33.6	33.9	37.2	37.6	40.7	45.2	47.5
15	24.8	24.4	26.3	25.9	29.3	32.0	34.3	32.5	34.8	38.3	38.1	40.3	45.2	45.3
16	25.0	23.9	23.7	25.1	30.4	31.4	34.4	33.6	34.0	37.4	37.2	42.1	45.9	46.5
17	22.2	21.9	22.2	22.8	30.6	31.7	33.4	30.5	31.4	34.5	34.9	42.4	44.6	44.7
18	20.2	21.3	20.0	23.1	26.6	31.2	28.2	26.0	30.4	31.8	33.9	35.7	41.8	41.5
<b>Grade</b>														
6th	20.0	18.6	18.3	18.8	23.5	28.6	31.7	29.9	31.0	32.4	32.8	36.4	43.6	48.2
7th	24.4	21.5	22.5	22.4	26.3	29.8	33.0	32.5	32.3	34.4	34.9	38.1	45.2	47.2
8th	26.0	23.6	24.5	25.8	29.7	31.3	34.3	32.9	33.0	37.2	36.0	40.3	45.2	46.5
9th	25.5	24.2	25.9	25.8	29.4	30.9	34.2	33.3	34.6	38.1	37.8	41.4	44.7	45.7
10th	24.3	24.3	25.2	25.5	29.5	31.8	35.3	33.0	34.7	37.9	37.9	40.8	45.6	46.0
11th	23.2	22.1	22.2	23.2	29.6	31.8	34.2	31.4	32.2	35.8	35.6	41.4	45.9	46.2
12th	19.6	20.6	20.5	22.7	29.5	31.1	30.0	26.5	29.7	32.5	34.4	39.5	42.2	42.8
<b>Middle School</b>	23.5	21.2	21.8	22.3	26.5	29.9	33.0	31.8	32.1	34.7	34.5	38.2	44.7	47.3
<b>High School</b>	23.3	22.9	23.6	24.4	29.5	31.4	33.5	31.3	32.9	36.3	36.5	40.8	44.6	45.2
<b>Total</b>	<b>23.4</b>	<b>22.2</b>	<b>22.8</b>	<b>23.5</b>	<b>28.2</b>	<b>30.7</b>	<b>33.3</b>	<b>31.5</b>	<b>32.6</b>	<b>35.6</b>	<b>35.7</b>	<b>39.7</b>	<b>44.7</b>	<b>46.1</b>

Note: Table shows percentage of students who answered "yes" or "YES!"

**Table 61. Percentage of surveyed Florida youth who reported symptoms of depression—2010 to 2022**

	Symptoms of Depression													
	All in all, I am inclined to think that I am a failure							In the past year, felt depressed or sad on most days						
	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2010 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %
<b>Sex</b>														
Female	17.6	20.3	26.1	27.6	32.1	36.6	38.6	47.1	49.2	51.0	50.5	53.1	57.0	58.4
Male	13.2	13.4	14.4	15.3	18.8	20.8	22.4	31.1	31.0	29.9	29.0	32.2	35.5	36.0
<b>Race/Ethnic group</b>														
African American	12.4	13.9	16.1	17.5	21.2	23.7	25.9	45.1	44.1	43.4	42.0	45.2	46.0	47.5
Hispanic/Latino	16.0	16.4	21.2	22.6	25.8	29.4	30.7	41.4	43.2	43.2	41.9	43.9	47.6	47.9
White, non-Hispanic	14.9	16.3	20.2	21.7	26.1	29.6	31.2	33.0	34.6	36.0	36.3	38.6	44.2	44.9
<b>Age</b>														
11	12.7	15.3	16.8	17.7	22.8	27.5	32.5	35.7	38.8	35.3	35.5	37.3	41.2	46.5
12	15.2	16.6	19.0	19.1	22.8	28.2	30.5	37.3	39.4	38.5	37.1	38.2	43.5	44.3
13	15.2	16.9	22.3	21.9	25.8	29.2	32.6	39.3	38.9	40.4	39.5	42.0	45.0	47.4
14	17.7	17.8	21.8	24.3	26.4	28.6	31.4	41.3	41.0	41.7	40.9	42.6	46.5	48.3
15	16.2	17.3	21.3	24.1	27.3	29.5	30.8	40.4	40.9	42.2	41.1	44.0	47.6	47.0
16	15.9	17.9	21.3	21.8	27.8	29.7	31.4	39.9	40.8	41.8	41.2	46.9	48.5	48.5
17	14.1	15.6	18.5	19.9	26.7	27.8	28.9	37.6	39.6	40.8	39.7	44.8	47.9	48.9
18	12.9	14.8	17.0	18.7	21.1	28.7	26.7	35.9	39.1	38.5	39.0	40.7	48.1	46.1
<b>Grade</b>														
6th	15.1	17.0	18.6	18.7	22.8	28.1	32.3	38.3	40.1	39.4	37.1	39.1	43.0	46.2
7th	15.9	16.9	20.6	21.7	24.5	28.6	31.9	40.5	39.2	39.3	39.3	39.9	44.4	46.4
8th	16.5	16.9	22.6	22.5	26.1	29.6	31.1	41.1	40.2	40.5	39.9	42.7	46.1	47.9
9th	16.7	18.4	21.4	24.4	27.4	28.0	30.7	39.9	41.8	42.0	41.3	43.4	46.4	45.8
10th	16.1	17.4	21.7	22.7	26.9	29.9	31.1	39.6	40.8	43.0	41.2	45.2	48.1	47.9
11th	14.2	16.5	19.4	20.1	26.8	29.1	31.1	38.3	39.3	40.5	40.5	45.0	49.0	50.1
12th	12.8	14.3	16.6	19.7	24.1	27.5	26.8	34.7	38.0	37.4	38.1	42.9	46.8	46.9
<b>Middle School</b>	15.9	16.9	20.6	21.0	24.5	28.8	31.7	39.9	39.8	39.7	38.8	40.6	44.5	46.9
<b>High School</b>	15.1	16.8	19.9	21.9	26.3	28.6	30.0	38.3	40.1	40.9	40.3	44.1	47.6	47.7
<b>Total</b>	<b>15.4</b>	<b>16.9</b>	<b>20.2</b>	<b>21.5</b>	<b>25.5</b>	<b>28.7</b>	<b>30.7</b>	<b>39.0</b>	<b>40.0</b>	<b>40.4</b>	<b>39.7</b>	<b>42.6</b>	<b>46.2</b>	<b>47.3</b>

Note: Table shows percentage of students who answered "yes" or "YES!"

**Table 62. Percentage of surveyed Florida youth who thought about committing suicide or attempted suicide in the past 12 months, 2022**

	Thought About Committing Suicide						Attempted Suicide					
						2022 %						2022 %
<b>Sex</b>												
Female						44.2						12.9
Male						24.9						5.1
<b>Race/Ethnic group</b>												
African American						31.1						10.0
Hispanic/Latino						32.0						8.0
White, non-Hispanic						36.2						8.3
<b>Age</b>												
11						34.8						9.7
12						34.5						8.6
13						35.9						11.0
14						37.4						10.7
15						35.2						9.9
16						36.1						8.3
17						32.8						7.1
18						29.0						5.7
<b>Grade</b>												
6th						34.3						9.8
7th						35.7						10.2
8th						36.5						11.1
9th						35.1						9.7
10th						35.9						8.4
11th						34.5						8.4
12th						31.1						5.8
<b>Middle School</b>						35.5						10.4
<b>High School</b>						34.2						8.1
<b>Total</b>						<b>34.8</b>						<b>9.1</b>

Table 63. Percentage of surveyed Florida high school youth who reported adverse childhood experiences (ACEs), 2022

	Emotional Abuse	Physical Abuse	Sexual Abuse	Parents Separated or Divorced	Physical Abuse in Household	Substance Abuse in Household	Mental Illness in Household	Incarcerated Household Member	Emotional Neglect	Physical Neglect
	%	%	%	%	%	%	%	%	%	%
<b>Sex</b>										
Female	23.0	12.6	10.2	42.9	11.1	27.9	41.0	25.6	39.3	8.1
Male	10.7	8.3	2.7	35.9	5.6	21.6	24.0	20.7	22.7	5.2
<b>Race/Ethnic group</b>										
African American	15.3	11.5	5.0	47.0	8.1	14.1	22.0	26.2	31.5	6.5
Hispanic/Latino	16.4	10.7	5.7	36.7	7.5	23.4	28.0	20.4	30.9	5.8
White, non-Hispanic	17.4	9.4	7.5	37.1	8.7	31.4	40.3	23.2	30.9	6.8
<b>Age</b>										
11	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--
14	18.0	12.1	5.2	41.0	8.1	23.4	31.6	23.6	32.3	6.8
15	16.6	10.7	6.6	39.8	8.7	24.9	33.1	24.5	32.3	6.6
16	17.9	9.9	6.7	41.0	8.4	25.0	34.0	23.9	32.5	6.8
17	17.8	11.7	7.6	38.5	9.1	26.7	33.7	22.7	30.7	6.7
18	14.6	9.1	5.3	36.9	7.6	23.1	31.2	20.4	27.6	6.0
<b>Grade</b>										
6th	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--
9th	16.7	11.1	6.0	41.2	8.5	24.1	31.4	24.7	31.9	6.9
10th	17.2	10.6	6.5	40.1	8.4	25.0	33.3	24.3	32.0	6.6
11th	18.3	11.2	6.8	39.2	9.0	26.0	35.0	23.2	32.6	7.0
12th	16.2	9.9	7.0	36.9	8.0	24.5	32.0	20.7	28.4	6.1
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	17.1	10.7	6.6	39.4	8.5	24.9	32.9	23.3	31.2	6.7
<b>Total</b>	--	--	--	--	--	--	--	--	--	--



**Table 64. Number of adverse childhood experiences (ACEs) reported by surveyed Florida high school youth, 2022**

	Number of Adverse Childhood Experiences										
	0	1	2	3	4	5	6	7	8	9	10
	%	%	%	%	%	%	%	%	%	%	%
<b>Sex</b>											
Female	26.0	19.7	14.8	11.6	9.0	7.5	4.6	3.1	2.3	1.0	0.4
Male	40.0	21.7	14.4	9.4	5.9	3.6	2.4	1.4	0.5	0.4	0.2
<b>Race/Ethnic group</b>											
African American	31.8	23.1	16.2	11.2	6.3	4.8	2.6	2.2	1.3	0.4	0.2
Hispanic/Latino	35.2	21.2	15.0	9.9	6.5	4.9	3.6	1.9	1.1	0.6	0.1
White, non-Hispanic	32.2	19.4	13.9	10.7	7.9	6.4	3.9	2.6	1.7	0.8	0.5
<b>Age</b>											
11	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--
14	32.8	20.4	13.3	13.1	7.1	5.2	3.4	2.1	1.7	0.6	0.3
15	32.8	20.4	14.6	10.4	7.6	5.1	4.0	2.7	1.4	0.7	0.3
16	31.2	20.9	15.6	10.6	7.5	5.4	3.9	2.5	1.4	0.8	0.2
17	32.1	20.9	14.0	10.2	8.0	6.6	3.2	2.0	1.7	0.9	0.4
18	36.3	19.7	15.7	10.0	6.6	5.0	3.3	1.7	1.1	0.6	0.2
<b>Grade</b>											
6th	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--
9th	33.0	20.1	14.4	11.9	6.9	4.9	3.7	2.5	1.6	0.7	0.3
10th	32.5	21.0	14.5	9.8	7.7	5.5	3.9	2.7	1.2	0.8	0.3
11th	31.5	20.6	14.4	10.6	7.9	6.3	3.8	2.1	1.5	1.0	0.3
12th	34.3	20.5	15.3	10.0	7.1	5.8	2.9	1.7	1.5	0.5	0.3
<b>Middle School</b>	--	--	--	--	--	--	--	--	--	--	--
<b>High School</b>	32.8	20.6	14.6	10.6	7.4	5.6	3.6	2.3	1.5	0.7	0.3
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

**Table 65. Family job loss and student emotional health during the COVID-19 pandemic among surveyed Florida youth, 2022**

	Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?			How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?				
	No %	Yes %	No Adult Had a Job %	A Lot Better %	A Little Better %	About the Same %	A Little Worse %	A Lot Worse %
<b>Sex</b>								
Female	60.3	30.5	9.2	13.2	10.3	23.6	28.4	24.6
Male	66.4	25.1	8.5	22.4	10.6	36.6	19.4	11.0
<b>Race/Ethnic group</b>								
African American	67.3	22.9	9.8	26.8	12.2	29.7	18.8	12.5
Hispanic/Latino	59.4	33.0	7.6	19.1	12.8	27.4	23.7	17.0
White, non-Hispanic	64.9	26.5	8.6	13.2	8.0	32.0	26.3	20.6
<b>Age</b>								
11	64.8	21.9	13.2	19.8	9.9	31.3	23.0	16.2
12	64.8	23.1	12.1	19.6	11.1	31.9	22.9	14.4
13	62.5	26.3	11.2	18.8	10.3	31.2	21.4	18.2
14	62.7	27.8	9.4	17.6	9.1	30.5	24.0	18.8
15	62.7	29.5	7.8	17.5	10.2	29.6	23.5	19.3
16	63.5	29.3	7.2	17.0	10.5	27.0	26.0	19.4
17	63.2	30.7	6.1	15.5	11.4	29.2	24.7	19.2
18	62.1	32.7	5.2	16.4	12.2	29.3	25.7	16.4
<b>Grade</b>								
6th	65.0	22.5	12.5	21.5	10.5	31.2	21.8	15.0
7th	63.5	25.0	11.4	19.3	10.7	30.9	22.2	17.0
8th	62.3	27.5	10.2	17.9	9.3	31.3	23.4	18.1
9th	63.8	28.0	8.2	18.5	9.7	30.5	22.7	18.6
10th	63.4	29.3	7.3	16.5	10.5	29.1	24.8	19.1
11th	62.4	30.4	7.2	15.6	10.7	28.1	26.1	19.5
12th	61.9	32.8	5.2	15.0	12.0	28.2	25.9	18.9
<b>Middle School</b>	63.6	25.1	11.4	19.5	10.2	31.1	22.5	16.7
<b>High School</b>	62.9	30.0	7.0	16.5	10.7	29.0	24.8	19.0
<b>Total</b>	<b>63.2</b>	<b>27.9</b>	<b>8.9</b>	<b>17.8</b>	<b>10.5</b>	<b>29.9</b>	<b>23.8</b>	<b>18.0</b>

Note: Percentages total to 100% across each row for each survey question. Rounding can produce totals that do not equal 100%.

Table 66. Percentage of Florida youth with elevated protective factor scale scores, 2022

	Middle School	High School	Overall
<b>Family Domain</b>			
Family Opportunities for Prosocial Involvement	53	55	54
Family Rewards for Prosocial Involvement	46	49	48
<b>School Domain</b>			
School Opportunities for Prosocial Involvement	51	60	56
School Rewards for Prosocial Involvement	45	56	51
<b>Peer and Individual Domain</b>			
Religiosity	36	46	42
<b>Protective Factor Average</b>	<b>46</b>	<b>53</b>	<b>50</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 67. Percentage of Florida youth with elevated risk factor scale scores, 2022

	Middle School	High School	Overall
<b>Community Domain</b>			
Laws and Norms Favorable to Drug Use	41	29	34
Perceived Availability of Drugs	33	15	23
Perceived Availability of Handguns	25	30	28
<b>Family Domain</b>			
Poor Family Management	47	34	39
Family Conflict	43	34	37
<b>School Domain</b>			
Poor Academic Performance	48	48	48
Lack of Commitment to School	73	68	70
<b>Peer and Individual Domain</b>			
Favorable Attitudes toward Antisocial Behavior	52	39	45
Favorable Attitudes toward ATOD Use	33	29	30
Early Initiation of Drug Use	21	13	16
<b>Risk Factor Average</b>	<b>42</b>	<b>34</b>	<b>37</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 68. Percentage of youth from the national normative sample with elevated protective factor scale scores

	Middle School	High School	Overall
<b>Family Domain</b>			
Family Opportunities for Prosocial Involvement	59	54	56
Family Rewards for Prosocial Involvement	54	55	55
<b>School Domain</b>			
School Opportunities for Prosocial Involvement	57	60	59
School Rewards for Prosocial Involvement	53	58	55
<b>Peer and Individual Domain</b>			
Religiosity	56	62	59
<b>Protective Factor Average</b>	<b>56</b>	<b>58</b>	<b>57</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 69. Percentage of youth from the national normative sample with elevated risk factor scale scores

	Middle School	High School	Overall
<b>Community Domain</b>			
Laws and Norms Favorable to Drug Use	42	42	42
Perceived Availability of Drugs	45	45	45
Perceived Availability of Handguns	25	42	34
<b>Family Domain</b>			
Poor Family Management	44	45	45
Family Conflict	42	37	39
<b>School Domain</b>			
Poor Academic Performance	45	48	47
Lack of Commitment to School	47	46	46
<b>Peer and Individual Domain</b>			
Favorable Attitudes toward Antisocial Behavior	40	46	43
Favorable Attitudes toward ATOD Use	39	45	42
Early Initiation of Drug Use	41	46	43
<b>Risk Factor Average</b>	<b>41</b>	<b>44</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 70. Percentage of Florida middle school youth with elevated protective factor scale scores—2010 to 2022**

	2010	2012	2014	2016	2018	2020	2022
<b>Family Domain</b>							
Family Opportunities for Prosocial Involvement	56	59	60	60	58	57	53
Family Rewards for Prosocial Involvement	50	55	55	56	50	50	46
<b>School Domain</b>							
School Opportunities for Prosocial Involvement	47	50	51	53	54	51	51
School Rewards for Prosocial Involvement	45	52	50	49	45	44	45
<b>Peer and Individual Domain</b>							
Religiosity	51	50	47	49	46	42	36
<b>Protective Factor Average</b>	<b>50</b>	<b>53</b>	<b>53</b>	<b>53</b>	<b>51</b>	<b>49</b>	<b>46</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 71. Percentage of Florida high school youth with elevated protective factor scale scores—2010 to 2022**

	2010	2012	2014	2016	2018	2020	2022
<b>Family Domain</b>							
Family Opportunities for Prosocial Involvement	55	56	58	59	57	57	55
Family Rewards for Prosocial Involvement	53	54	56	56	51	53	49
<b>School Domain</b>							
School Opportunities for Prosocial Involvement	60	61	62	63	64	60	60
School Rewards for Prosocial Involvement	59	61	60	59	55	54	56
<b>Peer and Individual Domain</b>							
Religiosity	60	59	57	57	54	52	46
<b>Protective Factor Average</b>	<b>57</b>	<b>58</b>	<b>59</b>	<b>59</b>	<b>56</b>	<b>55</b>	<b>53</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 72. Percentage of Florida middle school youth with elevated risk factor scale scores—2010 to 2022**

	2010	2012	2014	2016	2018	2020	2022
<b>Community Domain</b>							
Laws and Norms Favorable to Drug Use	44	38	36	37	38	41	41
Perceived Availability of Drugs	48	40	40	37	35	34	33
Perceived Availability of Handguns	25	23	24	24	24	23	25
<b>Family Domain</b>							
Poor Family Management	48	43	40	40	43	43	47
Family Conflict	42	38	38	38	39	42	43
<b>School Domain</b>							
Poor Academic Performance	43	41	42	42	43	46	48
Lack of Commitment to School	54	48	52	53	60	69	73
<b>Peer and Individual Domain</b>							
Favorable Attitudes toward Antisocial Behavior	47	41	38	39	43	49	52
Favorable Attitudes toward ATOD Use	41	34	32	32	35	35	33
Early Initiation of Drug Use	35	29	25	23	24	24	21
<b>Risk Factor Average</b>	<b>43</b>	<b>38</b>	<b>37</b>	<b>37</b>	<b>38</b>	<b>41</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 73. Percentage of Florida high school youth with elevated risk factor scale scores—2010 to 2022**

	2010	2012	2014	2016	2018	2020	2022
<b>Community Domain</b>							
Laws and Norms Favorable to Drug Use	38	35	33	31	32	32	29
Perceived Availability of Drugs	37	32	31	27	24	20	15
Perceived Availability of Handguns	38	34	37	36	34	31	30
<b>Family Domain</b>							
Poor Family Management	46	41	38	38	37	35	34
Family Conflict	37	35	33	33	34	34	34
<b>School Domain</b>							
Poor Academic Performance	46	44	43	44	43	46	48
Lack of Commitment to School	51	46	52	54	57	63	68
<b>Peer and Individual Domain</b>							
Favorable Attitudes toward Antisocial Behavior	41	38	36	35	36	38	39
Favorable Attitudes toward ATOD Use	40	39	38	36	34	32	29
Early Initiation of Drug Use	33	30	26	22	19	17	13
<b>Risk Factor Average</b>	<b>41</b>	<b>37</b>	<b>37</b>	<b>36</b>	<b>35</b>	<b>35</b>	<b>34</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.