

# **2022 Florida Youth Substance Abuse Survey**

**Gilchrist County Data Tables**



**Table 1. Major demographic characteristics of surveyed Gilchrist County and Florida Statewide, 2022**

	Gilchrist County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	228	48.8	22,957	48.3
Male	231	49.5	23,857	50.1
<b>Race/Ethnic group</b>				
African American	22	4.7	10,187	21.4
American Indian	18	3.9	422	0.9
Asian	2	0.4	785	1.7
Hispanic/Latino	43	9.2	10,291	21.6
Native Hawaiian/Pacific Islander	2	0.4	63	0.1
Other/Multiple	93	19.9	6,956	14.6
White, non-Hispanic	283	60.6	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	393	84.2	41,174	86.6
Yes	73	15.6	5,980	12.6
<b>Age</b>				
11	27	5.8	2,576	5.4
12	65	13.9	6,243	13.1
13	74	15.8	6,872	14.4
14	78	16.7	7,136	15.0
15	73	15.6	7,278	15.3
16	66	14.1	6,918	14.5
17	56	12.0	6,616	13.9
18	21	4.5	3,403	7.2
<b>Grade</b>				
6th	85	18.2	6,626	13.9
7th	80	17.1	6,817	14.3
8th	77	16.5	7,021	14.8
9th	61	13.1	7,193	15.1
10th	69	14.8	7,025	14.8
11th	55	11.8	6,557	13.8
12th	40	8.6	6,333	13.3
<b>Middle School</b>	242	51.8	20,463	43.0
<b>High School</b>	225	48.2	27,109	57.0
<b>Total</b>	<b>467</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Gilchrist County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	23.9	45.9	43.0	28.8	22.7	44.6	35.6	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	12.8	15.3	10.7	--	12.3	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	7.1	13.9	12.0	9.8	6.1	14.8	10.7	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	16.1	38.3	33.4	22.4	14.9	37.6	28.0	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	9.2	24.7	20.5	14.9	7.8	25.4	17.5	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	7.0	25.7	19.2	15.2	6.8	23.4	17.0	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	3.2	2.8	3.8	--	2.9	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	6.1	4.7	5.0	5.4	5.8	5.4	5.3	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.2	0.0	0.2	0.0	0.0	0.2	0.1	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.8	3.2	1.4	2.8	0.6	2.4	2.1	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.4	0.0	0.4	0.0	0.2	0.2	0.2	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	1.2	0.9	2.1	0.0	1.2	1.1	1.1	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	1.0	0.4	1.4	0.0	1.0	0.5	0.7	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.7	3.3	2.3	1.9	0.5	3.2	2.1	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	3.8	2.2	3.1	2.8	3.7	1.9	3.0	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.3	4.1	2.7	3.0	2.1	4.2	3.3	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	4.1	2.3	2.4	4.0	3.9	2.6	3.2	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.4	0.8	0.0	--	0.5	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	16.7	31.0	25.2	22.9	15.0	30.7	24.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	10.9	12.2	10.0	12.2	10.3	12.9	11.6	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	14.2	20.4	21.9	13.5	14.5	19.9	17.5	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	30.9	50.8	47.0	36.1	29.5	50.0	41.6	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	7.0	5.7	4.4	7.6	6.9	6.4	6.3	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Gilchrist County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	4.4	21.1	16.4	10.2	4.8	19.1	13.4	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	1.4	10.1	5.7	6.4	1.2	7.3	6.1	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	2.3	1.4	2.0	1.7	1.1	1.9	1.8	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	7.7	21.3	18.1	12.1	6.8	20.7	15.0	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	2.9	14.1	10.0	8.0	2.6	12.4	8.8	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.4	14.5	11.1	8.7	4.1	12.0	9.8	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.4	0.8	0.0	--	0.5	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	1.6	0.4	1.5	0.5	1.6	0.5	1.0	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.2	0.7	0.5	0.5	0.2	0.9	0.5	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.2	0.0	0.2	0.0	0.2	0.0	0.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	1.0	0.0	0.9	0.0	1.0	0.0	0.5	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.7	0.0	0.0	0.7	0.7	0.0	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.2	0.3	0.5	0.0	0.2	0.3	0.2	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	2.0	0.8	1.0	1.6	2.0	0.9	1.4	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.1	1.4	1.3	1.2	1.1	1.6	1.2	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.7	2.1	1.2	2.7	1.7	2.5	1.9	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	8.5	18.6	13.7	14.4	8.1	17.0	13.9	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.3	4.0	2.7	6.6	5.2	4.7	4.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	2.0	13.3	10.9	5.1	2.5	11.7	8.0	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	10.5	31.6	24.6	19.3	10.7	28.4	21.8	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	6.1	10.8	8.1	9.4	5.9	9.6	8.6	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Gilchrist County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.6	69.6	56.2	34.8	65.2	51.6	24.2	51.5	40.1	34.6	49.9	43.4	37.7	51.1	44.3	23.9	45.9	35.6
Blacking Out	--	--	--	--	26.6	--	--	21.8	--	--	16.4	--	--	25.0	--	--	12.8	--
Cigarettes	22.7	49.2	37.3	16.9	35.1	27.0	9.8	25.7	19.0	16.8	20.9	19.2	14.5	23.2	18.9	7.1	13.9	10.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	22.2	36.7	29.3	16.1	38.3	28.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	9.1	25.3	16.7	9.2	24.7	17.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	13.0	39.0	28.0	26.8	38.8	33.8	--	--	--	--	--	--
Marijuana or Hashish	10.5	37.2	25.4	10.3	31.8	22.3	5.6	25.5	17.0	9.8	30.8	21.8	8.7	37.3	22.8	7.0	25.7	17.0
Synthetic Marijuana	--	23.2	--	--	16.4	--	--	8.4	--	--	4.0	--	--	6.5	--	--	3.2	--
Inhalants	8.2	9.2	8.8	7.3	8.9	8.2	7.8	3.7	5.5	9.7	3.2	6.0	13.1	9.5	11.5	6.1	4.7	5.3
Club Drugs	1.2	5.9	3.8	0.8	3.5	2.3	0.0	2.6	1.5	0.8	1.2	1.0	1.2	3.7	2.3	0.2	0.0	0.1
LSD, PCP or Mushrooms	1.6	7.0	4.6	1.2	4.9	3.3	0.9	3.5	2.4	1.5	4.6	3.3	2.7	5.5	3.9	0.8	3.2	2.1
Methamphetamine	0.0	2.2	1.2	1.6	4.0	3.0	0.0	0.8	0.4	0.8	0.0	0.3	1.2	1.2	1.2	0.4	0.0	0.2
Cocaine or Crack	1.2	5.5	3.6	1.9	2.9	2.4	0.9	4.6	3.0	1.0	4.8	3.2	2.2	4.5	3.2	1.2	0.9	1.1
Heroin	0.7	1.3	1.0	1.4	1.3	1.3	0.4	0.8	0.6	0.0	0.6	0.3	0.5	0.0	0.3	1.0	0.4	0.7
Prescription Depressants	2.8	7.3	5.3	0.7	6.7	4.0	0.9	7.1	4.4	6.5	2.5	4.2	5.9	4.7	5.4	0.7	3.3	2.1
Prescription Pain Relievers	6.7	15.0	11.4	2.7	6.7	5.0	4.5	8.6	6.9	5.9	6.6	6.3	5.7	1.7	4.0	3.8	2.2	3.0
Prescription Amphetamines	2.2	7.2	5.0	1.5	3.0	2.3	2.5	3.4	3.0	1.6	0.7	1.1	4.9	9.5	6.8	2.3	4.1	3.3
Over-the-Counter Drugs	2.6	7.4	5.2	3.6	6.1	5.0	2.1	3.1	2.7	2.4	4.8	3.8	6.6	6.3	6.5	4.1	2.3	3.2
Needle to Inject Drugs	--	--	--	--	--	--	--	1.6	--	--	1.3	--	--	2.3	--	--	0.4	--
Any illicit drug	21.7	46.0	35.1	15.6	40.0	29.1	14.6	32.5	24.8	22.9	36.2	30.5	27.4	40.9	34.0	16.7	31.0	24.4
Any illicit drug other than marijuana	16.8	27.8	22.9	12.3	22.3	17.9	11.8	17.2	14.9	17.6	16.1	16.7	22.3	20.5	21.5	10.9	12.2	11.6
Alcohol only	21.6	26.9	24.6	22.4	30.4	26.8	15.0	26.2	21.5	18.7	20.5	19.7	17.7	16.7	17.2	14.2	20.4	17.5
Alcohol or any illicit drug	43.1	72.9	59.6	37.8	69.9	55.6	29.0	57.7	45.6	41.7	56.9	50.4	44.1	56.9	50.5	30.9	50.8	41.6
Any illicit drug, but no alcohol	3.5	3.3	3.4	2.8	5.3	4.2	5.0	6.4	5.8	7.6	7.0	7.2	6.5	6.3	6.4	7.0	5.7	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Gilchrist County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	15.5	41.6	30.0	14.8	33.5	25.2	7.4	31.8	21.5	12.2	23.7	18.8	17.4	27.5	22.4	4.4	21.1	13.4
Binge Drinking	6.0	23.1	15.5	7.7	18.8	13.9	2.4	15.1	9.8	6.8	14.5	11.2	6.6	16.4	11.4	1.4	10.1	6.1
Cigarettes	6.4	20.4	14.1	3.5	16.3	10.6	1.5	8.2	5.4	5.6	5.7	5.6	3.3	7.4	5.4	2.3	1.4	1.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	11.9	24.0	17.8	7.7	21.3	15.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	4.5	11.6	7.8	2.9	14.1	8.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	6.7	18.7	13.6	12.8	21.9	18.1	--	--	--	--	--	--
Marijuana or Hashish	6.2	19.9	13.9	4.1	13.7	9.5	1.2	11.3	7.1	4.2	16.6	11.4	3.1	20.4	11.5	4.4	14.5	9.8
Synthetic Marijuana	--	7.7	--	--	2.2	--	--	3.4	--	--	0.9	--	--	0.8	--	--	0.4	--
Inhalants	0.7	1.5	1.2	2.3	1.3	1.7	2.9	1.1	1.8	3.9	0.7	2.1	3.4	4.0	3.7	1.6	0.4	1.0
Club Drugs	0.4	1.1	0.8	0.0	1.2	0.7	0.0	0.5	0.3	0.4	0.6	0.5	0.0	0.9	0.4	0.0	0.0	0.0
LSD, PCP or Mushrooms	0.7	1.7	1.3	0.4	2.5	1.6	0.0	0.9	0.5	0.6	1.5	1.1	0.3	0.0	0.2	0.2	0.7	0.5
Methamphetamine	0.0	1.1	0.6	1.0	2.6	1.9	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.8	0.4	0.2	0.0	0.1
Cocaine or Crack	0.7	1.7	1.3	0.4	1.2	0.9	0.0	2.0	1.1	0.4	1.6	1.1	0.2	0.7	0.4	1.0	0.0	0.5
Heroin	0.7	0.5	0.6	1.7	0.7	1.2	0.0	0.0	0.0	0.0	0.6	0.3	0.2	0.0	0.1	0.7	0.0	0.3
Prescription Depressants	0.7	2.8	1.9	0.4	2.5	1.6	0.0	3.8	2.2	2.7	0.2	1.2	1.5	2.5	2.0	0.2	0.3	0.2
Prescription Pain Relievers	2.0	4.6	3.4	0.9	2.5	1.8	1.7	3.5	2.8	2.4	0.7	1.4	1.6	0.0	0.9	2.0	0.8	1.4
Prescription Amphetamines	0.7	1.7	1.3	1.3	1.9	1.6	0.0	2.3	1.4	0.7	0.0	0.3	0.2	3.7	1.7	1.1	1.4	1.2
Over-the-Counter Drugs	1.8	3.9	3.0	1.5	3.6	2.6	0.4	1.4	1.0	0.7	2.1	1.5	2.2	4.2	3.0	1.7	2.1	1.9
Any illicit drug	9.7	25.4	18.4	7.3	17.3	12.8	6.0	17.0	12.4	10.4	19.4	15.6	9.2	24.5	16.7	8.5	18.6	13.9
Any illicit drug other than marijuana	5.5	10.6	8.4	6.6	8.4	7.6	5.4	9.6	7.8	7.3	5.3	6.1	6.1	9.2	7.5	5.3	4.0	4.6
Alcohol only	9.0	21.4	15.9	12.5	21.2	17.3	5.9	21.8	15.2	6.0	12.9	10.0	12.3	11.1	11.7	2.0	13.3	8.0
Alcohol or any illicit drug	18.5	46.9	34.2	19.6	38.0	29.8	11.5	38.5	27.0	15.8	32.3	25.3	21.0	34.4	27.6	10.5	31.6	21.8
Any illicit drug, but no alcohol	3.4	5.5	4.6	5.1	4.9	5.0	4.6	7.3	6.2	4.0	8.8	6.8	3.7	6.9	5.3	6.1	10.8	8.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Gilchrist County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	14.5	13.5	16.2	--	13.9	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	3.1	3.1	3.2	--	3.3	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	9.1	6.3	12.6	--	8.1	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.9	7.1	9.0	--	5.9	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	42.1	38.7	40.2	39.6	43.7	37.3	40.3	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	58.2	58.4	58.4	57.3	58.7	59.8	58.3	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	66.6	74.1	72.1	69.6	68.4	71.3	70.6	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	45.8	42.4	42.8	44.7	46.5	44.2	44.0	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	48.0	38.4	41.7	43.6	48.4	40.1	42.9	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	46.3	32.6	35.5	42.4	46.6	33.3	38.9	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	33.1	21.7	25.1	29.0	33.3	22.9	27.0	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	65.9	75.5	69.6	72.5	65.3	78.5	71.1	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	95.0	87.2	90.5	90.9	97.1	85.8	90.8	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	88.9	69.5	76.4	80.3	89.9	69.2	78.4	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	90.8	69.9	77.9	81.7	91.1	71.2	79.5	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	92.4	74.4	80.7	84.5	94.4	73.8	82.6	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	91.3	73.8	81.7	82.6	92.8	74.4	81.8	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.5	97.1	97.0	98.5	99.3	95.9	97.8	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	89.8	80.2	84.0	84.9	92.0	78.3	84.6	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	88.3	85.6	84.2	89.4	90.5	85.0	86.8	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	85.7	71.8	74.9	82.1	87.5	72.5	78.3	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	85.3	67.2	70.4	80.5	87.6	66.2	75.5	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	88.0	73.6	76.7	83.6	89.7	74.0	80.3	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	95.2	93.6	94.0	95.4	95.5	92.3	94.3	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Gilchrist County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	29.4	--	--	26.2	--	--	24.8	--	--	21.4	--	--	29.8	--	--	14.5	--
Drink monthly	--	7.3	--	--	9.5	--	--	7.5	--	--	3.7	--	--	9.2	--	--	3.1	--
Smoke cigarettes	--	28.0	--	--	18.9	--	--	16.8	--	--	10.7	--	--	15.1	--	--	9.1	--
Smoke marijuana	--	14.6	--	--	12.8	--	--	10.8	--	--	9.4	--	--	13.9	--	--	7.9	--
<b>Great risk of harm</b>																		
Daily alcohol use	42.2	30.3	35.6	38.8	29.8	33.8	40.7	34.0	36.8	41.9	34.1	37.4	47.0	41.1	44.1	42.1	38.7	40.3
5+ drinks daily	--	--	--	48.0	42.4	44.9	53.2	49.2	50.9	54.5	50.0	51.9	61.0	47.1	54.0	58.2	58.4	58.3
Daily cigarette use	73.4	60.9	66.5	69.3	62.8	65.8	67.2	58.8	62.3	67.0	62.0	64.2	68.5	69.1	68.8	66.6	74.1	70.6
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	49.8	38.9	44.3	45.8	42.4	44.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	57.2	40.5	48.8	48.0	38.4	42.9
Marijuana weekly*	--	--	--	54.8	34.0	43.2	55.8	32.9	42.4	49.1	28.7	37.3	44.2	26.0	35.0	46.3	32.6	38.9
Try marijuana	40.7	20.2	29.4	39.0	26.3	32.0	43.2	22.0	30.9	33.6	17.6	24.4	27.0	19.6	23.3	33.1	21.7	27.0
Prescription drugs	--	71.1	71.1	74.9	75.9	75.4	70.5	66.3	68.1	71.5	64.4	67.4	71.1	67.1	69.1	65.9	75.5	71.1
<b>Think it wrong</b>																		
Smoke cigarettes	89.9	68.5	78.0	92.0	77.5	84.0	94.7	77.7	84.8	89.1	83.4	85.8	92.3	79.0	85.0	95.0	87.2	90.8
Drink regularly	75.2	49.2	60.8	82.6	59.4	69.8	84.6	57.1	68.6	79.7	59.0	67.7	81.0	55.4	67.0	88.9	69.5	78.4
Smoke marijuana	87.2	63.5	74.1	90.6	72.4	80.6	93.4	66.3	77.6	87.2	64.1	73.7	88.9	56.5	71.2	90.8	69.9	79.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	84.2	63.2	72.7	92.4	74.4	82.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.5	62.8	75.8	91.3	73.8	81.8
Other illicit drugs	96.9	93.1	94.8	96.7	96.3	96.5	98.7	93.8	95.9	95.9	91.7	93.5	97.1	89.2	92.8	98.5	97.1	97.8
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	85.0	69.1	76.2	92.7	72.7	81.0	85.2	75.8	79.8	88.2	73.3	80.4	89.8	80.2	84.6
Smoke tobacco	--	--	--	91.2	75.7	82.6	95.3	80.1	86.4	88.5	79.2	83.1	89.0	72.5	80.4	88.3	85.6	86.8
Smoke marijuana	--	--	--	92.7	68.3	79.2	92.5	68.5	78.5	87.4	64.2	74.0	86.8	59.7	72.7	85.7	71.8	78.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	83.1	60.1	71.2	85.3	67.2	75.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	88.8	64.0	76.0	88.0	73.6	80.3
Prescription drugs	--	--	--	97.0	92.9	94.7	96.6	91.3	93.5	92.3	92.8	92.6	93.9	87.9	90.8	95.2	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Gilchrist County and Florida Statewide youth, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	7.5	6.4	9.0	--	7.5	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	2.1	3.9	0.0	--	2.1	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	12.5	19.3	4.5	--	12.5	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	47.8	45.8	48.8	--	47.8	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	14.4	12.3	17.4	--	14.4	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	15.6	12.2	20.1	--	15.6	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Gilchrist County and Florida Statewide youth, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	37.0	35.0	40.3	--	37.0	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	36.6	47.5	21.4	--	36.6	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	4.9	2.3	8.1	--	4.9	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	4.4	8.1	0.0	--	4.4	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	2.3	0.0	5.2	--	2.3	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	1.1	0.0	2.5	--	1.1	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	13.7	7.1	22.4	--	13.7	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Gilchrist County and Florida Statewide youth, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	47.0	49.5	45.7	--	47.0	--	--	34.2	36.6	31.0	--	34.2	--
2	--	16.0	22.1	7.3	--	16.0	--	--	20.0	22.2	16.3	--	20.0	--
3	--	8.3	10.1	6.6	--	8.3	--	--	15.7	15.6	15.9	--	15.7	--
4	--	6.0	5.6	6.6	--	6.0	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	22.7	12.6	33.9	--	22.7	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Gilchrist County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.9	2.3	2.7	3.5	4.3	1.8	3.1	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	3.3	9.1	7.4	5.7	2.6	7.6	6.4	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.5	2.5	3.4	0.7	1.4	2.2	2.0	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Gilchrist County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	13.5	9.1	7.9	14.9	13.7	9.6	11.2	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.5	1.2	0.9	0.9	0.4	1.5	0.9	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.2	0.9	1.6	0.5	1.0	1.3	1.0	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	11.5	13.9	7.2	18.2	10.5	13.8	12.7	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	6.0	1.7	3.0	4.4	5.8	2.1	3.7	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Gilchrist County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.8	9.9	8.5	10.0	12.4	11.3	9.9	12.1	11.2	13.5	11.1	12.1	8.2	16.8	11.8	13.5	9.1	11.2
Selling drugs	2.9	10.9	7.3	3.1	6.2	4.9	1.1	5.1	3.4	2.0	5.8	4.1	2.1	7.4	4.3	0.5	1.2	0.9
Attempting to steal a vehicle	1.6	2.8	2.3	0.9	1.5	1.2	1.0	2.1	1.6	1.9	1.5	1.7	1.5	5.6	3.2	0.0	0.0	0.0
Being arrested	1.2	5.0	3.4	1.3	3.1	2.3	0.9	1.5	1.3	2.5	1.8	2.1	2.5	3.7	3.0	1.2	0.9	1.0
Taking a handgun to school	1.1	0.8	0.9	0.3	1.5	0.9	0.0	2.0	1.1	0.3	1.0	0.7	0.3	1.6	0.8	0.0	0.0	0.0
Getting suspended	11.5	13.3	12.5	11.4	6.7	8.8	10.6	12.9	11.9	9.1	8.1	8.5	7.5	15.7	10.9	11.5	13.9	12.7
Attacking someone with intent to harm	3.7	9.6	7.0	5.2	8.8	7.2	4.5	5.6	5.1	6.9	6.0	6.4	9.1	5.3	7.5	6.0	1.7	3.7

**Table 14. Percentages of Gilchrist County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Symptoms of Depression</b>														
Sometimes I think that life is not worth it	28.2	35.0	43.1	19.1	29.4	34.0	31.8	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	42.1	46.8	56.7	31.4	43.1	46.9	44.6	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	28.7	34.2	40.4	21.5	29.1	33.4	31.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	45.2	53.1	63.2	34.5	43.7	55.1	49.4	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b>Suicide</b>														
Thought about committing suicide in the past 12 months	24.6	33.5	40.8	16.7	24.9	34.1	29.3	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	9.6	6.6	9.9	5.6	7.7	9.2	8.0	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Gilchrist County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.8	16.4	17.8	10.2	9.6	17.5	13.8	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	46.4	30.2	37.3	37.9	45.3	33.8	37.7	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	67.2	58.4	69.3	54.6	68.5	58.2	62.5	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	28.8	32.0	40.1	20.0	27.4	32.8	30.5	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	17.0	11.7	12.1	16.4	17.1	11.4	14.2	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	36.7	25.7	31.4	30.1	36.4	26.9	30.8	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	14.5	14.1	13.7	15.0	12.8	15.2	14.3	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Gilchrist County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	11.0	15.3	6.0	--	11.8	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	11.3	12.9	9.3	--	11.3	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.2	11.2	0.7	--	5.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	45.2	48.0	41.2	--	46.4	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	8.3	8.4	7.8	--	8.7	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	28.4	31.2	24.5	--	27.6	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	35.8	44.9	25.3	--	36.0	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	28.8	30.5	25.4	--	29.0	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	31.1	33.7	27.7	--	31.3	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	8.3	7.2	9.7	--	9.1	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Gilchrist County and Florida Statewide high school youth, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	31.1	25.9	36.8	--	31.9	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	19.8	20.8	19.4	--	18.9	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	11.8	10.1	14.2	--	12.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	12.2	15.5	8.9	--	9.4	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	10.5	9.4	10.9	--	12.8	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.6	5.3	5.0	--	5.3	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	3.4	4.2	2.6	--	3.0	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	3.9	5.5	2.2	--	4.3	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.2	2.4	0.0	--	1.6	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.3	0.5	0.0	--	0.3	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.2	0.4	0.0	--	0.3	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Gilchrist County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	22.4	22.3	23.7	19.9	20.6	25.5	22.4	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	21.0	21.3	21.6	20.8	19.9	23.3	21.2	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	29.3	29.6	32.2	26.0	27.3	31.7	29.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	28.4	22.5	25.5	24.2	24.7	26.5	25.3	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	37.4	26.2	35.4	27.8	36.0	27.1	31.5	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	54.8	47.5	61.7	39.3	52.6	50.3	51.0	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Gilchrist County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	56.9	50.2	52.7	55.1	57.5	48.8	53.3	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	32.3	20.6	22.5	30.4	33.4	18.8	26.0	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	17.6	18.8	19.6	16.7	18.1	19.8	18.3	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	31.8	42.2	42.9	30.9	35.1	39.1	37.4	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	9.5	12.0	13.8	7.9	10.0	11.4	10.8	8.7	12.0	13.5	7.9	8.7	11.9	10.6

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Gilchrist County and Florida Statewide youth, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	17.8	17.6	18.2	--	17.4	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	21.7	22.3	20.4	--	20.5	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	6.7	4.8	9.1	--	6.5	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	9.2	9.6	9.1	--	6.2	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Gilchrist County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	33.3	--	--	23.1	--	--	24.4	--	--	13.7	--	--	27.2	--	--	17.8	--
Marijuana	--	24.0	--	--	17.2	--	--	16.2	--	--	19.9	--	--	28.2	--	--	21.7	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	14.3	--	--	11.1	--	--	9.0	--	--	4.2	--	--	12.9	--	--	6.7	--
Marijuana	--	15.8	--	--	8.6	--	--	8.3	--	--	11.7	--	--	15.9	--	--	9.2	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Gilchrist County and Florida Statewide youth, 2022**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	64.4	62.1	59.2	66.9	65.3	60.2	63.2	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	24.6	31.1	28.6	27.5	24.4	32.8	28.0	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	11.0	6.9	12.2	5.6	10.3	6.9	8.8	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	11.0	12.7	8.6	15.1	11.0	12.9	11.9	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	8.9	5.9	7.0	7.9	9.0	5.0	7.3	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	39.6	36.2	28.8	48.1	40.5	36.2	37.8	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	25.8	26.3	32.6	18.9	25.9	26.1	26.1	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	14.7	18.8	22.9	10.0	13.7	19.8	16.9	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Gilchrist County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Gilchrist County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	52	57	53	55	59	54
	Family Rewards for Prosocial Involvement	46	49	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	54	61	51	60	57	60
	School Rewards for Prosocial Involvement	46	53	45	56	53	58
<b>Peer and Individual</b>	Religiosity	46	57	36	46	56	62
<b>Average Prevalence Rate</b>		<b>49</b>	<b>55</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Gilchrist County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Gilchrist County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	41	39	41	29	42	42
	Perceived Availability of Drugs	39	21	33	15	45	45
	Perceived Availability of Handguns	33	52	25	30	25	42
<b>Family</b>	Poor Family Management	40	34	47	34	44	45
	Family Conflict	42	26	43	34	42	37
<b>School</b>	Poor Academic Performance	50	45	48	48	45	48
	Lack of Commitment to School	70	74	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	49	40	52	39	40	46
	Favorable Attitudes toward ATOD Use	34	29	33	29	39	45
	Early Initiation of Drug Use	22	20	21	13	41	46
<b>Average Prevalence Rate</b>		<b>42</b>	<b>38</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among middle school students for Gilchrist County, 2012 to 2022**

Domain	Scale	Gilchrist County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	61	58	64	57	55	52
	Family Rewards for Prosocial Involvement	52	53	64	48	47	46
<b>School</b>	School Opportunities for Prosocial Involvement	48	55	55	54	50	54
	School Rewards for Prosocial Involvement	59	56	58	52	41	46
<b>Peer and Individual</b>	Religiosity	59	59	62	59	51	46
<b>Average Prevalence Rate</b>		<b>56</b>	<b>56</b>	<b>61</b>	<b>54</b>	<b>49</b>	<b>49</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Gilchrist County, 2012 to 2022**

Domain	Scale	Gilchrist County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	45	46	42	52	56	41
	Perceived Availability of Drugs	48	41	35	50	34	39
	Perceived Availability of Handguns	44	45	45	48	40	33
<b>Family</b>	Poor Family Management	35	41	32	45	44	40
	Family Conflict	38	36	31	40	43	42
<b>School</b>	Poor Academic Performance	44	43	41	43	44	50
	Lack of Commitment to School	53	57	58	62	67	70
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	37	37	35	44	53	49
	Favorable Attitudes toward ATOD Use	41	39	36	46	48	34
	Early Initiation of Drug Use	39	34	26	33	37	22
<b>Average Prevalence Rate</b>		<b>42</b>	<b>42</b>	<b>38</b>	<b>46</b>	<b>47</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Protective factor prevalence rate trends among high school students for Gilchrist County, 2012 to 2022**

Domain	Scale	Gilchrist County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	54	56	60	60	51	57
	Family Rewards for Prosocial Involvement	54	52	51	49	46	49
<b>School</b>	School Opportunities for Prosocial Involvement	58	58	65	59	53	61
	School Rewards for Prosocial Involvement	70	63	65	64	52	53
<b>Peer and Individual</b>	Religiosity	63	67	68	61	68	57
<b>Average Prevalence Rate</b>		<b>60</b>	<b>59</b>	<b>62</b>	<b>59</b>	<b>54</b>	<b>55</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Gilchrist County, 2012 to 2022**

Domain	Scale	Gilchrist County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	45	34	34	38	31	39
	Perceived Availability of Drugs	37	31	27	25	33	21
	Perceived Availability of Handguns	56	61	57	49	57	52
<b>Family</b>	Poor Family Management	41	42	44	41	41	34
	Family Conflict	35	34	35	31	36	26
<b>School</b>	Poor Academic Performance	49	42	34	40	38	45
	Lack of Commitment to School	53	60	53	55	74	74
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	43	37	39	36	42	40
	Favorable Attitudes toward ATOD Use	47	36	42	39	48	29
	Early Initiation of Drug Use	41	28	27	23	34	20
<b>Average Prevalence Rate</b>		<b>45</b>	<b>41</b>	<b>39</b>	<b>38</b>	<b>43</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.