

# **2022 Florida Youth Substance Abuse Survey**

**Levy County Data Tables**



**Table 1. Major demographic characteristics of surveyed Levy County and Florida Statewide, 2022**

	Levy County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	267	46.8	22,957	48.3
Male	299	52.5	23,857	50.1
<b>Race/Ethnic group</b>				
African American	44	7.7	10,187	21.4
American Indian	24	4.2	422	0.9
Asian	5	0.9	785	1.7
Hispanic/Latino	80	14.0	10,291	21.6
Native Hawaiian/Pacific Islander	1	0.2	63	0.1
Other/Multiple	96	16.8	6,956	14.6
White, non-Hispanic	319	56.0	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	481	84.4	41,174	86.6
Yes	88	15.4	5,980	12.6
<b>Age</b>				
11	34	6.0	2,576	5.4
12	99	17.4	6,243	13.1
13	103	18.1	6,872	14.4
14	111	19.5	7,136	15.0
15	112	19.6	7,278	15.3
16	47	8.2	6,918	14.5
17	45	7.9	6,616	13.9
18	15	2.6	3,403	7.2
<b>Grade</b>				
6th	123	21.6	6,626	13.9
7th	115	20.2	6,817	14.3
8th	93	16.3	7,021	14.8
9th	134	23.5	7,193	15.1
10th	46	8.1	7,025	14.8
11th	37	6.5	6,557	13.8
12th	22	3.9	6,333	13.3
<b>Middle School</b>	331	58.1	20,463	43.0
<b>High School</b>	239	41.9	27,109	57.0
<b>Total</b>	<b>570</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Levy County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.0	29.7	25.9	25.3	21.2	27.1	25.6	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	7.3	7.9	6.7	--	7.1	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	5.7	10.4	10.4	6.3	6.1	8.7	8.2	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	17.7	18.3	22.7	13.6	17.8	16.9	18.0	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	5.7	12.6	9.3	9.3	5.8	10.3	9.3	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	8.7	14.9	10.8	13.0	8.4	13.3	11.9	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	1.8	0.5	3.0	--	2.2	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	5.6	3.5	5.4	3.7	5.9	3.6	4.5	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.2	1.8	0.4	1.6	0.2	2.1	1.0	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.2	4.1	1.6	3.8	1.1	3.3	2.7	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.4	0.8	0.7	0.6	0.4	1.0	0.6	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.4	1.7	1.1	1.1	0.4	1.2	1.1	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.4	3.5	2.3	3.6	2.4	3.2	2.9	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	1.1	1.1	0.2	1.8	1.0	1.2	1.1	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	0.5	2.1	1.1	1.5	0.7	1.5	1.3	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	1.1	3.8	0.4	4.5	1.4	4.1	2.5	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.2	0.0	0.4	--	0.2	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	14.8	18.6	16.6	17.0	15.4	16.6	16.8	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	8.8	8.8	8.0	9.5	9.4	7.8	8.8	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.2	13.2	13.2	12.4	12.3	12.2	12.8	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	26.5	31.7	29.7	28.9	27.3	28.6	29.2	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	6.0	2.3	3.9	4.2	6.3	2.1	4.0	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Levy County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	10.7	14.8	12.3	13.4	10.6	11.9	12.8	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	3.4	7.9	4.6	6.8	2.3	8.6	5.8	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.2	1.2	0.2	1.2	0.2	1.4	0.7	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	5.6	7.1	8.1	4.8	5.8	7.1	6.4	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	1.8	7.9	3.8	6.2	1.9	5.7	5.0	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	2.7	8.3	3.7	7.4	2.7	6.2	5.6	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.2	0.3	2.1	--	1.5	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.0	2.3	2.1	2.2	2.0	2.6	2.1	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.3	1.8	0.3	1.8	0.3	1.4	1.1	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.5	0.6	0.4	0.7	0.5	0.7	0.5	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.3	0.0	0.3	0.0	0.3	0.0	0.2	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.5	1.3	0.2	1.6	0.5	1.5	0.9	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.4	1.1	0.2	2.2	1.4	1.3	1.2	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.5	0.2	0.2	0.4	0.5	0.2	0.3	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.5	1.8	0.3	2.0	0.4	2.2	1.2	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	7.1	11.0	6.7	11.5	7.0	9.4	9.2	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	4.9	3.8	3.0	5.6	4.8	3.7	4.3	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	7.8	9.0	9.2	7.8	7.9	6.6	8.4	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	15.4	20.6	16.4	19.9	15.5	16.6	18.1	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	5.1	6.0	4.2	6.9	5.1	5.1	5.6	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Levy County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	34.1	61.3	48.8	33.2	58.4	46.8	31.2	59.8	46.9	33.4	57.9	46.8	30.7	50.6	40.5	21.0	29.7	25.6
Blacking Out	--	--	--	--	19.1	--	--	17.6	--	--	25.5	--	--	21.6	--	--	7.3	--
Cigarettes	21.1	37.9	30.2	13.6	34.0	24.6	16.2	25.9	21.5	11.3	28.4	20.4	14.8	18.8	16.8	5.7	10.4	8.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	19.3	33.9	26.7	17.7	18.3	18.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	12.4	23.7	18.0	5.7	12.6	9.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	18.2	39.2	29.6	21.7	45.6	34.5	--	--	--	--	--	--
Marijuana or Hashish	11.2	34.7	24.0	8.8	34.5	22.8	10.8	31.9	22.3	10.3	40.2	26.3	16.3	32.4	24.4	8.7	14.9	11.9
Synthetic Marijuana	--	17.6	--	--	12.2	--	--	5.3	--	--	7.1	--	--	1.4	--	--	1.8	--
Inhalants	11.8	6.4	8.9	9.8	5.0	7.2	6.5	5.8	6.1	5.5	3.9	4.7	7.7	2.0	4.8	5.6	3.5	4.5
Club Drugs	1.2	2.8	2.0	2.1	4.8	3.6	0.4	1.8	1.2	0.2	3.1	1.8	0.9	1.8	1.3	0.2	1.8	1.0
LSD, PCP or Mushrooms	0.7	3.8	2.4	1.5	4.8	3.3	1.6	4.4	3.1	0.8	6.3	3.8	1.3	2.4	1.9	1.2	4.1	2.7
Methamphetamine	0.5	1.3	1.0	1.3	1.0	1.1	0.5	0.7	0.6	0.5	2.0	1.3	0.9	0.4	0.6	0.4	0.8	0.6
Cocaine or Crack	1.2	3.5	2.4	2.3	3.3	2.9	1.1	2.8	2.1	1.1	6.5	4.0	1.9	2.7	2.3	0.4	1.7	1.1
Heroin	1.0	1.3	1.1	0.2	1.0	0.6	1.3	1.2	1.3	0.8	1.0	0.9	0.8	0.0	0.4	0.0	0.0	0.0
Prescription Depressants	3.3	5.1	4.3	0.5	5.1	3.0	2.8	3.8	3.3	1.5	8.5	5.2	3.4	4.3	3.8	2.4	3.5	2.9
Prescription Pain Relievers	2.4	8.9	5.9	3.1	7.2	5.3	3.0	5.1	4.2	3.1	5.3	4.3	3.4	2.4	2.9	1.1	1.1	1.1
Prescription Amphetamines	0.2	3.4	1.9	1.0	3.0	2.1	1.2	2.5	1.9	0.7	4.7	2.8	2.1	1.9	2.0	0.5	2.1	1.3
Over-the-Counter Drugs	5.1	5.6	5.4	4.9	4.6	4.7	4.5	4.8	4.7	3.4	3.3	3.4	4.0	2.8	3.4	1.1	3.8	2.5
Needle to Inject Drugs	--	--	--	--	--	--	--	2.5	--	--	1.6	--	--	0.1	--	--	0.2	--
Any illicit drug	19.7	40.5	30.9	19.1	37.2	28.9	19.6	36.8	28.9	16.4	41.9	30.1	23.4	34.3	28.8	14.8	18.6	16.8
Any illicit drug other than marijuana	15.9	19.1	17.6	14.3	16.7	15.6	14.5	15.2	14.9	11.0	16.2	13.8	12.8	9.2	11.0	8.8	8.8	8.8
Alcohol only	18.7	25.0	22.1	18.0	24.4	21.5	16.8	28.6	23.3	23.0	21.2	22.0	14.2	19.4	16.7	12.2	13.2	12.8
Alcohol or any illicit drug	37.7	65.3	52.6	36.9	61.6	50.3	35.9	65.0	51.7	38.1	63.1	51.5	38.1	53.6	45.8	26.5	31.7	29.2
Any illicit drug, but no alcohol	3.9	4.2	4.1	3.6	3.2	3.4	5.5	5.2	5.4	5.9	5.2	5.5	7.5	4.1	5.8	6.0	2.3	4.0

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Levy County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	17.0	35.6	27.1	15.8	32.3	24.8	12.3	29.5	21.7	11.6	26.1	19.5	10.1	25.3	17.6	10.7	14.8	12.8
Binge Drinking	8.2	19.1	14.1	6.3	18.3	12.8	7.1	14.7	11.3	4.4	15.7	10.6	5.0	14.0	9.5	3.4	7.9	5.8
Cigarettes	5.7	10.9	8.5	2.1	10.8	6.8	5.0	7.2	6.2	2.1	8.3	5.4	1.4	1.1	1.3	0.2	1.2	0.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	7.9	21.9	15.0	5.6	7.1	6.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	4.3	9.7	7.0	1.8	7.9	5.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	7.9	14.9	11.7	6.6	21.4	14.5	--	--	--	--	--	--
Marijuana or Hashish	4.6	17.4	11.6	4.4	19.1	12.4	4.9	13.7	9.6	5.7	21.9	14.5	6.4	17.2	11.9	2.7	8.3	5.6
Synthetic Marijuana	--	9.1	--	--	1.3	--	--	0.0	--	--	3.2	--	--	1.0	--	--	1.2	--
Inhalants	3.6	2.3	2.9	5.1	1.2	3.0	2.5	1.3	1.9	2.7	1.9	2.3	2.5	0.6	1.6	2.0	2.3	2.1
Club Drugs	0.0	0.7	0.4	1.5	0.5	1.0	0.2	0.6	0.4	0.2	1.3	0.8	0.1	1.4	0.7	0.2	0.0	0.1
LSD, PCP or Mushrooms	0.2	0.7	0.5	0.0	1.0	0.6	0.2	1.7	1.0	0.4	2.1	1.3	0.2	0.6	0.4	0.3	1.8	1.1
Methamphetamine	0.2	0.8	0.5	0.6	0.6	0.6	0.6	0.0	0.3	0.3	1.2	0.8	0.8	0.2	0.5	0.5	0.6	0.5
Cocaine or Crack	0.5	1.4	1.0	1.8	1.9	1.8	0.9	0.9	0.9	1.1	3.2	2.2	1.0	0.2	0.6	0.3	0.0	0.2
Heroin	0.2	0.1	0.2	0.2	0.0	0.1	1.3	0.0	0.6	0.4	0.0	0.2	0.9	0.0	0.5	0.0	0.0	0.0
Prescription Depressants	0.9	2.3	1.7	0.5	0.7	0.6	1.2	1.5	1.3	0.5	2.1	1.3	1.0	0.8	0.9	0.5	1.3	0.9
Prescription Pain Relievers	1.0	3.9	2.6	1.3	1.6	1.5	1.7	1.3	1.5	1.8	1.6	1.7	1.8	0.8	1.3	1.4	1.1	1.2
Prescription Amphetamines	0.0	1.3	0.7	0.6	0.2	0.4	0.9	0.3	0.6	0.6	1.3	1.0	0.2	0.4	0.3	0.5	0.2	0.3
Over-the-Counter Drugs	3.0	3.1	3.0	2.0	0.5	1.2	1.5	2.7	2.2	2.2	1.5	1.9	1.6	0.8	1.2	0.5	1.8	1.2
Any illicit drug	9.3	22.6	16.6	9.1	20.0	15.0	9.5	17.3	13.7	10.9	23.8	17.8	11.4	18.7	15.0	7.1	11.0	9.2
Any illicit drug other than marijuana	6.2	8.3	7.3	7.2	4.9	6.0	6.2	6.9	6.6	6.4	8.2	7.4	5.1	3.7	4.4	4.9	3.8	4.3
Alcohol only	12.5	20.6	16.9	11.1	17.7	14.7	7.0	17.4	12.7	7.7	12.4	10.3	6.6	12.5	9.5	7.8	9.0	8.4
Alcohol or any illicit drug	21.2	43.1	33.0	19.9	37.5	29.4	16.6	34.6	26.3	18.1	35.9	27.7	18.1	30.6	24.3	15.4	20.6	18.1
Any illicit drug, but no alcohol	4.6	7.6	6.3	3.9	5.2	4.6	4.5	5.2	4.9	7.0	10.1	8.7	8.2	6.1	7.2	5.1	6.0	5.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Levy County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	11.4	10.1	12.6	--	11.3	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	1.5	0.2	2.7	--	1.8	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	9.9	10.8	9.2	--	9.1	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	8.7	8.8	8.5	--	8.9	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	47.8	42.4	43.3	46.7	49.1	43.1	45.0	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	58.7	46.6	53.4	51.1	60.0	49.3	52.3	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	71.5	64.7	68.3	67.4	71.2	65.6	67.9	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	56.4	47.0	49.7	52.9	57.3	48.8	51.4	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	56.9	42.0	47.6	50.2	58.7	43.9	49.1	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	46.6	30.1	36.8	38.6	48.4	31.2	37.9	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	34.9	25.6	27.7	32.0	36.8	26.1	30.0	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.9	64.1	72.0	63.8	72.5	64.9	67.8	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	97.2	92.2	95.8	93.5	97.6	92.5	94.6	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	90.0	77.9	81.2	85.6	89.5	79.4	83.6	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	89.7	74.9	81.4	82.3	89.6	76.2	81.9	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	90.4	87.1	86.7	90.3	90.8	89.3	88.7	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	92.8	84.8	87.8	89.2	92.7	87.0	88.6	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.2	97.1	98.2	97.2	98.2	97.2	97.7	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	92.0	82.3	88.4	85.4	90.8	84.3	86.9	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	95.6	88.8	91.3	92.6	95.3	90.2	92.0	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	89.8	76.1	81.6	83.5	90.3	76.1	82.6	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	88.8	81.9	81.5	88.6	88.6	83.7	85.2	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	91.4	83.9	85.5	89.2	92.2	85.1	87.5	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	96.0	93.1	96.1	93.0	95.8	96.0	94.5	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Levy County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	30.1	--	--	23.3	--	--	24.4	--	--	23.4	--	--	19.1	--	--	11.4	--
Drink monthly	--	6.1	--	--	6.2	--	--	2.7	--	--	3.8	--	--	2.7	--	--	1.5	--
Smoke cigarettes	--	22.5	--	--	19.5	--	--	11.8	--	--	15.9	--	--	7.3	--	--	9.9	--
Smoke marijuana	--	14.5	--	--	14.3	--	--	11.3	--	--	12.9	--	--	12.2	--	--	8.7	--
<b>Great risk of harm</b>																		
Daily alcohol use	43.9	32.6	37.8	38.4	30.4	34.1	36.2	33.1	34.5	34.3	34.9	34.6	48.3	37.8	43.0	47.8	42.4	45.0
5+ drinks daily	--	--	--	48.6	43.9	46.1	53.8	45.4	49.2	51.9	49.1	50.4	60.9	47.0	53.9	58.7	46.6	52.3
Daily cigarette use	71.0	65.5	68.0	58.8	63.1	61.1	65.4	70.7	68.3	62.1	65.4	63.8	67.4	63.4	65.4	71.5	64.7	67.9
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	50.4	34.4	42.3	56.4	47.0	51.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	54.9	30.2	42.4	56.9	42.0	49.1
Marijuana weekly*	--	--	--	51.5	28.1	38.8	47.9	26.3	36.3	46.2	20.6	32.7	45.0	19.0	31.8	46.6	30.1	37.9
Try marijuana	45.2	24.5	33.9	34.8	19.9	26.8	32.8	18.4	25.0	28.6	17.2	22.5	32.5	9.8	21.1	34.9	25.6	30.0
Prescription drugs	--	67.8	67.8	69.8	73.1	71.6	73.3	69.9	71.5	63.7	68.6	66.3	71.4	72.5	71.9	71.9	64.1	67.8
<b>Think it wrong</b>																		
Smoke cigarettes	90.0	75.4	82.0	93.5	78.6	85.5	89.0	85.6	87.2	94.4	77.9	85.7	96.3	87.9	92.2	97.2	92.2	94.6
Drink regularly	82.9	55.3	67.8	83.5	62.3	72.1	84.5	61.2	71.9	86.0	53.8	69.0	85.2	65.7	75.4	90.0	77.9	83.6
Smoke marijuana	89.7	70.6	79.3	89.2	66.9	77.1	85.4	64.0	73.9	87.8	53.1	69.6	85.6	60.9	73.3	89.7	74.9	81.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	88.3	73.8	81.1	90.4	87.1	88.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.7	72.2	80.9	92.8	84.8	88.6
Other illicit drugs	96.3	93.9	95.0	98.2	94.0	96.0	93.8	96.1	95.1	96.9	89.4	92.9	98.2	95.2	96.7	98.2	97.1	97.7
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	84.3	70.4	76.8	82.6	69.1	75.3	90.0	69.0	78.9	90.9	76.0	83.4	92.0	82.3	86.9
Smoke tobacco	--	--	--	91.9	77.5	84.2	88.9	79.0	83.5	93.6	74.8	83.6	93.7	83.7	88.7	95.6	88.8	92.0
Smoke marijuana	--	--	--	87.3	63.6	74.5	83.4	61.9	71.7	85.3	51.1	67.2	81.2	58.6	69.8	89.8	76.1	82.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	87.4	68.8	78.1	88.8	81.9	85.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.5	70.2	78.8	91.4	83.9	87.5
Prescription drugs	--	--	--	96.6	90.2	93.2	94.3	91.3	92.7	96.3	88.9	92.4	94.5	93.2	93.8	96.0	93.1	94.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Levy County and Florida Statewide youth, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	11.5	10.2	13.1	--	11.5	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	1.7	0.0	3.8	--	1.7	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	1.4	2.5	0.0	--	1.4	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	14.2	22.5	3.5	--	14.2	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	61.0	55.1	68.5	--	61.0	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	2.8	4.9	0.0	--	2.8	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	1.0	1.8	0.0	--	1.0	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	6.5	3.0	11.1	--	6.5	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Levy County and Florida Statewide youth, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	71.7	69.2	75.3	--	71.7	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	18.8	21.2	15.4	--	18.8	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	1.8	0.0	4.4	--	1.8	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.7	0.0	1.8	--	0.7	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	1.8	3.1	0.0	--	1.8	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	5.1	6.4	3.1	--	5.1	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Levy County and Florida Statewide youth, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	51.7	50.1	56.0	--	51.7	--	--	34.2	36.6	31.0	--	34.2	--
2	--	2.0	2.8	0.0	--	2.0	--	--	20.0	22.2	16.3	--	20.0	--
3	--	22.1	19.0	30.1	--	22.1	--	--	15.7	15.6	15.9	--	15.7	--
4	--	6.1	8.5	0.0	--	6.1	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	18.1	19.7	13.9	--	18.1	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Levy County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.0	4.5	2.4	4.1	2.4	4.0	3.3	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	2.8	8.7	4.9	6.8	3.0	8.3	5.8	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	0.9	2.5	1.8	1.6	0.9	2.0	1.7	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Levy County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.1	10.8	6.3	13.6	9.0	11.8	10.0	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.3	3.8	1.2	3.0	0.3	2.9	2.1	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.2	1.4	0.1	1.6	0.2	1.7	0.9	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	2.3	1.9	2.2	2.0	1.7	2.9	2.1	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.2	0.6	0.0	0.8	0.2	0.7	0.4	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	12.0	15.9	14.8	13.3	11.9	18.5	14.0	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	8.2	6.4	6.0	8.5	7.7	7.9	7.3	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Levy County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	9.9	10.4	10.1	6.7	11.1	9.1	7.5	11.1	9.5	11.5	9.6	10.5	15.2	9.4	12.3	9.1	10.8	10.0
Selling drugs	2.0	7.9	5.1	2.5	9.6	6.4	3.2	5.5	4.4	2.3	10.3	6.6	4.9	3.7	4.3	0.3	3.8	2.1
Attempting to steal a vehicle	1.2	3.5	2.4	1.6	2.0	1.8	0.8	1.4	1.1	1.2	2.2	1.7	0.3	0.2	0.3	0.2	1.4	0.9
Being arrested	2.7	4.2	3.5	2.0	1.9	1.9	1.2	1.8	1.6	1.5	2.4	2.0	0.5	0.1	0.3	2.3	1.9	2.1
Taking a handgun to school	0.5	1.8	1.2	0.5	1.0	0.8	0.5	0.0	0.2	1.1	1.2	1.2	0.4	0.5	0.5	0.2	0.6	0.4
Getting suspended	14.1	12.6	13.3	11.1	7.7	9.3	7.8	8.5	8.2	9.3	8.3	8.7	11.1	9.1	10.1	12.0	15.9	14.0
Attacking someone with intent to harm	8.5	8.9	8.8	7.9	8.6	8.3	5.9	5.6	5.8	7.7	6.2	6.9	8.4	3.7	6.1	8.2	6.4	7.3

**Table 14. Percentages of Levy County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Symptoms of Depression</b>														
Sometimes I think that life is not worth it	25.0	21.0	32.3	14.2	25.4	21.2	22.9	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	44.3	33.1	45.3	32.3	41.7	34.0	38.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	27.0	24.5	33.5	18.8	25.1	25.2	25.7	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	40.5	34.8	45.1	30.4	38.4	33.8	37.5	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b>Suicide</b>														
Thought about committing suicide in the past 12 months	33.9	29.0	36.7	25.9	33.4	29.4	31.3	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	6.6	7.8	11.7	3.0	6.9	7.8	7.2	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Levy County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.5	10.4	16.5	5.2	9.4	13.0	10.4	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	52.6	32.0	45.0	38.7	52.6	35.6	41.8	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	64.2	51.1	68.7	47.3	65.1	51.7	57.3	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	29.3	24.7	38.0	16.9	30.0	27.5	26.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	29.2	18.3	21.8	24.9	28.9	21.0	23.5	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	40.2	23.1	31.3	31.1	39.6	25.7	31.2	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	12.5	13.2	14.6	11.4	11.7	15.8	12.8	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Levy County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	9.0	10.8	7.3	--	9.6	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	5.6	4.0	7.1	--	6.7	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	5.6	8.5	2.8	--	7.2	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	38.0	39.5	36.4	--	37.7	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	7.7	2.6	12.8	--	7.0	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	23.1	13.4	32.6	--	21.1	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	29.1	28.5	29.7	--	27.0	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	22.1	13.5	30.4	--	17.8	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	23.7	28.6	18.9	--	26.0	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	9.5	9.9	9.0	--	9.2	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Levy County and Florida Statewide high school youth, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	38.8	32.2	45.4	--	37.6	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	21.0	24.6	17.3	--	23.5	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	12.6	19.5	5.9	--	11.6	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	11.5	12.4	10.5	--	13.8	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	5.2	5.2	5.1	--	4.7	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.1	3.1	7.0	--	2.1	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	1.6	1.5	1.8	--	2.0	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	0.5	0.7	0.4	--	0.4	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	2.5	0.2	4.7	--	3.1	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	1.1	0.6	1.6	--	0.9	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.1	0.0	0.3	--	0.2	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Levy County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	23.9	22.2	28.0	18.4	22.9	24.7	23.0	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	23.4	14.6	21.4	16.7	22.8	16.5	18.9	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	24.5	19.0	23.6	19.9	24.4	17.2	21.6	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	19.9	18.6	18.6	19.8	19.2	18.6	19.2	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	40.0	23.6	37.3	26.1	38.5	25.5	31.5	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	42.8	28.9	45.6	26.1	40.8	31.6	35.5	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Levy County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	59.2	43.9	47.6	54.3	59.3	43.7	51.1	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	39.2	21.3	26.9	32.5	36.8	25.7	29.8	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	7.2	4.5	4.7	6.8	6.0	5.5	5.8	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	28.1	24.0	32.9	20.0	30.5	20.4	25.9	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	8.8	16.1	17.9	8.2	9.5	15.5	12.6	8.7	12.0	13.5	7.9	8.7	11.9	10.6

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Levy County and Florida Statewide youth, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.7	19.2	10.6	--	15.6	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	13.4	14.5	12.3	--	13.7	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	4.2	2.4	5.8	--	4.5	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	5.7	3.3	7.9	--	6.4	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Levy County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	21.9	--	--	21.1	--	--	19.9	--	--	21.9	--	--	17.2	--	--	14.7	--
Marijuana	--	25.2	--	--	27.1	--	--	25.1	--	--	32.4	--	--	31.8	--	--	13.4	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	10.2	--	--	8.5	--	--	8.5	--	--	13.6	--	--	10.0	--	--	4.2	--
Marijuana	--	11.5	--	--	12.0	--	--	13.2	--	--	18.2	--	--	16.0	--	--	5.7	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Levy County and Florida Statewide youth, 2022**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	68.4	74.9	71.6	72.4	69.4	76.8	71.7	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	19.2	17.1	21.3	14.7	18.8	16.7	18.1	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	12.4	8.1	7.2	12.9	11.8	6.5	10.2	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	24.8	29.6	19.4	34.8	27.1	26.3	27.3	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	9.3	5.8	5.5	9.5	8.4	6.1	7.5	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	33.0	43.2	41.6	35.3	33.0	41.5	38.3	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	22.8	13.5	22.9	13.6	21.0	17.6	18.0	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	10.0	7.8	10.6	6.8	10.4	8.5	8.9	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Levy County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Levy County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	53	66	53	55	59	54
	Family Rewards for Prosocial Involvement	44	58	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	49	65	51	60	57	60
	School Rewards for Prosocial Involvement	43	68	45	56	53	58
<b>Peer and Individual</b>	Religiosity	41	40	36	46	56	62
<b>Average Prevalence Rate</b>		<b>46</b>	<b>59</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Levy County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Levy County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	50	28	41	29	42	42
	Perceived Availability of Drugs	36	13	33	15	45	45
	Perceived Availability of Handguns	34	31	25	30	25	42
<b>Family</b>	Poor Family Management	47	36	47	34	44	45
	Family Conflict	37	20	43	34	42	37
<b>School</b>	Poor Academic Performance	42	41	48	48	45	48
	Lack of Commitment to School	75	57	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	45	32	52	39	40	46
	Favorable Attitudes toward ATOD Use	32	24	33	29	39	45
	Early Initiation of Drug Use	19	15	21	13	41	46
<b>Average Prevalence Rate</b>		<b>42</b>	<b>30</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among middle school students for Levy County, 2012 to 2022**

Domain	Scale	Levy County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	65	60	58	63	63	53
	Family Rewards for Prosocial Involvement	56	55	49	50	54	44
<b>School</b>	School Opportunities for Prosocial Involvement	55	52	53	54	62	49
	School Rewards for Prosocial Involvement	58	56	51	44	50	43
<b>Peer and Individual</b>	Religiosity	59	48	56	48	47	41
<b>Average Prevalence Rate</b>		<b>59</b>	<b>54</b>	<b>53</b>	<b>52</b>	<b>55</b>	<b>46</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Levy County, 2012 to 2022**

Domain	Scale	Levy County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	43	48	48	55	51	50
	Perceived Availability of Drugs	41	38	41	43	42	36
	Perceived Availability of Handguns	33	37	32	40	37	34
<b>Family</b>	Poor Family Management	42	35	38	47	43	47
	Family Conflict	41	35	39	38	41	37
<b>School</b>	Poor Academic Performance	47	50	48	52	48	42
	Lack of Commitment to School	47	50	54	56	63	75
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	39	43	44	51	48	45
	Favorable Attitudes toward ATOD Use	37	34	40	45	39	32
	Early Initiation of Drug Use	34	29	30	39	32	19
<b>Average Prevalence Rate</b>		<b>40</b>	<b>40</b>	<b>41</b>	<b>47</b>	<b>44</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Protective factor prevalence rate trends among high school students for Levy County, 2012 to 2022**

Domain	Scale	Levy County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	56	60	59	61	60	66
	Family Rewards for Prosocial Involvement	48	54	49	55	51	58
<b>School</b>	School Opportunities for Prosocial Involvement	51	61	53	51	54	65
	School Rewards for Prosocial Involvement	66	67	61	55	60	68
<b>Peer and Individual</b>	Religiosity	67	59	63	62	52	40
<b>Average Prevalence Rate</b>		<b>58</b>	<b>60</b>	<b>57</b>	<b>57</b>	<b>55</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Levy County, 2012 to 2022**

Domain	Scale	Levy County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	41	38	46	38	43	28
	Perceived Availability of Drugs	31	32	27	29	25	13
	Perceived Availability of Handguns	50	54	56	42	39	31
<b>Family</b>	Poor Family Management	47	39	43	38	34	36
	Family Conflict	35	28	32	29	32	20
<b>School</b>	Poor Academic Performance	49	44	44	49	49	41
	Lack of Commitment to School	54	51	58	69	64	57
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	41	33	38	44	37	32
	Favorable Attitudes toward ATOD Use	38	40	37	48	35	24
	Early Initiation of Drug Use	34	31	24	31	25	15
<b>Average Prevalence Rate</b>		<b>42</b>	<b>39</b>	<b>41</b>	<b>42</b>	<b>38</b>	<b>30</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.