

2022 Florida Youth Substance Abuse Survey

Suwannee County Data Tables

Table 1. Major demographic characteristics of surveyed Suwannee County and Florida Statewide, 2022

	Suwannee County			Florida Statewide	
	N	%		N	%
Sex					
Female	291	46.5		22,957	48.3
Male	329	52.6		23,857	50.1
Race/Ethnic group					
African American	88	14.1		10,187	21.4
American Indian	22	3.5		422	0.9
Asian	1	0.2		785	1.7
Hispanic/Latino	93	14.9		10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0		63	0.1
Other/Multiple	111	17.7		6,956	14.6
White, non-Hispanic	305	48.7		18,419	38.7
Parent/Guardian in the Military					
No	541	86.4		41,174	86.6
Yes	81	12.9		5,980	12.6
Age					
11	42	6.7		2,576	5.4
12	95	15.2		6,243	13.1
13	99	15.8		6,872	14.4
14	106	16.9		7,136	15.0
15	108	17.3		7,278	15.3
16	85	13.6		6,918	14.5
17	57	9.1		6,616	13.9
18	30	4.8		3,403	7.2
Grade					
6th	131	20.9		6,626	13.9
7th	75	12.0		6,817	14.3
8th	107	17.1		7,021	14.8
9th	122	19.5		7,193	15.1
10th	98	15.7		7,025	14.8
11th	52	8.3		6,557	13.8
12th	41	6.5		6,333	13.3
Middle School	313	50.0		20,463	43.0
High School	313	50.0		27,109	57.0
Total	626	100.0		47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Suwannee County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	22.5	39.0	34.6	28.5	22.8	40.8	31.5	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	14.2	18.8	10.0	--	15.6	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	8.6	16.9	12.0	13.6	9.1	18.6	13.1	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	19.3	32.8	31.5	21.9	19.9	32.7	26.6	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	9.8	21.1	21.0	11.2	10.3	20.5	16.0	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	6.3	25.0	16.8	16.2	6.8	23.6	16.4	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.8	5.8	0.0	--	2.9	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	4.9	3.9	5.5	3.1	5.0	3.7	4.4	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.8	1.5	0.8	1.7	0.8	2.0	1.2	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.2	0.2	0.3	0.2	0.4	0.0	0.2	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.5	0.8	1.2	0.0	0.7	0.7	0.6	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.5	4.6	6.0	0.4	1.7	5.7	3.2	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.0	5.0	8.5	0.6	4.5	5.5	4.5	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.3	1.3	2.0	0.7	1.7	1.2	1.3	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	1.8	4.4	4.6	1.9	1.9	4.1	3.2	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.4	0.8	0.0	--	0.2	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	20.3	31.7	31.5	21.5	20.5	30.8	26.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	12.0	13.0	17.2	7.7	12.5	12.9	12.5	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	13.1	13.7	12.3	14.4	12.5	16.3	13.4	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	33.3	45.4	43.9	35.9	32.9	47.3	39.9	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	10.8	6.6	9.3	7.6	10.2	6.6	8.5	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Suwannee County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	4.7	19.7	17.7	7.9	5.7	20.5	12.8	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	4.0	12.5	11.2	6.1	4.5	11.7	8.6	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.4	4.3	1.7	3.3	0.7	4.4	2.5	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	6.8	24.4	20.4	12.3	7.5	23.6	16.3	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	2.5	12.6	9.8	6.3	3.6	12.2	8.0	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	1.8	14.8	11.4	6.4	2.3	12.8	8.8	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.2	2.1	0.3	--	1.6	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	1.0	0.4	0.5	0.8	1.0	0.4	0.7	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.5	0.2	0.7	0.0	0.7	0.0	0.3	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.2	0.0	0.0	0.2	0.2	0.0	0.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.0	1.4	1.3	0.2	0.0	1.8	0.8	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.9	0.9	1.8	0.0	1.0	1.0	0.9	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.0	0.2	0.0	0.2	0.0	0.3	0.1	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.2	1.1	1.0	1.4	1.3	0.5	1.2	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	5.8	17.4	13.4	10.9	6.7	15.4	12.1	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	3.8	3.5	4.5	2.8	4.3	2.9	3.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	3.4	9.2	10.4	2.4	4.0	9.1	6.5	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	9.2	26.7	23.8	13.6	10.6	24.7	18.7	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.5	7.1	6.1	5.8	5.0	4.3	5.9	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Suwannee County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	37.3	68.6	53.8	30.3	62.3	47.3	26.1	58.1	44.7	23.1	50.0	38.3	30.3	49.9	40.7	22.5	39.0	31.5
Blacking Out	--	--	--	--	20.8	--	--	19.2	--	--	14.2	--	--	16.0	--	--	14.2	--
Cigarettes	19.7	42.7	31.8	21.7	34.1	28.3	11.6	36.4	25.8	12.3	27.5	20.7	15.6	17.4	16.6	8.6	16.9	13.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	25.4	41.2	33.8	19.3	32.8	26.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	9.1	14.8	12.1	9.8	21.1	16.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	12.2	41.6	28.9	16.3	41.0	30.1	--	--	--	--	--	--
Marijuana or Hashish	11.4	36.3	24.7	12.5	32.2	23.1	5.3	32.2	20.9	7.9	25.6	17.8	12.7	28.2	20.9	6.3	25.0	16.4
Synthetic Marijuana	--	21.6	--	--	12.5	--	--	7.9	--	--	2.2	--	--	2.3	--	--	2.8	--
Inhalants	9.4	9.2	9.3	7.7	5.7	6.6	6.4	4.2	5.1	8.0	4.6	6.1	8.5	6.5	7.4	4.9	3.9	4.4
Club Drugs	2.7	5.7	4.3	1.2	3.4	2.4	0.9	2.6	1.9	0.0	1.3	0.7	1.3	2.1	1.7	0.1	0.0	0.0
LSD, PCP or Mushrooms	5.0	5.9	5.5	1.5	4.8	3.3	0.8	5.1	3.3	1.5	2.5	2.0	1.6	1.2	1.4	0.8	1.5	1.2
Methamphetamine	1.9	1.4	1.7	1.0	0.8	0.9	0.6	1.5	1.1	0.0	0.7	0.4	0.7	1.3	1.0	0.2	0.2	0.2
Cocaine or Crack	1.3	5.0	3.3	0.8	1.5	1.1	1.1	2.4	1.8	1.4	1.4	1.4	0.9	1.3	1.1	0.5	0.8	0.6
Heroin	2.1	1.8	1.9	1.2	0.4	0.8	0.7	1.9	1.4	0.2	0.6	0.4	0.4	0.4	0.4	0.0	0.0	0.0
Prescription Depressants	4.1	7.0	5.7	2.7	5.7	4.3	2.6	6.9	5.1	2.4	3.8	3.2	3.5	4.7	4.1	1.5	4.6	3.2
Prescription Pain Relievers	5.2	12.7	9.2	3.7	7.6	5.8	3.1	7.3	5.5	2.8	3.5	3.2	5.2	3.4	4.2	4.0	5.0	4.5
Prescription Amphetamines	3.2	5.9	4.6	1.2	3.0	2.1	0.7	5.2	3.3	1.6	1.6	1.6	2.2	2.3	2.3	1.3	1.3	1.3
Over-the-Counter Drugs	4.0	7.8	6.0	6.6	7.1	6.9	2.5	4.2	3.5	4.3	4.3	4.3	4.3	3.9	4.1	1.8	4.4	3.2
Needle to Inject Drugs	--	--	--	--	--	--	--	1.2	--	--	0.3	--	--	1.3	--	--	0.4	--
Any illicit drug	20.0	43.7	32.5	20.7	41.3	31.7	13.3	36.9	26.9	17.0	30.6	24.5	23.1	36.4	30.1	20.3	31.7	26.4
Any illicit drug other than marijuana	15.9	23.5	19.9	14.6	18.6	16.7	11.6	17.5	15.0	13.0	13.5	13.3	13.8	15.1	14.5	12.0	13.0	12.5
Alcohol only	21.4	28.5	25.1	16.1	26.5	21.7	16.8	26.6	22.5	12.9	25.4	20.0	14.4	20.6	17.7	13.1	13.7	13.4
Alcohol or any illicit drug	40.9	72.0	57.2	36.3	68.0	53.1	29.0	63.5	48.7	29.5	56.0	44.2	37.0	56.8	47.4	33.3	45.4	39.9
Any illicit drug, but no alcohol	3.6	3.3	3.4	6.2	5.7	5.9	3.6	5.4	4.7	6.8	6.1	6.4	7.3	7.1	7.2	10.8	6.6	8.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Suwannee County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.2	37.1	28.6	16.9	28.7	23.1	9.7	29.7	21.3	8.8	23.6	17.1	12.6	20.7	16.9	4.7	19.7	12.8
Binge Drinking	8.3	20.5	14.7	5.7	13.7	10.0	2.5	16.3	10.5	4.6	11.3	8.4	7.0	12.9	10.1	4.0	12.5	8.6
Cigarettes	7.0	17.3	12.4	4.3	10.2	7.4	1.9	12.9	8.2	2.2	8.2	5.5	2.0	3.4	2.8	0.4	4.3	2.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	8.4	24.8	17.2	6.8	24.4	16.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	2.2	8.8	5.8	2.5	12.6	8.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	4.7	15.2	10.6	5.9	16.9	12.0	--	--	--	--	--	--
Marijuana or Hashish	7.2	18.4	13.2	6.7	13.3	10.3	2.7	17.9	11.5	3.8	12.8	8.9	6.8	12.5	9.8	1.8	14.8	8.8
Synthetic Marijuana	--	10.5	--	--	2.3	--	--	2.0	--	--	0.2	--	--	1.0	--	--	1.2	--
Inhalants	3.1	3.5	3.3	2.3	1.7	2.0	3.9	1.3	2.4	1.4	1.7	1.6	3.4	1.7	2.5	1.0	0.4	0.7
Club Drugs	0.4	2.4	1.5	0.6	1.8	1.3	0.2	0.1	0.2	0.0	0.2	0.1	0.1	1.1	0.7	0.1	0.0	0.0
LSD, PCP or Mushrooms	1.2	1.9	1.6	0.8	2.3	1.6	0.9	1.7	1.4	0.0	0.4	0.2	0.6	0.3	0.5	0.5	0.2	0.3
Methamphetamine	1.7	0.9	1.3	0.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.3	0.8	0.2	0.0	0.1
Cocaine or Crack	0.2	1.6	1.0	0.4	1.1	0.8	0.2	0.4	0.3	0.7	0.3	0.5	0.0	1.3	0.7	0.0	0.0	0.0
Heroin	0.5	0.6	0.6	0.6	0.0	0.3	0.2	0.0	0.1	0.2	0.3	0.2	0.2	0.1	0.2	0.0	0.0	0.0
Prescription Depressants	2.1	1.6	1.8	0.7	1.1	0.9	0.9	1.5	1.2	0.5	1.0	0.8	1.5	0.9	1.2	0.0	1.4	0.8
Prescription Pain Relievers	2.3	2.8	2.6	1.5	3.6	2.6	2.0	2.7	2.4	0.6	1.0	0.8	2.5	1.3	1.8	0.9	0.9	0.9
Prescription Amphetamines	0.6	1.6	1.1	0.3	0.9	0.7	0.0	1.2	0.7	0.4	0.2	0.3	0.6	1.4	1.0	0.0	0.2	0.1
Over-the-Counter Drugs	2.4	2.8	2.6	3.1	3.7	3.4	1.1	2.2	1.8	2.8	1.6	2.2	0.2	1.3	0.8	1.2	1.1	1.2
Any illicit drug	10.1	25.6	18.3	11.4	18.6	15.3	8.2	21.5	15.9	7.7	15.0	11.8	11.3	17.7	14.7	5.8	17.4	12.1
Any illicit drug other than marijuana	7.1	12.2	9.8	7.1	8.9	8.1	7.6	7.8	7.7	5.5	5.4	5.4	5.6	5.1	5.4	3.8	3.5	3.6
Alcohol only	13.1	19.3	16.4	11.1	18.7	15.2	5.9	15.4	11.5	5.9	13.5	10.2	8.1	12.9	10.6	3.4	9.2	6.5
Alcohol or any illicit drug	22.2	44.5	33.9	22.1	36.9	29.9	13.5	36.6	26.7	12.9	27.8	21.2	19.2	30.6	25.2	9.2	26.7	18.7
Any illicit drug, but no alcohol	3.6	7.6	5.7	5.7	8.5	7.2	3.9	6.8	5.6	4.2	4.3	4.3	6.6	10.0	8.4	4.5	7.1	5.9

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Suwannee County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Suwannee County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	15.2	17.4	13.5	--	16.4	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.5	4.3	0.9	--	2.3	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	8.6	9.5	7.4	--	9.7	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	6.2	5.0	7.4	--	5.9	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	40.5	39.0	41.1	38.8	41.2	36.9	39.7	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	55.7	46.6	51.3	50.0	56.8	44.5	50.8	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	61.8	62.7	66.1	58.9	63.0	61.2	62.3	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	41.7	36.4	39.2	38.8	42.3	33.3	38.8	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	45.9	36.5	42.5	39.7	46.2	34.6	40.8	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	45.2	29.8	38.2	35.6	43.6	30.2	36.8	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	26.8	22.0	24.4	24.2	26.5	21.0	24.2	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.0	66.4	68.2	69.0	72.2	62.6	68.5	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	95.3	87.4	87.8	94.1	94.6	87.3	91.0	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	86.7	68.6	69.5	83.8	86.3	68.1	76.9	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	94.3	73.5	80.4	85.4	93.2	73.4	83.0	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	89.7	76.9	77.3	88.5	88.5	76.0	82.8	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	93.2	78.1	81.5	88.3	92.1	77.8	85.0	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.9	95.7	96.8	97.4	99.0	95.0	97.1	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	86.7	80.8	79.6	87.3	88.0	79.1	83.5	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	91.2	82.3	83.6	89.5	90.3	82.7	86.3	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	88.4	71.8	74.4	84.7	87.7	72.4	79.4	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	82.3	73.9	72.0	83.8	82.3	72.0	77.7	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	88.8	72.9	75.9	84.3	87.9	74.9	80.2	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	95.7	93.4	91.6	97.0	96.0	93.0	94.5	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Suwannee County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	27.9	--	--	24.4	--	--	20.3	--	--	20.6	--	--	19.6	--	--	15.2	--
Drink monthly	--	4.4	--	--	2.3	--	--	5.6	--	--	2.8	--	--	3.3	--	--	2.5	--
Smoke cigarettes	--	22.6	--	--	18.9	--	--	18.6	--	--	11.2	--	--	10.0	--	--	8.6	--
Smoke marijuana	--	12.7	--	--	10.6	--	--	12.2	--	--	10.5	--	--	7.7	--	--	6.2	--
Great risk of harm																		
Daily alcohol use	37.8	31.8	34.6	39.9	38.8	39.3	42.3	32.5	36.7	41.3	37.1	39.0	39.3	37.4	38.3	40.5	39.0	39.7
5+ drinks daily	--	--	--	52.2	50.7	51.4	53.0	50.1	51.3	54.6	47.7	50.8	47.8	46.4	47.1	55.7	46.6	50.8
Daily cigarette use	62.4	63.7	63.1	64.4	68.8	66.7	68.3	68.7	68.5	64.9	62.2	63.4	59.2	63.4	61.4	61.8	62.7	62.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	41.5	39.0	40.2	41.7	36.4	38.8
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	45.4	36.8	40.9	45.9	36.5	40.8
Marijuana weekly*	--	--	--	47.3	29.1	37.7	53.0	29.4	39.4	49.2	23.8	35.0	41.8	25.1	33.1	45.2	29.8	36.8
Try marijuana	35.3	18.9	26.7	36.0	17.7	26.3	36.5	17.8	25.8	30.9	16.7	23.0	30.6	18.2	24.1	26.8	22.0	24.2
Prescription drugs	--	68.3	68.3	69.7	74.9	72.5	68.6	72.0	70.6	67.3	65.4	66.2	64.7	68.9	66.9	71.0	66.4	68.5
Think it wrong																		
Smoke cigarettes	87.0	69.5	77.8	92.5	80.2	86.1	94.6	79.7	86.1	93.8	85.8	89.3	91.7	88.4	89.9	95.3	87.4	91.0
Drink regularly	79.9	49.8	64.2	83.1	58.8	70.4	85.2	57.0	69.0	82.9	60.9	70.6	82.5	63.1	72.3	86.7	68.6	76.9
Smoke marijuana	85.9	66.7	75.8	87.2	67.2	76.8	92.4	63.9	76.0	87.7	67.3	76.3	86.7	62.2	73.7	94.3	73.5	83.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	85.4	70.7	77.6	89.7	76.9	82.8
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.1	74.1	81.3	93.2	78.1	85.0
Other illicit drugs	95.2	89.7	92.3	98.6	94.0	96.2	97.8	93.2	95.2	97.4	97.2	97.3	98.2	95.4	96.7	98.9	95.7	97.1
Friends think it wrong																		
Daily alcohol use	--	--	--	84.5	70.9	77.5	86.4	69.8	76.9	86.1	73.3	79.0	84.1	76.7	80.2	86.7	80.8	83.5
Smoke tobacco	--	--	--	89.6	75.8	82.4	92.2	75.6	82.8	91.9	78.0	84.2	87.3	83.2	85.2	91.2	82.3	86.3
Smoke marijuana	--	--	--	84.2	62.1	72.7	88.8	63.5	74.3	87.4	65.4	75.2	83.0	66.6	74.4	88.4	71.8	79.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	76.1	63.6	69.5	82.3	73.9	77.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	84.6	73.1	78.6	88.8	72.9	80.2
Prescription drugs	--	--	--	95.2	93.3	94.2	95.1	90.1	92.3	93.9	93.3	93.6	93.3	93.6	93.5	95.7	93.4	94.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Suwannee County and Florida Statewide youth, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	22.0	11.0	41.4	--	22.0	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	4.8	4.9	4.7	--	4.8	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	2.3	0.0	6.5	--	2.3	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	19.7	27.7	5.6	--	19.7	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	27.8	31.5	21.4	--	27.8	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	9.7	12.6	4.4	--	9.7	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	13.7	12.3	16.1	--	13.7	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Suwannee County and Florida Statewide youth, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	34.2	26.8	48.3	--	34.2	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	32.7	41.1	16.6	--	32.7	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	1.6	1.7	1.6	--	1.6	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	2.9	2.8	2.9	--	2.9	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	10.1	8.5	13.3	--	10.1	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	2.4	0.0	7.1	--	2.4	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	2.1	1.7	2.9	--	2.1	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	13.9	17.4	7.3	--	13.9	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Suwannee County and Florida Statewide youth, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	29.1	27.1	33.5	--	29.1	--	--	34.2	36.6	31.0	--	34.2	--
2	--	12.3	7.1	23.1	--	12.3	--	--	20.0	22.2	16.3	--	20.0	--
3	--	17.2	20.6	10.1	--	17.2	--	--	15.7	15.6	15.9	--	15.7	--
4	--	12.8	17.3	3.4	--	12.8	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	28.5	27.9	29.9	--	28.5	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Suwannee County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.3	5.3	5.3	2.6	2.6	3.4	3.9	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	3.0	9.7	6.8	6.5	3.1	7.6	6.6	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	0.6	2.3	1.4	1.7	1.5	1.3	1.5	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Suwannee County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	13.5	7.3	7.9	12.5	13.1	5.8	10.2	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.5	2.4	1.7	1.3	0.4	2.1	1.5	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.4	1.4	0.9	1.0	0.4	1.2	1.0	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.2	1.5	1.2	1.5	1.2	1.5	1.4	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.8	0.2	0.7	0.0	0.7	0.4	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	20.6	12.1	12.4	19.7	20.5	12.9	16.0	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	8.8	4.5	5.5	7.5	8.6	4.3	6.5	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Suwannee County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.3	5.3	5.7	8.3	6.4	7.3	8.5	10.2	9.5	13.6	10.5	11.9	8.5	9.3	8.9	13.5	7.3	10.2
Selling drugs	2.8	9.6	6.4	3.3	6.6	5.1	0.7	4.7	3.0	0.7	2.4	1.6	0.8	2.4	1.7	0.5	2.4	1.5
Attempting to steal a vehicle	1.4	1.1	1.2	1.7	0.2	0.9	1.3	1.9	1.6	1.5	0.6	1.0	0.9	0.9	0.9	0.4	1.4	1.0
Being arrested	2.2	1.2	1.7	2.4	1.8	2.1	2.0	2.3	2.2	0.9	1.4	1.1	2.3	1.7	2.0	1.2	1.5	1.4
Taking a handgun to school	0.0	0.5	0.3	0.8	0.5	0.7	0.8	1.2	1.0	0.3	0.2	0.3	0.2	0.5	0.4	0.0	0.8	0.4
Getting suspended	14.6	13.6	14.1	11.3	6.1	8.5	10.2	10.2	10.2	7.6	7.2	7.4	16.8	8.6	12.4	20.6	12.1	16.0
Attacking someone with intent to harm	8.7	5.9	7.2	6.4	4.2	5.2	6.4	6.9	6.7	4.7	3.4	4.0	7.7	6.0	6.8	8.8	4.5	6.5

Table 14. Percentages of Suwannee County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	27.6	31.8	39.1	20.2	29.0	29.9	29.9	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	39.4	42.5	51.5	30.2	40.2	40.8	41.1	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	27.2	30.6	39.1	18.4	28.0	29.6	29.1	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	43.0	46.5	58.1	31.7	42.5	45.2	44.9	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<i>Suicide</i>														
Though about committing suicide in the past 12 months	34.9	33.4	42.0	26.1	34.3	30.8	34.1	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	12.2	9.9	16.7	5.4	11.9	11.3	11.0	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Suwannee County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.1	5.4	11.2	4.0	10.0	5.4	7.6	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	39.0	28.6	36.4	30.8	38.6	27.5	33.4	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	65.7	54.3	69.0	50.0	65.1	54.7	59.5	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	28.4	34.8	44.6	20.0	29.8	32.2	31.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	19.6	12.1	13.8	17.4	20.2	11.1	15.5	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	38.0	26.8	30.4	33.6	37.7	27.5	31.9	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	10.3	12.1	14.9	7.9	10.2	12.2	11.3	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Suwannee County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.6	20.9	7.6	--	15.5	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	10.6	16.1	4.3	--	11.3	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.9	14.0	0.3	--	6.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	38.9	40.3	36.2	--	40.1	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	11.7	12.5	10.3	--	10.7	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	28.6	31.4	25.5	--	27.6	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	31.7	43.3	19.5	--	31.9	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	21.7	22.2	21.1	--	21.6	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	34.9	45.5	23.7	--	37.5	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.1	12.4	2.1	--	8.2	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Suwannee County and Florida Statewide high school youth, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	30.7	25.5	36.2	--	30.3	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	25.3	22.9	27.9	--	25.0	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	12.3	9.4	15.3	--	12.0	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	12.6	18.0	7.9	--	13.7	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	3.5	2.7	4.3	--	3.6	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	4.8	5.0	4.1	--	4.0	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.2	3.9	3.3	--	5.4	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.7	4.7	0.8	--	1.9	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.1	2.0	0.3	--	0.9	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	2.7	5.7	0.0	--	3.2	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Suwannee County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	29.5	29.7	31.0	28.3	30.3	27.1	29.6	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	22.7	23.6	26.9	19.4	24.9	23.3	23.2	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	26.8	28.9	31.3	24.8	27.9	26.8	27.9	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	27.1	25.6	29.1	23.7	27.2	25.1	26.3	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	41.1	20.4	33.0	26.8	38.9	21.9	29.8	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	55.6	38.9	58.4	34.8	54.3	38.6	46.6	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Suwannee County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	50.8	50.3	48.4	53.1	52.3	47.8	50.5	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	37.7	24.5	34.1	27.7	35.7	26.5	30.5	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	8.5	4.8	8.6	4.6	8.0	5.3	6.5	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	32.7	27.7	36.9	23.9	32.2	24.4	30.0	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	6.8	15.6	14.7	8.5	6.4	13.7	11.6	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Suwannee County and Florida Statewide youth, 2022

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	17.4	24.2	11.0	--	17.6	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	20.0	27.4	13.6	--	18.8	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	6.4	9.1	4.0	--	5.5	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	10.6	13.9	7.9	--	9.8	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Suwannee County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	26.2	--	--	19.7	--	--	24.5	--	--	19.0	--	--	24.2	--	--	17.4	--
Marijuana	--	26.3	--	--	17.9	--	--	21.3	--	--	19.8	--	--	22.8	--	--	20.0	--
<i>Driving a vehicle</i>																		
Alcohol	--	11.7	--	--	8.7	--	--	9.6	--	--	6.3	--	--	8.4	--	--	6.4	--
Marijuana	--	12.4	--	--	8.1	--	--	10.8	--	--	9.3	--	--	11.3	--	--	10.6	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Suwannee County and Florida Statewide youth, 2022

	Suwannee County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	64.2	59.3	57.9	65.8	62.5	63.7	61.6	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	20.5	33.1	31.0	23.2	22.4	29.1	27.3	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	15.3	7.6	11.1	11.0	15.1	7.3	11.1	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	27.2	19.3	16.8	29.0	26.5	18.8	22.9	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	11.4	10.5	12.9	9.1	11.8	9.5	10.9	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	31.3	29.6	19.8	40.9	30.2	30.1	30.4	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	16.4	23.2	23.9	16.0	17.6	21.9	20.1	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	13.7	17.4	26.7	4.9	13.9	19.7	15.7	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Suwannee County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Suwannee County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	56	55	53	55	59	54
	Family Rewards for Prosocial Involvement	44	48	46	49	54	55
School	School Opportunities for Prosocial Involvement	51	51	51	60	57	60
	School Rewards for Prosocial Involvement	48	51	45	56	53	58
Peer and Individual	Religiosity	46	54	36	46	56	62
Average Prevalence Rate		49	52	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Suwannee County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Suwannee County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	44	34	41	29	42	42
	Perceived Availability of Drugs	32	15	33	15	45	45
	Perceived Availability of Handguns	40	36	25	30	25	42
Family	Poor Family Management	45	38	47	34	44	45
	Family Conflict	43	30	43	34	42	37
School	Poor Academic Performance	44	53	48	48	45	48
	Lack of Commitment to School	69	74	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	47	37	52	39	40	46
	Favorable Attitudes toward ATOD Use	39	30	33	29	39	45
	Early Initiation of Drug Use	23	15	21	13	41	46
Average Prevalence Rate		43	36	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Suwannee County, 2012 to 2022

Domain		Suwannee County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	56	62	66	60	48	56
	Family Rewards for Prosocial Involvement	52	51	62	54	41	44
School	School Opportunities for Prosocial Involvement	53	56	59	50	53	51
	School Rewards for Prosocial Involvement	51	57	58	42	39	48
Peer and Individual	Religiosity	52	64	60	58	50	46
Average Prevalence Rate		53	58	61	53	46	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Suwannee County, 2012 to 2022

Domain		Suwannee County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	48	47	40	44	46	44
	Perceived Availability of Drugs	46	37	34	34	33	32
	Perceived Availability of Handguns	35	36	36	42	27	40
Family	Poor Family Management	43	41	37	38	47	45
	Family Conflict	36	34	30	32	43	43
School	Poor Academic Performance	49	46	41	45	51	44
	Lack of Commitment to School	46	52	49	57	69	69
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	41	39	44	45	47
	Favorable Attitudes toward ATOD Use	41	40	37	44	38	39
	Early Initiation of Drug Use	34	33	27	30	30	23
Average Prevalence Rate		42	41	37	41	43	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Suwannee County, 2012 to 2022

Domain		Suwannee County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	57	59	59	65	66	55
	Family Rewards for Prosocial Involvement	52	58	54	56	57	48
School	School Opportunities for Prosocial Involvement	60	59	57	61	56	51
	School Rewards for Prosocial Involvement	57	59	58	59	55	51
Peer and Individual	Religiosity	60	72	66	63	59	54
Average Prevalence Rate		57	61	59	61	59	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Suwannee County, 2012 to 2022

Domain		Suwannee County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	46	37	39	34	34	34
	Perceived Availability of Drugs	35	30	30	20	15	15
	Perceived Availability of Handguns	51	48	52	45	36	36
Family	Poor Family Management	43	33	34	32	33	38
	Family Conflict	32	31	30	22	32	30
School	Poor Academic Performance	48	35	42	46	52	53
	Lack of Commitment to School	47	41	56	50	60	74
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	35	32	36	31	36	37
	Favorable Attitudes toward ATOD Use	47	39	43	36	38	30
	Early Initiation of Drug Use	34	30	29	22	21	15
Average Prevalence Rate		42	36	39	34	36	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.