

2020 Florida Youth Substance Abuse Survey

Washington County Data Tables

Table 1. Major demographic characteristics of surveyed Washington County and Florida Statewide youth, 2020

	Washington County		Florida Statewide	
	N	%	N	%
Sex				
Female	259	47.5	25,191	48.4
Male	284	52.1	26,328	50.5
Race/Ethnic group				
African American	73	13.4	11,284	21.7
American Indian	22	4.0	491	0.9
Asian	3	0.6	671	1.3
Hispanic/Latino	15	2.8	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	96	17.6	7,227	13.9
White, non-Hispanic	333	61.1	20,904	40.1
Age				
10	0	0.0	44	0.1
11	27	5.0	3,151	6.0
12	87	16.0	7,124	13.7
13	109	20.0	7,698	14.8
14	112	20.6	7,616	14.6
15	73	13.4	7,582	14.6
16	67	12.3	7,502	14.4
17	37	6.8	7,073	13.6
18	27	5.0	3,807	7.3
19 or older	6	1.1	394	0.8
Grade				
6th	105	19.3	7,718	14.8
7th	111	20.4	7,555	14.5
8th	104	19.1	7,632	14.6
9th	75	13.8	7,668	14.7
10th	62	11.4	7,481	14.4
11th	45	8.3	7,117	13.7
12th	43	7.9	6,923	13.3
Overall Middle School	320	58.7	22,904	44.0
Overall High School	225	41.3	29,189	56.0
Total	545	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Washington County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.2	39.3	32.3	33.2	25.7	42.4	32.7	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	13.3	13.0	13.6	--	15.4	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	20.9	18.2	16.6	22.2	20.4	20.0	19.5	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	22.8	38.5	32.3	30.1	22.9	41.4	31.2	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	9.8	14.1	10.5	13.6	8.9	16.6	12.1	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	11.3	26.9	19.9	19.3	11.9	29.8	19.6	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.7	0.3	3.1	--	2.2	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.1	9.5	10.6	8.1	10.3	9.0	9.3	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	2.6	2.4	0.4	4.4	2.1	2.4	2.5	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.4	1.9	0.8	3.4	2.3	2.4	2.1	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	1.4	0.3	0.4	1.2	1.5	0.0	0.8	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.0	1.7	0.8	1.9	1.0	1.8	1.4	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	1.4	0.0	0.2	1.1	1.3	0.0	0.7	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	5.2	5.3	4.1	6.4	4.7	6.8	5.2	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.6	2.5	2.6	3.5	2.6	4.0	3.0	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	5.4	4.7	3.6	6.4	6.4	4.3	5.1	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	5.6	4.2	4.3	5.3	6.4	2.8	4.9	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.5	0.0	1.0	--	0.7	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	26.4	33.6	30.0	30.5	26.6	36.7	30.3	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	18.4	15.9	17.0	17.1	17.9	17.9	17.1	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	9.9	14.2	11.5	12.8	9.6	15.9	12.2	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	36.5	47.0	41.4	42.9	36.4	51.6	42.1	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	11.4	8.4	9.3	10.2	10.8	10.0	9.8	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Washington County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	12.7	19.6	17.8	15.0	12.8	24.3	16.3	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	5.4	10.7	8.1	8.3	5.1	13.8	8.2	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	3.1	2.9	1.8	4.2	3.4	2.9	3.0	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	9.5	16.3	14.6	11.8	10.7	17.3	13.1	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	3.0	8.0	5.5	5.7	2.3	9.0	5.6	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	5.2	13.7	9.2	10.1	5.4	15.8	9.7	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.2	3.2	2.4	3.9	4.3	2.4	3.2	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	1.5	0.5	0.0	2.0	1.0	1.3	1.0	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.8	0.7	0.6	0.9	0.9	0.7	0.7	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.5	0.5	0.4	0.5	0.4	0.7	0.5	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.5	0.0	0.5	0.0	0.6	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	2.6	1.8	1.9	2.5	2.5	2.2	2.2	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.9	1.0	1.0	1.0	0.9	1.3	1.0	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	1.3	2.1	1.8	1.5	1.8	2.0	1.7	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.0	1.8	1.9	1.0	1.7	1.4	1.4	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	10.4	19.6	12.4	18.0	11.2	21.4	15.3	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	7.4	6.7	5.7	8.2	8.2	7.2	7.0	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	7.5	9.6	10.6	6.8	6.9	12.7	8.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	18.2	28.7	22.9	24.7	18.4	33.4	23.8	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	5.5	9.5	5.1	10.0	5.6	9.7	7.6	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Washington County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	41.7	64.5	53.6	36.9	64.8	52.0	35.4	59.9	48.3	28.9	55.1	43.8	18.6	46.4	34.9	25.2	39.3	32.7
Blacking Out	--	--	--	--	--	--	--	27.9	--	--	19.4	--	--	16.6	--	--	13.3	--
Cigarettes	31.4	48.2	40.2	22.7	44.0	34.2	21.2	48.6	35.6	16.5	35.8	27.4	12.1	23.0	18.5	20.9	18.2	19.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	22.8	38.5	31.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.8	14.1	12.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	24.0	42.9	34.5	17.8	44.3	33.2	--	--	--
Marijuana or Hashish	12.8	37.6	25.9	10.1	38.2	25.4	11.1	44.0	28.5	12.9	34.7	25.1	6.5	34.1	22.6	11.3	26.9	19.6
Synthetic Marijuana	--	--	--	--	15.8	--	--	15.7	--	--	9.3	--	--	4.4	--	--	1.7	--
Inhalants	17.4	11.3	14.2	13.5	8.1	10.5	12.8	5.2	8.8	8.4	6.6	7.4	6.6	4.5	5.4	9.1	9.5	9.3
Club Drugs	2.4	5.1	3.8	1.2	2.0	1.6	0.9	6.1	3.6	0.2	3.6	2.1	0.0	3.7	2.2	2.6	2.4	2.5
LSD, PCP or Mushrooms	1.6	3.1	2.4	1.3	4.9	3.2	2.5	8.1	5.4	0.6	5.6	3.4	1.1	2.1	1.7	2.4	1.9	2.1
Methamphetamine	2.1	2.1	2.1	1.7	2.3	2.0	0.5	3.1	1.9	0.8	2.9	2.0	0.0	1.5	0.9	1.4	0.3	0.8
Cocaine or Crack	1.7	5.6	3.7	2.0	5.2	3.7	1.3	5.2	3.4	1.5	2.4	2.0	0.7	2.1	1.5	1.0	1.7	1.4
Heroin	2.0	1.1	1.5	1.1	0.6	0.8	0.9	1.0	1.0	0.5	0.5	0.5	0.3	1.0	0.7	1.4	0.0	0.7
Prescription Depressants	3.8	14.3	9.4	3.3	8.4	6.1	3.8	12.1	8.2	3.4	6.0	4.9	3.2	5.0	4.2	5.2	5.3	5.2
Prescription Pain Relievers	5.9	16.2	11.4	7.0	11.7	9.5	5.9	13.0	9.6	5.5	4.2	4.8	3.0	4.4	3.8	3.6	2.5	3.0
Prescription Amphetamines	2.9	10.0	6.7	2.5	6.3	4.6	2.8	7.8	5.4	2.4	7.2	5.1	1.4	3.3	2.5	5.4	4.7	5.1
Over-the-Counter Drugs	7.1	14.1	10.8	5.1	7.2	6.3	4.5	7.8	6.2	4.0	5.7	4.9	0.5	5.9	3.6	5.6	4.2	4.9
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	2.3	--	--	2.0	--	--	0.5	--
Any illicit drug	29.8	46.5	38.5	22.7	46.2	35.4	24.4	48.3	37.0	22.6	38.6	31.6	14.7	36.6	27.4	26.4	33.6	30.3
Any illicit drug other than marijuana	24.9	35.5	30.4	20.1	25.7	23.1	20.1	24.8	22.6	15.1	18.9	17.2	11.6	13.0	12.4	18.4	15.9	17.1
Alcohol only	16.9	21.2	19.1	19.9	22.9	21.5	20.0	18.4	19.2	14.4	22.7	19.1	9.2	18.9	14.9	9.9	14.2	12.2
Alcohol or any illicit drug	46.5	67.6	57.5	42.2	69.0	56.7	44.4	66.6	56.1	36.4	61.1	50.3	23.7	55.5	42.2	36.5	47.0	42.1
Any illicit drug, but no alcohol	5.0	3.0	3.9	5.7	4.4	5.0	9.0	6.6	7.8	9.0	6.4	7.5	4.9	9.0	7.3	11.4	8.4	9.8

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Washington County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	20.0	41.8	31.4	19.1	42.5	31.8	15.1	37.3	26.8	10.0	28.4	20.4	6.4	21.3	15.1	12.7	19.6	16.3
Binge Drinking	9.2	26.3	18.1	8.1	21.5	15.4	5.1	23.3	14.7	3.6	16.1	10.7	2.3	10.6	7.2	5.4	10.7	8.2
Cigarettes	7.7	23.6	16.0	7.2	19.5	13.9	6.9	26.2	17.0	2.7	14.5	9.4	0.4	6.9	4.2	3.1	2.9	3.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.5	16.3	13.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.0	8.0	5.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	9.5	16.2	13.2	4.6	22.2	14.8	--	--	--
Marijuana or Hashish	6.6	19.8	13.6	6.0	17.6	12.4	4.3	27.7	16.6	4.1	19.8	12.9	1.3	16.4	10.2	5.2	13.7	9.7
Synthetic Marijuana	--	--	--	--	6.8	--	--	4.5	--	--	3.4	--	--	1.0	--	--	0.0	--
Inhalants	8.3	3.9	6.0	5.7	1.4	3.3	5.3	1.9	3.5	2.0	1.3	1.6	2.6	1.1	1.7	3.2	3.2	3.2
Club Drugs	0.0	1.8	0.9	0.2	0.3	0.3	0.4	1.5	0.9	0.2	0.8	0.5	0.0	1.0	0.6	1.5	0.5	1.0
LSD, PCP or Mushrooms	0.4	0.0	0.2	0.5	1.4	1.0	1.6	1.9	1.7	0.7	2.2	1.5	0.0	1.1	0.7	0.8	0.7	0.7
Methamphetamine	0.8	0.0	0.4	0.0	0.0	0.0	0.0	1.2	0.6	0.4	0.3	0.3	0.0	0.7	0.4	0.1	0.0	0.1
Cocaine or Crack	0.3	1.2	0.8	0.8	0.3	0.5	0.4	1.9	1.2	0.0	0.3	0.2	0.2	0.2	0.2	0.5	0.5	0.5
Heroin	0.6	0.0	0.3	0.6	0.3	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2
Prescription Depressants	2.0	4.6	3.4	1.4	3.8	2.7	0.5	7.3	4.1	1.5	2.4	2.0	1.6	2.3	2.0	2.6	1.8	2.2
Prescription Pain Relievers	3.0	5.9	4.6	1.7	3.7	2.8	3.0	7.2	5.2	0.9	2.1	1.6	0.3	2.2	1.4	0.9	1.0	1.0
Prescription Amphetamines	1.0	2.4	1.7	1.0	1.5	1.3	1.8	3.3	2.6	1.3	2.8	2.1	1.0	0.2	0.5	1.3	2.1	1.7
Over-the-Counter Drugs	3.0	8.3	5.8	2.0	1.9	1.9	2.9	3.3	3.1	0.6	2.1	1.4	0.2	2.3	1.4	1.0	1.8	1.4
Any illicit drug	15.0	24.7	20.1	12.6	23.7	18.7	12.2	30.4	21.7	6.4	21.1	14.7	5.3	18.5	13.1	10.4	19.6	15.3
Any illicit drug other than marijuana	11.4	15.6	13.6	8.6	9.7	9.2	10.8	12.9	11.9	5.1	6.8	6.1	4.2	7.4	6.1	7.4	6.7	7.0
Alcohol only	12.7	19.4	16.2	11.3	24.4	18.5	9.2	17.8	13.8	7.0	14.3	11.2	4.4	10.8	8.2	7.5	9.6	8.6
Alcohol or any illicit drug	27.4	43.5	35.8	23.3	47.3	36.3	21.4	47.4	35.1	13.5	35.2	25.7	9.2	28.9	20.6	18.2	28.7	23.8
Any illicit drug, but no alcohol	7.8	1.5	4.5	4.8	4.7	4.7	6.9	10.0	8.5	4.1	7.1	5.9	2.4	7.8	5.6	5.5	9.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Washington County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	16.6	12.5	20.3	--	17.5	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	3.3	0.0	6.3	--	4.7	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	12.1	11.4	12.5	--	11.7	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	9.0	7.0	10.8	--	10.9	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	50.6	45.7	49.6	46.4	51.7	43.5	48.0	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	64.9	51.4	60.7	55.1	63.9	50.3	57.8	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	72.0	67.7	70.9	68.4	71.2	66.8	69.7	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	52.1	45.1	49.9	46.7	53.6	42.9	48.4	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	58.1	42.3	49.3	49.8	58.2	40.2	49.7	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	49.4	31.4	40.9	38.9	49.6	28.3	39.8	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	37.3	27.4	31.8	32.3	39.1	22.0	32.0	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	73.1	65.8	70.4	67.9	72.2	65.8	69.2	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	95.2	83.2	90.2	87.4	93.0	85.5	88.7	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	85.1	64.0	78.2	69.6	82.9	64.8	73.7	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	86.0	64.5	78.0	71.0	83.1	65.1	74.4	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	84.2	69.1	76.5	75.6	81.9	70.2	76.1	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	89.1	72.2	83.6	76.6	85.8	74.0	80.0	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	96.7	94.6	97.1	94.1	94.8	96.4	95.6	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	85.6	78.3	87.3	76.3	83.3	79.1	81.7	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	88.7	80.8	89.2	79.8	86.4	81.9	84.4	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	85.4	63.0	78.1	68.8	83.1	62.2	73.3	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	80.1	64.2	74.7	68.4	78.1	65.1	71.5	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	86.5	70.0	81.8	73.7	84.3	69.8	77.6	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	91.5	88.7	90.9	89.1	90.0	90.5	90.0	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Washington County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	29.6	--	--	32.9	--	--	31.1	--	--	29.6	--	--	28.5	--	--	16.6	--
Drink monthly	--	7.2	--	--	9.6	--	--	7.9	--	--	6.6	--	--	5.4	--	--	3.3	--
Smoke cigarettes	--	30.0	--	--	27.9	--	--	29.4	--	--	21.8	--	--	16.5	--	--	12.1	--
Smoke marijuana	--	16.9	--	--	13.7	--	--	19.1	--	--	18.4	--	--	16.4	--	--	9.0	--
Great risk of harm																		
Daily alcohol use	40.5	35.7	37.9	36.2	34.1	35.0	42.8	38.8	40.7	45.3	32.9	38.2	46.9	33.0	38.8	50.6	45.7	48.0
5+ drinks daily	--	--	--	--	--	--	57.7	43.7	50.2	60.3	45.4	51.9	65.6	42.6	52.2	64.9	51.4	57.8
Daily cigarette use	60.7	59.9	60.3	65.6	66.9	66.3	69.8	63.2	66.3	64.6	60.4	62.2	68.7	57.9	62.4	72.0	67.7	69.7
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	52.1	45.1	48.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	58.1	42.3	49.7
Marijuana weekly*	--	--	--	--	--	--	54.3	32.5	42.7	50.1	29.3	38.4	57.6	24.2	38.0	49.4	31.4	39.8
Try marijuana	37.7	27.9	32.5	37.4	25.0	30.7	43.3	24.9	33.5	37.1	25.4	30.4	39.8	18.8	27.6	37.3	27.4	32.0
Prescription drugs	--	--	--	--	63.9	63.9	75.3	69.7	72.3	71.9	62.8	66.7	70.1	58.9	63.6	73.1	65.8	69.2
Think it wrong																		
Smoke cigarettes	84.2	63.1	72.9	85.5	72.0	78.1	88.2	65.7	76.2	90.6	72.8	80.4	94.6	86.9	90.2	95.2	83.2	88.7
Drink regularly	74.4	53.5	63.2	77.2	54.6	64.9	81.5	51.7	65.7	82.4	54.8	66.6	83.8	59.5	69.7	85.1	64.0	73.7
Smoke marijuana	83.5	70.6	76.6	85.4	67.7	75.7	87.6	60.8	73.3	86.2	56.7	69.3	91.6	62.4	74.6	86.0	64.5	74.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	84.2	69.1	76.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.1	72.2	80.0
Other illicit drugs	94.6	93.2	93.8	94.0	93.8	93.9	97.7	89.7	93.4	96.9	92.0	94.1	98.6	93.7	95.8	96.7	94.6	95.6
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	83.9	60.2	71.2	84.3	65.8	73.8	87.7	64.3	74.1	85.6	78.3	81.7
Smoke tobacco	--	--	--	--	--	--	87.7	57.1	71.4	90.2	70.4	79.1	91.6	76.8	83.0	88.7	80.8	84.4
Smoke marijuana	--	--	--	--	--	--	85.6	56.5	70.0	85.1	54.0	67.6	88.6	60.6	72.3	85.4	63.0	73.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80.1	64.2	71.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.5	70.0	77.6
Prescription drugs	--	--	--	--	--	--	93.9	83.6	88.4	91.4	81.0	85.5	95.7	86.9	90.6	91.5	88.7	90.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Washington County and Florida Statewide youth, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	8.9	1.5	15.1	--	4.4	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	61.0	59.9	61.9	--	68.3	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	4.8	3.5	5.8	--	4.6	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	19.5	35.1	6.3	--	16.0	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	5.9	0.0	10.9	--	6.7	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Washington County and Florida Statewide youth, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	53.1	68.1	36.4	--	53.7	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	13.1	1.8	25.6	--	12.9	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	4.2	0.0	8.8	--	4.7	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	3.5	6.7	0.0	--	4.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	4.6	0.0	9.7	--	5.3	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	21.5	23.4	19.5	--	19.3	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Washington County and Florida Statewide youth, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	29.2	32.1	26.8	--	32.1	--	--	31.9	34.7	28.6	--	32.9	--
2	--	42.4	46.3	39.3	--	35.2	--	--	21.8	24.0	19.2	--	21.1	--
3	--	11.6	2.6	19.0	--	14.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	0.0	0.0	0.0	--	0.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	16.8	19.1	14.9	--	18.7	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Washington County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.7	6.7	4.0	6.6	4.5	6.3	5.3	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	5.7	7.5	6.1	7.3	5.3	9.6	6.7	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.5	2.4	2.4	2.4	3.4	1.5	2.4	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Washington County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	11.3	9.5	8.6	12.1	11.2	9.4	10.3	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.8	2.6	1.1	3.3	1.9	1.8	2.2	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.2	1.5	0.8	2.0	0.9	1.4	1.4	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	3.1	2.2	1.2	4.0	2.9	2.9	2.6	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.7	0.8	0.8	0.7	0.9	0.7	0.7	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	9.2	8.3	8.8	8.7	9.3	8.7	8.7	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	9.5	3.7	6.0	7.0	9.1	4.0	6.5	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Washington County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	9.3	4.7	6.9	10.5	6.0	8.0	10.9	14.7	12.9	12.0	7.4	9.4	11.8	10.2	10.8	11.3	9.5	10.3
Selling drugs	2.5	8.1	5.4	2.7	7.1	5.1	1.6	10.9	6.5	3.0	9.6	6.7	0.5	5.1	3.2	1.8	2.6	2.2
Attempting to steal a vehicle	1.4	2.8	2.1	0.9	1.5	1.2	1.7	3.7	2.7	0.2	0.5	0.4	1.3	1.2	1.3	1.2	1.5	1.4
Being arrested	3.4	5.9	4.7	2.4	3.3	2.9	2.3	5.4	4.0	0.5	3.3	2.0	2.7	2.8	2.7	3.1	2.2	2.6
Taking a handgun to school	0.4	2.1	1.3	0.8	0.6	0.7	0.4	1.6	1.0	0.6	0.9	0.8	0.7	0.4	0.5	0.7	0.8	0.7
Getting suspended	14.6	7.7	11.0	13.4	10.4	11.7	12.5	12.3	12.4	10.0	10.9	10.5	7.8	9.5	8.8	9.2	8.3	8.7
Attacking someone with intent to harm	12.5	14.0	13.2	9.4	8.4	8.9	8.8	11.4	10.1	7.2	8.3	7.8	7.4	6.3	6.7	9.5	3.7	6.5

Table 14. Percentages of Washington County and Florida Statewide youth who reported symptoms of depression, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	33.3	30.4	42.3	21.7	33.8	29.0	31.7	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	43.9	44.0	55.3	33.4	44.0	43.6	44.0	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	31.9	31.7	40.8	23.2	32.3	29.5	31.8	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	47.3	46.2	60.5	33.3	47.6	48.1	46.7	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Washington County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.5	12.6	15.3	6.6	7.4	11.8	10.7	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	43.5	27.8	35.0	34.7	43.9	26.1	35.0	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	72.0	54.4	65.5	59.4	69.7	53.6	62.5	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	28.4	30.0	40.6	18.8	28.2	33.1	29.3	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	23.3	18.4	18.0	23.0	22.0	20.7	20.6	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	38.8	27.4	27.9	37.0	38.3	26.6	32.6	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	14.8	8.0	13.3	9.1	13.5	9.5	11.1	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Washington County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	11.2	14.1	8.0	--	8.4	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	8.3	8.3	8.1	--	7.7	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	5.0	6.4	3.7	--	5.5	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	37.5	30.3	45.0	--	38.5	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	8.1	9.1	7.2	--	7.1	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	28.1	22.2	34.0	--	30.7	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	27.2	32.7	21.4	--	28.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	28.5	22.6	34.3	--	29.9	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	32.8	40.1	25.0	--	32.4	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	4.0	2.3	5.5	--	3.9	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Washington County and Florida Statewide high school youth, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	32.6	39.0	26.1	--	30.4	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	19.7	15.6	24.1	--	19.2	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	19.1	16.4	22.0	--	20.6	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	7.9	7.0	8.8	--	6.3	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	8.9	9.5	8.2	--	12.1	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	5.5	4.3	6.7	--	6.9	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	2.0	3.9	0.0	--	2.8	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.6	2.6	2.4	--	1.4	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.7	1.5	1.8	--	0.2	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Washington County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	25.5	23.3	26.8	22.0	23.2	24.0	24.3	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	26.2	21.5	27.4	20.2	25.6	19.9	23.7	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	30.0	29.2	29.4	29.4	28.7	34.2	29.6	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	23.5	22.3	23.2	22.8	23.1	24.5	22.9	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	41.3	28.3	37.9	30.8	39.0	30.9	34.4	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	55.3	41.8	57.8	38.9	53.9	46.2	48.2	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Washington County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	52.0	48.0	52.0	48.1	50.4	50.4	49.8	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	29.3	18.2	22.2	24.4	27.5	18.5	23.3	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	26.7	17.8	20.7	22.5	27.4	16.2	21.9	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	27.7	33.4	38.8	23.6	29.3	34.3	30.8	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	8.5	10.0	11.9	7.0	8.0	9.9	9.3	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Washington County and Florida Statewide youth, 2020

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	16.6	16.3	16.7	--	17.4	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	21.8	20.2	23.1	--	23.4	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	2.9	3.4	2.5	--	3.0	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	8.5	6.4	10.4	--	10.9	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Washington County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	24.9	--	--	28.3	--	--	25.1	--	--	16.4	--	--	16.6	--
Marijuana	--	--	--	--	22.6	--	--	27.1	--	--	27.1	--	--	21.8	--	--	21.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	10.2	--	--	11.9	--	--	9.3	--	--	6.9	--	--	2.9	--
Marijuana	--	--	--	--	11.8	--	--	15.8	--	--	15.5	--	--	11.3	--	--	8.5	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Washington County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Washington County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	53	57	57	57	59	54
	Family Rewards for Prosocial Involvement	48	50	50	53	54	55
School	School Opportunities for Prosocial Involvement	50	52	51	60	57	60
	School Rewards for Prosocial Involvement	41	56	44	54	53	58
Peer and Individual	Religiosity	60	67	42	52	56	62
Average Prevalence Rate		50	56	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Washington County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Washington County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	44	27	41	32	42	42
	Perceived Availability of Drugs	39	15	34	20	45	45
	Perceived Availability of Handguns	38	39	23	31	25	42
Family	Poor Family Management	42	42	43	35	44	45
	Family Conflict	39	26	42	34	42	37
School	Poor Academic Performance	52	43	46	46	45	48
	Lack of Commitment to School	72	70	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	52	37	49	38	40	46
	Favorable Attitudes toward ATOD Use	38	35	35	32	39	45
	Early Initiation of Drug Use	31	23	24	17	41	46
Average Prevalence Rate		45	36	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Washington County, 2010 to 2020

Domain	Scale	Washington County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	54	56	58	60	53
	Family Rewards for Prosocial Involvement	53	55	54	51	53	48
School	School Opportunities for Prosocial Involvement	43	45	47	55	53	50
	School Rewards for Prosocial Involvement	45	48	49	49	42	41
Peer and Individual	Religiosity	67	63	64	70	61	60
Average Prevalence Rate		53	53	54	57	54	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Washington County, 2010 to 2020

Domain	Scale	Washington County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	55	47	44	47	43	44
	Perceived Availability of Drugs	49	44	47	48	33	39
	Perceived Availability of Handguns	42	48	47	41	38	38
Family	Poor Family Management	46	48	39	40	38	42
	Family Conflict	38	42	41	39	37	39
School	Poor Academic Performance	42	43	50	51	51	52
	Lack of Commitment to School	62	58	61	53	59	72
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	55	49	41	40	45	52
	Favorable Attitudes toward ATOD Use	49	47	37	41	34	38
	Early Initiation of Drug Use	49	36	34	29	28	31
Average Prevalence Rate		49	46	44	43	41	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Washington County, 2010 to 2020

Domain	Scale	Washington County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	54	55	56	48	48	57
	Family Rewards for Prosocial Involvement	51	55	53	45	43	50
School	School Opportunities for Prosocial Involvement	54	55	48	50	56	52
	School Rewards for Prosocial Involvement	66	60	51	54	50	56
Peer and Individual	Religiosity	67	69	64	68	58	67
Average Prevalence Rate		58	59	54	53	51	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Washington County, 2010 to 2020

Domain	Scale	Washington County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	40	41	41	37	34	27
	Perceived Availability of Drugs	33	34	35	29	24	15
	Perceived Availability of Handguns	50	53	54	55	44	39
Family	Poor Family Management	37	42	42	47	46	42
	Family Conflict	31	35	35	31	32	26
School	Poor Academic Performance	47	45	44	45	49	43
	Lack of Commitment to School	53	51	56	54	61	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	39	38	40	43	37
	Favorable Attitudes toward ATOD Use	41	41	45	46	43	35
	Early Initiation of Drug Use	38	40	44	35	31	23
Average Prevalence Rate		41	42	43	42	41	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.