2016 Florida Youth Substance Abuse Survey

Table 1. Major demographic characteristics of surveyed Lafayette and Florida Statewide, 2016

	Lafa	yette	Florida S	tatewide
	N	%	N	%
Sex				
Female	112	51.4	31,515	47.9
Male	98	45.0	32,905	50.0
Race/Ethnic group				
African American	19	8.7	14,666	22.3
American Indian	8	3.7	568	0.9
Asian	0	0.0	743	1.1
Hispanic/Latino	37	17.0	13,174	20.0
Native Hawaiian/Pacific Islander	1	0.5	144	0.2
Other/Multiple	22	10.1	7,523	11.4
White, non-Hispanic	123	56.4	28,309	43.0
Age				
10	0	0.0	65	0.1
11	15	6.9	3,856	5.9
12	29	13.3	8,338	12.7
13	34	15.6	9,230	14.0
14	37	17.0	9,454	14.4
15	25	11.5	10,070	15.3
16	30	13.8	9,684	14.7
17	32	14.7	9,348	14.2
18	13	6.0	4,799	7.3
19 or older	1	0.5	618	0.9
Grade				
6th	40	18.3	9,301	14.1
7th	33	15.1	9,215	14.0
8th	41	18.8	9,326	14.2
9th	22	10.1	10,140	15.4
10th	34	15.6	9,834	15.0
11th	29	13.3	9,254	14.1
12th	19	8.7	8,705	13.2
Overall Middle School	114	52.3	27,678	42.1
Overall High School	104	47.7	37,765	57.4
Total	218	100.0	65,776	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Lafayette and Florida Statewide youth who reported having used various drugs in their lifetimes, 2016

			I	Lafayette	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	13.6	47.8	35.5	30.1	10.7	43.7	32.4	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out		18.3	17.4	20.2		11.6	18.3		15.9	16.5	15.4		16.1	15.9
Cigarettes	12.1	36.8	24.3	25.7	9.4	37.4	25.4	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	5.7	40.7	22.0	27.5	5.9	33.8	24.7	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	1.0	28.2	13.5	19.8	1.0	22.5	16.0	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana		8.0	0.0	15.7		2.8	8.0		4.9	4.8	5.0		4.8	4.9
Inhalants	0.8	0.8	0.7	1.0	0.7	1.1	0.8	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka		0.0	0.0	0.0		0.0	0.0		1.0	0.9	1.1		1.0	1.0
Club Drugs	0.0	2.8	2.0	1.2	0.0	3.6	1.6	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	0.0	3.8	2.0	2.4	0.0	4.9	2.2	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	0.0	0.8	1.0	0.0	0.0	1.1	0.5	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	0.0	5.7	2.3	4.3	1.5	2.4	3.2	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	0.0	7.1	2.3	5.8	1.5	2.4	3.9	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	2.1	6.8	2.3	7.6	3.5	2.1	4.8	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	2.0	5.6	1.8	6.6	1.9	2.2	4.0	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	1.0	0.8	0.9	1.0	1.0	1.1	0.9	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	2.0	2.8	3.2	1.9	1.9	3.6	2.5	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs		0.0	0.0	0.0		0.0	0.0		0.8	0.6	0.8		0.8	0.8
Any illicit drug	7.6	31.1	21.1	21.5	8.7	25.0	20.5	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	6.6	14.2	9.9	12.6	7.7	11.7	10.8	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	10.1	21.2	21.7	10.4	5.8	22.8	16.3	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	18.3	51.6	43.2	30.8	15.4	47.0	36.3	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	6.0	3.6	8.0	1.4	5.7	3.0	4.6	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

 $Table \ 3. \ Percentages \ of \ Lafayette \ and \ Florida \ Statewide \ youth \ who \ reported \ having \ used \ various \ drugs \ in \ the \ past \ 30 \ days, \\ 2016$

			I	Lafayetto	ę					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.7	25.5	18.3	19.0	7.4	19.0	18.0	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	4.1	19.7	12.2	14.2	3.9	15.2	12.7	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	2.9	20.5	9.8	15.8	3.2	18.1	12.4	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	3.8	20.4	9.6	16.8	2.7	17.5	12.8	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	0.0	11.4	4.8	8.6	0.0	9.4	6.4	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana		1.4	0.0	2.8		0.0	1.4		1.0	0.9	1.2		1.1	1.0
Inhalants	0.8	0.0	0.7	0.0	0.8	0.0	0.4	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka		0.0	0.0	0.0		0.0	0.0		0.5	0.4	0.7		0.5	0.5
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.0	0.9	1.0	0.0	0.0	1.1	0.5	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.0	1.2	1.4	0.0	1.6	0.0	0.7	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	0.0	2.1	2.3	0.0	1.5	1.1	1.2	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	2.2	2.6	2.3	2.6	3.6	0.0	2.4	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.0	0.9	0.0	1.0	0.0	1.1	0.5	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	1.1	0.0	0.9	0.0	1.0	0.0	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	0.0	1.2	1.3	0.0	0.0	1.5	0.6	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	3.9	15.9	9.9	11.9	5.1	12.0	10.5	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	3.9	5.4	6.2	3.6	5.1	3.7	4.7	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	6.3	14.1	13.8	8.1	4.9	11.0	10.7	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	10.9	29.2	24.2	18.9	10.8	22.2	20.8	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	3.0	3.1	6.0	0.0	4.3	2.4	3.1	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Lafayette, 2006 to 2016

		2006			2008			2010			2012			2014			2016	
	Middle School		Total	Middle School		Total	Middle School		Total	Middle School	U	Total	Middle School	U	Total	Middle School		Total
Alcohol	35.9	68.7	54.8	46.4	64.6	56.2	33.2	52.7	43.2	35.8	63.8	51.3	18.0	63.0	43.1	13.6	47.8	32.4
Blacking Out														30.0	30.0		18.3	18.3
Cigarettes	24.3	52.8	40.6	28.1	42.7	36.0	23.9	44.2	34.4	22.2	37.0	30.3	15.6	48.2	33.6	12.1	36.8	25.4
Vaporizer/E-Cigarette																5.7	40.7	24.7
Marijuana or Hashish	7.4	21.3	15.5	6.4	18.5	12.9	11.3	22.6	17.2	7.5	33.8	22.1	6.0	30.7	19.9	1.0	28.2	16.0
Synthetic Marijuana											20.9	20.9		3.7	3.7		8.0	8.0
Inhalants	6.4	9.2	8.0	10.4	3.1	6.4	6.7	7.7	7.2	15.3	11.1	13.0	6.6	4.5	5.4	0.8	0.8	0.8
Flakka																	0.0	0.0
Club Drugs				0.0		0.0	0.9	6.8	4.0	1.0	7.3	4.5	0.0	0.0	0.0	0.0	2.8	1.6
LSD, PCP or Mushrooms				2.0		2.0	0.0	4.4	2.3	2.0	5.0	3.6	0.0	0.7	0.4	0.0	3.8	2.2
Methamphetamine	1.0	0.0	0.4	0.0	0.0	0.0	0.0	4.4	2.3	2.4	3.8	3.2	0.0	0.0	0.0	0.0	0.8	0.5
Cocaine or Crack Cocaine				0.9		0.9	1.0	2.4	1.7	0.0	4.6	2.6	0.0	1.1	0.6	0.0	5.7	3.2
Heroin	0.0	0.0	0.0	1.9	0.0	0.8	0.9	2.5	1.7	0.0	2.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0
Depressants	3.6	3.2	3.4	0.0	3.1	1.7	1.9	4.1	3.0	3.5	4.7	4.1	0.7	0.5	0.6	0.0	7.1	3.9
Prescription Pain Relievers	4.8	11.1	8.5	15.5	1.9	8.0	4.9	12.7	8.9	3.2	6.7	5.2	3.7	3.2	3.4	2.1	6.8	4.8
Prescription Amphetamines	0.0	3.0	1.8	1.2	4.3	2.9	1.9	0.0	0.9	1.0	2.2	1.7	2.8	0.0	1.2	2.0	5.6	4.0
Steroids (without a doctor's order)	0.0	1.1	0.6	0.0	2.4	1.3	0.0	0.0	0.0	0.9	0.0	0.4	0.0	0.0	0.0	1.0	0.8	0.9
Over-the-Counter Drugs				7.8		7.8	3.4	3.2	3.3	3.1	3.6	3.4	3.6	4.7	4.2	2.0	2.8	2.5
Needle to Inject Drugs																	0.0	0.0
Any illicit drug	12.3	31.0	23.1	27.6	18.6	22.7	17.5	27.0	22.4	23.4	37.5	31.3	12.7	35.4	25.3	7.6	31.1	20.5
Any illicit drug other than marijuana	9.9	18.3	14.7	24.5	9.1	16.1	12.2	21.4	17.0	19.8	16.2	17.8	9.9	9.3	9.5	6.6	14.2	10.8
Alcohol only	27.0	40.1	34.6	25.1	46.4	36.6	20.2	31.6	26.0	18.7	29.3	24.6	10.8	29.5	21.3	10.1	21.2	16.3
Alcohol or any illicit drug	39.0	71.1	57.5	52.7	64.1	58.9	37.5	57.4	47.8	41.3	66.8	55.4	23.0	64.9	46.1	18.3	51.6	36.3
Any illicit drug, but no alcohol	3.1	2.4	2.7	6.3	0.0	2.9	4.6	5.4	5.0	5.6	3.0	4.1	5.6	1.8	3.5	6.0	3.6	4.6

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

2016 Florida Youth Substance Abuse Survey - Lafayette Report

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Lafayette, 2006 to 2016

		2006			2008			2010			2012			2014			2016	
	Middle School	U	Total	Middle School	0	Total	Middle School	High School	Total	Middle School		Total	Middle School		Total	Middle School	High School	Total
Alcohol	16.1	40.6	30.3	25.9	41.3	34.2	21.7	38.7	30.2	15.4	37.4	27.6	11.0	31.2	22.3	8.7	25.5	18.0
Binge Drinking	6.1	24.5	16.6	5.4	19.2	12.9	8.2	25.6	17.3	5.8	24.4	16.1	5.6	22.8	15.1	4.1	19.7	12.7
Cigarettes	7.2	19.7	14.4	3.0	19.5	12.0	8.3	17.4	13.0	2.8	20.6	12.6	7.2	18.4	13.4	2.9	20.5	12.4
Vaporizer/E-Cigarette																3.8	20.4	12.8
Marijuana or Hashish	2.7	4.0	3.4	2.0	10.7	6.7	3.7	7.3	5.6	4.0	14.1	9.7	0.9	10.2	6.2	0.0	11.4	6.4
Synthetic Marijuana											5.9	5.9		0.0	0.0		1.4	1.4
Inhalants	3.5	2.9	3.2	6.0	1.2	3.4	3.7	6.0	4.9	10.6	3.1	6.4	4.5	1.8	2.9	0.8	0.0	0.4
Flakka																	0.0	0.0
Club Drugs				0.0		0.0	1.0	4.4	2.7	1.1	2.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0
LSD, PCP or Mushrooms				0.0		0.0	0.0	2.5	1.3	2.1	0.0	0.9	0.0	0.7	0.4	0.0	0.9	0.5
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.3	2.5	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack Cocaine				0.0		0.0	1.0	2.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Depressants	0.0	0.0	0.0	0.0	2.0	1.1	2.0	4.3	3.2	1.1	3.6	2.5	0.0	0.5	0.3	0.0	2.1	1.2
Prescription Pain Relievers	1.0	4.8	3.3	8.7	1.9	4.9	1.9	2.6	2.2	2.3	5.9	4.3	3.1	1.5	2.2	2.2	2.6	2.4
Prescription Amphetamines	0.0	1.0	0.6	1.2	2.3	1.8	1.0	0.0	0.5	1.1	2.2	1.7	1.5	0.0	0.7	0.0	0.9	0.5
Steroids (without a doctor's order)	0.0	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	0.0	0.0	0.0	1.1	0.0	0.5
Over-the-Counter Drugs				3.3		3.3	1.8	1.5	1.7	2.0	1.3	1.6	1.6	1.9	1.8	0.0	1.2	0.6
Any illicit drug	6.9	10.9	9.2	15.0	11.0	12.8	8.1	10.5	9.3	14.7	15.5	15.2	7.4	13.6	10.9	3.9	15.9	10.5
Any illicit drug other than marijuana	5.5	8.1	7.0	13.1	5.3	8.8	6.3	7.1	6.7	13.8	6.7	9.8	7.4	5.0	6.1	3.9	5.4	4.7
Alcohol only	11.7	34.3	24.8	16.2	31.2	24.3	16.1	29.9	23.1	10.8	23.1	17.7	6.8	24.4	16.8	6.3	14.1	10.7
Alcohol or any illicit drug	18.0	43.8	32.9	31.2	41.6	36.9	23.3	37.5	30.6	24.4	39.3	32.7	13.3	37.8	26.8	10.9	29.2	20.8
Any illicit drug, but no alcohol	1.9	3.2	2.7	5.3	1.2	3.1	1.9	1.8	1.9	9.7	2.3	5.6	2.9	6.8	5.2	3.0	3.1	3.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Lafayette and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016

			J	Lafayette	e					Flori	da State	ewide		
	Middle School		Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol		13.8	11.8	16.4		15.5	13.8		19.4	18.3	20.2		19.3	19.4
Drinking at least once a month		1.8	0.0	3.4		2.4	1.8		3.5	3.7	3.4		3.5	3.5
Smoke cigarettes		16.0	13.8	17.7		16.5	16.0		9.3	8.6	9.8		9.4	9.3
Smoke marijuana		8.1	4.7	11.5		5.9	8.1		10.6	9.0	12.0		10.8	10.6
Great risk of harm														
1 or 2 drinks nearly every day	45.7	40.4	50.0	36.9	49.3	38.6	42.8	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	63.6	51.5	61.6	51.4	65.0	53.8	57.0	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	64.6	63.1	67.6	59.4	65.8	64.4	63.8	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	64.2	44.1	54.9	50.8	65.7	45.2	53.4	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	49.1	34.9	41.8	39.7	52.1	34.5	41.4	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	66.1	76.2	78.3	66.8	70.4	75.7	71.6	69.1	68.2	70.0	67.3	69.4	67.9	68.5
Think it would be wrong to														
Smoke cigarettes	98.1	71.7	84.5	82.9	97.7	78.0	83.7	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	91.6	65.7	77.2	76.1	91.5	66.3	77.5	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	96.0	73.6	86.3	81.4	96.7	77.3	83.9	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	98.0	95.5	95.9	98.1	99.1	94.1	96.6	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	99.0	98.3	98.2	99.0	99.1	97.9	98.6	97.5	93.6	95.8	94.7	97.3	93.6	95.2
Parents think it would be wrong to														
1 or 2 drinks nearly every day	99.1	94.8	95.8	97.4	99.1	93.8	96.7	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	98.0	96.3	98.1	95.9	98.1	96.3	97.1	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	100.0	90.5	96.2	92.9	100.0	92.1	94.7	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	99.1	98.0	97.7	99.1	99.1	97.9	98.5	98.2	97.3	97.4	97.9	98.1	97.4	97.7
Friends think it would be wrong to														
1 or 2 drinks nearly every day	92.5	66.4	85.4	70.8	92.4	70.0	78.3	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	96.2	71.3	86.8	78.3	95.9	78.5	82.7	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	96.1	68.8	87.2	75.0	95.9	76.7	81.2	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	96.2	88.6	94.1	89.6	95.0	93.6	92.1	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

2016 Florida Youth Substance Abuse Survey - Lafayette Report

Table 7. Trends in early ATOD use and attitudes toward substance use for Lafayette, 2006 to 2016

		2006			2008			2010			2012			2014			2016	
	Middle School	High School	Total	Middle School	High School	Total	Middle School		Total	Middle School		Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol		32.8	32.8		30.7	30.7		24.3	24.3		25.6	25.6		19.0	19.0		13.8	13.8
Drink monthly		6.8	6.8		5.6	5.6		12.2	12.2		9.4	9.4		2.4	2.4		1.8	1.8
Smoke cigarettes		33.6	33.6		21.9	21.9		28.5	28.5		29.5	29.5		25.2	25.2		16.0	16.0
Smoke marijuana		6.6	6.6		5.9	5.9		9.3	9.3		11.1	11.1		8.7	8.7		8.1	8.1
Great risk of harm																		
Daily alcohol use	36.3	41.8	39.4	40.7	40.0	40.3	48.6	43.4	45.9	50.9	26.0	37.1	48.4	46.1	47.1	45.7	40.4	42.8
5+ drinks weekly													64.5	55.2	59.4	63.6	51.5	57.0
Daily cigarette use	68.2	69.3	68.8	58.7	55.9	57.1	73.7	57.5	65.3	76.3	61.0	67.8	69.5	71.3	70.5	64.6	63.1	63.8
Marijuana weekly*													61.3	33.1	45.7	64.2	44.1	53.4
Try marijuana	53.4	45.6	49.0	47.8	41.5	44.3	54.1	41.9	47.8	49.4	24.9	35.8	50.2	23.9	35.8	49.1	34.9	41.4
Prescription drugs											75.5	75.5	74.9	72.3	73.4	66.1	76.2	71.6
Think it wrong																		
Smoke cigarettes	88.2	72.4	79.2	83.4	73.3	77.8	91.8	71.1	81.0	93.3	67.7	79.3	92.2	76.7	83.6	98.1	71.7	83.7
Drink regularly	76.0	57.7	65.6	70.7	67.4	68.9	86.4	55.2	70.3	82.0	59.0	69.3	90.8	64.4	76.1	91.6	65.7	77.5
Smoke marijuana	90.8	95.3	93.4	89.4	88.9	89.1	95.6	83.6	89.5	92.7	67.5	78.8	96.4	84.5	89.8	96.0	73.6	83.9
Smoke synthetic marijuana																98.0	95.5	96.6
Use other illicit drugs	97.0	99.3	98.3	92.1	94.9	93.6	98.2	95.9	97.0	99.1	95.6	97.2	99.4	98.2	98.7	99.0	98.3	98.6
Parents think it wrong																		
Daily alcohol use*													98.4	90.9	94.2	99.1	94.8	96.7
Smoke cigarettes	94.6	92.3	93.3	93.5	82.9	87.7	95.5	89.9	92.7	95.9	83.6	89.1	100.0	94.2	96.8	98.0	96.3	97.1
Smoke marijuana	100.0	96.3	97.8	95.9	93.2	94.4	99.1	90.8	94.9	94.9	88.3	91.3	100.0	92.2	95.6	100.0	90.5	94.7
Prescription drugs													98.5	100.0	99.4	99.1	98.0	98.5
Friends think it wrong																		
Daily alcohol use													86.9	72.7	79.1	92.5	66.4	78.3
Smoke tobacco													90.3	71.8	80.1	96.2	71.3	82.7
Smoke marijuana													92.5	78.3	84.7	96.1	68.8	81.2
Prescription drugs													98.0	97.3	97.6	96.2	88.6	92.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

^{*} In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

			I	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Bought in a store		8.1	14.4	0.0		6.4	8.1		8.3	5.0	12.4		7.3	8.3
Bought in a restaurant, bar, or club		0.0	0.0	0.0		0.0	0.0		1.6	1.2	2.1		1.5	1.6
Bought at a public event		0.0	0.0	0.0		0.0	0.0		0.7	0.7	0.8		0.6	0.7
Someone bought it for me		33.0	16.3	54.7		35.1	33.0		14.7	13.3	16.3		14.5	14.7
Someone gave it to me		27.5	23.6	32.5		24.6	27.5		44.8	50.6	37.8		47.0	44.8
Took it from a store		3.0	5.4	0.0		5.8	3.0		0.3	0.2	0.4		0.4	0.3
Took it from a family member		4.9	8.7	0.0		9.4	4.9		11.7	14.2	8.7		12.4	11.7
Some other way		23.4	31.6	12.8		18.6	23.4		17.8	14.7	21.5		16.5	17.8

			I	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
My home		13.5	20.0	3.9		12.9	13.5		37.7	39.2	35.9		37.1	37.7
Another person's home		33.5	47.0	13.7		44.4	33.5		40.0	41.0	38.9		40.8	40.0
Car or other vehicle		4.1	6.9	0.0		7.0	4.1		1.7	1.6	1.9		1.7	1.7
Restaurant, bar, or club		0.0	0.0	0.0		0.0	0.0		2.7	2.9	2.5		2.4	2.7
Public place		0.0	0.0	0.0		0.0	0.0		3.9	3.9	3.7		4.3	3.9
Public event		0.0	0.0	0.0		0.0	0.0		1.6	1.8	1.5		1.7	1.6
School property		0.0	0.0	0.0		0.0	0.0		1.3	0.7	2.0		1.4	1.3
Some other place		48.9	26.2	82.4		35.7	48.9		11.1	9.0	13.7		10.6	11.1

Table 10. Among <u>high school</u> drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lafayette and Florida Statewide youth, 2016

			I	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
1		6.3	11.1	0.0		2.7	6.3		29.6	31.6	27.4		30.5	29.6
2		24.2	31.3	15.0		25.7	24.2		22.5	24.8	19.8		22.4	22.5
3		4.6	3.6	5.7		8.0	4.6		17.3	17.9	16.3		16.9	17.3
4		15.9	28.2	0.0		11.8	15.9		8.6	9.0	8.3		8.5	8.6
5 or more		49.1	25.7	79.2		51.8	49.1		22.0	16.7	28.2		21.8	22.0

Table 11. Percentages of Lafayette and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high <u>before or during school</u> in the past 12 months, 2016

			I	Lafayette	2					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	4.8	9.0	7.9	5.9	5.1	10.1	7.1	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	0.0	8.3	1.1	8.3	0.0	7.4	4.6	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	0.0	4.8	0.0	5.4	0.0	1.1	2.6	1.4	3.9	2.9	2.9	1.5	4.1	2.9

Table 12. Percentages of Lafayette and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2016

			I	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Carrying a handgun	3.4	10.7	2.3	12.9	3.3	8.7	7.4	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	0.0	0.9	1.0	0.0	0.0	1.2	0.5	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	0.9	0.0	0.9	0.0	0.9	0.0	0.4	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	12.6	7.3	8.4	10.7	10.2	10.4	9.7	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	3.6	3.6	3.1	4.3	3.4	3.7	3.6	6.2	6.1	5.3	6.9	6.0	6.6	6.1

Table 13. Trends in delinquent behaviors for Lafayette, 2006 to 2016

		2006			2008			2010			2012			2014			2016	
	Middle School	High School	Total															
Carrying a handgun	4.8	3.6	4.1	3.3	9.4	6.7	4.5	13.1	8.8	10.5	3.2	6.4	10.4	17.4	14.4	3.4	10.7	7.4
Selling drugs	1.4	0.8	1.0	0.0	6.1	3.4	1.0	5.3	3.2	1.0	6.2	3.9	0.0	3.5	2.0	0.0	0.9	0.5
Attempting to steal a vehicle	0.0	0.0	0.0	1.9	3.9	3.0	1.8	0.9	1.4	0.0	0.0	0.0	0.0	1.0	0.6	0.0	0.0	0.0
Being arrested	0.0	0.8	0.4	3.2	4.1	3.7	1.7	5.6	3.7	4.0	2.2	3.0	0.0	1.0	0.6	0.9	0.0	0.4
Taking a handgun to school	0.0	0.0	0.0	0.0	1.6	0.9	0.0	0.9	0.4	0.0	1.5	0.8	0.0	0.6	0.4	0.0	0.0	0.0
Getting suspended	20.3	16.6	18.1	11.4	9.4	10.3	13.2	16.5	14.8	5.0	14.3	10.2	10.8	17.0	14.3	12.6	7.3	9.7
Attacking someone with intent to harm	9.7	16.1	13.4	9.3	9.9	9.6	8.0	10.1	9.1	5.3	5.5	5.4	4.7	7.2	6.1	3.6	3.6	3.6

Table 14. Percentages of Lafayette and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016

			I	Lafayette	•					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Family members who have been or are now in jail or prison	34.6	42.0	38.6	40.1	31.0	44.5	38.7	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have have been or are in trouble because of alcohol or drugs	9.4	38.8	27.8	23.5	9.4	28.2	25.5	23.9	46.5	38.4	35.8	26.0	47.1	37.1

Table 15. Percentages of Lafayette and Florida Statewide youth who reported involvement in bullying behavior, 2016

			I	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Skipped school because of bullying	9.8	5.3	12.9	2.6	8.1	7.2	7.4	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	17.7	8.9	13.2	12.8	16.6	10.8	12.9	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	41.1	24.1	39.0	26.4	41.6	26.6	31.9	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	8.0	8.8	13.3	4.2	7.6	7.8	8.4	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	5.7	6.0	2.6	9.5	5.4	5.0	5.9	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	11.0	11.8	13.2	9.7	10.4	11.6	11.5	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	3.5	6.1	5.2	4.1	2.5	5.1	4.9	3.6	4.1	4.0	3.7	3.7	4.1	3.9

Table 16. Percentages of Lafayette and Florida Statewide youth who reported gang membership, 2016

			. 1	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Have you ever belonged to a gang?	2.9	2.4	1.8	2.1	1.8	3.1	2.6	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	7.7	18.7	7.3	13.2	0.0	16.3	14.9	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?		0.8	1.8	0.0		1.1	0.8		2.0	1.1	2.8		2.0	2.0

Note: The prevalence rates for "Did that gang have a name?" exclude students who reported that they have never belonged to a gang. The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, reported by <u>high school students who have belonged to a gang</u>, among Lafayette and Florida Statewide youth, 2016

			I	Lafayetto	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Fun and excitement		12.1	8.0	15.2		11.0	12.1		5.0	4.3	5.5		5.0	5.0
Protection		3.9	0.0	6.6		6.1	3.9		4.2	2.6	5.4		4.5	4.2
Friend or relative in a gang		2.1	0.0	0.0		3.3	2.1		4.1	2.9	4.9		4.1	4.1
Forced to join		6.4	6.8	6.4		10.1	6.4		1.1	1.1	1.2		1.2	1.1
To get respect		3.9	0.0	6.6		6.1	3.9		3.5	2.0	4.7		3.5	3.5
Money		3.9	0.0	6.6		6.1	3.9		3.8	2.5	4.8		4.1	3.8
To fit in better		0.0	0.0	0.0		0.0	0.0		1.2	1.1	1.4		1.2	1.2
Other reasons		3.9	0.0	6.6		6.1	3.9		5.9	4.5	7.0		5.6	5.9

Table 18. Percentages of Lafayette and Florida Statewide youth who reported participation in extracurricular activities, 2016

			I	Lafayett	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
School Sports	69.6	66.7	59.9	76.9	69.9	65.3	68.1	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	36.6	18.1	29.6	25.1	39.7	15.2	26.7	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	8.2	9.7	10.3	7.5	7.0	12.9	9.0	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	15.4	37.2	35.2	19.4	20.3	40.5	27.1	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	1.6	8.2	10.8	0.0	2.7	8.0	5.1	9.3	12.8	14.6	8.2	9.4	12.6	11.3

Table 19. Percentages of <u>high school</u> students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lafayette and Florida Statewide youth, 2016

			I	Lafayette	2					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Riding in a vehicle														
Alcohol		23.0	20.1	26.7		21.4	23.0		16.4	17.5	15.3		16.3	16.4
Marijuana		18.8	18.5	20.0		14.8	18.8		22.7	23.7	21.7		22.9	22.7
Driving a vehicle														
Alcohol		13.0	9.4	16.7		10.1	13.0		5.4	5.0	5.8		5.2	5.4
Marijuana		8.0	5.0	10.9		6.8	8.0		10.3	9.1	11.4		9.9	10.3

Table 20. Trends for <u>high school</u> students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for

Lafayette, 2012 and 2016

		2006		2008			2010			2012			2014			2016	
	Middle School	High School	Middle School	_	Total	Middle School	O	Total	Middle School	U	Total	Middle School		Total	Middle School	High School	Total
Riding in a vehicle																	
Alcohol			 							26.5	26.5		18.1	18.1		23.0	23.0
Marijuana			 							20.4	20.4		12.7	12.7		18.8	18.8
Driving a vehicle																	
Alcohol			 							6.9	6.9		17.7	17.7		13.0	13.0
Marijuana			 							8.6	8.6		7.6	7.6		8.0	8.0

Table 21. Protective factor prevalence rates for Lafayette, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Lafa	yette	Florida S	Statewide	Nationa	l Norms
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Rewards for Prosocial Involvement	57	86	46	69	56	63
Family	Family Opportunities for Prosocial Involvement	68	69	60	59	59	54
	Family Rewards for Prosocial Involvement	60	66	56	56	54	55
School	School Opportunities for Prosocial Involvement	46	64	53	63	57	60
	School Rewards for Prosocial Involvement	59	69	49	59	53	58
Peer and Individual	Religiosity	75	86	49	57	56	62
Average Prevalence R	ate	61	73	52	61	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Lafayette, Florida Statewide youth and the national normative database, 2016

Domain	Scale	Lafa	yette	Florida S	Statewide	Nationa	l Norms
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	29	40	42	44	47	47
	Transitions and Mobility	35	38	59	61	47	46
	Laws and Norms Favorable to Drug Use	36	34	37	31	42	42
	Perceived Availability of Drugs	31	23	37	27	45	45
	Perceived Availability of Handguns	37	52	24	36	25	42
Family	Poor Family Management	30	22	40	38	44	45
	Family Conflict	36	21	38	33	42	37
School	Poor Academic Performance	57	40	42	44	45	48
	Lack of Commitment to School	44	43	53	54	47	46
Peer and	Favorable Attitudes toward Antisocial Behavior	29	30	39	35	40	46
Individual	Favorable Attitudes toward ATOD Use	18	28	32	36	39	45
	Early Initiation of Drug Use	17	24	23	22	41	46
Average Preva	lence Rate	33	33	39	38	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Lafayette, 2006 to 2016

Domain	Scale			Lafa	yette		
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	60	71	69	75	85	57
Family	Family Opportunities for Prosocial Involvement	64	56	62	64	72	68
	Family Rewards for Prosocial Involvement	59	51	57	59	75	60
School	School Opportunities for Prosocial Involvement	60	48	56	64	59	46
	School Rewards for Prosocial Involvement	40	50	51	58	65	59
Peer and Individual	Religiosity	62	64	72	70	71	75
Average Prevalence R	ate	58	57	61	65	71	61

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Lafayette, 2006 to 2016

Domain	Scale			Lafa	yette		
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	35	42	42	41	22	29
	Transitions and Mobility	55	53	45	45	48	35
	Laws and Norms Favorable to Drug Use	41	52	51	35	33	36
	Perceived Availability of Drugs	51	35	45	44	23	31
	Perceived Availability of Handguns	32	43	37	41	34	37
Family	Poor Family Management	49	55	39	29	27	30
	Family Conflict	41	45	35	40	22	36
School	Poor Academic Performance	54	53	41	48	41	57
	Lack of Commitment to School	59	57	53	47	45	44
Peer and	Favorable Attitudes toward Antisocial Behavior	38	48	41	31	20	29
Individual	Favorable Attitudes toward ATOD Use	42	45	36	34	18	18
	Early Initiation of Drug Use	42	51	38	37	18	17
Average Preval	lence Rate	44	47	38	36	29	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Lafayette, 2006 to 2016

Domain	Scale	Lafayette						
		2006	2008	2010	2012	2014	2016	
Community	Community Rewards for Prosocial Involvement	81	72	69	89	85	86	
Family	Family Opportunities for Prosocial Involvement	53	57	58	58	60	69	
	Family Rewards for Prosocial Involvement	57	61	52	65	54	66	
School	School Opportunities for Prosocial Involvement	63	69	59	70	72	64	
	School Rewards for Prosocial Involvement	64	73	66	79	71	69	
Peer and Individual	Religiosity	78	76	76	80	66	86	
Average Prevalence Rate		66	68	63	74	68	73	

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Lafayette, 2006 to 2016

Domain	Scale	Lafayette						
		2006	2008	2010	2012	2014	2016	
Community	Community Disorganization	55	34	49	30	24	40	
	Transitions and Mobility	50	50	52	44	42	38	
	Laws and Norms Favorable to Drug Use	29	33	41	31	47	34	
	Perceived Availability of Drugs	31	40	20	29	24	23	
	Perceived Availability of Handguns	54	54	35	52	62	52	
Family	Poor Family Management	49	47	53	37	40	22	
	Family Conflict	30	33	28	17	33	21	
School	Poor Academic Performance	51	54	44	57	45	40	
	Lack of Commitment to School	47	45	49	40	60	43	
Peer and	Favorable Attitudes toward Antisocial Behavior	40	37	32	35	28	30	
Individual	Favorable Attitudes toward ATOD Use	25	24	34	37	22	28	
	Early Initiation of Drug Use	44	31	33	33	45	24	
Average Prevalence Rate		38	35	39	38	39	33	

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.