2016 Florida Youth Substance Abuse Survey

Suwannee Data Tables

©2016 Florida Department of Children & Families

	Suv	vannee	Florida S	statewide
	Ν	%	Ν	%
Sex				
Female	379	47.0	31,515	47.9
Male	410	50.9	32,905	50.0
Race/Ethnic group				
African American	115	14.3	14,666	22.3
American Indian	20	2.5	568	0.9
Asian	5	0.6	743	1.1
Hispanic/Latino	106	13.2	13,174	20.0
Native Hawaiian/Pacific Islander	0	0.0	144	0.2
Other/Multiple	93	11.5	7,523	11.4
White, non-Hispanic	456	56.6	28,309	43.0
Age				
10	2	0.2	65	0.1
11	43	5.3	3,856	5.9
12	139	17.2	8,338	12.7
13	147	18.2	9,230	14.0
14	124	15.4	9,454	14.4
15	94	11.7	10,070	15.3
16	108	13.4	9,684	14.7
17	90	11.2	9,348	14.2
18	48	6.0	4,799	7.3
19 or older	5	0.6	618	0.9
Grade				
6th	141	17.5	9,301	14.1
7th	144	17.9	9,215	14.0
8th	146	18.1	9,326	14.2
9th	100	12.4	10,140	15.4
10th	116	14.4	9,834	15.0
11th	86	10.7	9,254	14.1
12th	73	9.1	8,705	13.2
Overall Middle School	431	53.5	27,678	42.1
Overall High School	375	46.5	37,765	57.4
Total	806	100.0	65,776	100.0

Table 1. Major demographic characteristics of surveyed Suwannee and Florida Statewide, 2016

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Suwannee and Florida Statewide youth who reported having used various drugs in their lifetimes,2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.1	58.1	44.9	44.6	30.9	58.6	44.7	21.8	51.4	41.3	37.1	23.6	51.5	39.1
Blacking Out		19.2	17.0	21.6		20.9	19.2		15.9	16.5	15.4		16.1	15.9
Cigarettes	11.6	36.4	24.7	26.8	15.1	34.3	25.8	8.0	18.5	14.0	14.1	8.2	18.5	14.1
Vaporizer/E-Cigarette	12.2	41.6	23.4	34.2	15.3	44.4	28.9	14.6	33.9	24.4	27.1	15.7	34.5	25.8
Marijuana or Hashish	5.3	32.2	18.8	22.4	8.9	33.8	20.9	7.0	31.7	21.4	21.3	8.1	31.8	21.3
Synthetic Marijuana		7.9	7.3	9.1		9.4	7.9		4.9	4.8	5.0		4.8	4.9
Inhalants	6.4	4.2	7.4	3.1	6.1	4.5	5.1	6.4	4.6	6.1	4.7	6.4	4.7	5.4
Flakka		0.8	0.8	0.5		0.8	0.8		1.0	0.9	1.1		1.0	1.0
Club Drugs	0.9	2.6	2.1	1.7	0.9	2.8	1.9	0.7	3.0	1.9	2.2	0.8	2.9	2.1
LSD, PCP or Mushrooms	0.8	5.1	3.0	3.7	0.7	6.4	3.3	1.0	4.8	2.7	3.7	1.1	4.9	3.2
Methamphetamine	0.6	1.5	1.5	0.7	0.7	1.8	1.1	0.5	0.8	0.6	0.8	0.5	0.8	0.7
Cocaine or Crack Cocaine	1.1	2.4	2.2	1.4	0.9	3.0	1.8	0.8	2.5	1.6	1.9	0.8	2.3	1.8
Heroin	0.7	1.9	1.5	1.2	0.6	2.5	1.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Depressants	2.6	6.9	7.0	3.5	3.6	6.0	5.1	2.2	6.5	5.3	4.1	2.4	6.6	4.7
Prescription Pain Relievers	3.1	7.3	4.9	6.2	3.1	7.7	5.5	3.3	5.8	5.3	4.2	3.5	5.7	4.8
Prescription Amphetamines	0.7	5.2	3.6	3.1	2.0	5.0	3.3	1.3	4.7	3.3	3.2	1.4	4.6	3.2
Steroids (without a doctor's order)	1.2	0.8	0.6	1.1	1.0	0.8	1.0	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Over-the-Counter Drugs	2.5	4.2	2.5	4.5	2.8	4.1	3.5	3.2	5.3	4.7	4.2	3.4	5.4	4.4
Needle to Inject Illegal Drugs		1.2	0.8	1.7		1.8	1.2		0.8	0.6	0.8		0.8	0.8
Any illicit drug	13.3	36.9	27.3	26.2	16.5	37.3	26.9	15.7	36.4	29.0	26.4	16.6	36.6	27.7
Any illicit drug other than marijuana	11.6	17.5	17.7	12.8	12.5	16.8	15.0	12.0	17.7	16.4	14.2	12.3	17.7	15.3
Alcohol only	16.8	26.6	22.6	21.6	19.4	26.2	22.5	12.5	21.0	18.1	17.0	13.4	21.0	17.5
Alcohol or any illicit drug	29.0	63.5	49.1	47.4	35.0	63.4	48.7	27.8	57.2	46.8	43.1	29.6	57.4	44.8
Any illicit drug, but no alcohol	3.6	5.4	4.7	3.5	5.0	4.7	4.7	6.5	6.1	6.0	6.5	6.5	6.1	6.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Suwannee and Florida Statewide youth who reported having used various drugs in the past 30 days,2016

			S	uwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.7	29.7	18.6	24.1	12.8	28.6	21.3	8.3	25.5	19.9	17.0	9.1	25.2	18.3
Binge Drinking	2.5	16.3	8.4	13.0	4.3	16.2	10.5	3.2	10.9	7.9	7.7	3.4	10.8	7.7
Cigarettes	1.9	12.9	6.6	10.0	2.8	13.3	8.2	1.4	4.8	3.3	3.5	1.5	4.6	3.4
Vaporizer/E-Cigarette	4.7	15.2	6.3	15.2	4.2	17.5	10.6	5.1	12.8	8.4	10.6	5.5	12.9	9.6
Marijuana or Hashish	2.7	17.9	7.8	15.3	3.4	19.0	11.5	3.2	17.0	10.9	11.5	3.9	16.9	11.2
Synthetic Marijuana		2.0	1.7	2.4		2.2	2.0		1.0	0.9	1.2		1.1	1.0
Inhalants	3.9	1.3	3.3	1.5	3.4	1.8	2.4	2.2	1.2	1.9	1.4	2.1	1.2	1.6
Flakka		0.7	0.8	0.3		0.8	0.7		0.5	0.4	0.7		0.5	0.5
Club Drugs	0.2	0.1	0.0	0.3	0.2	0.0	0.2	0.3	0.8	0.5	0.6	0.3	0.7	0.6
LSD, PCP or Mushrooms	0.9	1.7	1.4	1.3	0.8	2.3	1.4	0.3	1.4	0.7	1.1	0.3	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Cocaine or Crack Cocaine	0.2	0.4	0.0	0.6	0.1	0.4	0.3	0.3	0.8	0.6	0.6	0.3	0.8	0.6
Heroin	0.2	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Depressants	0.9	1.5	1.6	1.0	1.3	1.2	1.2	0.8	2.4	2.0	1.5	0.9	2.5	1.8
Prescription Pain Relievers	2.0	2.7	2.6	2.3	2.0	2.7	2.4	1.6	2.0	2.2	1.5	1.6	2.1	1.8
Prescription Amphetamines	0.0	1.2	0.0	1.4	0.4	0.8	0.7	0.5	1.6	1.1	1.2	0.6	1.7	1.2
Steroids (without a doctor's order)	0.5	0.0	0.0	0.4	0.4	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	1.1	2.2	1.3	2.3	1.0	2.2	1.8	1.8	2.1	2.0	1.9	1.8	2.1	2.0
Any illicit drug	8.2	21.5	13.6	18.4	8.8	22.6	15.9	7.5	20.0	15.1	14.2	8.1	20.0	14.7
Any illicit drug other than marijuana	7.6	7.8	7.8	7.6	7.7	7.6	7.7	5.6	7.7	7.3	6.2	5.7	7.7	6.8
Alcohol only	5.9	15.4	10.5	12.3	8.4	13.9	11.5	5.2	13.4	11.1	9.1	5.6	13.3	10.0
Alcohol or any illicit drug	13.5	36.6	23.6	30.0	16.5	36.0	26.7	12.5	32.9	25.8	22.9	13.5	32.9	24.3
Any illicit drug, but no alcohol	3.9	6.8	5.2	6.0	3.9	7.3	5.6	4.5	7.8	6.4	6.3	4.7	8.0	6.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

		2006			2008			2010			2012			2014			2016	
	Middle School	0	Total	Middle School	0	Total	Middle School		Total	Middle School	High School	Total	Middle School	.0.	Total	Middle School	High School	Total
Alcohol	50.6	71.0	61.8	42.3	65.0	54.6	44.1	66.1	56.1	37.3	68.6	53.8	30.3	62.3	47.3	26.1	58.1	44.7
Blacking Out														20.8	20.8		19.2	19.2
Cigarettes	29.5	48.5	39.9	28.8	44.9	37.6	26.0	43.0	35.2	19.7	42.7	31.8	21.7	34.1	28.3	11.6	36.4	25.8
Vaporizer/E-Cigarette																12.2	41.6	28.9
Marijuana or Hashish	14.8	35.8	26.2	12.2	27.4	20.4	14.1	33.7	24.8	11.4	36.3	24.7	12.5	32.2	23.1	5.3	32.2	20.9
Synthetic Marijuana											21.6	21.6		12.5	12.5		7.9	7.9
Inhalants	18.4	10.3	13.9	15.1	10.4	12.5	11.3	7.6	9.3	9.4	9.2	9.3	7.7	5.7	6.6	6.4	4.2	5.1
Flakka																	0.8	0.8
Club Drugs				1.9		1.9	2.7	4.1	3.5	2.7	5.7	4.3	1.2	3.4	2.4	0.9	2.6	1.9
LSD, PCP or Mushrooms				2.6		2.6	4.2	5.5	4.9	5.0	5.9	5.5	1.5	4.8	3.3	0.8	5.1	3.3
Methamphetamine	3.8	1.3	2.4	1.0	1.0	1.0	0.7	0.9	0.8	1.9	1.4	1.7	1.0	0.8	0.9	0.6	1.5	1.1
Cocaine or Crack Cocaine				1.5		1.5	1.1	3.4	2.3	1.3	5.0	3.3	0.8	1.5	1.1	1.1	2.4	1.8
Heroin	2.0	2.6	2.3	0.9	0.7	0.8	0.4	0.5	0.5	2.1	1.8	1.9	1.2	0.4	0.8	0.7	1.9	1.4
Depressants	5.6	9.3	7.6	1.9	8.2	5.3	4.2	6.2	5.3	4.1	7.0	5.7	2.7	5.7	4.3	2.6	6.9	5.1
Prescription Pain Relievers	9.5	17.2	13.6	7.7	11.8	9.9	7.4	12.5	10.2	5.2	12.7	9.2	3.7	7.6	5.8	3.1	7.3	5.5
Prescription Amphetamines	4.8	8.4	6.7	1.7	5.4	3.7	2.1	6.2	4.3	3.2	5.9	4.6	1.2	3.0	2.1	0.7	5.2	3.3
Steroids (without a doctor's order)	2.5	1.2	1.8	2.5	0.8	1.6	1.2	1.4	1.3	1.7	1.2	1.4	1.4	0.3	0.8	1.2	0.8	1.0
Over-the-Counter Drugs				5.7		5.7	4.1	10.3	7.5	4.0	7.8	6.0	6.6	7.1	6.9	2.5	4.2	3.5
Needle to Inject Drugs																	1.2	1.2
Any illicit drug	31.2	42.5	37.3	25.4	37.2	31.8	24.8	40.9	33.5	20.0	43.7	32.5	20.7	41.3	31.7	13.3	36.9	26.9
Any illicit drug other than marijuana	27.7	26.9	27.0	21.6	25.2	23.6	19.1	24.9	22.2	15.9	23.5	19.9	14.6	18.6	16.7	11.6	17.5	15.0
Alcohol only	24.9	31.1	28.5	21.6	32.8	27.7	24.8	28.8	27.0	21.4	28.5	25.1	16.1	26.5	21.7	16.8	26.6	22.5
Alcohol or any illicit drug	55.6	73.8	65.6	47.0	69.9	59.5	49.0	69.6	60.2	40.9	72.0	57.2	36.3	68.0	53.1	29.0	63.5	48.7
Any illicit drug, but no alcohol	5.5	2.8	4.0	4.7	4.9	4.8	5.2	3.7	4.4	3.6	3.3	3.4	6.2	5.7	5.9	3.6	5.4	4.7

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Suwannee, 2006 to 2016

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "---" indicates that data are not available.

		2006			2008			2010			2012			2014			2016	
	Middle School		Total	Middle School	High School	Total	Middle School		Total									
Alcohol	28.1	46.5	38.2	24.2	38.3	31.9	20.8	36.6	29.4	19.2	37.1	28.6	16.9	28.7	23.1	9.7	29.7	21.3
Binge Drinking	15.9	30.8	24.1	11.9	27.7	20.5	11.1	20.0	15.9	8.3	20.5	14.7	5.7	13.7	10.0	2.5	16.3	10.5
Cigarettes	12.3	21.8	17.6	12.0	17.6	15.1	8.2	16.8	12.9	7.0	17.3	12.4	4.3	10.2	7.4	1.9	12.9	8.2
Vaporizer/E-Cigarette																4.7	15.2	10.6
Marijuana or Hashish	7.8	15.7	12.2	5.6	14.0	10.1	9.5	18.0	14.2	7.2	18.4	13.2	6.7	13.3	10.3	2.7	17.9	11.5
Synthetic Marijuana											10.5	10.5		2.3	2.3		2.0	2.0
Inhalants	7.0	3.5	5.0	7.0	1.9	4.3	4.4	1.7	2.9	3.1	3.5	3.3	2.3	1.7	2.0	3.9	1.3	2.4
Flakka																	0.7	0.7
Club Drugs				0.8		0.8	0.0	0.5	0.3	0.4	2.4	1.5	0.6	1.8	1.3	0.2	0.1	0.2
LSD, PCP or Mushrooms				2.5		2.5	2.0	0.6	1.2	1.2	1.9	1.6	0.8	2.3	1.6	0.9	1.7	1.4
Methamphetamine	1.3	0.0	0.6	0.8	0.2	0.5	0.7	0.5	0.6	1.7	0.9	1.3	0.3	0.2	0.3	0.0	0.0	0.0
Cocaine or Crack Cocaine				1.1		1.1	0.5	1.0	0.8	0.2	1.6	1.0	0.4	1.1	0.8	0.2	0.4	0.3
Heroin	0.4	0.6	0.5	0.7	0.3	0.5	0.0	0.0	0.0	0.5	0.6	0.6	0.6	0.0	0.3	0.2	0.0	0.1
Depressants	2.7	5.0	3.9	1.0	2.4	1.8	1.2	2.2	1.7	2.1	1.6	1.8	0.7	1.1	0.9	0.9	1.5	1.2
Prescription Pain Relievers	4.7	7.6	6.2	3.3	5.4	4.4	3.4	5.0	4.3	2.3	2.8	2.6	1.5	3.6	2.6	2.0	2.7	2.4
Prescription Amphetamines	2.3	4.4	3.4	0.6	1.1	0.9	0.5	0.8	0.7	0.6	1.6	1.1	0.3	0.9	0.7	0.0	1.2	0.7
Steroids (without a doctor's order)	0.3	0.4	0.4	1.2	0.8	1.0	0.3	0.8	0.6	0.2	0.5	0.4	1.1	0.0	0.5	0.5	0.0	0.2
Over-the-Counter Drugs				2.5		2.5	1.8	3.3	2.6	2.4	2.8	2.6	3.1	3.7	3.4	1.1	2.2	1.8
Any illicit drug	15.2	20.5	18.2	13.5	17.4	15.6	13.9	22.1	18.4	10.1	25.6	18.3	11.4	18.6	15.3	8.2	21.5	15.9
Any illicit drug other than marijuana	12.6	14.1	13.3	11.6	8.7	10.0	8.3	10.8	9.7	7.1	12.2	9.8	7.1	8.9	8.1	7.6	7.8	7.7
Alcohol only	17.5	30.2	24.4	13.7	24.3	19.4	12.8	20.4	17.0	13.1	19.3	16.4	11.1	18.7	15.2	5.9	15.4	11.5
Alcohol or any illicit drug	32.1	50.5	42.1	27.2	41.4	34.9	26.3	41.6	34.6	22.2	44.5	33.9	22.1	36.9	29.9	13.5	36.6	26.7
Any illicit drug, but no alcohol	4.6	4.0	4.2	3.3	3.5	3.4	6.1	5.3	5.7	3.6	7.6	5.7	5.7	8.5	7.2	3.9	6.8	5.6

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Suwannee, 2006 to 2016

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

			S	uwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol		20.3	18.6	22.6		21.4	20.3		19.4	18.3	20.2		19.3	19.4
Drinking at least once a month		5.6	4.0	7.6		6.5	5.6		3.5	3.7	3.4		3.5	3.5
Smoke cigarettes		18.6	21.2	16.8		17.7	18.6		9.3	8.6	9.8		9.4	9.3
Smoke marijuana		12.2	9.9	15.3		12.4	12.2		10.6	9.0	12.0		10.8	10.6
Great risk of harm							[
1 or 2 drinks nearly every day	42.3	32.5	41.8	32.8	41.1	30.0	36.7	45.7	40.7	46.4	39.3	45.9	40.0	42.8
5+ drinks once or twice a week	53.0	50.1	59.3	45.3	53.9	47.9	51.3	58.1	52.3	58.4	51.2	58.4	51.8	54.7
1+ packs of cigarettes per day	68.3	68.7	70.9	67.6	70.1	67.3	68.5	67.9	68.8	68.4	68.5	68.7	68.2	68.4
Marijuana once or twice a week	53.0	29.4	41.5	38.1	50.8	28.0	39.4	51.7	25.2	37.5	35.2	50.1	24.4	36.3
Try marijuana once or twice	36.5	17.8	25.4	26.7	34.8	15.8	25.8	36.1	16.8	24.8	25.0	34.7	16.4	24.9
Use prescription drugs	68.6	72.0	69.1	71.4	68.6	71.3	70.6	69.1	68.2	70.0	67.3	69.4	67.9	68.5
Think it would be wrong to														
Smoke cigarettes	94.6	79.7	86.0	86.0	93.3	79.6	86.1	95.6	87.7	91.1	91.0	95.3	88.9	91.0
Drink alcohol regularly	85.2	57.0	69.5	69.5	81.3	58.7	69.0	88.8	64.5	74.1	75.2	87.6	64.8	74.7
Smoke marijuana	92.4	63.9	76.1	75.7	88.5	64.2	76.0	89.7	62.3	74.4	73.3	88.1	62.3	73.8
Smoke synthetic marijuana	95.2	90.7	92.5	93.0	93.4	91.9	92.6	93.1	88.6	90.1	90.9	92.7	88.6	90.5
Use other illicit drugs	97.8	93.2	96.9	93.9	97.2	94.6	95.2	97.5	93.6	95.8	94.7	97.3	93.6	95.2
Parents think it would be wrong to														
1 or 2 drinks nearly every day	97.0	92.8	95.0	94.4	97.2	92.3	94.5	97.3	93.8	95.4	95.1	97.2	94.1	95.2
Smoke cigarettes	97.2	92.7	94.6	94.5	97.9	92.6	94.6	98.6	96.8	97.6	97.5	98.6	97.3	97.6
Smoke marijuana	96.8	86.0	91.1	89.6	96.3	86.6	90.5	97.0	88.6	92.3	92.0	96.6	88.9	92.1
Use prescription drugs	98.2	95.9	95.7	98.0	98.2	95.3	96.8	98.2	97.3	97.4	97.9	98.1	97.4	97.7
Friends think it would be wrong to														
1 or 2 drinks nearly every day	86.4	69.8	83.4	70.9	83.0	70.9	76.9	91.3	79.0	85.6	82.9	90.7	79.1	84.2
Smoke tobacco	92.2	75.6	86.0	79.7	90.6	74.6	82.8	94.8	87.0	91.1	89.5	94.4	87.8	90.3
Smoke marijuana	88.8	63.5	78.1	71.0	85.1	63.2	74.3	88.6	59.9	72.6	71.3	86.6	59.8	72.0
Use prescription drugs	95.1	90.1	95.2	89.4	93.3	90.1	92.3	95.7	90.6	93.4	92.2	95.5	90.3	92.7

Table 6. Percentages of Suwannee and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2016

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

		2006			2008			2010			2012			2014			2016	
	Middle School	High School	Total	Middle School	High School	Total	Middle School	0	Total	Middle School	0	Total	Middle School	0	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol		40.4	40.4		29.8	29.8		29.7	29.7		27.9	27.9		24.4	24.4		20.3	20.3
Drink monthly		10.7	10.7		6.3	6.3		7.1	7.1		4.4	4.4		2.3	2.3		5.6	5.6
Smoke cigarettes		34.2	34.2		30.4	30.4		27.9	27.9		22.6	22.6		18.9	18.9		18.6	18.6
Smoke marijuana		14.7	14.7		12.1	12.1		15.6	15.6		12.7	12.7		10.6	10.6		12.2	12.2
Great risk of harm																		
Daily alcohol use	34.6	34.4	34.4	39.4	38.6	39.0	36.1	35.6	35.9	37.8	31.8	34.6	39.9	38.8	39.3	42.3	32.5	36.7
5+ drinks weekly													52.2	50.7	51.4	53.0	50.1	51.3
Daily cigarette use	61.7	59.3	60.2	60.4	64.8	62.8	60.1	63.9	62.2	62.4	63.7	63.1	64.4	68.8	66.7	68.3	68.7	68.5
Marijuana weekly*													47.3	29.1	37.7	53.0	29.4	39.4
Try marijuana	39.2	30.5	34.4	43.6	31.6	37.0	43.4	21.3	31.4	35.3	18.9	26.7	36.0	17.7	26.3	36.5	17.8	25.8
Prescription drugs											68.3	68.3	69.7	74.9	72.5	68.6	72.0	70.6
Think it wrong																		
Smoke cigarettes	84.0	67.3	74.8	84.9	67.7	75.5	87.7	66.4	76.1	87.0	69.5	77.8	92.5	80.2	86.1	94.6	79.7	86.1
Drink regularly	67.9	48.3	57.2	74.6	52.8	62.6	72.5	52.9	61.8	79.9	49.8	64.2	83.1	58.8	70.4	85.2	57.0	69.0
Smoke marijuana	88.5	74.9	81.0	87.7	74.5	80.4	85.2	67.4	75.5	85.9	66.7	75.8	87.2	67.2	76.8	92.4	63.9	76.0
Smoke synthetic marijuana																95.2	90.7	92.6
Use other illicit drugs	96.1	95.9	96.0	95.2	95.6	95.4	96.7	93.2	94.8	95.2	89.7	92.3	98.6	94.0	96.2	97.8	93.2	95.2
Parents think it wrong																		
Daily alcohol use*													96.0	92.9	94.3	97.0	92.8	94.5
Smoke cigarettes	96.2	87.6	91.5	95.2	88.9	91.9	95.8	89.7	92.5	96.9	85.6	90.9	97.6	93.4	95.3	97.2	92.7	94.6
Smoke marijuana	95.8	93.6	94.7	95.9	91.3	93.5	96.4	90.7	93.3	95.5	86.7	90.8	94.6	87.4	90.7	96.8	86.0	90.5
Prescription drugs													97.6	95.2	96.3	98.2	95.9	96.8
Friends think it wrong																		
Daily alcohol use													84.5	70.9	77.5	86.4	69.8	76.9
Smoke tobacco													89.6	75.8	82.4	92.2	75.6	82.8
Smoke marijuana													84.2	62.1	72.7	88.8	63.5	74.3
Prescription drugs													95.2	93.3	94.2	95.1	90.1	92.3

Table 7. Trends in early ATOD use and attitudes toward substance use for Suwannee, 2006 to 2016

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among <u>high school</u> drinkers, usual source of alcohol within the past 30 days, Suwannee and Florida Statewide youth,2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Bought in a store		3.9	2.1	4.0		4.2	3.9		8.3	5.0	12.4		7.3	8.3
Bought in a restaurant, bar, or club		3.4	0.0	5.6		3.6	3.4		1.6	1.2	2.1		1.5	1.6
Bought at a public event		0.0	0.0	0.0		0.0	0.0		0.7	0.7	0.8		0.6	0.7
Someone bought it for me		28.5	8.6	41.8		30.2	28.5		14.7	13.3	16.3		14.5	14.7
Someone gave it to me		33.1	51.4	21.4		32.3	33.1		44.8	50.6	37.8		47.0	44.8
Took it from a store		1.4	3.5	0.0		1.9	1.4		0.3	0.2	0.4		0.4	0.3
Took it from a family member		10.6	16.9	6.6		8.7	10.6		11.7	14.2	8.7		12.4	11.7
Some other way		19.2	17.5	20.5		19.1	19.2		17.8	14.7	21.5		16.5	17.8

Note: The symbol "--" indicates that data are not available.

Table 9. Among <u>high school</u> drinkers, usual drinking location within the past 30 days, Suwannee and Florida Statewide youth,2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
My home		45.9	55.1	39.3		43.5	45.9		37.7	39.2	35.9		37.1	37.7
Another person's home		32.5	32.1	33.2		34.7	32.5		40.0	41.0	38.9		40.8	40.0
Car or other vehicle		2.8	4.4	1.7		3.8	2.8		1.7	1.6	1.9		1.7	1.7
Restaurant, bar, or club		2.5	0.0	4.2		2.5	2.5		2.7	2.9	2.5		2.4	2.7
Public place		0.7	0.0	1.1		0.9	0.7		3.9	3.9	3.7		4.3	3.9
Public event		0.0	0.0	0.0		0.0	0.0		1.6	1.8	1.5		1.7	1.6
School property		1.1	0.0	1.8		1.5	1.1		1.3	0.7	2.0		1.4	1.3
Some other place		14.6	8.4	18.7		13.0	14.6		11.1	9.0	13.7		10.6	11.1

Note: The symbol "--" indicates that data are not available.

Table 10. Among <u>high school</u> drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Suwannee and Florida Statewide youth, 2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
1		22.9	33.9	15.6		21.1	22.9		29.6	31.6	27.4		30.5	29.6
2		17.0	26.0	10.9		18.1	17.0		22.5	24.8	19.8		22.4	22.5
3		16.6	21.5	12.4		14.7	16.6		17.3	17.9	16.3		16.9	17.3
4		14.2	14.1	14.5		17.3	14.2		8.6	9.0	8.3		8.5	8.6
5 or more		29.3	4.4	46.6		28.8	29.3		22.0	16.7	28.2		21.8	22.0

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Suwannee and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using	
another drug to get high <u>before or during school</u> in the past 12 months, 2016	

			S	uwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	3.5	9.2	6.3	7.4	3.6	10.4	6.8	3.3	6.5	5.5	4.7	3.3	6.8	5.1
Smoking marijuana	2.5	11.9	4.5	11.6	3.4	11.2	8.0	3.2	12.2	8.1	8.7	3.7	12.3	8.5
Used another drug to get high	1.5	3.0	2.0	2.7	1.8	3.2	2.4	1.4	3.9	2.9	2.9	1.5	4.1	2.9

2016 Florida Youth Substance Abuse Survey - Suwannee Report

. . .

Table 12. Percentages of Suwannee and Florida Statewide youth who reported engaging in delinquent behavior within the past12 months, 2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Carrying a handgun	8.5	10.2	5.5	13.4	7.0	12.6	9.5	5.0	5.8	2.6	8.3	5.0	5.9	5.5
Selling drugs	0.7	4.7	1.2	4.9	0.6	4.1	3.0	1.6	6.0	3.0	5.4	1.8	6.1	4.2
Attempting to steal a vehicle	1.3	1.9	0.1	2.9	1.4	2.1	1.6	1.0	1.5	0.8	1.7	1.0	1.5	1.3
Being arrested	2.0	2.3	0.8	3.4	1.6	2.8	2.2	1.9	2.8	1.8	3.0	1.8	3.0	2.4
Taking a handgun to school	0.8	1.2	0.2	1.9	0.7	1.3	1.0	0.4	0.7	0.3	0.9	0.4	0.7	0.6
Getting suspended	10.2	10.2	6.5	13.9	9.0	11.3	10.2	10.6	9.1	7.0	12.5	10.1	9.8	9.8
Attacking someone with intent to harm	6.4	6.9	5.5	8.1	6.8	6.4	6.7	6.2	6.1	5.3	6.9	6.0	6.6	6.1

		2006			2008			2010			2012			2014			2016	
	Middle School	High School	Total	Middle School	High School	Total	Middle School	0	Total	Middle School	High School	Total	Middle School	0	Total	Middle School	High School	Total
Carrying a handgun	5.2	6.5	5.9	5.8	5.9	5.8	8.8	8.1	8.4	6.3	5.3	5.7	8.3	6.4	7.3	8.5	10.2	9.5
Selling drugs	4.1	10.0	7.5	2.9	5.8	4.4	3.6	7.2	5.5	2.8	9.6	6.4	3.3	6.6	5.1	0.7	4.7	3.0
Attempting to steal a vehicle	2.9	1.6	2.2	2.8	1.6	2.2	3.2	3.3	3.2	1.4	1.1	1.2	1.7	0.2	0.9	1.3	1.9	1.6
Being arrested	4.6	6.2	5.4	3.4	5.1	4.3	4.0	3.1	3.5	2.2	1.2	1.7	2.4	1.8	2.1	2.0	2.3	2.2
Taking a handgun to school	0.5	1.6	1.1	0.8	0.7	0.7	1.5	2.7	2.1	0.0	0.5	0.3	0.8	0.5	0.7	0.8	1.2	1.0
Getting suspended	20.6	17.1	18.6	16.4	15.4	15.9	21.8	13.8	17.5	14.6	13.6	14.1	11.3	6.1	8.5	10.2	10.2	10.2
Attacking someone with intent to harm	14.5	14.7	14.7	9.8	8.1	8.9	12.8	9.8	11.2	8.7	5.9	7.2	6.4	4.2	5.2	6.4	6.9	6.7

Table 13. Trends in delinquent behaviors for Suwannee, 2006 to 2016

Table 14. Percentages of Suwannee and Florida Statewide youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or drugs, 2016

			S	uwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Family members who have been or are now in jail or prison	46.0	51.1	51.8	45.7	45.4	53.6	49.0	44.4	44.6	47.8	41.2	44.2	45.4	44.5
Friends who have have been or are in trouble because of alcohol or drugs	20.6	48.0	40.4	32.5	25.5	49.1	36.7	23.9	46.5	38.4	35.8	26.0	47.1	37.1

			S	luwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Skipped school because of bullying	5.2	9.9	10.8	4.7	5.9	8.6	7.9	7.6	8.2	11.5	4.4	7.6	8.3	7.9
Was kicked or shoved in past 30 days	19.3	9.1	13.4	13.8	17.9	9.2	13.5	19.6	8.1	12.0	13.8	18.8	8.1	13.0
Was taunted or teased in past 30 days	34.5	22.6	29.6	25.5	33.6	22.0	27.7	35.3	22.5	30.1	25.6	34.4	22.8	27.9
Was victim of cyber bullying in past 30 days	6.4	7.6	10.2	4.2	7.1	6.5	7.1	7.8	7.6	10.2	5.2	7.8	7.9	7.7
Physically bullied others in past 30 days	6.8	4.1	4.6	6.1	6.3	4.5	5.2	7.6	4.9	5.0	7.0	7.2	5.2	6.1
Verbally bullied others in past 30 days	12.3	10.1	8.6	13.2	11.3	11.5	11.0	14.3	10.4	11.0	13.0	14.0	10.7	12.0
Cyber bullied others in past 30 days	1.9	1.8	2.3	1.5	2.0	1.2	1.8	3.6	4.1	4.0	3.7	3.7	4.1	3.9

Table 15. Percentages of Suwannee and Florida Statewide youth who reported involvement in bullying behavior, 2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Have you ever belonged to a gang?	3.4	5.2	2.0	6.4	2.7	7.0	4.5	3.3	3.5	2.3	4.5	3.1	3.6	3.4
Did that gang have a name?	32.0	17.8	9.1	25.4	26.9	22.5	20.9	23.4	14.1	13.1	19.7	21.9	14.4	16.9
Are you a gang member now?		2.6	0.8	4.6		3.5	2.6		2.0	1.1	2.8		2.0	2.0

Table 16. Percentages of Suwannee and Florida Statewide youth who reported gang membership, 2016

Note: The prevalence rates for "Did that gang have a name?" exclude students who reported that they have never belonged to a gang. The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, reported by <u>high school students who have belonged to a gang</u>, among Suwannee and Florida Statewide youth, 2016

			S	buwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Fun and excitement		7.4	0.0	9.8		8.3	7.4		5.0	4.3	5.5		5.0	5.0
Protection		9.4	4.3	13.8		11.3	9.4		4.2	2.6	5.4		4.5	4.2
Friend or relative in a gang		5.0	4.3	4.7		7.0	5.0		4.1	2.9	4.9		4.1	4.1
Forced to join		0.9	0.0	1.7		0.0	0.9		1.1	1.1	1.2		1.2	1.1
To get respect		5.7	4.3	7.2		8.0	5.7		3.5	2.0	4.7		3.5	3.5
Money		7.1	0.0	12.8		8.7	7.1		3.8	2.5	4.8		4.1	3.8
To fit in better		4.0	0.0	7.2		4.3	4.0		1.2	1.1	1.4		1.2	1.2
Other reasons		5.6	0.0	10.1		6.5	5.6		5.9	4.5	7.0		5.6	5.9

Note: The symbol "--" indicates that data are not available.

			S	luwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
School Sports	45.5	46.5	45.8	46.5	44.9	48.0	46.1	36.0	40.4	34.5	42.5	36.4	41.4	38.5
Organized Sports Outside of School	32.0	22.3	28.9	24.6	32.4	21.5	26.5	41.6	22.4	28.2	32.9	40.1	22.8	30.5
School Band	15.5	6.3	9.7	10.4	14.7	5.1	10.3	16.7	8.1	12.3	11.1	16.2	8.1	11.7
School Club(s)	19.9	31.9	36.4	17.1	22.9	29.7	26.7	22.1	31.8	35.4	20.4	22.8	31.6	27.6
Community Club(s)	9.5	11.2	15.4	6.1	9.3	11.0	10.5	9.3	12.8	14.6	8.2	9.4	12.6	11.3

Table 18. Percentages of Suwannee and Florida Statewide youth who reported participation in extracurricular activities, 2016

2016 Florida Youth Substance Abuse Survey - Suwannee Report

.

Table 19. Percentages of <u>high school</u> students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Suwannee and Florida Statewide youth, 2016

			S	uwanne	e					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Riding in a vehicle														
Alcohol		24.5	22.2	25.5		24.0	24.5		16.4	17.5	15.3		16.3	16.4
Marijuana		21.3	22.9	20.7		23.5	21.3		22.7	23.7	21.7		22.9	22.7
Driving a vehicle														
Alcohol		9.6	8.8	11.1		8.9	9.6		5.4	5.0	5.8		5.2	5.4
Marijuana		10.8	8.2	13.6		11.2	10.8		10.3	9.1	11.4		9.9	10.3

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for <u>high school</u> students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Suwannee, 2012 and 2016

		2006		2008			2010			2012			2014			2016	
	Middle School	High School	Middle School	High School	Total	Middle School	High School	Total	Middle School	0	Total	Middle School	High School		Middle School	High School	Total
Riding in a vehicle																	
Alcohol			 							26.2	26.2		19.7	19.7		24.5	24.5
Marijuana			 							26.3	26.3		17.9	17.9		21.3	21.3
Driving a vehicle																	
Alcohol			 							11.7	11.7		8.7	8.7		9.6	9.6
Marijuana			 							12.4	12.4		8.1	8.1		10.8	10.8

Note: The symbol "--" indicates that data are not available.

Domain	Scale	Suwa	annee	Florida S	Statewide	Nationa	l Norms
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Rewards for Prosocial Involvement	55	75	46	69	56	63
Family	Family Opportunities for Prosocial Involvement Family Rewards for Prosocial Involvement	66 62	59 54	60 56	59 56	59 54	54 55
School	School Opportunities for Prosocial Involvement School Rewards for Prosocial Involvement	59 58	57 58	53 49	63 59	57 53	60 58
Peer and Individual	Religiosity	60	66	49	57	56	62
Average Prevalence R	ate	60	62	52	61	56	59

Table 21. Protective factor prevalence rates for Suwannee, Florida Statewide youth and the national normative database, 2016

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Domain	Scale	Suwa	annee	Florida S	Statewide	Nationa	l Norms
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	40	40	42	44	47	47
	Transitions and Mobility	53	59	59	61	47	46
	Laws and Norms Favorable to Drug Use	40	39	37	31	42	42
	Perceived Availability of Drugs	34	30	37	27	45	45
	Perceived Availability of Handguns	36	52	24	36	25	42
Family	Poor Family Management	37	34	40	38	44	45
	Family Conflict	30	30	38	33	42	37
School	Poor Academic Performance	41	42	42	44	45	48
	Lack of Commitment to School	49	56	53	54	47	46
Peer and	Favorable Attitudes toward Antisocial Behavior	39	36	39	35	40	46
Individual	Favorable Attitudes toward ATOD Use	37	43	32	36	39	45
	Early Initiation of Drug Use	27	29	23	22	41	46
Average Preva	lence Rate	39	41	39	38	42	45

Table 22. Risk factor prevalence rates for Suwannee, Florida Statewide youth and the national normative database, 2016

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "---" indicates that data are not available.

Domain	Scale			Suwa	nnee		
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	57	58	60	60	57	55
Family	Family Opportunities for Prosocial Involvement	57	60	53	56	62	66
	Family Rewards for Prosocial Involvement	54	50	45	52	51	62
School	School Opportunities for Prosocial Involvement	47	52	54	53	56	59
	School Rewards for Prosocial Involvement	42	43	39	51	57	58
Peer and Individual	Religiosity	57	62	52	52	64	60
Average Prevalence R	ate	52	54	51	54	58	60

Table 23. Protective factor prevalence rate trends among middle school students for Suwannee, 2006 to 2016

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "---" indicates that data are not available.

Domain	Scale	Suwannee					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	39	41	44	45	40	40
	Transitions and Mobility	59	59	60	56	56	53
	Laws and Norms Favorable to Drug Use	55	55	54	48	47	40
	Perceived Availability of Drugs	51	47	49	46	37	34
	Perceived Availability of Handguns	39	37	36	35	36	36
Family	Poor Family Management	48	50	48	43	41	37
	Family Conflict	39	39	38	36	34	30
School	Poor Academic Performance	53	43	44	49	46	41
	Lack of Commitment to School	56	51	57	46	52	49
Peer and	Favorable Attitudes toward Antisocial Behavior	51	45	49	40	41	39
Individual	Favorable Attitudes toward ATOD Use	54	46	50	41	40	37
	Early Initiation of Drug Use	56	45	46	34	33	27
Average Prevalence Rate		52	47	50	42	42	39

Table 24. Risk factor prevalence rate trends among middle school students for Suwannee, 2006 to 2016

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Domain	Scale	Suwannee					
		2006	2008	2010	2012	2014	2016
Community	Community Rewards for Prosocial Involvement	71	68	69	70	67	75
Family	Family Opportunities for Prosocial Involvement	59	56	55	57	59	59
	Family Rewards for Prosocial Involvement	56	55	53	52	58	54
School	School Opportunities for Prosocial Involvement	57	60	58	60	59	57
	School Rewards for Prosocial Involvement	61	57	60	57	59	58
Peer and Individual	Religiosity	66	71	67	60	72	66
Average Prevalence Rate		62	61	60	59	62	62

Table 25. Protective factor prevalence rate trends among high school students for Suwannee, 2006 to 2016

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "---" indicates that data are not available.

.

Domain	Scale	Suwannee					
		2006	2008	2010	2012	2014	2016
Community	Community Disorganization	41	38	44	43	39	40
	Transitions and Mobility	56	58	59	58	58	59
	Laws and Norms Favorable to Drug Use	35	45	46	46	37	39
	Perceived Availability of Drugs	42	33	37	35	30	30
	Perceived Availability of Handguns	49	43	49	51	48	52
Family	Poor Family Management	44	45	46	43	33	34
	Family Conflict	38	29	34	32	31	30
School	Poor Academic Performance	49	42	51	48	35	42
	Lack of Commitment to School	47	41	53	47	41	56
Peer and	Favorable Attitudes toward Antisocial Behavior	44	40	41	35	32	36
Individual	Favorable Attitudes toward ATOD Use	42	41	43	47	39	43
	Early Initiation of Drug Use	48	40	41	34	30	29
Average Prevalence Rate		47	42	47	44	38	41

Table 26. Risk factor prevalence rate trends among high school students for Suwannee, 2006 to 2016

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.