

# **2024 Florida Youth Substance Abuse Survey**

**Bradford County Data Tables**



**Table 1. Major demographic characteristics of surveyed Bradford County and Florida Statewide, 2024**

	Bradford County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	182	50.8		21,747	48.6
Male	174	48.6		22,711	50.7
<b>Race/Ethnic group</b>					
African American	84	23.5		9,493	21.2
American Indian	10	2.8		426	1.0
Asian	3	0.8		653	1.5
Hispanic/Latino	9	2.5		10,394	23.2
Native Hawaiian/Pacific Islander	0	0.0		41	0.1
Other/Multiple	65	18.2		7,299	16.3
White, non-Hispanic	184	51.4		16,109	36.0
<b>Parent/Guardian in the Military</b>					
No	287	80.2		38,723	86.5
Yes	70	19.6		5,679	12.7
<b>Age</b>					
11	28	7.8		2,499	5.6
12	54	15.1		5,938	13.3
13	69	19.3		6,288	14.0
14	71	19.8		6,501	14.5
15	41	11.5		6,784	15.2
16	52	14.5		6,743	15.1
17	29	8.1		6,358	14.2
18	12	3.4		3,252	7.3
<b>Grade</b>					
6th	76	21.2		6,126	13.7
7th	68	19.0		6,468	14.5
8th	68	19.0		6,341	14.2
9th	46	12.8		6,696	15.0
10th	43	12.0		6,738	15.1
11th	40	11.2		6,266	14.0
12th	17	4.7		6,121	13.7
<b>Middle School</b>	212	59.2		18,934	42.3
<b>High School</b>	146	40.8		25,821	57.7
<b>Total</b>	<b>358</b>	<b>100.0</b>		<b>44,755</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Bradford County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.2	13.3	22.8	15.8	24.7	14.8	19.2	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	7.8	8.3	7.4	--	9.8	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	11.8	15.3	12.3	15.2	12.7	16.9	13.7	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	20.9	18.7	20.3	19.4	20.5	22.6	19.7	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	9.8	12.5	14.4	8.5	9.3	15.8	11.3	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	10.7	16.1	16.4	11.2	10.6	18.3	13.7	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	2.8	4.8	0.9	--	3.7	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	7.2	7.8	10.2	4.9	7.8	5.6	7.5	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.5	0.8	0.9	0.5	0.0	1.6	0.7	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	0.7	1.8	1.5	1.0	0.2	2.8	1.3	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.8	0.0	0.6	0.2	0.7	0.0	0.4	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	1.1	0.8	0.9	1.1	0.6	1.6	1.0	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.0	0.8	0.4	0.5	0.0	1.1	0.5	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	2.4	2.0	1.5	2.9	1.8	3.2	2.2	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	1.7	3.0	2.2	2.7	1.2	4.4	2.4	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	1.9	0.4	1.2	1.0	1.0	1.5	1.1	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	1.7	2.0	0.9	2.9	1.1	3.2	1.9	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.8	0.0	1.5	--	1.0	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	7.5	11.3	4.1	--	10.1	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	0.0	0.0	0.0	--	0.0	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	21.0	20.2	23.8	17.7	21.9	18.6	20.5	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	11.1	10.0	11.9	9.2	10.9	9.0	10.5	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	15.6	2.5	9.9	7.2	15.0	2.3	8.5	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	36.5	22.6	33.7	24.6	36.9	20.8	28.9	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	10.5	10.0	10.9	9.7	12.2	6.8	10.2	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Bradford County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	8.4	6.7	9.0	6.0	7.2	9.1	7.5	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	3.6	7.5	4.3	6.2	2.3	10.7	5.7	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.0	2.6	0.4	2.4	0.0	3.4	1.4	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	5.6	11.1	8.1	9.2	5.5	14.0	8.6	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	3.2	6.2	5.4	4.3	3.2	7.7	4.8	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	3.7	5.4	4.5	4.8	3.4	7.0	4.7	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.4	0.0	0.9	--	0.6	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	2.6	4.1	5.4	1.4	1.9	2.7	3.4	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.0	0.8	0.4	0.5	0.0	1.1	0.5	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.4	0.7	0.9	0.2	0.3	0.9	0.5	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.5	0.0	0.4	0.0	0.0	0.5	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	1.2	0.7	0.2	1.7	1.1	0.9	0.9	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.7	1.0	0.6	1.1	0.2	1.8	0.8	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	1.1	0.0	0.2	0.8	1.0	0.0	0.5	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	1.0	1.7	0.0	2.7	0.9	2.2	1.4	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	10.1	10.6	11.7	9.3	8.7	11.4	10.4	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	5.4	6.6	6.5	5.7	4.5	6.1	6.1	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	4.8	3.6	5.2	3.1	4.7	4.2	4.1	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	14.9	14.0	16.8	12.2	13.3	15.4	14.4	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	6.1	7.8	7.8	6.2	6.1	6.4	7.0	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in substance use for Bradford County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	25.2	49.8	37.9	20.3	50.1	37.6	21.1	53.7	39.2	21.9	36.0	28.9	21.9	39.9	31.5	26.2	13.3	19.2
Blacking Out	--	16.8	--	--	23.5	--	--	21.8	--	--	15.3	--	--	12.4	--	--	7.8	--
Cigarettes	17.1	30.3	23.9	15.5	26.9	21.9	11.3	23.3	17.9	15.8	10.9	13.3	8.4	5.8	7.0	11.8	15.3	13.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	25.9	26.8	26.4	17.4	29.6	24.0	20.9	18.7	19.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	13.4	17.2	15.3	4.5	11.6	8.4	9.8	12.5	11.3
Marijuana or Hashish	11.8	35.0	23.7	7.7	38.0	25.1	12.7	37.5	26.5	9.8	22.8	16.3	5.8	20.4	13.7	10.7	16.1	13.7
Synthetic Marijuana	--	12.5	--	--	6.2	--	--	7.4	--	--	1.9	--	--	2.3	--	--	2.8	--
Inhalants	8.8	2.7	5.7	2.9	5.7	4.5	5.2	4.0	4.5	10.9	2.6	6.7	5.7	0.9	3.2	7.2	7.8	7.5
Club Drugs	0.2	1.9	1.0	0.2	0.5	0.4	1.8	3.9	3.0	1.9	3.7	2.8	0.6	1.1	0.9	0.5	0.8	0.7
LSD, PCP or Mushrooms	0.7	3.1	1.9	1.3	2.2	1.8	2.2	3.7	3.0	4.2	4.7	4.5	2.0	1.9	2.0	0.7	1.8	1.3
Methamphetamine	0.2	0.9	0.6	0.4	0.6	0.5	1.5	1.1	1.3	2.0	1.1	1.5	0.0	0.0	0.0	0.8	0.0	0.4
Cocaine or Crack	0.5	2.5	1.5	0.2	0.5	0.4	1.5	3.7	2.8	1.5	1.9	1.7	0.6	0.0	0.3	1.1	0.8	1.0
Heroin	0.5	0.0	0.2	0.0	0.5	0.3	0.9	0.0	0.4	1.4	0.7	1.0	1.4	0.0	0.6	0.0	0.8	0.5
Prescription Depressants	0.9	4.7	2.8	2.0	7.1	4.9	1.9	7.5	4.9	0.7	3.8	2.3	2.4	1.6	2.0	2.4	2.0	2.2
Prescription Pain Relievers	2.5	3.3	2.9	1.7	7.6	5.0	3.1	7.2	5.4	2.3	0.6	1.4	4.1	1.5	2.7	1.7	3.0	2.4
Prescription Amphetamines	0.0	2.7	1.4	0.9	5.5	3.5	1.7	4.1	3.0	2.3	2.2	2.2	2.4	0.9	1.6	1.9	0.4	1.1
Over-the-Counter Drugs	4.2	4.4	4.3	1.4	6.1	4.1	2.8	6.7	5.0	5.7	3.0	4.4	0.5	3.2	2.0	1.7	2.0	1.9
Needle to Inject Drugs	--	--	--	--	0.6	--	--	1.4	--	--	0.7	--	--	0.5	--	--	0.8	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.5	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--
Any illicit drug	20.5	40.3	30.6	12.0	43.9	30.1	15.9	41.9	30.3	25.2	29.8	27.5	17.1	24.6	21.1	21.0	20.2	20.5
Any illicit drug other than marijuana	13.6	15.1	14.4	6.7	18.0	13.1	7.7	16.0	12.3	17.8	11.8	14.8	13.7	5.7	9.4	11.1	10.0	10.5
Alcohol only	11.1	15.6	13.5	13.5	11.8	12.5	8.5	14.7	11.9	9.2	12.9	11.0	12.4	20.3	16.6	15.6	2.5	8.5
Alcohol or any illicit drug	31.4	55.2	43.6	24.9	55.7	42.4	24.3	56.6	42.1	33.7	42.2	37.9	29.5	44.9	37.8	36.5	22.6	28.9
Any illicit drug, but no alcohol	7.0	5.6	6.3	5.1	5.6	5.4	3.7	3.3	3.5	12.0	5.7	8.8	7.8	5.8	6.7	10.5	10.0	10.2

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trends in substance use for Bradford County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	11.1	22.3	16.8	10.3	31.6	22.7	11.6	26.7	20.0	11.3	16.9	14.1	9.5	15.4	12.7	8.4	6.7	7.5
Binge Drinking	3.6	17.5	10.7	2.6	12.2	8.1	8.6	16.4	12.9	7.7	8.5	8.1	5.1	7.8	6.6	3.6	7.5	5.7
Cigarettes	2.5	11.4	7.1	2.1	8.3	5.6	5.4	5.4	5.4	7.4	3.7	5.6	0.6	0.0	0.3	0.0	2.6	1.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	15.4	19.0	17.2	7.2	16.5	12.2	5.6	11.1	8.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	6.8	8.9	7.9	2.2	5.9	4.2	3.2	6.2	4.8
Marijuana or Hashish	5.8	19.7	12.7	3.4	16.4	10.9	6.1	23.4	15.9	7.6	13.9	10.8	2.7	9.7	6.5	3.7	5.4	4.7
Synthetic Marijuana	--	3.4	--	--	0.0	--	--	2.1	--	--	1.2	--	--	1.3	--	--	0.4	--
Inhalants	4.1	2.2	3.2	1.6	0.6	1.0	0.7	2.2	1.5	5.8	0.0	2.9	2.7	0.0	1.2	2.6	4.1	3.4
Club Drugs	0.2	1.4	0.8	0.0	0.0	0.0	1.6	2.4	2.1	0.0	1.2	0.6	0.0	0.5	0.3	0.0	0.0	0.0
LSD, PCP or Mushrooms	0.2	2.6	1.4	1.4	1.9	1.7	1.7	0.5	1.0	2.0	0.5	1.2	0.5	0.5	0.5	0.0	0.8	0.5
Methamphetamine	0.0	0.4	0.2	0.2	0.9	0.6	1.4	0.0	0.6	1.3	0.0	0.6	0.0	0.0	0.0	0.4	0.7	0.5
Cocaine or Crack	0.2	0.0	0.1	0.9	0.0	0.4	0.4	3.2	2.0	0.7	1.2	1.0	0.3	0.0	0.1	0.5	0.0	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	0.3	0.0	0.1	0.0	0.0	0.0
Prescription Depressants	0.0	2.2	1.1	0.5	2.3	1.6	1.2	1.9	1.6	0.7	0.6	0.7	0.3	0.0	0.1	1.2	0.7	0.9
Prescription Pain Relievers	1.1	3.1	2.1	0.3	2.8	1.7	1.7	2.8	2.3	0.2	0.2	0.2	0.0	0.5	0.3	0.7	1.0	0.8
Prescription Amphetamines	0.0	0.0	0.0	0.2	1.1	0.7	0.2	0.5	0.4	0.7	1.3	1.0	1.0	0.8	0.9	1.1	0.0	0.5
Over-the-Counter Drugs	3.1	2.6	2.9	0.3	2.2	1.4	2.5	3.9	3.3	1.1	0.6	0.9	0.6	2.2	1.5	1.0	1.7	1.4
Any illicit drug	10.9	24.7	17.9	5.8	18.6	13.1	8.4	27.8	19.2	15.4	18.4	16.9	5.6	13.7	9.9	10.1	10.6	10.4
Any illicit drug other than marijuana	6.7	10.0	8.4	3.8	6.1	5.1	4.7	10.7	8.1	9.8	3.0	6.4	3.2	3.0	3.1	5.4	6.6	6.1
Alcohol only	6.9	9.0	8.0	8.5	17.8	13.9	5.5	7.2	6.4	4.5	8.8	6.7	5.5	10.9	8.3	4.8	3.6	4.1
Alcohol or any illicit drug	17.6	32.7	25.4	13.7	36.6	26.7	14.7	34.8	25.8	19.6	26.9	23.2	11.0	24.0	18.0	14.9	14.0	14.4
Any illicit drug, but no alcohol	7.0	10.3	8.7	4.3	4.9	4.6	3.3	8.6	6.3	8.6	10.6	9.6	1.6	8.6	5.3	6.1	7.8	7.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Bradford County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early substance use</b>														
More than a sip of alcohol	--	16.9	15.8	18.1	--	16.6	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	2.4	2.3	2.6	--	3.3	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	6.0	7.2	5.0	--	5.7	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	6.3	9.0	4.1	--	6.1	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	10.3	13.6	7.5	--	10.0	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	6.2	8.6	4.3	--	5.4	--	--	4.3	5.1	3.5	--	4.4	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	46.0	56.5	52.1	51.9	47.1	59.7	51.8	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	52.5	60.1	58.3	55.5	52.9	65.6	56.7	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	60.6	62.8	63.0	61.1	62.2	66.6	61.8	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	49.7	56.8	53.8	53.8	50.1	61.8	53.6	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	47.9	53.5	50.7	51.6	48.9	57.3	50.9	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	37.1	41.6	41.0	38.4	39.6	45.1	39.6	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	30.7	35.0	36.9	29.6	32.6	37.9	33.0	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	63.8	71.9	70.4	66.7	63.5	79.6	68.2	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early substance use and perceived risk of harm for Bradford County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early substance use</b>																		
Try alcohol	--	21.5	--	--	29.6	--	--	29.0	--	--	8.9	--	--	12.5	--	--	16.9	--
Drink monthly	--	7.1	--	--	7.1	--	--	7.8	--	--	2.5	--	--	6.0	--	--	2.4	--
Smoke cigarettes	--	19.2	--	--	14.4	--	--	10.5	--	--	4.7	--	--	6.7	--	--	6.0	--
Smoke marijuana	--	15.6	--	--	19.3	--	--	16.6	--	--	3.4	--	--	10.2	--	--	6.3	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	2.1	--	--	11.3	--	--	10.3	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	1.9	--	--	7.4	--	--	6.2	--
<b>Great risk of harm</b>																		
Daily alcohol use	43.1	37.7	40.4	29.8	30.8	30.3	43.9	32.6	37.7	48.4	46.5	47.5	51.0	41.6	45.9	46.0	56.5	51.8
5+ drinks daily	50.8	51.0	50.9	44.7	40.7	42.4	50.9	44.9	47.6	59.6	44.5	51.9	62.9	52.2	57.1	52.5	60.1	56.7
Daily cigarette use	65.4	62.9	64.1	57.6	63.3	60.9	59.9	64.3	62.3	65.1	69.7	67.4	68.3	67.5	67.9	60.6	62.8	61.8
Vaping nicotine	--	--	--	--	--	--	--	--	--	47.0	50.9	49.0	47.2	43.4	45.1	49.7	56.8	53.6
Vaping marijuana	--	--	--	--	--	--	--	--	--	51.8	45.6	48.7	58.0	43.9	50.4	47.9	53.5	50.9
Marijuana weekly	49.1	33.5	41.2	47.3	14.8	28.7	46.9	18.4	31.1	50.4	36.7	43.4	51.4	25.0	37.1	37.1	41.6	39.6
Try marijuana	36.4	22.5	29.4	37.5	10.4	22.0	41.6	18.8	29.1	36.8	27.3	32.0	41.6	17.9	28.8	30.7	35.0	33.0
Prescription drugs	71.7	67.7	69.7	63.1	62.6	62.8	67.9	66.0	66.9	68.8	65.9	67.3	71.2	79.8	75.9	63.8	71.9	68.2

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 8. Percentages of Bradford County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Think it would be wrong to...</i></b>														
Smoke cigarettes	94.9	90.3	92.6	92.0	95.5	89.2	92.3	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	90.8	83.6	88.2	85.2	90.1	83.1	86.7	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	90.6	80.3	84.4	85.9	90.7	78.5	84.8	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	91.5	83.6	88.3	86.6	91.0	82.1	87.0	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	94.5	81.7	87.5	87.9	94.7	78.6	87.3	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	97.5	96.5	96.4	97.4	97.7	97.3	96.9	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<b><i>Friends think it would be wrong to...</i></b>														
1 or 2 drinks nearly every day	91.4	88.4	88.5	90.6	92.1	84.9	89.7	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	92.2	90.6	87.9	94.3	93.5	87.0	91.3	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	89.0	84.3	84.2	89.1	89.7	79.7	86.4	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	89.4	85.4	83.8	90.1	89.7	81.5	87.1	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	91.1	87.0	86.4	91.0	91.5	83.4	88.8	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	92.4	95.0	92.1	95.4	92.5	94.0	93.8	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<b><i>Parents think it would be wrong to...</i></b>														
Daily alcohol use	96.2	93.3	94.9	94.4	94.9	95.2	94.7	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	97.6	96.0	97.6	96.1	96.0	97.0	96.8	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	93.9	87.6	91.1	91.0	93.5	87.3	90.5	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	97.0	94.4	95.1	97.1	95.4	97.0	95.6	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol “--” indicates that data are not available.

**Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Bradford County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Think it wrong</b>																		
Smoke cigarettes	91.4	78.8	84.7	93.3	82.0	86.9	92.7	84.2	88.0	90.9	94.8	93.0	96.5	99.2	97.9	94.9	90.3	92.3
Drink regularly	83.9	64.3	73.6	84.5	53.3	67.0	84.4	57.3	69.6	83.3	75.2	79.1	90.0	73.5	81.1	90.8	83.6	86.7
Smoke marijuana	84.5	65.0	74.2	86.8	52.9	67.7	82.5	52.5	66.0	86.4	73.7	79.8	93.8	80.3	86.5	90.6	80.3	84.8
Vape nicotine	--	--	--	--	--	--	--	--	--	82.3	77.8	79.9	92.0	78.9	84.9	91.5	83.6	87.0
Vape marijuana	--	--	--	--	--	--	--	--	--	87.1	77.6	82.1	94.5	85.2	89.4	94.5	81.7	87.3
Other illicit drugs	95.4	91.4	93.3	97.5	93.6	95.3	93.9	95.1	94.6	96.9	95.8	96.3	98.9	99.2	99.0	97.5	96.5	96.9
<b>Friends think it wrong</b>																		
Daily alcohol use	87.1	73.4	80.1	90.0	69.4	78.4	87.5	71.3	78.5	89.0	80.6	84.7	86.9	86.9	86.9	91.4	88.4	89.7
Smoke tobacco	91.2	76.9	83.9	91.8	80.4	85.3	92.4	75.9	83.3	89.0	87.4	88.2	89.7	90.2	90.0	92.2	90.6	91.3
Smoke marijuana	83.3	63.0	72.9	87.5	54.0	68.5	87.1	56.9	70.1	85.9	69.6	77.5	88.4	72.2	79.6	89.0	84.3	86.4
Vape nicotine	--	--	--	--	--	--	--	--	--	78.9	68.8	73.7	83.8	74.0	78.5	89.4	85.4	87.1
Vape marijuana	--	--	--	--	--	--	--	--	--	88.5	72.2	80.2	87.5	80.3	83.6	91.1	87.0	88.8
Use Prescription drugs	96.0	90.6	93.2	95.2	92.1	93.4	95.3	91.1	93.0	95.9	92.1	94.0	92.2	94.8	93.6	92.4	95.0	93.8
<b>Parents think it wrong</b>																		
Daily alcohol use	96.2	92.7	94.5	98.1	93.4	95.5	97.1	91.8	94.2	97.0	94.5	95.7	95.1	93.2	94.1	96.2	93.3	94.7
Smoke tobacco	98.7	91.8	95.3	99.3	92.9	95.8	99.0	96.7	97.7	98.8	98.7	98.8	98.1	100.0	99.1	97.6	96.0	96.8
Smoke marijuana	94.8	91.3	93.1	94.5	85.5	89.5	91.5	85.3	88.1	95.5	95.7	95.6	97.9	91.3	94.3	93.9	87.6	90.5
Use prescription drugs	100.0	95.3	97.7	99.3	95.8	97.4	99.2	98.5	98.9	97.7	98.2	97.9	96.9	98.5	97.8	97.0	94.4	95.6

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Bradford County and Florida Statewide youth, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	7.9	9.6	6.4	--	7.9	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	5.7	11.7	0.0	--	5.7	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	72.2	78.7	66.1	--	72.2	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	3.5	0.0	6.9	--	3.5	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	1.6	0.0	3.2	--	1.6	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	9.0	0.0	17.5	--	9.0	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Among high school drinkers, usual drinking location within the past 30 days, Bradford County and Florida Statewide youth, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	38.5	29.9	47.7	--	38.5	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	40.8	52.8	28.0	--	40.8	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	8.9	17.3	0.0	--	8.9	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	3.1	0.0	6.5	--	3.1	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	8.6	0.0	17.8	--	8.6	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Bradford County and Florida Statewide youth, 2024

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	14.0	9.0	19.1	--	14.0	--	--	33.2	34.8	30.9	--	33.2	--
2	--	8.8	5.5	12.1	--	8.8	--	--	23.0	25.2	20.0	--	23.0	--
3	--	16.3	0.0	32.7	--	16.3	--	--	17.8	17.8	17.6	--	17.8	--
4	--	15.4	21.0	9.8	--	15.4	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	45.5	64.6	26.3	--	45.5	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Bradford County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	5.5	3.9	6.0	3.4	4.3	5.9	4.6	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	2.3	2.8	2.8	2.4	1.4	4.6	2.6	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.6	4.3	2.1	2.8	1.0	6.1	3.0	1.8	2.2	2.3	1.8	1.7	2.4	2.1

**Table 14. Percentages of Bradford County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.7	10.9	3.7	15.9	8.3	14.6	10.4	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	1.9	3.1	2.0	2.1	1.2	4.7	2.5	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.4	2.4	1.3	2.6	1.6	2.7	1.9	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	2.3	0.9	0.6	2.5	1.2	2.3	1.6	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	23.0	19.1	15.0	26.8	22.8	17.7	21.0	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	9.0	4.2	6.1	6.9	7.5	6.3	6.4	8.4	4.3	5.4	6.7	8.0	4.5	6.0



**Table 15. Trends in delinquent behaviors for Bradford County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.3	6.1	6.7	7.5	9.5	8.6	9.2	13.0	11.2	7.8	7.1	7.4	7.4	9.4	8.4	9.7	10.9	10.4
Selling drugs	3.9	4.3	4.1	1.6	3.2	2.5	3.7	9.8	7.1	2.2	4.8	3.5	0.7	2.7	1.7	1.9	3.1	2.5
Attempting to steal a vehicle	2.1	5.0	3.5	0.7	2.5	1.7	2.6	1.9	2.2	1.8	3.1	2.4	1.5	0.5	1.0	1.4	2.4	1.9
Being arrested	2.7	4.4	3.5	2.0	3.0	2.6	2.4	3.3	2.9	2.6	4.4	3.5	4.4	1.2	2.7	2.3	0.9	1.6
Taking a handgun to school	0.7	0.0	0.3	0.2	1.8	1.1	3.3	0.8	1.9	0.2	2.1	1.1	0.7	0.0	0.3	0.0	0.0	0.0
Getting suspended	16.4	8.4	12.5	9.1	10.0	9.6	11.8	9.6	10.6	19.7	14.4	17.0	18.2	19.8	19.0	23.0	19.1	21.0
Attacking someone with intent to harm	8.2	2.2	5.3	4.6	7.7	6.3	4.7	7.4	6.2	7.3	4.2	5.7	7.1	5.2	6.1	9.0	4.2	6.4

**Table 16. Percentages of Bradford County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	27.1	14.5	26.8	13.9	23.4	17.7	20.0	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	38.1	20.6	36.0	21.4	35.0	24.1	28.3	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	29.5	15.1	27.6	15.9	26.3	20.1	21.5	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	41.5	26.5	43.9	23.3	35.8	31.0	33.2	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<b><i>Suicide (past 12 months)</i></b>														
Seriously considered attempting suicide	13.5	5.1	12.7	5.5	12.0	7.0	9.0	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	9.3	6.4	10.4	5.3	8.2	8.7	7.8	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	9.6	4.1	8.5	4.7	8.0	6.1	6.6	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	2.2	0.8	2.1	0.9	1.9	1.3	1.5	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Bradford County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	16.0	11.8	19.9	8.0	14.6	14.6	13.6	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	49.5	24.3	34.6	35.9	44.5	26.1	35.1	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	67.5	44.3	60.2	49.3	65.0	43.7	54.2	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	28.4	26.5	38.5	17.6	27.1	27.0	27.3	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	22.3	16.2	15.9	21.6	21.5	15.2	18.9	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	31.9	29.7	23.5	37.3	30.1	29.3	30.7	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	10.7	12.7	11.2	12.5	9.3	14.2	11.9	14.6	12.5	14.6	12.2	14.4	12.8	13.4

**Table 18. Percentages of Bradford County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	8.4	8.3	8.7	--	9.8	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	7.7	7.1	8.4	--	8.0	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	4.2	7.7	1.1	--	5.0	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	36.2	41.1	32.7	--	39.4	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	4.5	8.3	1.1	--	5.3	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	20.4	20.3	18.9	--	24.9	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	21.3	25.5	17.7	--	23.8	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	29.8	33.6	24.8	--	34.2	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	24.7	26.1	23.9	--	28.6	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	9.8	11.9	8.1	--	12.7	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

**Table 19. Number of adverse childhood experiences (ACEs) reported by Bradford County and Florida Statewide high school youth, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	45.3	39.9	51.0	--	45.3	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	21.5	24.2	19.5	--	21.5	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	6.5	4.4	6.6	--	6.5	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	7.6	9.1	6.3	--	7.6	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	7.9	9.9	6.3	--	7.9	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	5.0	5.4	4.8	--	5.0	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	1.8	0.0	3.5	--	1.8	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	2.5	4.3	1.0	--	2.5	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.2	0.5	0.0	--	0.2	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	1.7	2.4	1.1	--	1.7	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

**Table 20. Percentages of Bradford County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	24.8	24.1	28.0	21.1	23.8	27.5	24.4	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	29.5	24.6	28.3	25.8	28.8	27.8	26.8	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	26.3	19.8	25.0	20.8	25.4	22.1	22.8	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	26.2	21.8	23.2	24.6	25.4	22.9	23.8	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	37.1	21.2	32.2	24.8	33.6	22.1	28.4	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	48.9	32.6	47.8	31.7	46.1	32.5	40.0	47.0	34.8	48.8	31.2	46.1	34.9	39.9

**Table 21. Percentages of Bradford County and Florida Statewide youth who reported participation in extracurricular activities, 2024**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	43.1	38.6	39.8	40.8	44.1	34.6	40.6	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	43.7	25.0	29.2	35.9	45.8	23.3	33.1	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	13.9	13.9	14.4	13.6	12.6	13.9	13.9	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	15.1	29.8	27.2	20.3	14.8	34.7	23.4	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	9.0	14.7	13.5	11.1	7.7	18.5	12.2	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Bradford County and Florida Statewide youth, 2024

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.8	12.0	17.5	--	14.1	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	19.1	23.1	15.7	--	21.3	--	--	14.8	16.7	13.0	--	14.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	8.0	4.4	11.3	--	6.9	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	8.4	9.2	7.9	--	8.1	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.



Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Bradford County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	14.8	--	--	24.3	--	--	17.7	--	--	12.7	--	--	10.8	--	--	14.8	--
Marijuana	--	21.4	--	--	23.8	--	--	30.3	--	--	14.0	--	--	19.0	--	--	19.1	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	5.3	--	--	8.2	--	--	10.7	--	--	1.3	--	--	4.1	--	--	8.0	--
Marijuana	--	12.9	--	--	12.6	--	--	20.5	--	--	7.2	--	--	3.9	--	--	8.4	--

Note: The symbol "--" indicates that data are not available.

**Table 24. Protective factor prevalence rates for Bradford County, Florida Statewide youth, and the national normative database, 2024**

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	48	57	55	58	59	54
	Family Rewards for Prosocial Involvement	42	53	49	52	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	36	56	49	62	57	60
	School Rewards for Prosocial Involvement	40	62	45	57	53	58
<b>Peer and Individual</b>	Religiosity	45	62	43	54	56	62
<b>Average Prevalence Rate</b>		<b>42</b>	<b>58</b>	<b>48</b>	<b>57</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rates for Bradford County, Florida Statewide youth, and the national normative database, 2024**

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	54	21	40	25	42	42
	Perceived Availability of Drugs	44	10	30	13	45	45
	Perceived Availability of Handguns	33	25	24	29	25	42
<b>Family</b>	Poor Family Management	54	47	47	35	44	45
	Family Conflict	37	17	40	30	42	37
<b>School</b>	Poor Academic Performance	52	49	45	45	45	48
	Lack of Commitment to School	79	55	76	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	53	37	54	38	40	46
	Favorable Attitudes toward ATOD Use	34	19	27	22	39	45
	Early Initiation of Drug Use	24	16	19	11	41	46
<b>Average Prevalence Rate</b>		<b>46</b>	<b>30</b>	<b>40</b>	<b>32</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Bradford County, 2014 to 2024

Domain		Bradford County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	56	63	57	55	55	48
	Family Rewards for Prosocial Involvement	51	58	48	47	50	42
School	School Opportunities for Prosocial Involvement	49	48	47	47	47	36
	School Rewards for Prosocial Involvement	43	44	34	37	48	40
Peer and Individual	Religiosity	50	58	52	53	42	45
Average Prevalence Rate		50	54	48	48	48	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among middle school students for Bradford County, 2014 to 2024**

Domain		Bradford County					
Scale		2014	2016	2018	2020	2022	2024
<b>Community</b>	Laws and Norms Favorable to Drug Use	49	42	46	39	43	54
	Perceived Availability of Drugs	41	33	31	28	31	44
	Perceived Availability of Handguns	33	30	23	24	31	33
<b>Family</b>	Poor Family Management	45	48	43	47	47	54
	Family Conflict	38	29	33	37	42	37
<b>School</b>	Poor Academic Performance	51	45	41	41	44	52
	Lack of Commitment to School	57	64	61	64	67	79
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	40	35	39	47	45	53
	Favorable Attitudes toward ATOD Use	36	38	36	38	32	34
	Early Initiation of Drug Use	31	27	28	32	22	24
<b>Average Prevalence Rate</b>		<b>42</b>	<b>39</b>	<b>38</b>	<b>40</b>	<b>40</b>	<b>46</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Bradford County, 2014 to 2024

Domain		Bradford County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	60	58	55	55	64	57
	Family Rewards for Prosocial Involvement	57	50	49	47	58	53
School	School Opportunities for Prosocial Involvement	55	46	53	60	58	56
	School Rewards for Prosocial Involvement	58	48	41	57	57	62
Peer and Individual	Religiosity	62	64	62	55	58	62
Average Prevalence Rate		58	53	52	55	59	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 29. Risk factor prevalence rate trends among high school students for Bradford County, 2014 to 2024**

Domain		Bradford County					
Scale		2014	2016	2018	2020	2022	2024
<b>Community</b>	Laws and Norms Favorable to Drug Use	33	40	39	36	28	21
	Perceived Availability of Drugs	31	26	26	17	15	10
	Perceived Availability of Handguns	36	46	34	34	32	25
<b>Family</b>	Poor Family Management	38	47	55	38	26	47
	Family Conflict	29	34	31	28	21	17
<b>School</b>	Poor Academic Performance	54	48	51	57	43	49
	Lack of Commitment to School	51	63	66	69	67	55
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	28	45	36	29	31	37
	Favorable Attitudes toward ATOD Use	39	44	48	24	20	19
	Early Initiation of Drug Use	28	34	34	14	15	16
<b>Average Prevalence Rate</b>		<b>37</b>	<b>43</b>	<b>42</b>	<b>35</b>	<b>30</b>	<b>30</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.