

2024 Florida Youth Substance Abuse Survey

Baker County Data Tables

Table 1. Major demographic characteristics of surveyed Baker County and Florida Statewide, 2024

	Baker County			Florida Statewide	
	N	%		N	%
Sex					
Female	323	50.9		21,747	48.6
Male	302	47.6		22,711	50.7
Race/Ethnic group					
African American	81	12.8		9,493	21.2
American Indian	24	3.8		426	1.0
Asian	8	1.3		653	1.5
Hispanic/Latino	15	2.4		10,394	23.2
Native Hawaiian/Pacific Islander	2	0.3		41	0.1
Other/Multiple	90	14.2		7,299	16.3
White, non-Hispanic	406	63.9		16,109	36.0
Parent/Guardian in the Military					
No	534	84.1		38,723	86.5
Yes	88	13.9		5,679	12.7
Age					
11	48	7.6		2,499	5.6
12	84	13.2		5,938	13.3
13	103	16.2		6,288	14.0
14	92	14.5		6,501	14.5
15	97	15.3		6,784	15.2
16	97	15.3		6,743	15.1
17	71	11.2		6,358	14.2
18	37	5.8		3,252	7.3
Grade					
6th	118	18.6		6,126	13.7
7th	109	17.2		6,468	14.5
8th	77	12.1		6,341	14.2
9th	92	14.5		6,696	15.0
10th	106	16.7		6,738	15.1
11th	76	12.0		6,266	14.0
12th	57	9.0		6,121	13.7
Middle School	304	47.9		18,934	42.3
High School	331	52.1		25,821	57.7
Total	635	100.0		44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Baker County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	33.3	41.6	40.0	36.3	31.5	43.6	37.9	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	14.7	14.6	14.3	--	15.7	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	10.1	12.0	12.5	10.2	9.0	11.6	11.2	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	19.8	30.4	31.5	20.3	17.4	34.3	25.8	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	11.7	17.4	19.7	10.2	9.9	18.9	15.0	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	12.0	17.8	19.8	10.9	10.6	18.4	15.3	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	3.4	2.8	4.1	--	2.2	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	5.5	3.2	3.6	4.9	4.4	3.9	4.2	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	1.0	1.2	0.2	2.1	0.9	0.1	1.1	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.2	2.8	2.0	2.3	1.0	2.8	2.1	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	1.1	1.1	0.2	2.1	0.9	0.7	1.1	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	1.0	0.5	0.1	1.4	0.3	0.8	0.7	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	1.7	0.0	1.3	0.2	1.5	0.0	0.7	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	0.9	2.1	0.7	2.3	0.7	2.2	1.5	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	0.2	1.3	0.2	1.3	0.2	1.6	0.8	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	1.2	1.6	0.9	2.0	0.4	2.9	1.4	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.1	0.2	0.0	--	0.1	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	10.2	11.0	9.7	--	10.7	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	0.4	0.8	0.0	--	0.5	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	19.0	24.8	26.4	18.3	16.4	26.9	22.3	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	8.5	9.6	7.5	11.0	6.4	12.0	9.1	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	19.3	23.1	19.0	24.4	19.6	23.8	21.4	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	38.2	47.3	45.0	42.2	35.9	49.9	43.3	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	5.0	6.2	4.9	6.7	4.6	6.6	5.7	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Baker County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	14.1	22.3	22.1	15.4	13.9	22.1	18.7	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	5.3	14.2	9.9	11.0	4.2	15.6	10.3	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	1.2	4.3	2.4	3.5	1.1	3.6	2.9	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	9.0	13.7	15.8	7.5	7.4	16.1	11.7	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	3.3	9.5	6.8	6.6	2.3	11.1	6.8	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	4.4	10.5	7.8	7.8	3.3	12.6	7.9	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	2.3	1.6	3.1	--	1.4	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	0.8	1.0	0.5	1.4	0.7	0.4	0.9	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	1.1	0.7	0.1	1.6	0.9	0.0	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	1.3	0.4	0.5	1.1	1.0	0.6	0.8	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.9	1.1	0.0	2.0	0.8	0.5	1.0	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.8	0.0	0.0	0.7	0.0	0.8	0.3	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.7	0.0	0.4	0.2	0.6	0.0	0.3	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.9	0.4	0.6	0.7	0.7	0.7	0.6	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.1	0.6	0.0	0.7	0.1	0.8	0.4	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.9	0.3	0.5	0.7	0.1	1.2	0.6	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	7.6	13.4	10.8	10.7	5.6	16.1	10.9	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	3.4	3.0	1.8	4.5	2.3	3.8	3.2	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	10.3	14.0	14.5	10.7	11.2	12.0	12.4	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	17.9	26.8	25.3	20.6	16.7	27.9	22.9	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	3.7	5.1	3.3	5.7	2.7	6.3	4.5	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Baker County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	33.7	54.0	44.5	31.9	48.9	41.4	33.0	53.5	44.2	--	52.2	--	24.2	52.8	40.7	33.3	41.6	37.9
Blacking Out	--	23.2	--	--	19.0	--	--	20.9	--	--	22.8	--	--	18.9	--	--	14.7	--
Cigarettes	19.6	27.4	23.7	20.5	27.0	24.1	16.4	28.5	22.9	--	20.5	--	6.4	18.1	13.1	10.1	12.0	11.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	49.4	--	17.4	40.7	31.1	19.8	30.4	25.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	30.1	--	5.8	20.9	14.8	11.7	17.4	15.0
Marijuana or Hashish	8.1	26.7	18.1	13.9	28.2	21.8	12.6	32.3	23.3	--	37.0	--	7.9	27.9	19.6	12.0	17.8	15.3
Synthetic Marijuana	--	8.0	--	--	2.8	--	--	2.0	--	--	3.5	--	--	4.5	--	--	3.4	--
Inhalants	8.9	5.5	7.1	8.6	3.7	5.9	10.1	3.8	6.7	--	6.0	--	3.0	3.9	3.6	5.5	3.2	4.2
Club Drugs	1.2	4.5	3.0	1.9	1.9	1.9	0.5	2.6	1.6	--	2.7	--	0.1	1.8	1.1	1.0	1.2	1.1
LSD, PCP or Mushrooms	1.4	5.5	3.6	2.5	3.4	3.0	0.2	3.5	2.0	--	3.7	--	0.2	3.5	2.2	1.2	2.8	2.1
Methamphetamine	0.6	2.5	1.6	1.4	1.3	1.3	0.2	1.4	0.8	--	0.5	--	0.2	1.3	0.8	1.1	1.1	1.1
Cocaine or Crack	1.9	3.4	2.7	2.1	3.6	3.0	1.1	3.3	2.3	--	2.3	--	0.0	1.6	0.9	1.0	0.5	0.7
Heroin	0.0	2.5	1.3	0.9	0.6	0.7	0.0	0.9	0.5	--	0.8	--	0.2	0.3	0.3	0.0	0.0	0.0
Prescription Depressants	3.0	4.9	4.0	2.6	4.3	3.6	3.6	5.3	4.5	--	6.3	--	0.7	4.5	2.9	1.7	0.0	0.7
Prescription Pain Relievers	3.6	5.7	4.7	3.5	4.9	4.3	2.6	5.2	4.0	--	5.4	--	1.4	5.1	3.5	0.9	2.1	1.5
Prescription Amphetamines	1.9	3.7	2.8	2.1	4.1	3.2	0.9	3.8	2.5	--	3.8	--	1.0	4.5	3.0	0.2	1.3	0.8
Over-the-Counter Drugs	3.2	3.7	3.5	3.2	6.8	5.2	4.0	3.6	3.8	--	4.4	--	0.6	3.4	2.2	1.2	1.6	1.4
Needle to Inject Drugs	--	--	--	--	1.1	--	--	1.1	--	--	0.7	--	--	0.3	--	--	0.1	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.2	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.4	--
Any illicit drug	18.1	32.9	26.0	21.9	34.0	28.6	23.3	35.7	30.0	--	43.7	--	11.3	33.3	24.0	19.0	24.8	22.3
Any illicit drug other than marijuana	14.0	15.2	14.7	13.6	14.8	14.3	15.1	14.3	14.7	--	18.0	--	4.7	14.5	10.4	8.5	9.6	9.1
Alcohol only	20.7	23.6	22.3	16.3	20.2	18.5	17.3	23.8	20.9	--	15.6	--	15.7	23.7	20.3	19.3	23.1	21.4
Alcohol or any illicit drug	38.7	56.2	48.0	37.7	53.9	46.6	40.1	59.6	50.7	--	58.7	--	27.0	56.8	44.2	38.2	47.3	43.3
Any illicit drug, but no alcohol	5.5	2.6	3.9	6.0	5.5	5.7	8.0	6.1	7.0	--	7.2	--	2.9	4.4	3.8	5.0	6.2	5.7

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Baker County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	14.9	29.2	22.5	17.0	24.4	21.2	14.7	29.6	22.8	--	28.6	--	8.8	23.6	17.3	14.1	22.3	18.7
Binge Drinking	7.5	16.8	12.4	7.7	16.3	12.5	6.6	15.4	11.4	--	15.4	--	5.5	17.4	12.3	5.3	14.2	10.3
Cigarettes	5.2	12.9	9.3	4.3	6.9	5.7	3.8	7.7	5.9	--	4.5	--	0.1	2.6	1.6	1.2	4.3	2.9
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	28.1	--	9.5	24.3	18.2	9.0	13.7	11.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	16.2	--	2.8	11.6	8.0	3.3	9.5	6.8
Marijuana or Hashish	4.6	13.0	9.1	5.7	15.8	11.3	8.7	20.1	14.9	--	21.9	--	3.5	15.5	10.6	4.4	10.5	7.9
Synthetic Marijuana	--	1.9	--	--	1.1	--	--	1.2	--	--	0.9	--	--	1.0	--	--	2.3	--
Inhalants	3.3	2.6	2.9	3.9	2.2	3.0	3.3	1.5	2.3	--	2.1	--	0.0	1.3	0.8	0.8	1.0	0.9
Club Drugs	0.5	1.4	1.0	1.0	1.0	1.0	0.1	1.0	0.6	--	0.8	--	0.0	0.7	0.4	1.1	0.7	0.9
LSD, PCP or Mushrooms	0.7	2.7	1.8	1.1	1.5	1.3	0.1	2.2	1.2	--	0.9	--	0.0	0.3	0.2	1.3	0.4	0.8
Methamphetamine	0.2	1.8	1.1	1.4	1.3	1.4	0.1	1.5	0.9	--	0.1	--	0.0	0.5	0.3	0.9	1.1	1.0
Cocaine or Crack	0.4	1.4	0.9	1.5	2.2	1.9	0.1	1.7	1.0	--	0.8	--	0.0	0.0	0.0	0.8	0.0	0.3
Heroin	0.0	0.4	0.2	1.0	0.0	0.4	0.0	0.4	0.2	--	0.1	--	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	1.0	2.4	1.8	1.7	2.0	1.9	1.1	2.2	1.7	--	2.4	--	0.8	0.8	0.8	0.7	0.0	0.3
Prescription Pain Relievers	0.9	1.6	1.3	1.6	2.1	1.9	0.7	3.3	2.1	--	2.1	--	0.1	2.0	1.2	0.9	0.4	0.6
Prescription Amphetamines	1.0	1.3	1.2	1.5	1.3	1.4	0.6	1.2	0.9	--	1.8	--	0.0	1.6	0.9	0.1	0.6	0.4
Over-the-Counter Drugs	1.8	1.9	1.9	1.3	3.6	2.6	2.2	1.3	1.7	--	2.2	--	0.5	1.4	1.0	0.9	0.3	0.6
Any illicit drug	10.3	16.6	13.7	11.2	20.7	16.4	13.3	22.2	18.1	--	28.6	--	5.4	19.0	13.3	7.6	13.4	10.9
Any illicit drug other than marijuana	6.3	7.3	6.8	7.8	8.6	8.3	6.5	8.1	7.4	--	7.7	--	1.4	5.4	3.7	3.4	3.0	3.2
Alcohol only	10.7	17.7	14.5	9.6	13.3	11.6	5.7	16.9	11.8	--	10.9	--	4.9	12.5	9.3	10.3	14.0	12.4
Alcohol or any illicit drug	20.3	33.7	27.4	20.3	32.7	27.1	18.7	38.9	29.6	--	39.1	--	10.5	30.6	22.1	17.9	26.8	22.9
Any illicit drug, but no alcohol	6.1	4.8	5.4	3.3	8.2	6.0	3.9	9.5	7.0	--	10.4	--	1.9	7.7	5.3	3.7	5.1	4.5

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Baker County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	19.9	16.0	24.1	--	20.3	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	2.3	2.3	2.2	--	1.5	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	8.9	7.8	10.2	--	7.4	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	9.8	9.1	10.7	--	9.8	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	13.3	14.1	12.8	--	14.3	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	5.4	5.7	5.2	--	5.5	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	48.3	39.9	43.8	44.1	47.0	42.2	43.5	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	62.9	47.3	55.8	52.7	63.2	48.1	54.2	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	60.5	58.1	59.5	59.7	60.6	60.1	59.1	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	50.7	42.0	43.6	48.5	50.9	42.6	45.9	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	57.1	39.7	44.3	50.3	57.8	39.5	47.4	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	42.8	26.3	29.8	36.8	42.9	27.7	33.6	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	24.1	17.8	17.5	23.2	23.2	19.3	20.6	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	71.1	65.9	74.2	62.5	71.1	67.6	68.1	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Baker County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	24.8	--	--	19.7	--	--	18.5	--	--	21.9	--	--	22.1	--	--	19.9	--
Drink monthly	--	6.8	--	--	4.5	--	--	4.1	--	--	4.6	--	--	4.8	--	--	2.3	--
Smoke cigarettes	--	15.4	--	--	12.0	--	--	14.6	--	--	11.8	--	--	12.2	--	--	8.9	--
Smoke marijuana	--	9.4	--	--	9.4	--	--	10.3	--	--	10.5	--	--	10.2	--	--	9.8	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	11.7	--	--	17.7	--	--	13.3	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	5.1	--	--	6.9	--	--	5.4	--
Great risk of harm																		
Daily alcohol use	37.2	36.2	36.7	43.2	29.5	35.6	45.4	32.3	38.4	--	37.3	--	46.4	36.3	40.5	48.3	39.9	43.5
5+ drinks daily	50.1	45.6	47.7	58.5	47.8	52.6	58.0	40.3	48.5	--	46.0	--	56.8	41.9	48.2	62.9	47.3	54.2
Daily cigarette use	62.7	66.9	64.9	69.6	62.6	65.8	66.1	59.5	62.6	--	68.7	--	72.3	58.0	64.0	60.5	58.1	59.1
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	40.7	--	51.7	32.2	40.4	50.7	42.0	45.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	36.3	--	53.0	30.3	39.7	57.1	39.7	47.4
Marijuana weekly	51.8	36.0	43.5	51.0	27.1	37.9	43.6	20.7	31.3	--	23.7	--	45.6	23.9	33.0	42.8	26.3	33.6
Try marijuana	35.9	25.8	30.5	35.4	21.8	27.9	34.9	18.2	25.8	--	17.3	--	26.7	15.4	20.2	24.1	17.8	20.6
Prescription drugs	73.0	74.0	73.6	73.1	65.8	69.1	66.4	66.8	66.6	--	70.4	--	70.2	66.6	68.1	71.1	65.9	68.1

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Baker County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	96.2	87.6	93.3	89.2	95.9	89.5	91.4	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	80.6	67.9	76.4	70.0	81.4	69.6	73.5	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	88.5	77.3	82.4	81.9	89.4	78.3	82.2	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	88.6	81.8	85.2	84.1	88.7	82.6	84.8	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	89.0	82.0	85.0	84.6	90.0	82.9	85.0	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	96.9	94.2	97.6	93.1	96.7	95.5	95.4	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	87.6	78.9	85.8	79.7	88.0	77.1	82.8	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	90.7	84.0	88.0	85.6	91.1	82.4	87.0	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	86.9	75.4	80.4	80.4	88.3	74.3	80.5	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	83.3	74.0	76.2	79.5	84.0	72.4	78.1	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	85.7	77.0	80.9	80.3	87.3	75.8	80.9	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	97.1	93.1	95.8	93.9	97.4	91.7	94.9	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	96.6	90.9	94.6	92.2	96.9	92.0	93.4	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	99.4	97.8	98.2	98.8	99.5	98.1	98.5	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	96.2	90.2	92.5	92.9	97.2	91.3	92.8	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	98.8	99.0	99.6	98.2	98.9	99.4	98.9	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol “--” indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Baker County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	92.9	79.1	85.6	93.2	82.9	87.5	93.0	79.2	85.6	--	85.5	--	96.9	84.1	89.5	96.2	87.6	91.4
Drink regularly	84.3	62.8	72.9	78.6	66.2	71.7	80.7	57.0	68.0	--	58.7	--	88.1	58.3	70.9	80.6	67.9	73.5
Smoke marijuana	91.3	71.3	80.8	86.0	70.8	77.6	84.3	57.1	69.8	--	58.3	--	90.6	64.8	75.8	88.5	77.3	82.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	67.4	--	90.4	68.2	77.7	88.6	81.8	84.8
Vape marijuana	--	--	--	--	--	--	--	--	--	--	64.4	--	93.0	70.4	80.0	89.0	82.0	85.0
Other illicit drugs	98.7	93.9	96.2	97.7	94.4	95.8	99.5	91.0	95.0	--	93.4	--	97.4	91.3	93.9	96.9	94.2	95.4
<i>Friends think it wrong</i>																		
Daily alcohol use	85.0	66.9	75.4	82.8	74.7	78.3	86.5	73.1	79.2	--	73.3	--	89.4	71.8	79.3	87.6	78.9	82.8
Smoke tobacco	88.1	72.9	80.0	90.3	82.9	86.2	90.4	77.9	83.6	--	79.2	--	93.3	76.2	83.5	90.7	84.0	87.0
Smoke marijuana	90.0	69.0	78.9	85.9	66.8	75.3	82.7	59.3	70.1	--	56.8	--	90.1	62.6	74.3	86.9	75.4	80.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	60.1	--	87.6	61.6	72.7	83.3	74.0	78.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	61.3	--	90.3	66.7	76.8	85.7	77.0	80.9
Use Prescription drugs	97.3	91.9	94.5	95.4	93.0	94.1	94.9	91.5	93.1	--	90.7	--	95.3	91.5	93.1	97.1	93.1	94.9
<i>Parents think it wrong</i>																		
Daily alcohol use	95.8	88.2	91.8	94.8	93.5	94.1	97.8	92.2	94.7	90.9	90.2	90.3	98.2	86.9	91.6	96.6	90.9	93.4
Smoke tobacco	98.4	92.6	95.3	96.8	96.1	96.4	99.3	95.4	97.2	100.0	94.0	94.1	99.0	94.6	96.5	99.4	97.8	98.5
Smoke marijuana	98.2	87.9	92.8	94.3	91.7	92.4	95.3	86.4	90.5	90.9	82.7	82.7	98.2	85.2	90.7	96.2	90.2	92.8
Use prescription drugs	97.9	96.8	97.3	97.3	98.5	98.0	98.2	97.1	97.6	90.9	94.4	94.4	98.3	96.3	97.1	98.8	99.0	98.9

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Baker County and Florida Statewide youth, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	15.4	10.9	19.5	--	15.4	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	4.6	3.6	5.5	--	4.6	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	6.8	7.7	6.0	--	6.8	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	40.3	43.5	37.5	--	40.3	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	10.3	5.1	14.9	--	10.3	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	22.6	29.3	16.6	--	22.6	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Baker County and Florida Statewide youth, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	36.6	29.8	42.5	--	36.6	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	48.3	52.2	45.0	--	48.3	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	3.0	6.4	0.0	--	3.0	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	5.7	6.0	5.4	--	5.7	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	2.3	0.0	4.3	--	2.3	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	4.1	5.6	2.9	--	4.1	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Baker County and Florida Statewide youth, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	27.9	32.4	24.0	--	27.9	--	--	33.2	34.8	30.9	--	33.2	--
2	--	20.6	13.6	26.6	--	20.6	--	--	23.0	25.2	20.0	--	23.0	--
3	--	11.5	19.9	4.4	--	11.5	--	--	17.8	17.8	17.6	--	17.8	--
4	--	8.4	11.8	5.5	--	8.4	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	31.5	22.2	39.5	--	31.5	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Baker County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.5	4.0	4.5	4.1	4.1	3.1	4.2	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	7.4	7.6	9.0	6.2	6.0	8.2	7.5	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	2.2	0.5	1.1	1.4	1.7	0.9	1.2	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Baker County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	12.6	10.6	6.7	16.2	10.4	12.1	11.5	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.3	3.6	1.2	3.1	0.2	3.4	2.1	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.5	1.5	0.8	2.2	1.3	1.0	1.5	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	3.1	2.2	2.1	3.2	1.8	2.1	2.6	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.1	0.9	0.0	1.1	0.1	0.2	0.5	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	16.1	10.4	8.3	16.9	15.0	10.0	12.9	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	8.5	5.2	5.0	8.1	6.8	4.7	6.7	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Baker County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	10.1	10.0	10.0	11.6	9.1	10.2	13.2	11.1	12.1	--	13.3	--	12.1	11.5	11.8	12.6	10.6	11.5
Selling drugs	1.7	6.0	4.0	2.8	6.6	4.9	2.0	9.0	5.7	--	6.2	--	0.8	5.5	3.5	0.3	3.6	2.1
Attempting to steal a vehicle	1.1	2.9	2.1	2.7	0.6	1.6	0.7	2.3	1.6	--	2.2	--	0.3	0.8	0.6	1.5	1.5	1.5
Being arrested	2.1	3.8	3.0	4.8	2.2	3.4	1.2	3.6	2.5	--	4.0	--	1.5	2.4	2.0	3.1	2.2	2.6
Taking a handgun to school	0.3	2.4	1.4	0.9	0.5	0.7	0.2	1.6	0.9	--	0.9	--	0.3	0.4	0.4	0.1	0.9	0.5
Getting suspended	6.8	10.6	8.8	15.3	9.9	12.3	15.9	8.1	11.8	--	19.5	--	12.2	14.4	13.5	16.1	10.4	12.9
Attacking someone with intent to harm	4.8	9.3	7.2	9.7	6.1	7.7	7.0	7.0	7.0	--	6.5	--	7.4	8.8	8.2	8.5	5.2	6.7

Table 16. Percentages of Baker County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	35.1	26.9	38.7	22.3	32.9	29.1	30.5	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	52.8	42.5	58.4	35.5	51.5	42.8	47.0	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	34.5	26.4	37.5	21.6	32.6	27.9	30.0	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	52.7	41.0	55.9	35.4	50.1	43.7	46.1	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<i>Suicide (past 12 months)</i>														
Seriously considered attempting suicide	16.1	14.7	18.5	11.2	15.5	14.2	15.3	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	10.9	10.4	12.0	8.3	10.4	11.3	10.6	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	7.4	4.9	7.1	4.6	7.4	4.6	6.0	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.1	0.9	1.7	0.3	1.1	1.0	1.0	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Baker County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.5	10.3	16.7	4.1	10.0	11.3	10.4	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	43.1	29.8	34.7	36.0	41.5	31.5	35.6	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	65.6	53.9	64.8	53.1	65.0	56.9	59.0	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	31.1	28.8	40.1	20.3	28.8	32.9	29.8	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	25.6	16.6	16.4	25.1	22.5	18.7	20.6	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	42.3	34.1	35.7	39.7	40.0	36.4	37.8	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	21.0	16.9	20.5	17.1	18.7	20.2	18.7	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Baker County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	13.0	16.6	9.1	--	12.5	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	6.8	8.9	5.0	--	6.8	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	7.5	11.2	4.0	--	6.0	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	40.5	42.2	38.0	--	40.9	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	7.2	8.0	5.8	--	5.6	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	30.7	34.4	27.0	--	30.3	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	34.2	43.2	25.5	--	33.7	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	33.8	34.9	32.8	--	33.4	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	25.3	29.9	20.5	--	26.3	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	7.9	8.5	7.4	--	8.8	--	--	6.2	7.2	5.3	--	6.4	--

Table 19. Number of adverse childhood experiences (ACEs) reported by Baker County and Florida Statewide high school youth, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	35.4	31.3	39.5	--	35.4	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	18.6	17.2	20.2	--	18.6	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	14.7	13.1	15.9	--	14.7	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	6.9	9.5	4.3	--	6.9	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	7.3	7.1	7.7	--	7.3	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	5.5	8.4	2.8	--	5.5	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	6.9	6.4	6.7	--	6.9	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	3.2	4.3	2.2	--	3.2	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	1.0	1.3	0.7	--	1.0	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.7	1.4	0.0	--	0.7	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 20. Percentages of Baker County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	36.1	30.0	32.9	32.0	34.0	29.6	32.6	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	32.6	19.7	24.6	26.1	27.8	23.4	25.2	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	27.2	28.7	28.0	28.5	26.9	27.1	28.1	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	30.3	28.3	24.4	34.2	27.6	29.0	29.1	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	33.2	28.3	34.7	26.6	31.4	28.1	30.4	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	50.8	34.6	50.8	32.8	48.3	35.0	41.7	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Baker County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	29.9	40.0	32.4	38.9	33.3	37.1	35.5	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	38.3	18.5	29.1	25.7	36.5	19.3	27.2	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	16.1	7.6	10.7	12.2	14.7	7.9	11.3	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	31.9	41.0	44.1	30.6	36.8	37.6	37.0	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	10.5	8.8	12.7	6.8	10.4	9.2	9.6	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Baker County and Florida Statewide youth, 2024

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	18.4	18.7	18.5	--	19.2	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	16.2	22.3	10.8	--	18.0	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	6.0	6.5	5.7	--	3.9	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	5.6	6.9	4.5	--	6.2	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Baker County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	20.5	--	--	25.1	--	--	19.9	--	--	26.7	--	--	18.5	--	--	18.4	--
Marijuana	--	25.0	--	--	23.4	--	--	27.7	--	--	30.9	--	--	23.3	--	--	16.2	--
<i>Driving a vehicle</i>																		
Alcohol	--	12.0	--	--	8.4	--	--	10.1	--	--	10.7	--	--	9.3	--	--	6.0	--
Marijuana	--	10.3	--	--	10.3	--	--	15.8	--	--	16.7	--	--	10.6	--	--	5.6	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Baker County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Baker County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	50	60	55	58	59	54
	Family Rewards for Prosocial Involvement	40	52	49	52	54	55
School	School Opportunities for Prosocial Involvement	49	47	49	62	57	60
	School Rewards for Prosocial Involvement	39	55	45	57	53	58
Peer and Individual	Religiosity	49	66	43	54	56	62
Average Prevalence Rate		45	56	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Baker County, Florida Statewide youth, and the national normative database, 2024

Domain		Baker County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	51	41	40	25	42	42
	Perceived Availability of Drugs	38	16	30	13	45	45
	Perceived Availability of Handguns	32	45	24	29	25	42
Family	Poor Family Management	50	40	47	35	44	45
	Family Conflict	41	29	40	30	42	37
School	Poor Academic Performance	44	43	45	45	45	48
	Lack of Commitment to School	84	73	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	60	46	54	38	40	46
	Favorable Attitudes toward ATOD Use	45	30	27	22	39	45
	Early Initiation of Drug Use	31	17	19	11	41	46
Average Prevalence Rate		48	38	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Baker County, 2014 to 2024

Domain		Baker County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	57	59	48	--	59	50
	Family Rewards for Prosocial Involvement	53	50	45	--	48	40
School	School Opportunities for Prosocial Involvement	44	52	55	--	58	49
	School Rewards for Prosocial Involvement	57	50	47	--	49	39
Peer and Individual	Religiosity	57	56	62	--	57	49
Average Prevalence Rate		54	53	51	--	54	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Baker County, 2014 to 2024

Domain		Baker County					
Scale		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	46	49	55	--	43	51
	Perceived Availability of Drugs	43	51	43	--	33	38
	Perceived Availability of Handguns	39	46	45	--	36	32
Family	Poor Family Management	47	41	52	--	41	50
	Family Conflict	36	38	47	--	38	41
School	Poor Academic Performance	49	47	41	--	38	44
	Lack of Commitment to School	59	57	64	--	69	84
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	43	43	41	--	48	60
	Favorable Attitudes toward ATOD Use	40	44	45	--	34	45
	Early Initiation of Drug Use	35	35	34	--	25	31
Average Prevalence Rate		44	45	47	--	41	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Baker County, 2014 to 2024

Domain		Baker County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	61	61	58	55	59	60
	Family Rewards for Prosocial Involvement	56	57	52	49	53	52
School	School Opportunities for Prosocial Involvement	63	57	52	66	57	47
	School Rewards for Prosocial Involvement	63	59	56	61	57	55
Peer and Individual	Religiosity	74	67	68	66	58	66
Average Prevalence Rate		63	60	57	59	57	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Baker County, 2014 to 2024

Domain		Baker County					
Scale		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	40	34	38	40	38	41
	Perceived Availability of Drugs	34	26	29	26	18	16
	Perceived Availability of Handguns	51	50	47	51	47	45
Family	Poor Family Management	44	40	37	38	37	40
	Family Conflict	30	24	30	38	32	29
School	Poor Academic Performance	42	41	39	46	46	43
	Lack of Commitment to School	60	61	60	60	69	73
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	29	38	37	46	46
	Favorable Attitudes toward ATOD Use	39	37	43	44	41	30
	Early Initiation of Drug Use	28	24	26	25	23	17
Average Prevalence Rate		41	37	39	40	40	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.