

2024 Florida Youth Substance Abuse Survey

Collier County Data Tables

Table 1. Major demographic characteristics of surveyed Collier County and Florida Statewide, 2024

	Collier County			Florida Statewide	
	N	%		N	%
Sex					
Female	565	50.5		21,747	48.6
Male	543	48.5		22,711	50.7
Race/Ethnic group					
African American	117	10.5		9,493	21.2
American Indian	18	1.6		426	1.0
Asian	16	1.4		653	1.5
Hispanic/Latino	484	43.3		10,394	23.2
Native Hawaiian/Pacific Islander	0	0.0		41	0.1
Other/Multiple	201	18.0		7,299	16.3
White, non-Hispanic	274	24.5		16,109	36.0
Parent/Guardian in the Military					
No	1,011	90.3		38,723	86.5
Yes	98	8.8		5,679	12.7
Age					
11	92	8.2		2,499	5.6
12	181	16.2		5,938	13.3
13	184	16.4		6,288	14.0
14	163	14.6		6,501	14.5
15	143	12.8		6,784	15.2
16	152	13.6		6,743	15.1
17	138	12.3		6,358	14.2
18	63	5.6		3,252	7.3
Grade					
6th	211	18.9		6,126	13.7
7th	171	15.3		6,468	14.5
8th	185	16.5		6,341	14.2
9th	137	12.2		6,696	15.0
10th	156	13.9		6,738	15.1
11th	127	11.3		6,266	14.0
12th	132	11.8		6,121	13.7
Middle School	567	50.7		18,934	42.3
High School	552	49.3		25,821	57.7
Total	1,119	100.0		44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Collier County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	19.4	42.4	37.1	28.9	21.8	41.3	32.8	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	11.7	12.4	11.2	--	13.5	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	3.6	5.7	4.2	5.5	3.6	6.3	4.8	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	6.1	18.1	19.1	7.7	6.6	19.3	13.3	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	2.8	15.6	14.5	6.7	3.4	16.7	10.5	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	3.1	16.7	13.1	9.3	3.2	18.1	11.2	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	1.6	2.7	0.5	--	2.0	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	5.2	6.3	6.0	5.6	6.2	6.3	5.8	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.6	0.5	0.2	0.8	0.3	0.8	0.5	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.8	2.7	2.0	2.5	1.4	3.7	2.3	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.6	0.4	0.4	0.4	0.6	0.5	0.5	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.6	0.5	0.4	0.7	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.2	0.0	0.0	0.1	0.1	0.0	0.1	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	1.0	2.4	2.4	1.3	1.1	2.6	1.8	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	1.3	1.1	0.8	1.6	1.4	1.0	1.2	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	2.3	2.5	1.9	3.0	2.6	2.7	2.4	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	1.6	0.9	1.4	1.0	1.7	0.9	1.2	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.5	0.2	0.9	--	0.4	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	9.3	10.5	8.1	--	10.4	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.3	1.9	0.7	--	1.7	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	10.3	26.0	22.4	16.6	11.9	26.8	19.5	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	8.7	12.1	10.6	10.4	9.5	13.0	10.7	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	14.3	21.5	19.9	17.3	15.8	19.1	18.5	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	24.5	47.4	42.0	34.0	27.3	45.9	37.9	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	5.3	5.6	5.2	5.6	5.8	5.1	5.5	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Collier County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	7.5	17.5	12.9	13.6	8.5	18.0	13.4	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	2.6	7.1	4.6	6.0	2.1	8.1	5.2	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.4	1.1	0.0	1.6	0.4	1.0	0.8	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	1.8	8.0	7.3	3.6	1.6	8.5	5.5	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	0.4	4.3	2.8	2.7	0.3	4.9	2.8	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	0.9	5.9	3.9	3.9	0.8	6.3	3.9	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.5	0.0	1.1	--	0.7	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	1.9	1.7	1.6	1.5	2.4	1.4	1.8	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.3	0.0	0.0	0.2	0.0	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.2	0.4	0.2	0.4	0.2	0.5	0.3	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.3	0.5	0.3	0.6	0.2	0.7	0.4	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.4	0.0	0.0	0.3	0.4	0.0	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.2	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.4	0.9	0.7	0.7	0.3	1.2	0.7	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.7	1.0	0.6	1.2	0.9	0.7	0.9	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.8	0.6	0.2	1.2	0.7	0.7	0.7	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.5	0.3	0.0	0.8	0.4	0.5	0.4	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	4.1	8.5	6.5	6.5	4.3	8.7	6.7	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	3.8	3.2	3.1	3.4	4.1	3.1	3.4	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	5.4	12.5	9.4	9.7	6.5	12.5	9.6	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	9.8	20.9	15.8	16.5	10.9	21.2	16.3	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	2.5	3.9	3.2	3.3	2.7	3.7	3.3	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Collier County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	21.9	56.2	41.7	21.5	53.4	39.7	20.6	45.7	34.7	23.3	47.5	37.0	19.5	42.2	32.6	19.4	42.4	32.8
Blacking Out	--	20.3	--	--	17.1	--	--	15.5	--	--	15.0	--	--	11.7	--	--	11.7	--
Cigarettes	7.3	24.5	17.2	6.3	16.6	12.1	6.5	13.2	10.3	2.7	10.1	6.9	2.5	8.0	5.6	3.6	5.7	4.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	13.3	28.7	22.2	8.5	23.7	17.5	6.1	18.1	13.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	5.4	21.8	14.9	3.7	17.2	11.7	2.8	15.6	10.5
Marijuana or Hashish	6.1	32.8	21.6	4.5	29.3	18.5	6.4	23.5	16.0	6.3	27.4	18.5	3.0	19.9	13.0	3.1	16.7	11.2
Synthetic Marijuana	--	8.7	--	--	4.9	--	--	4.8	--	--	5.4	--	--	2.9	--	--	1.6	--
Inhalants	7.6	4.6	5.8	6.9	5.0	5.8	9.6	3.9	6.4	7.8	6.6	7.1	6.5	3.9	4.9	5.2	6.3	5.8
Club Drugs	0.8	4.6	3.0	1.7	3.3	2.6	0.9	1.7	1.4	0.6	2.5	1.7	0.3	0.7	0.5	0.6	0.5	0.5
LSD, PCP or Mushrooms	0.6	5.5	3.4	1.9	7.8	5.2	1.5	5.7	3.8	1.4	5.1	3.5	1.0	3.9	2.7	1.8	2.7	2.3
Methamphetamine	0.2	2.4	1.5	1.0	0.8	0.9	1.7	0.9	1.2	0.4	1.1	0.8	0.9	0.9	0.9	0.6	0.4	0.5
Cocaine or Crack	0.7	4.9	3.2	0.9	4.0	2.7	0.6	1.6	1.2	0.6	2.5	1.7	0.8	1.2	1.0	0.6	0.5	0.5
Heroin	0.2	1.3	0.8	0.9	0.8	0.9	0.6	0.6	0.6	0.2	0.6	0.4	0.0	0.3	0.2	0.2	0.0	0.1
Prescription Depressants	1.4	5.6	3.8	1.7	6.7	4.5	3.0	8.2	5.9	2.2	5.9	4.3	1.5	3.8	2.8	1.0	2.4	1.8
Prescription Pain Relievers	2.9	6.6	5.1	3.1	6.0	4.7	2.3	6.1	4.4	2.7	2.3	2.5	2.1	3.2	2.8	1.3	1.1	1.2
Prescription Amphetamines	1.5	5.6	3.9	1.1	6.2	4.0	1.2	4.2	2.9	2.6	6.0	4.5	0.9	4.0	2.7	2.3	2.5	2.4
Over-the-Counter Drugs	2.5	6.6	4.9	3.3	4.7	4.1	5.3	5.4	5.4	0.7	4.3	2.7	1.9	2.9	2.5	1.6	0.9	1.2
Needle to Inject Drugs	--	--	--	--	0.7	--	--	0.9	--	--	1.2	--	--	0.5	--	--	0.5	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.3	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.3	--
Any illicit drug	15.0	39.3	29.0	13.7	34.5	25.5	16.0	29.2	23.4	16.2	34.4	26.5	13.0	25.5	20.2	10.3	26.0	19.5
Any illicit drug other than marijuana	11.4	21.3	17.1	12.2	19.1	16.1	14.3	16.6	15.6	11.8	15.8	14.0	11.1	13.0	12.2	8.7	12.1	10.7
Alcohol only	12.9	22.8	18.7	14.6	23.1	19.5	11.2	20.6	16.5	12.7	20.5	17.1	12.1	22.4	18.0	14.3	21.5	18.5
Alcohol or any illicit drug	27.5	61.8	47.3	28.0	57.5	44.7	27.0	50.1	40.0	28.6	55.0	43.6	24.4	47.3	37.7	24.5	47.4	37.9
Any illicit drug, but no alcohol	5.9	5.7	5.8	7.0	4.2	5.4	6.6	4.8	5.6	5.4	7.8	6.7	5.4	5.8	5.6	5.3	5.6	5.5

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Collier County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	7.3	29.6	20.2	7.3	29.4	19.9	8.4	20.5	15.2	7.9	19.5	14.5	5.6	17.7	12.6	7.5	17.5	13.4
Binge Drinking	2.6	15.0	9.7	2.0	12.6	8.1	3.5	11.7	8.1	2.8	9.9	6.8	1.6	7.2	4.8	2.6	7.1	5.2
Cigarettes	1.1	7.3	4.7	0.1	4.8	2.8	1.0	2.8	2.0	0.2	1.5	0.9	0.2	1.5	0.9	0.4	1.1	0.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	4.2	13.7	9.7	3.7	10.8	7.9	1.8	8.0	5.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	3.1	11.0	7.6	2.4	10.0	6.9	0.4	4.3	2.8
Marijuana or Hashish	3.7	16.4	11.0	2.2	15.6	9.7	2.7	13.9	8.9	3.9	14.6	10.0	1.6	10.4	6.8	0.9	5.9	3.9
Synthetic Marijuana	--	1.1	--	--	0.9	--	--	2.4	--	--	2.6	--	--	1.1	--	--	0.5	--
Inhalants	1.9	1.0	1.4	2.7	0.9	1.7	3.4	1.6	2.4	3.2	2.7	2.9	2.0	1.2	1.5	1.9	1.7	1.8
Club Drugs	0.3	1.3	0.9	0.8	0.6	0.7	0.2	0.4	0.3	0.2	1.4	0.9	0.2	0.1	0.2	0.3	0.0	0.1
LSD, PCP or Mushrooms	0.1	0.9	0.6	0.1	2.1	1.2	0.0	1.9	1.1	0.2	2.0	1.2	0.5	0.5	0.5	0.2	0.4	0.3
Methamphetamine	0.0	1.2	0.7	0.8	0.1	0.4	1.1	0.3	0.7	0.2	0.5	0.4	0.6	0.7	0.7	0.3	0.5	0.4
Cocaine or Crack	0.3	1.6	1.1	0.6	0.7	0.7	0.3	0.2	0.3	0.2	1.0	0.7	0.3	0.1	0.2	0.4	0.0	0.2
Heroin	0.1	0.1	0.1	0.5	0.1	0.3	0.0	0.5	0.3	0.2	0.1	0.1	0.0	0.3	0.2	0.2	0.0	0.1
Prescription Depressants	0.6	1.5	1.1	0.6	2.4	1.6	1.4	2.3	1.9	0.2	2.0	1.2	0.3	1.3	0.9	0.4	0.9	0.7
Prescription Pain Relievers	1.1	2.6	2.0	1.4	2.6	2.1	0.8	1.4	1.1	0.8	1.1	1.0	0.3	1.1	0.8	0.7	1.0	0.9
Prescription Amphetamines	0.4	3.1	2.0	0.7	1.8	1.3	0.2	1.6	1.0	0.9	2.6	1.9	0.3	1.5	1.0	0.8	0.6	0.7
Over-the-Counter Drugs	1.1	3.0	2.2	2.0	1.4	1.7	2.5	1.7	2.1	0.0	2.0	1.1	0.4	0.8	0.6	0.5	0.3	0.4
Any illicit drug	6.8	21.8	15.4	6.1	18.2	12.9	8.4	17.2	13.3	7.9	18.9	14.1	5.2	13.7	10.1	4.1	8.5	6.7
Any illicit drug other than marijuana	4.1	10.4	7.7	5.4	7.3	6.5	7.2	7.2	7.2	4.9	6.7	5.9	3.7	4.1	4.0	3.8	3.2	3.4
Alcohol only	3.9	15.0	10.3	4.7	16.4	11.3	6.6	10.2	8.6	4.8	9.9	7.7	3.9	10.5	7.7	5.4	12.5	9.6
Alcohol or any illicit drug	10.3	36.2	25.2	10.6	33.7	23.6	14.7	26.6	21.4	12.7	28.6	21.7	9.1	24.0	17.8	9.8	20.9	16.3
Any illicit drug, but no alcohol	2.8	6.8	5.1	3.5	4.7	4.2	6.2	6.3	6.2	4.9	9.3	7.4	3.7	6.5	5.3	2.5	3.9	3.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Collier County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	13.2	17.3	9.3	--	12.7	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	1.4	1.8	1.1	--	1.1	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	2.4	2.1	2.6	--	2.9	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	5.3	6.2	4.3	--	6.1	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	7.6	9.8	5.6	--	7.9	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.6	5.4	3.8	--	5.3	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	52.1	45.4	50.1	45.7	51.0	47.0	48.1	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	64.3	55.5	62.8	55.6	65.3	54.2	59.2	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	64.9	64.0	65.4	63.5	64.5	65.4	64.4	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	56.1	39.1	46.6	45.5	54.5	38.9	46.1	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	59.2	38.5	46.2	47.7	57.5	38.3	47.1	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	48.8	30.9	37.4	38.6	47.0	32.7	38.3	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	30.8	19.9	21.5	26.7	30.0	20.3	24.4	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	68.3	67.0	70.6	64.5	69.5	66.2	67.6	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Collier County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	20.8	--	--	17.0	--	--	16.1	--	--	17.5	--	--	13.1	--	--	13.2	--
Drink monthly	--	3.9	--	--	2.7	--	--	1.5	--	--	3.1	--	--	1.7	--	--	1.4	--
Smoke cigarettes	--	11.3	--	--	6.8	--	--	5.5	--	--	5.5	--	--	2.9	--	--	2.4	--
Smoke marijuana	--	11.8	--	--	6.9	--	--	6.7	--	--	6.0	--	--	5.3	--	--	5.3	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	7.2	--	--	7.9	--	--	7.6	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	3.5	--	--	4.0	--	--	4.6	--
Great risk of harm																		
Daily alcohol use	48.9	36.2	41.6	50.4	42.8	46.1	49.7	46.6	47.9	50.1	42.0	45.5	52.8	41.2	46.1	52.1	45.4	48.1
5+ drinks daily	58.9	51.3	54.5	61.7	52.1	56.3	65.6	55.3	59.7	64.3	55.1	59.1	60.7	50.7	54.9	64.3	55.5	59.2
Daily cigarette use	70.6	68.5	69.4	74.1	69.5	71.5	70.5	69.5	70.0	69.0	62.3	65.2	65.6	60.6	62.7	64.9	64.0	64.4
Vaping nicotine	--	--	--	--	--	--	--	--	--	52.6	40.1	45.5	51.9	35.4	42.4	56.1	39.1	46.1
Vaping marijuana	--	--	--	--	--	--	--	--	--	56.8	36.4	45.3	57.3	30.8	41.9	59.2	38.5	47.1
Marijuana weekly	54.2	25.6	37.8	59.1	26.2	40.7	55.6	30.3	41.1	49.7	25.0	35.7	51.3	23.5	35.1	48.8	30.9	38.3
Try marijuana	39.1	16.3	26.0	40.6	15.9	26.7	39.6	20.6	28.8	32.8	18.6	24.8	31.9	13.0	21.0	30.8	19.9	24.4
Prescription drugs	70.8	71.5	71.2	71.1	69.6	70.3	67.6	67.9	67.8	73.3	63.9	68.0	66.7	67.4	67.1	68.3	67.0	67.6

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Collier County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	95.0	93.6	94.3	94.0	94.6	94.4	94.2	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	89.8	72.5	79.4	79.9	87.9	74.2	79.7	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	94.1	80.2	87.0	85.2	93.2	80.6	86.0	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	93.4	84.6	87.5	89.0	93.2	84.3	88.2	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	95.1	84.4	89.2	88.3	94.6	84.5	88.8	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	97.7	97.3	97.8	97.1	97.6	97.7	97.5	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	93.6	88.9	91.6	90.1	93.3	88.5	90.9	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	95.6	92.4	94.3	93.3	95.7	92.0	93.8	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	94.9	78.9	85.5	86.0	94.2	78.7	85.6	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	92.9	81.5	82.5	90.0	92.7	80.7	86.3	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	95.6	82.1	87.0	88.6	95.1	82.3	87.8	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	97.0	94.7	95.6	95.6	97.0	94.3	95.6	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	97.1	94.9	96.3	95.2	97.5	94.2	95.8	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	99.3	98.3	98.8	98.5	99.4	98.2	98.7	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	98.5	94.0	95.4	96.1	98.4	93.9	95.8	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	98.3	97.9	98.1	98.0	98.5	97.8	98.1	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Collier County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	96.7	82.9	88.8	97.3	88.2	92.1	96.7	91.2	93.5	97.2	91.9	94.2	98.0	93.3	95.3	95.0	93.6	94.2
Drink regularly	91.0	59.8	73.2	89.6	66.5	76.6	87.1	66.9	75.4	89.4	69.0	77.8	92.4	73.1	81.2	89.8	72.5	79.7
Smoke marijuana	92.0	61.4	74.6	92.1	65.2	76.9	90.7	66.8	76.9	92.6	68.8	79.0	94.8	72.8	82.0	94.1	80.2	86.0
Vape nicotine	--	--	--	--	--	--	--	--	--	91.8	82.3	86.4	94.5	82.5	87.5	93.4	84.6	88.2
Vape marijuana	--	--	--	--	--	--	--	--	--	93.3	78.2	84.7	96.4	77.4	85.3	95.1	84.4	88.8
Other illicit drugs	97.7	93.2	95.1	98.4	91.6	94.6	96.4	93.1	94.5	98.3	92.8	95.1	98.7	96.4	97.3	97.7	97.3	97.5
<i>Friends think it wrong</i>																		
Daily alcohol use	91.8	77.5	83.6	91.9	79.0	84.6	91.3	82.7	86.3	92.6	84.7	88.2	92.6	87.3	89.6	93.6	88.9	90.9
Smoke tobacco	96.6	83.7	89.2	95.9	85.5	90.0	93.5	92.4	92.9	96.7	91.8	93.9	97.4	90.0	93.2	95.6	92.4	93.8
Smoke marijuana	91.2	61.7	74.3	91.3	64.0	75.9	89.6	67.0	76.7	93.1	68.6	79.3	94.3	72.3	81.7	94.9	78.9	85.6
Vape nicotine	--	--	--	--	--	--	--	--	--	89.2	74.9	81.2	92.4	77.1	83.6	92.9	81.5	86.3
Vape marijuana	--	--	--	--	--	--	--	--	--	92.2	74.4	82.2	94.3	76.0	83.7	95.6	82.1	87.8
Use Prescription drugs	97.7	93.2	95.1	96.2	90.0	92.7	93.8	92.6	93.1	97.3	91.9	94.2	97.2	93.2	94.9	97.0	94.7	95.6
<i>Parents think it wrong</i>																		
Daily alcohol use	97.6	93.7	95.2	98.2	90.5	93.8	97.9	95.9	96.8	98.0	94.0	95.7	97.8	92.8	94.9	97.1	94.9	95.8
Smoke tobacco	99.2	93.8	96.0	99.1	95.7	97.2	98.7	98.8	98.7	99.5	97.4	98.3	99.3	98.0	98.5	99.3	98.3	98.7
Smoke marijuana	97.2	89.9	92.8	97.9	89.3	92.8	97.6	92.9	95.0	97.8	91.5	94.2	98.3	91.1	94.1	98.5	94.0	95.8
Use prescription drugs	98.4	97.4	97.8	99.4	96.7	97.9	97.1	97.9	97.5	98.6	97.1	97.7	98.6	97.8	98.1	98.3	97.9	98.1

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Collier County and Florida Statewide youth, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.7	9.3	8.1	--	8.7	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	1.2	2.2	0.0	--	1.2	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	1.5	0.0	3.1	--	1.5	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	5.2	6.5	3.8	--	5.2	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	44.8	46.2	43.2	--	44.8	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	12.4	10.9	14.2	--	12.4	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	26.2	25.0	27.6	--	26.2	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Collier County and Florida Statewide youth, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	35.8	31.2	41.1	--	35.8	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	25.6	30.1	20.5	--	25.6	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	6.6	0.0	14.1	--	6.6	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	6.1	8.9	2.9	--	6.1	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	8.5	16.0	0.0	--	8.5	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	6.9	2.5	11.8	--	6.9	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	10.5	11.3	9.6	--	10.5	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Collier County and Florida Statewide youth, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	29.2	26.0	32.8	--	29.2	--	--	33.2	34.8	30.9	--	33.2	--
2	--	22.2	22.1	22.2	--	22.2	--	--	23.0	25.2	20.0	--	23.0	--
3	--	18.1	23.2	12.2	--	18.1	--	--	17.8	17.8	17.6	--	17.8	--
4	--	11.0	12.6	9.1	--	11.0	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	19.6	16.0	23.6	--	19.6	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Collier County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.5	2.3	3.0	1.6	2.6	2.5	2.4	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	2.2	5.5	4.6	3.8	1.9	6.1	4.2	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.4	1.4	1.3	1.3	1.2	1.8	1.4	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Collier County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	5.0	5.8	3.5	7.3	5.2	5.0	5.5	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.9	1.0	0.7	0.9	0.8	1.3	0.9	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.1	0.0	0.4	0.5	0.9	0.0	0.4	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	1.4	0.6	0.5	1.1	1.4	0.6	0.9	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.7	0.0	0.1	0.2	0.6	0.0	0.3	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	13.2	5.6	6.3	11.1	12.0	6.1	8.7	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	6.8	2.5	3.2	5.2	6.7	2.1	4.2	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Collier County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.1	4.3	4.2	3.8	7.1	5.7	4.7	5.4	5.1	5.3	5.0	5.1	5.0	6.8	6.1	5.0	5.8	5.5
Selling drugs	1.5	6.8	4.6	1.1	7.3	4.7	2.7	5.6	4.3	1.6	5.6	3.9	1.4	3.1	2.4	0.9	1.0	0.9
Attempting to steal a vehicle	0.6	2.2	1.6	0.7	1.5	1.2	2.3	2.2	2.3	1.2	2.1	1.7	0.9	0.4	0.6	1.1	0.0	0.4
Being arrested	0.8	2.9	2.1	1.1	2.1	1.7	2.3	2.5	2.4	1.1	1.7	1.4	0.8	0.2	0.4	1.4	0.6	0.9
Taking a handgun to school	0.1	0.8	0.5	0.6	0.7	0.7	0.0	0.6	0.3	0.2	1.0	0.7	0.0	0.6	0.4	0.7	0.0	0.3
Getting suspended	5.1	7.5	6.5	6.4	9.3	8.1	7.5	5.6	6.5	10.4	7.8	8.9	8.6	7.2	7.8	13.2	5.6	8.7
Attacking someone with intent to harm	3.5	5.5	4.7	5.6	4.4	4.9	8.2	4.5	6.2	6.4	3.7	4.9	7.2	2.2	4.2	6.8	2.5	4.2

Table 16. Percentages of Collier County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	30.3	25.9	34.2	21.7	31.8	24.5	27.7	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	44.7	44.4	51.4	38.3	46.3	42.4	44.5	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	26.5	28.4	31.8	24.1	29.1	26.0	27.6	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	42.7	39.6	49.6	32.5	43.2	38.9	40.9	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<i>Suicide (past 12 months)</i>														
Seriously considered attempting suicide	14.1	12.4	16.6	9.6	15.6	11.5	13.1	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	12.8	7.7	12.1	7.4	12.8	7.7	9.7	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	7.3	4.7	8.3	3.2	7.9	4.2	5.8	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	2.1	0.9	1.8	1.0	2.3	0.7	1.4	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Collier County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.9	10.4	11.7	8.1	9.7	10.1	9.8	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	40.1	29.3	33.7	34.2	40.8	28.5	33.8	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	63.7	53.4	62.0	53.8	66.8	50.6	57.7	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	29.8	29.7	36.5	23.4	30.5	29.2	29.7	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	19.5	12.2	12.6	17.9	19.3	11.6	15.2	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	33.9	28.8	28.5	33.8	34.4	28.5	31.0	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	12.8	12.6	12.0	13.4	13.0	12.3	12.7	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Collier County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	16.3	23.9	9.0	--	15.8	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	10.7	11.7	9.8	--	9.8	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	5.5	6.9	4.3	--	6.4	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	38.6	42.0	35.0	--	39.0	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	7.8	10.0	5.7	--	9.2	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	24.9	28.7	20.8	--	25.1	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	29.2	36.4	21.7	--	30.2	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	20.1	21.1	18.9	--	22.0	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	26.2	33.0	19.6	--	24.2	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	6.9	10.2	3.6	--	6.7	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Collier County and Florida Statewide high school youth, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	35.0	26.1	43.8	--	35.0	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	23.6	23.7	23.7	--	23.6	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	14.7	17.1	12.4	--	14.7	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	8.6	10.0	7.3	--	8.6	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	5.8	6.8	4.4	--	5.8	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	4.0	5.0	3.1	--	4.0	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	2.7	3.6	1.8	--	2.7	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	2.6	4.1	1.2	--	2.6	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	1.9	2.7	1.2	--	1.9	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.2	0.4	0.0	--	0.2	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.8	0.4	1.1	--	0.8	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Collier County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	36.0	33.9	37.3	32.5	37.4	33.0	34.8	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	29.4	23.4	29.0	22.8	29.9	23.6	25.9	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	29.1	29.0	29.5	29.0	28.7	29.3	29.0	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	30.5	29.4	27.5	32.4	30.4	30.6	29.9	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	25.0	20.4	24.4	20.5	23.7	20.8	22.3	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	50.3	36.5	52.4	32.2	49.3	36.3	42.1	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Collier County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	34.7	44.5	39.8	40.7	34.8	44.6	40.4	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	43.3	19.6	26.6	32.4	40.3	21.2	29.6	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	18.7	11.9	19.6	10.2	19.5	10.1	14.8	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	13.6	31.6	31.0	17.6	15.8	29.7	24.0	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	5.8	9.3	9.7	6.0	5.7	10.1	7.8	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Collier County and Florida Statewide youth, 2024

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	12.2	14.3	10.1	--	12.2	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	13.2	14.2	12.2	--	13.0	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	1.5	1.2	1.9	--	2.0	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	4.1	3.9	4.2	--	4.3	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Collier County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	17.7	--	--	18.0	--	--	15.4	--	--	15.5	--	--	12.7	--	--	12.2	--
Marijuana	--	20.8	--	--	23.1	--	--	19.2	--	--	18.4	--	--	16.0	--	--	13.2	--
<i>Driving a vehicle</i>																		
Alcohol	--	6.0	--	--	6.5	--	--	4.1	--	--	5.7	--	--	2.8	--	--	1.5	--
Marijuana	--	9.2	--	--	10.8	--	--	9.3	--	--	9.0	--	--	6.6	--	--	4.1	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Collier County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Collier County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	58	56	55	58	59	54
	Family Rewards for Prosocial Involvement	48	51	49	52	54	55
School	School Opportunities for Prosocial Involvement	53	61	49	62	57	60
	School Rewards for Prosocial Involvement	49	57	45	57	53	58
Peer and Individual	Religiosity	45	57	43	54	56	62
Average Prevalence Rate		51	56	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Collier County, Florida Statewide youth, and the national normative database, 2024

Domain		Collier County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	37	31	40	25	42	42
	Perceived Availability of Drugs	35	13	30	13	45	45
	Perceived Availability of Handguns	22	29	24	29	25	42
Family	Poor Family Management	48	35	47	35	44	45
	Family Conflict	43	30	40	30	42	37
School	Poor Academic Performance	38	46	45	45	45	48
	Lack of Commitment to School	74	65	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	56	45	54	38	40	46
	Favorable Attitudes toward ATOD Use	29	24	27	22	39	45
	Early Initiation of Drug Use	18	12	19	11	41	46
Average Prevalence Rate		40	33	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Collier County, 2014 to 2024

Domain		Collier County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	60	61	48	54	50	58
	Family Rewards for Prosocial Involvement	57	58	41	49	46	48
School	School Opportunities for Prosocial Involvement	53	57	48	49	53	53
	School Rewards for Prosocial Involvement	56	50	42	45	46	49
Peer and Individual	Religiosity	47	48	45	44	33	45
Average Prevalence Rate		55	55	45	48	46	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Collier County, 2014 to 2024

Domain		Collier County					
Scale		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	31	34	40	39	34	37
	Perceived Availability of Drugs	41	36	39	31	33	35
	Perceived Availability of Handguns	23	23	24	21	21	22
Family	Poor Family Management	41	43	47	41	45	48
	Family Conflict	37	37	45	41	43	43
School	Poor Academic Performance	42	39	45	43	42	38
	Lack of Commitment to School	52	56	64	70	69	74
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	37	39	42	50	53	56
	Favorable Attitudes toward ATOD Use	31	28	33	34	28	29
	Early Initiation of Drug Use	20	20	22	20	17	18
Average Prevalence Rate		36	36	40	39	39	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Collier County, 2014 to 2024

Domain		Collier County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	60	57	58	56	53	56
	Family Rewards for Prosocial Involvement	55	58	53	51	47	51
School	School Opportunities for Prosocial Involvement	62	68	67	57	54	61
	School Rewards for Prosocial Involvement	60	61	53	49	56	57
Peer and Individual	Religiosity	59	54	55	50	49	57
Average Prevalence Rate		59	60	57	53	52	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Collier County, 2014 to 2024

Domain		Collier County					
Scale		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	30	31	27	28	32	31
	Perceived Availability of Drugs	31	31	30	22	15	13
	Perceived Availability of Handguns	34	33	33	28	28	29
Family	Poor Family Management	36	36	40	36	33	35
	Family Conflict	38	32	29	35	35	30
School	Poor Academic Performance	42	38	38	48	54	46
	Lack of Commitment to School	54	53	54	66	65	65
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	33	36	42	39	45
	Favorable Attitudes toward ATOD Use	39	34	33	31	30	24
	Early Initiation of Drug Use	24	21	19	19	10	12
Average Prevalence Rate		37	34	34	36	34	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.