

2024 Florida Youth Substance Abuse Survey

Franklin County Data Tables

Table 1. Major demographic characteristics of surveyed Franklin County and Florida Statewide, 2024

	Franklin County			Florida Statewide	
	N	%		N	%
Sex					
Female	51	43.6		21,747	48.6
Male	65	55.6		22,711	50.7
Race/Ethnic group					
African American	13	11.1		9,493	21.2
American Indian	3	2.6		426	1.0
Asian	0	0.0		653	1.5
Hispanic/Latino	8	6.8		10,394	23.2
Native Hawaiian/Pacific Islander	1	0.9		41	0.1
Other/Multiple	23	19.7		7,299	16.3
White, non-Hispanic	68	58.1		16,109	36.0
Parent/Guardian in the Military					
No	94	80.3		38,723	86.5
Yes	22	18.8		5,679	12.7
Age					
11	3	2.6		2,499	5.6
12	15	12.8		5,938	13.3
13	16	13.7		6,288	14.0
14	18	15.4		6,501	14.5
15	28	23.9		6,784	15.2
16	18	15.4		6,743	15.1
17	12	10.3		6,358	14.2
18	6	5.1		3,252	7.3
Grade					
6th	17	14.5		6,126	13.7
7th	17	14.5		6,468	14.5
8th	18	15.4		6,341	14.2
9th	22	18.8		6,696	15.0
10th	23	19.7		6,738	15.1
11th	13	11.1		6,266	14.0
12th	7	6.0		6,121	13.7
Middle School	52	44.4		18,934	42.3
High School	65	55.6		25,821	57.7
Total	117	100.0		44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Franklin County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	28.6	39.7	46.7	24.2	28.6	39.7	34.2	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	20.9	21.0	20.8	--	21.4	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	20.7	19.6	28.1	13.9	18.1	23.3	20.1	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	30.0	42.4	45.4	29.3	33.6	39.0	36.3	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	19.0	31.5	28.9	22.8	20.9	31.9	25.3	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	23.6	35.4	37.0	23.8	25.2	36.7	29.5	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	12.7	14.5	11.2	--	13.2	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	6.0	10.4	10.2	6.7	4.9	12.9	8.2	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.0	3.2	0.0	3.0	1.2	2.2	1.6	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	6.4	5.5	10.7	2.0	5.7	7.0	5.9	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	1.7	0.0	1.9	0.0	0.0	1.9	0.8	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	0.0	4.5	3.7	1.1	2.6	2.3	2.3	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	0.0	4.8	1.8	3.0	1.2	2.2	2.4	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	0.0	2.1	2.3	0.0	0.0	2.3	1.0	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	4.3	3.2	4.8	3.0	5.7	2.3	3.8	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	6.1	6.3	5.9	--	8.2	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	28.2	32.5	23.9	--	29.6	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.4	0.0	2.7	--	0.0	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	32.6	37.5	43.9	28.4	30.4	43.5	35.1	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	18.3	15.4	24.8	10.5	15.1	19.4	16.9	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	4.6	12.1	11.8	5.5	6.7	7.7	8.4	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	37.3	48.6	55.7	33.3	37.1	50.1	43.0	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	8.7	7.8	9.0	7.8	8.5	9.3	8.2	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Franklin County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	9.5	17.4	20.3	7.8	10.4	18.6	13.4	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	9.1	15.1	20.3	5.2	6.5	20.1	12.1	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.0	2.0	1.3	0.9	1.2	1.0	1.0	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	9.9	31.1	26.2	16.2	9.2	33.8	20.6	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	3.4	21.4	13.7	11.7	4.7	20.7	12.4	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	6.7	25.8	18.8	14.5	8.5	25.1	16.3	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	3.7	5.8	1.9	--	4.9	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	3.5	3.8	6.8	1.1	2.4	5.6	3.7	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.0	1.7	1.8	0.0	0.0	0.0	0.8	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	4.3	0.0	2.6	1.9	4.5	0.0	2.2	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	14.0	27.0	25.2	16.9	14.9	27.7	20.5	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	7.9	5.5	11.2	3.0	6.9	5.6	6.7	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	4.1	4.2	7.0	1.8	6.1	2.6	4.1	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	18.1	30.6	32.2	18.4	21.0	29.7	24.4	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	8.6	11.8	11.9	8.9	10.5	9.4	10.2	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Franklin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	26.4	70.8	47.4	40.8	59.1	50.3	23.2	43.3	34.0	21.7	46.5	33.2	29.4	46.4	37.3	28.6	39.7	34.2
Blacking Out	--	29.2	--	--	26.4	--	--	14.6	--	--	27.7	--	--	8.4	--	--	20.9	--
Cigarettes	24.8	54.0	38.7	21.1	42.0	31.6	15.2	24.7	20.3	13.3	39.2	25.3	21.9	12.7	17.6	20.7	19.6	20.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	14.3	49.6	30.4	32.6	37.0	34.6	30.0	42.4	36.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	12.0	37.6	23.6	23.9	18.9	21.7	19.0	31.5	25.3
Marijuana or Hashish	9.6	57.3	31.8	22.6	40.7	32.1	12.6	30.1	22.3	15.8	46.9	30.2	28.3	36.0	31.9	23.6	35.4	29.5
Synthetic Marijuana	--	25.9	--	--	11.0	--	--	1.5	--	--	11.9	--	--	6.7	--	--	12.7	--
Inhalants	9.7	16.8	13.0	7.7	9.1	8.4	15.3	10.3	12.6	2.0	7.1	4.4	12.7	5.9	9.6	6.0	10.4	8.2
Club Drugs	0.0	11.0	5.2	2.6	8.5	5.7	3.9	1.5	2.6	0.0	4.0	1.8	2.0	0.0	1.1	0.0	3.2	1.6
LSD, PCP or Mushrooms	0.0	9.4	4.4	5.2	9.8	7.5	0.0	0.8	0.4	0.0	5.3	2.4	9.0	3.2	6.3	6.4	5.5	5.9
Methamphetamine	0.0	4.4	2.1	0.0	2.5	1.3	3.9	0.8	2.2	1.5	3.7	2.5	0.0	0.4	0.2	0.0	0.0	0.0
Cocaine or Crack	0.0	14.8	7.0	0.0	3.7	1.9	2.5	0.8	1.6	0.0	5.8	2.6	2.7	0.7	1.8	0.0	0.0	0.0
Heroin	0.0	4.9	2.3	1.2	3.6	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	1.7	0.0	0.8
Prescription Depressants	3.0	20.7	11.3	4.3	17.3	11.0	0.0	0.8	0.4	0.0	16.0	7.3	2.5	0.5	1.5	0.0	4.5	2.3
Prescription Pain Relievers	4.6	13.3	8.7	3.4	14.4	9.2	1.6	4.9	3.4	3.7	4.8	4.2	1.8	2.1	1.9	0.0	4.8	2.4
Prescription Amphetamines	1.8	7.3	4.4	3.9	15.1	9.8	0.0	1.9	1.1	0.4	14.4	6.7	1.0	1.3	1.2	0.0	2.1	1.0
Over-the-Counter Drugs	2.1	9.5	5.5	2.6	16.9	10.0	3.5	11.9	8.4	1.4	8.5	4.6	2.4	0.0	1.3	4.3	3.2	3.8
Needle to Inject Drugs	--	--	--	--	4.7	--	--	10.3	--	--	0.0	--	--	1.2	--	--	6.1	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	28.2	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.4	--
Any illicit drug	21.8	60.4	39.8	27.5	45.3	36.7	25.6	32.0	29.1	20.0	58.8	37.8	35.3	41.7	38.3	32.6	37.5	35.1
Any illicit drug other than marijuana	15.5	32.2	23.3	16.1	31.6	24.1	17.5	17.0	17.3	9.0	30.8	18.9	23.0	11.4	17.6	18.3	15.4	16.9
Alcohol only	14.1	18.8	16.3	17.9	17.9	17.9	16.7	11.4	13.9	10.6	6.4	8.7	12.7	20.6	16.4	4.6	12.1	8.4
Alcohol or any illicit drug	36.2	79.5	56.6	44.2	63.1	53.8	41.1	44.6	43.0	29.7	66.6	46.8	48.0	62.0	54.6	37.3	48.6	43.0
Any illicit drug, but no alcohol	10.4	8.9	9.7	5.6	3.7	4.6	18.4	1.6	9.3	8.4	21.0	14.2	18.6	16.6	17.7	8.7	7.8	8.2

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Franklin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	14.3	44.8	28.7	22.2	30.2	26.3	5.5	24.4	15.6	9.1	20.9	14.5	14.8	14.3	14.6	9.5	17.4	13.4
Binge Drinking	5.5	22.3	13.3	7.6	17.9	12.9	5.7	21.4	14.8	7.6	15.5	11.2	3.3	9.1	6.0	9.1	15.1	12.1
Cigarettes	1.2	19.6	10.0	6.0	22.0	14.1	2.9	10.5	7.0	5.7	11.7	8.5	1.2	1.1	1.2	0.0	2.0	1.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	7.7	25.8	15.7	15.5	23.0	19.0	9.9	31.1	20.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	8.9	22.6	14.9	12.6	9.7	11.3	3.4	21.4	12.4
Marijuana or Hashish	4.1	30.4	16.4	14.1	22.0	18.2	2.6	17.7	10.7	10.1	32.0	20.2	15.4	14.0	14.8	6.7	25.8	16.3
Synthetic Marijuana	--	6.6	--	--	4.0	--	--	6.7	--	--	4.0	--	--	0.7	--	--	3.7	--
Inhalants	3.4	8.6	5.9	3.5	3.8	3.7	0.0	6.7	3.6	0.0	0.0	0.0	3.2	1.3	2.3	3.5	3.8	3.7
Club Drugs	0.0	7.0	3.3	1.3	1.0	1.2	0.0	0.8	0.4	0.0	1.6	0.7	0.0	1.3	0.6	0.0	0.0	0.0
LSD, PCP or Mushrooms	0.0	4.5	2.1	1.5	3.5	2.5	0.0	0.8	0.4	0.5	1.5	0.9	3.9	0.0	2.1	0.0	0.0	0.0
Methamphetamine	0.0	2.1	1.0	0.0	0.0	0.0	0.0	0.8	0.4	1.5	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	0.0	8.6	4.1	0.0	1.6	0.8	0.0	0.8	0.4	0.0	0.0	0.0	2.7	0.7	1.8	0.0	0.0	0.0
Heroin	0.0	2.5	1.1	1.3	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.0	0.0
Prescription Depressants	0.0	13.2	6.3	1.6	8.1	5.0	0.0	0.8	0.4	0.0	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Pain Relievers	1.4	9.1	5.0	2.1	2.4	2.3	1.5	2.0	1.8	1.5	2.5	2.0	1.8	0.0	1.0	0.0	1.7	0.8
Prescription Amphetamines	0.0	5.0	2.3	0.0	2.4	1.2	0.0	2.0	1.1	0.0	8.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0
Over-the-Counter Drugs	0.0	8.2	3.8	2.7	5.8	4.3	3.4	9.5	6.8	1.5	1.5	1.5	1.1	0.0	0.6	4.3	0.0	2.2
Any illicit drug	8.8	41.0	23.9	17.5	25.9	21.8	6.8	19.1	13.3	14.7	33.3	23.1	18.1	18.3	18.2	14.0	27.0	20.5
Any illicit drug other than marijuana	4.8	21.9	12.8	10.7	17.3	14.2	4.3	9.9	7.3	4.4	9.5	6.7	11.3	3.3	7.6	7.9	5.5	6.7
Alcohol only	8.4	16.5	12.2	6.1	8.8	7.6	5.6	8.7	7.3	2.5	1.4	2.0	6.6	4.5	5.6	4.1	4.2	4.1
Alcohol or any illicit drug	16.8	57.8	36.0	22.1	34.2	28.2	12.1	27.7	20.4	18.3	37.3	26.9	24.7	22.3	23.6	18.1	30.6	24.4
Any illicit drug, but no alcohol	2.8	13.4	7.8	1.0	4.2	2.7	6.8	3.7	5.1	9.9	17.0	13.2	10.0	8.5	9.3	8.6	11.8	10.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Franklin County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	29.6	25.0	33.8	--	28.8	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	9.1	8.3	9.9	--	9.4	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	13.7	15.7	11.9	--	12.9	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	25.5	27.5	23.7	--	27.3	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	25.4	30.7	20.6	--	26.6	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	27.1	28.3	25.9	--	25.6	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	44.8	38.5	50.4	35.0	39.8	41.4	41.6	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	54.6	53.0	57.6	49.3	57.1	45.4	53.8	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	59.9	70.9	65.0	65.0	66.2	63.3	65.5	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	50.7	47.1	51.0	48.3	52.3	41.4	48.9	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	51.3	42.4	53.6	42.3	54.1	34.7	46.8	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	45.2	34.4	43.7	34.8	45.4	32.4	39.7	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	32.5	35.2	37.5	31.5	34.1	31.3	33.8	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	54.1	67.0	56.7	65.6	53.3	66.1	60.6	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Franklin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	30.1	--	--	35.7	--	--	24.5	--	--	30.3	--	--	33.6	--	--	29.6	--
Drink monthly	--	7.9	--	--	11.4	--	--	13.7	--	--	8.6	--	--	1.4	--	--	9.1	--
Smoke cigarettes	--	33.4	--	--	23.1	--	--	19.7	--	--	27.1	--	--	10.8	--	--	13.7	--
Smoke marijuana	--	25.7	--	--	20.4	--	--	18.0	--	--	33.3	--	--	12.9	--	--	25.5	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	23.2	--	--	13.3	--	--	25.4	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	12.8	--	--	7.5	--	--	27.1	--
Great risk of harm																		
Daily alcohol use	39.4	25.8	32.9	31.5	32.6	32.0	48.5	29.7	38.5	50.1	27.9	39.3	37.7	44.3	40.7	44.8	38.5	41.6
5+ drinks daily	54.6	46.6	50.7	38.0	37.4	37.7	51.1	32.7	41.3	60.7	33.4	47.5	48.5	41.7	45.3	54.6	53.0	53.8
Daily cigarette use	64.1	56.3	60.3	55.1	56.7	55.9	67.8	56.9	61.9	67.3	51.1	59.5	60.6	66.7	63.5	59.9	70.9	65.5
Vaping nicotine	--	--	--	--	--	--	--	--	--	60.7	35.5	48.5	45.6	33.6	40.0	50.7	47.1	48.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	56.1	30.4	43.6	50.3	26.2	38.9	51.3	42.4	46.8
Marijuana weekly	56.5	13.4	35.6	39.3	15.9	27.6	51.3	19.7	34.4	52.2	15.6	34.4	28.4	16.8	22.9	45.2	34.4	39.7
Try marijuana	42.2	11.9	27.4	26.6	10.9	18.7	30.4	15.6	22.5	43.8	16.4	30.5	22.4	17.6	20.1	32.5	35.2	33.8
Prescription drugs	68.1	66.5	67.3	61.9	61.2	61.6	56.6	52.9	54.6	72.0	38.2	55.6	61.1	60.1	60.6	54.1	67.0	60.6

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Franklin County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	96.6	86.2	88.6	93.2	92.2	90.6	91.2	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	93.1	65.3	77.8	78.9	88.3	67.8	78.6	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	79.8	55.4	69.8	63.9	73.4	57.7	67.0	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	91.0	66.2	74.7	80.8	87.0	68.0	78.2	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	84.2	54.1	71.4	65.4	80.1	54.7	68.6	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	98.9	89.3	91.8	95.5	95.9	92.7	93.9	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	88.8	70.2	77.7	82.6	84.7	70.9	79.3	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	90.5	76.3	83.0	85.5	87.3	76.8	83.3	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	74.8	56.4	66.0	66.5	71.8	55.7	65.4	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	83.3	61.0	72.7	73.0	79.0	62.5	71.9	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	76.4	54.7	67.7	64.9	71.8	55.5	65.3	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	90.8	82.6	83.9	91.0	90.9	82.2	86.6	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	98.8	96.8	98.0	97.6	98.7	96.4	97.8	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	98.8	98.0	98.0	98.7	98.7	97.8	98.4	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	92.7	81.5	84.2	89.9	98.7	73.6	87.4	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	98.8	95.6	95.5	98.7	97.2	96.9	97.3	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Franklin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	85.5	71.4	78.8	92.3	68.5	80.4	94.0	83.9	88.7	93.9	54.2	75.0	88.5	89.9	89.1	96.6	86.2	91.2
Drink regularly	85.4	50.9	68.7	76.5	54.3	65.4	85.2	62.2	73.1	82.5	47.2	65.5	78.0	75.4	76.8	93.1	65.3	78.6
Smoke marijuana	81.4	50.9	66.6	84.0	45.2	64.7	90.5	50.9	69.8	83.2	32.3	58.2	78.3	60.1	69.8	79.8	55.4	67.0
Vape nicotine	--	--	--	--	--	--	--	--	--	93.6	48.9	72.0	86.9	71.9	79.9	91.0	66.2	78.2
Vape marijuana	--	--	--	--	--	--	--	--	--	89.3	41.3	66.1	83.9	63.6	74.4	84.2	54.1	68.6
Other illicit drugs	98.6	92.2	95.5	97.2	89.4	93.3	98.4	88.4	93.1	99.1	71.6	85.8	98.7	92.1	95.6	98.9	89.3	93.9
<i>Friends think it wrong</i>																		
Daily alcohol use	83.1	61.2	72.5	78.5	55.0	66.6	83.7	62.7	72.8	87.3	55.2	71.8	88.3	74.4	81.8	88.8	70.2	79.3
Smoke tobacco	88.0	69.5	79.1	87.8	71.2	79.5	94.1	70.9	82.1	93.7	50.2	72.7	90.8	89.1	90.0	90.5	76.3	83.3
Smoke marijuana	88.0	55.4	72.0	79.2	50.4	64.7	87.2	47.2	66.0	79.0	33.9	57.2	81.2	57.6	70.1	74.8	56.4	65.4
Vape nicotine	--	--	--	--	--	--	--	--	--	85.0	42.5	64.5	81.8	66.4	74.6	83.3	61.0	71.9
Vape marijuana	--	--	--	--	--	--	--	--	--	82.7	35.8	60.0	83.2	62.9	73.8	76.4	54.7	65.3
Use Prescription drugs	95.4	87.6	91.7	92.2	81.2	86.7	89.3	72.6	80.7	92.3	70.1	81.6	93.5	89.1	91.4	90.8	82.6	86.6
<i>Parents think it wrong</i>																		
Daily alcohol use	98.3	79.6	89.3	95.3	95.8	95.6	92.5	94.1	93.4	96.3	93.6	95.1	96.5	89.2	93.2	98.8	96.8	97.8
Smoke tobacco	97.7	87.4	92.9	99.1	91.2	95.1	92.5	100.0	96.8	99.3	96.3	97.9	99.1	96.8	98.1	98.8	98.0	98.4
Smoke marijuana	93.8	69.0	81.9	90.3	84.6	86.7	89.7	87.4	88.4	90.8	66.9	80.2	88.7	84.4	86.8	92.7	81.5	87.4
Use prescription drugs	97.2	94.2	95.8	98.0	95.2	96.6	89.7	96.8	93.7	97.3	91.5	94.7	97.7	93.5	95.8	98.8	95.6	97.3

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Franklin County and Florida Statewide youth, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.6	0.0	13.3	--	6.6	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	31.8	37.0	26.5	--	31.8	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	44.5	39.4	49.7	--	44.5	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	0.0	0.0	0.0	--	0.0	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	17.1	23.6	10.5	--	17.1	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Franklin County and Florida Statewide youth, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	27.5	23.6	30.3	--	27.5	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	40.9	63.0	25.4	--	40.9	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	4.3	0.0	7.3	--	4.3	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	10.8	0.0	18.5	--	10.8	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	16.4	13.4	18.5	--	16.4	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Franklin County and Florida Statewide youth, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	31.5	36.3	28.3	--	31.5	--	--	33.2	34.8	30.9	--	33.2	--
2	--	27.8	26.7	28.5	--	27.8	--	--	23.0	25.2	20.0	--	23.0	--
3	--	10.4	0.0	17.3	--	10.4	--	--	17.8	17.8	17.6	--	17.8	--
4	--	0.0	0.0	0.0	--	0.0	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	30.3	37.0	25.9	--	30.3	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Franklin County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	0.0	12.5	9.3	2.8	0.0	14.0	5.8	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	9.6	28.2	25.0	12.7	7.9	32.2	18.3	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	3.5	11.0	13.0	1.7	1.5	12.8	7.0	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Franklin County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	20.5	11.7	6.5	25.7	22.5	11.7	16.4	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.0	8.5	5.3	2.8	0.0	9.6	4.0	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	0.0	9.6	2.8	6.1	1.3	9.4	4.5	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	2.1	6.4	2.8	5.4	3.4	5.7	4.1	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.0	2.9	2.8	0.0	0.0	3.2	1.3	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	35.2	24.0	16.6	43.0	29.5	36.0	30.0	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	7.1	16.9	6.8	16.5	7.5	19.0	11.7	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Franklin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	13.6	10.8	12.3	10.8	17.4	14.2	11.1	8.4	9.6	2.8	12.2	7.0	17.5	19.6	18.4	20.5	11.7	16.4
Selling drugs	0.0	7.1	3.5	2.8	18.2	10.6	0.0	8.0	4.5	2.0	9.9	5.5	0.9	5.2	2.8	0.0	8.5	4.0
Attempting to steal a vehicle	1.5	6.0	3.6	1.4	4.4	2.9	0.0	8.0	4.5	1.0	0.0	0.6	0.4	3.6	1.9	0.0	9.6	4.5
Being arrested	3.4	2.5	3.0	2.4	5.3	3.9	0.0	3.2	1.9	1.3	0.0	0.8	6.1	6.7	6.4	2.1	6.4	4.1
Taking a handgun to school	0.0	0.0	0.0	0.0	1.5	0.8	0.0	3.2	1.8	0.5	0.0	0.3	0.0	3.6	1.6	0.0	2.9	1.3
Getting suspended	10.6	19.2	14.7	16.5	11.7	14.0	15.3	13.1	14.1	7.2	18.2	12.0	22.2	17.6	20.1	35.2	24.0	30.0
Attacking someone with intent to harm	5.7	9.3	7.4	15.4	10.4	12.9	10.2	13.3	11.9	7.7	11.7	9.5	5.7	10.9	8.0	7.1	16.9	11.7

Table 16. Percentages of Franklin County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	35.1	42.1	47.2	29.6	33.9	47.4	38.7	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	44.5	42.5	43.7	41.8	44.2	47.3	43.5	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	32.0	35.7	40.2	26.6	36.0	34.9	33.9	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	46.3	36.9	43.4	38.2	42.1	45.0	41.5	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<i>Suicide (past 12 months)</i>														
Seriously considered attempting suicide	24.9	8.3	21.9	10.3	22.3	11.4	16.9	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	18.8	6.2	13.3	9.8	19.5	4.9	12.7	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	17.3	7.6	17.8	8.5	18.0	6.5	12.6	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	10.8	1.0	5.8	6.7	11.2	1.2	6.2	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Franklin County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	13.4	11.8	18.1	8.1	13.9	11.3	12.6	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	44.8	38.3	39.1	42.0	46.1	40.7	41.4	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	63.2	54.2	54.0	61.5	64.5	54.5	58.5	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	46.9	32.1	48.1	32.4	41.8	40.2	39.2	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	28.3	27.1	20.0	35.0	29.7	27.7	27.7	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	46.6	37.5	39.2	45.4	49.8	39.8	41.9	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	20.0	23.0	25.8	18.4	15.3	29.2	21.6	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Franklin County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	20.1	18.9	21.4	--	28.5	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	22.5	18.9	26.3	--	24.3	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	12.8	13.3	12.1	--	12.9	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	48.2	49.9	46.3	--	57.0	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	18.0	16.8	19.4	--	17.2	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	43.7	48.9	38.0	--	42.5	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	37.3	39.3	35.1	--	35.6	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	41.9	46.1	37.4	--	43.2	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	44.4	42.1	46.9	--	48.5	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	17.3	13.3	21.7	--	15.6	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Franklin County and Florida Statewide high school youth, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	32.1	27.4	37.2	--	32.1	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	9.0	12.9	4.7	--	9.0	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	11.7	7.8	15.9	--	11.7	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	6.8	8.6	4.9	--	6.8	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	11.0	14.7	7.0	--	11.0	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	5.4	3.9	7.0	--	5.4	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	4.8	5.5	4.0	--	4.8	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	9.1	11.1	6.9	--	9.1	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	4.2	8.0	0.0	--	4.2	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	3.2	0.0	6.6	--	3.2	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	2.8	0.0	5.9	--	2.8	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Franklin County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	28.2	40.2	31.3	34.5	34.1	33.3	34.0	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	34.1	30.2	39.4	26.9	34.2	29.2	32.3	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	43.0	33.0	39.3	38.3	46.6	32.6	38.2	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	33.3	36.6	33.3	37.2	36.8	36.3	34.9	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	33.0	34.9	34.9	31.2	32.1	37.8	33.9	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	50.1	44.8	51.7	45.3	51.5	44.7	47.6	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Franklin County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	62.5	48.3	51.5	59.6	61.2	52.1	55.1	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	33.0	20.5	21.6	31.5	30.7	25.9	26.5	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	4.6	6.1	7.1	4.1	4.7	3.5	5.4	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	27.3	27.2	26.7	25.9	26.8	24.5	27.2	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	8.4	12.7	13.1	8.8	7.3	15.5	10.7	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Franklin County and Florida Statewide youth, 2024

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	28.4	28.8	27.9	--	27.7	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	39.7	40.0	39.5	--	41.8	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	5.9	4.5	7.1	--	7.6	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	15.3	11.7	18.5	--	16.1	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Franklin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	34.1	--	--	34.9	--	--	31.2	--	--	26.9	--	--	30.9	--	--	28.4	--
Marijuana	--	37.2	--	--	35.5	--	--	36.2	--	--	38.3	--	--	29.5	--	--	39.7	--
<i>Driving a vehicle</i>																		
Alcohol	--	20.4	--	--	13.4	--	--	18.4	--	--	18.1	--	--	3.6	--	--	5.9	--
Marijuana	--	19.0	--	--	21.2	--	--	21.4	--	--	30.5	--	--	10.0	--	--	15.3	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Franklin County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Franklin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	56	46	55	58	59	54
	Family Rewards for Prosocial Involvement	42	36	49	52	54	55
School	School Opportunities for Prosocial Involvement	46	45	49	62	57	60
	School Rewards for Prosocial Involvement	51	50	45	57	53	58
Peer and Individual	Religiosity	45	56	43	54	56	62
Average Prevalence Rate		48	47	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Franklin County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Franklin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	58	44	40	25	42	42
	Perceived Availability of Drugs	46	29	30	13	45	45
	Perceived Availability of Handguns	38	56	24	29	25	42
Family	Poor Family Management	58	46	47	35	44	45
	Family Conflict	28	37	40	30	42	37
School	Poor Academic Performance	70	51	45	45	45	48
	Lack of Commitment to School	70	81	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	47	45	54	38	40	46
	Favorable Attitudes toward ATOD Use	43	44	27	22	39	45
	Early Initiation of Drug Use	34	30	19	11	41	46
Average Prevalence Rate		49	46	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Franklin County, 2014 to 2024

Domain		Franklin County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	76	53	34	57	44	56
	Family Rewards for Prosocial Involvement	67	46	21	56	36	42
School	School Opportunities for Prosocial Involvement	65	50	41	58	43	46
	School Rewards for Prosocial Involvement	61	49	39	64	41	51
Peer and Individual	Religiosity	59	63	54	58	37	45
Average Prevalence Rate		66	52	38	59	40	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Franklin County, 2014 to 2024

Domain		Franklin County					
Scale		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	46	53	53	56	53	58
	Perceived Availability of Drugs	44	55	22	38	46	46
	Perceived Availability of Handguns	48	44	26	13	40	38
Family	Poor Family Management	33	51	53	48	60	58
	Family Conflict	38	35	39	29	47	28
School	Poor Academic Performance	51	42	64	49	55	70
	Lack of Commitment to School	52	58	72	57	78	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	42	45	31	38	68	47
	Favorable Attitudes toward ATOD Use	30	50	38	34	47	43
	Early Initiation of Drug Use	35	34	30	26	38	34
Average Prevalence Rate		42	47	43	39	53	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Franklin County, 2014 to 2024

Domain	Scale	Franklin County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	52	61	44	39	49	46
	Family Rewards for Prosocial Involvement	53	63	41	32	40	36
School	School Opportunities for Prosocial Involvement	48	53	51	32	50	45
	School Rewards for Prosocial Involvement	50	50	58	33	44	50
Peer and Individual	Religiosity	55	56	52	56	54	56
Average Prevalence Rate		52	57	49	38	47	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Franklin County, 2014 to 2024

Domain		Franklin County					
Scale		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	49	41	53	57	32	44
	Perceived Availability of Drugs	42	38	24	39	30	29
	Perceived Availability of Handguns	61	58	51	59	56	56
Family	Poor Family Management	51	45	51	44	54	46
	Family Conflict	44	43	20	43	43	37
School	Poor Academic Performance	58	41	41	54	50	51
	Lack of Commitment to School	53	62	72	82	81	81
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	36	40	51	48	40	45
	Favorable Attitudes toward ATOD Use	49	52	47	63	30	44
	Early Initiation of Drug Use	49	44	33	39	20	30
Average Prevalence Rate		49	46	44	53	44	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.