

# **2024 Florida Youth Substance Abuse Survey**

**Flagler County Data Tables**



**Table 1. Major demographic characteristics of surveyed Flagler County and Florida Statewide, 2024**

	Flagler County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	480	46.8		21,747	48.6
Male	542	52.8		22,711	50.7
<b>Race/Ethnic group</b>					
African American	125	12.2		9,493	21.2
American Indian	22	2.1		426	1.0
Asian	25	2.4		653	1.5
Hispanic/Latino	122	11.9		10,394	23.2
Native Hawaiian/Pacific Islander	1	0.1		41	0.1
Other/Multiple	313	30.5		7,299	16.3
White, non-Hispanic	412	40.2		16,109	36.0
<b>Parent/Guardian in the Military</b>					
No	836	81.5		38,723	86.5
Yes	184	17.9		5,679	12.7
<b>Age</b>					
11	64	6.2		2,499	5.6
12	146	14.2		5,938	13.3
13	153	14.9		6,288	14.0
14	196	19.1		6,501	14.5
15	181	17.6		6,784	15.2
16	155	15.1		6,743	15.1
17	92	9.0		6,358	14.2
18	37	3.6		3,252	7.3
<b>Grade</b>					
6th	148	14.4		6,126	13.7
7th	178	17.3		6,468	14.5
8th	116	11.3		6,341	14.2
9th	243	23.7		6,696	15.0
10th	168	16.4		6,738	15.1
11th	107	10.4		6,266	14.0
12th	66	6.4		6,121	13.7
<b>Middle School</b>	442	43.1		18,934	42.3
<b>High School</b>	584	56.9		25,821	57.7
<b>Total</b>	<b>1,026</b>	<b>100.0</b>		<b>44,755</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Flagler County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	19.2	27.9	25.5	23.1	17.9	26.8	24.4	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	6.7	8.4	5.2	--	7.4	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	2.7	9.1	8.3	4.9	2.8	8.5	6.5	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	9.9	18.5	18.5	11.7	10.5	15.9	15.0	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	6.9	13.9	14.3	8.2	7.1	13.1	11.1	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	7.0	18.6	15.8	11.6	7.0	17.3	13.9	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	1.4	1.6	1.3	--	1.3	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	6.0	3.3	5.7	3.1	5.0	4.2	4.4	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.0	0.5	0.0	0.6	0.0	0.7	0.3	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.0	2.5	2.7	1.1	1.2	1.7	1.9	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.5	0.6	0.5	0.6	0.4	0.8	0.6	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.1	0.8	0.1	0.9	0.0	0.6	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.1	1.6	0.6	1.3	0.0	1.6	1.0	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	0.4	0.9	0.6	0.9	0.5	1.0	0.7	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	0.9	1.0	1.0	1.0	0.8	1.4	1.0	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	0.4	2.5	2.1	1.2	0.3	2.8	1.7	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	2.3	1.8	3.1	0.9	2.2	1.8	2.0	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.3	0.0	0.5	--	0.1	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	8.4	7.7	9.2	--	7.8	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.8	1.0	2.6	--	1.8	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	14.3	21.8	22.9	14.4	13.7	20.6	18.8	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	8.1	8.8	10.8	6.3	7.4	8.5	8.5	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	11.7	12.1	10.4	13.5	11.0	12.4	11.9	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	25.7	33.6	33.3	27.4	24.5	32.7	30.5	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	7.0	6.0	8.0	4.9	6.9	6.3	6.4	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Flagler County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	5.7	10.1	8.4	8.4	5.1	9.5	8.4	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	0.7	3.6	2.5	2.4	0.6	3.9	2.5	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.1	0.6	0.7	0.1	0.2	0.6	0.4	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	1.9	6.6	5.9	3.6	2.2	6.3	4.7	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	1.2	4.7	4.1	2.6	1.6	4.3	3.3	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	2.4	6.1	5.0	4.4	2.4	6.0	4.7	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.2	0.0	0.5	--	0.2	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	1.7	0.9	2.0	0.4	1.5	1.2	1.2	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.1	0.1	0.0	0.3	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.3	0.0	0.2	0.1	0.3	0.0	0.1	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.1	0.2	0.2	0.2	0.1	0.3	0.2	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.0	1.0	0.0	1.2	0.0	0.8	0.6	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	1.1	0.5	0.9	0.0	1.0	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.6	0.0	0.5	0.0	0.5	0.0	0.2	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.0	1.0	0.7	0.5	0.0	1.3	0.6	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.5	0.3	0.8	0.0	0.4	0.4	0.4	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	5.0	8.9	8.0	6.8	4.8	9.0	7.3	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	2.8	3.1	3.4	2.6	2.4	3.6	3.0	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	4.1	6.2	4.7	6.1	3.5	6.5	5.4	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	9.0	15.1	12.7	12.7	8.2	15.4	12.6	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	3.4	5.1	4.4	4.5	3.2	6.0	4.4	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in substance use for Flagler County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	27.2	61.2	46.7	23.1	56.4	42.6	23.5	50.3	39.4	27.5	37.2	33.1	21.0	37.6	30.4	19.2	27.9	24.4
Blacking Out	--	20.7	--	--	19.9	--	--	18.0	--	--	10.7	--	--	12.2	--	--	6.7	--
Cigarettes	12.4	28.6	21.7	10.2	24.4	18.3	7.0	20.0	14.6	8.8	12.2	10.8	6.1	11.4	9.1	2.7	9.1	6.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	20.1	24.6	22.8	13.6	28.2	22.0	9.9	18.5	15.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	10.6	21.1	16.8	8.6	23.4	17.1	6.9	13.9	11.1
Marijuana or Hashish	11.6	39.4	27.6	9.0	35.7	24.3	11.0	36.1	25.5	12.5	24.8	19.7	9.0	29.8	20.8	7.0	18.6	13.9
Synthetic Marijuana	--	12.1	--	--	6.0	--	--	4.3	--	--	2.6	--	--	7.0	--	--	1.4	--
Inhalants	6.5	4.2	5.2	6.7	4.1	5.2	8.9	4.4	6.3	9.4	4.8	6.7	7.9	2.8	5.0	6.0	3.3	4.4
Club Drugs	1.0	3.9	2.7	0.3	3.1	1.9	0.4	2.8	1.8	1.5	1.7	1.6	0.4	4.0	2.5	0.0	0.5	0.3
LSD, PCP or Mushrooms	1.4	4.1	2.9	0.5	6.5	4.0	2.1	5.9	4.3	2.8	5.9	4.7	2.9	9.6	6.7	1.0	2.5	1.9
Methamphetamine	0.6	1.3	1.0	0.5	0.2	0.3	0.4	1.0	0.8	0.4	1.1	0.8	1.0	0.5	0.7	0.5	0.6	0.6
Cocaine or Crack	0.8	2.5	1.8	0.1	4.0	2.4	0.9	3.6	2.5	1.8	3.0	2.5	0.3	3.7	2.2	0.1	0.8	0.5
Heroin	0.4	0.8	0.6	0.4	0.6	0.5	0.2	0.9	0.6	0.0	0.9	0.5	0.4	0.3	0.3	0.1	1.6	1.0
Prescription Depressants	1.0	6.0	3.9	1.4	11.3	7.0	2.9	8.0	5.8	2.9	7.5	5.6	2.1	7.4	5.1	0.4	0.9	0.7
Prescription Pain Relievers	4.8	8.8	7.1	3.3	8.3	6.1	4.5	5.1	4.9	4.0	4.8	4.5	2.7	7.2	5.3	0.9	1.0	1.0
Prescription Amphetamines	1.0	2.9	2.1	1.4	4.2	3.0	1.9	3.3	2.7	3.2	3.7	3.4	2.8	5.4	4.3	0.4	2.5	1.7
Over-the-Counter Drugs	3.9	5.4	4.8	3.7	7.3	5.8	4.7	5.5	5.2	5.4	3.8	4.5	4.7	7.8	6.5	2.3	1.8	2.0
Needle to Inject Drugs	--	--	--	--	0.8	--	--	1.5	--	--	2.2	--	--	0.6	--	--	0.3	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.4	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.8	--
Any illicit drug	18.9	44.5	33.5	18.3	40.1	30.8	20.0	39.1	31.0	22.8	33.5	29.1	19.9	36.2	29.2	14.3	21.8	18.8
Any illicit drug other than marijuana	12.4	17.9	15.5	12.5	21.9	17.8	15.2	16.0	15.7	16.3	18.7	17.7	14.2	19.4	17.2	8.1	8.8	8.5
Alcohol only	13.2	21.3	17.9	12.1	21.3	17.5	12.8	18.3	16.1	13.2	15.3	14.5	9.2	8.0	8.5	11.7	12.1	11.9
Alcohol or any illicit drug	32.2	66.1	51.5	30.0	61.3	47.9	32.1	57.4	46.8	35.5	48.5	43.1	29.0	43.7	37.4	25.7	33.6	30.5
Any illicit drug, but no alcohol	5.3	5.0	5.1	7.5	5.1	6.1	9.6	7.4	8.3	8.3	11.2	10.0	8.2	6.6	7.3	7.0	6.0	6.4

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trends in substance use for Flagler County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	9.7	30.6	21.7	9.1	27.4	19.8	9.5	22.8	17.3	10.9	15.4	13.5	6.4	16.8	12.3	5.7	10.1	8.4
Binge Drinking	4.0	15.2	10.4	2.8	12.2	8.2	1.9	11.3	7.4	5.8	7.3	6.7	3.2	7.6	5.7	0.7	3.6	2.5
Cigarettes	4.0	10.2	7.5	0.9	8.2	5.1	0.9	4.5	3.0	1.7	1.7	1.7	1.1	3.3	2.4	0.1	0.6	0.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	9.2	11.7	10.6	6.3	15.3	11.5	1.9	6.6	4.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	4.9	9.5	7.6	3.6	14.7	10.0	1.2	4.7	3.3
Marijuana or Hashish	5.8	18.9	13.3	4.6	19.8	13.3	5.2	24.6	16.5	6.6	12.6	10.1	4.2	15.5	10.6	2.4	6.1	4.7
Synthetic Marijuana	--	1.1	--	--	0.7	--	--	1.9	--	--	1.0	--	--	0.5	--	--	0.2	--
Inhalants	2.1	0.7	1.3	1.8	0.6	1.1	3.6	1.0	2.1	2.3	1.5	1.8	2.1	1.2	1.6	1.7	0.9	1.2
Club Drugs	0.5	1.3	0.9	0.4	0.7	0.6	0.2	1.0	0.6	0.6	0.7	0.7	0.1	0.1	0.1	0.1	0.1	0.1
LSD, PCP or Mushrooms	0.3	0.6	0.5	0.5	1.4	1.0	0.7	1.2	1.0	0.0	2.4	1.4	0.4	0.3	0.3	0.3	0.0	0.1
Methamphetamine	0.8	1.0	0.9	0.5	0.2	0.3	0.2	0.6	0.4	0.0	0.3	0.2	0.8	0.6	0.7	0.1	0.2	0.2
Cocaine or Crack	0.9	1.4	1.2	0.5	1.2	0.9	0.2	2.0	1.2	1.1	1.4	1.3	0.1	0.3	0.2	0.0	1.0	0.6
Heroin	0.4	0.5	0.4	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.0	1.1	0.7
Prescription Depressants	1.0	2.3	1.7	0.1	4.5	2.6	0.6	2.6	1.7	0.8	1.7	1.3	0.3	0.8	0.6	0.0	0.0	0.0
Prescription Pain Relievers	2.9	2.2	2.5	1.1	2.1	1.7	2.1	1.9	2.0	0.7	1.2	1.0	0.7	2.2	1.6	0.6	0.0	0.2
Prescription Amphetamines	1.1	1.1	1.1	0.0	1.6	0.9	0.6	1.0	0.8	1.0	1.5	1.3	0.7	0.9	0.8	0.0	1.0	0.6
Over-the-Counter Drugs	2.6	1.8	2.2	1.9	3.2	2.6	2.2	2.1	2.2	2.2	1.3	1.7	1.9	1.2	1.5	0.5	0.3	0.4
Any illicit drug	9.0	21.8	16.3	8.4	22.8	16.7	11.1	26.2	19.8	10.1	17.6	14.5	8.9	19.9	15.2	5.0	8.9	7.3
Any illicit drug other than marijuana	6.6	7.4	7.1	5.0	9.5	7.6	6.9	6.1	6.5	4.8	7.9	6.6	5.2	4.9	5.0	2.8	3.1	3.0
Alcohol only	5.9	16.0	11.7	5.5	11.2	8.9	5.2	10.5	8.3	5.8	7.7	6.9	3.7	5.3	4.6	4.1	6.2	5.4
Alcohol or any illicit drug	14.7	37.8	27.9	13.2	34.0	25.1	15.9	36.1	27.6	15.7	25.1	21.2	12.7	25.0	19.7	9.0	15.1	12.6
Any illicit drug, but no alcohol	5.3	7.5	6.6	4.9	6.8	6.0	6.8	13.7	10.8	5.1	9.9	7.9	6.0	8.6	7.5	3.4	5.1	4.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Flagler County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early substance use</b>														
More than a sip of alcohol	--	13.3	14.1	12.6	--	13.6	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	3.0	4.2	1.9	--	3.8	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	6.1	8.8	3.6	--	6.0	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	7.3	7.9	6.7	--	7.1	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	9.2	10.8	7.8	--	9.3	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.6	6.1	3.2	--	4.0	--	--	4.3	5.1	3.5	--	4.4	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	57.3	48.6	54.0	50.5	57.3	44.6	52.1	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	66.3	57.4	63.7	58.8	66.9	53.3	61.0	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	68.3	66.1	71.3	63.0	69.3	62.8	67.0	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	56.4	47.1	51.1	51.1	57.3	44.6	50.9	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	61.3	40.7	49.4	49.0	60.5	39.5	49.0	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	57.9	30.6	42.1	41.5	56.0	28.8	41.6	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	40.4	22.9	30.9	29.3	39.6	21.9	29.9	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	73.0	62.0	70.9	62.3	73.7	56.8	66.5	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early substance use and perceived risk of harm for Flagler County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early substance use</b>																		
Try alcohol	--	20.6	--	--	22.7	--	--	18.5	--	--	13.7	--	--	19.1	--	--	13.3	--
Drink monthly	--	3.6	--	--	3.8	--	--	3.8	--	--	3.3	--	--	5.8	--	--	3.0	--
Smoke cigarettes	--	12.3	--	--	13.7	--	--	9.5	--	--	6.7	--	--	6.8	--	--	6.1	--
Smoke marijuana	--	12.4	--	--	13.3	--	--	13.6	--	--	9.1	--	--	14.0	--	--	7.3	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	5.0	--	--	13.4	--	--	9.2	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	3.2	--	--	11.2	--	--	4.6	--
<b>Great risk of harm</b>																		
Daily alcohol use	45.7	37.7	41.1	41.7	39.3	40.3	45.0	34.5	38.8	47.0	44.5	45.6	49.0	35.8	41.5	57.3	48.6	52.1
5+ drinks daily	57.3	52.4	54.5	57.4	54.4	55.7	61.0	49.7	54.3	57.0	53.6	55.0	61.6	45.4	52.4	66.3	57.4	61.0
Daily cigarette use	67.7	69.8	68.9	69.4	69.8	69.6	70.8	67.1	68.6	65.9	68.0	67.1	69.6	66.5	67.8	68.3	66.1	67.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	48.2	43.4	45.4	54.2	38.0	44.9	56.4	47.1	50.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	48.0	37.9	42.1	54.7	24.0	37.3	61.3	40.7	49.0
Marijuana weekly	50.2	23.0	34.7	48.5	22.7	33.7	47.8	17.3	29.8	45.5	23.7	32.8	48.5	20.2	32.4	57.9	30.6	41.6
Try marijuana	33.9	13.7	22.3	33.9	15.2	23.2	29.2	12.9	19.6	28.1	16.3	21.2	32.5	15.3	22.7	40.4	22.9	29.9
Prescription drugs	76.7	77.1	76.9	73.7	75.4	74.7	68.3	74.7	72.1	69.7	67.8	68.6	71.1	67.3	69.0	73.0	62.0	66.5

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 8. Percentages of Flagler County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Think it would be wrong to...</i></b>														
Smoke cigarettes	96.3	92.0	93.4	94.0	96.1	90.9	93.7	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	91.8	79.8	84.6	84.6	91.0	81.6	84.6	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	94.5	77.4	82.4	86.0	93.4	79.2	84.3	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	93.8	88.5	89.5	91.8	93.1	88.3	90.7	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	94.8	84.0	86.9	89.7	94.0	84.2	88.3	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	97.2	95.7	97.0	95.7	97.4	94.8	96.3	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<b><i>Friends think it would be wrong to...</i></b>														
1 or 2 drinks nearly every day	94.1	87.8	90.9	90.0	93.5	87.9	90.4	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	96.4	89.1	92.2	91.9	95.7	90.2	92.0	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	94.2	77.0	82.1	85.8	92.9	78.7	83.9	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	93.7	83.7	86.2	89.1	92.5	85.1	87.7	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	94.1	81.2	85.5	87.2	93.1	83.0	86.4	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	96.3	94.9	96.9	94.0	96.0	95.0	95.4	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<b><i>Parents think it would be wrong to...</i></b>														
Daily alcohol use	97.0	97.7	97.6	97.3	97.4	96.9	97.4	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	98.4	98.8	98.8	98.6	98.6	99.0	98.7	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	97.7	92.8	93.0	96.5	97.6	92.7	94.8	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	99.0	99.1	98.7	99.5	99.2	98.8	99.1	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol “--” indicates that data are not available.

**Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Flagler County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Think it wrong</i></b>																		
Smoke cigarettes	92.0	81.1	85.7	95.9	82.6	88.2	96.1	85.0	89.5	94.9	88.0	90.9	95.3	93.6	94.3	96.3	92.0	93.7
Drink regularly	84.1	57.1	68.6	88.2	65.6	75.2	85.1	60.7	70.7	87.5	74.7	80.1	87.9	77.5	81.9	91.8	79.8	84.6
Smoke marijuana	83.0	58.2	68.7	88.0	56.3	69.8	80.7	48.0	61.4	86.3	61.3	71.7	88.2	59.9	71.9	94.5	77.4	84.3
Vape nicotine	--	--	--	--	--	--	--	--	--	87.7	81.4	84.1	89.7	81.2	84.9	93.8	88.5	90.7
Vape marijuana	--	--	--	--	--	--	--	--	--	87.0	74.0	79.4	88.8	69.8	77.9	94.8	84.0	88.3
Other illicit drugs	97.8	93.5	95.3	97.2	92.9	94.8	97.5	92.1	94.3	94.9	95.5	95.3	96.4	91.4	93.6	97.2	95.7	96.3
<b><i>Friends think it wrong</i></b>																		
Daily alcohol use	90.8	72.1	80.0	92.8	77.4	84.0	91.4	74.4	81.4	89.8	85.2	87.1	90.5	87.0	88.5	94.1	87.8	90.4
Smoke tobacco	92.6	77.2	83.8	96.0	80.2	87.0	94.0	87.1	89.9	93.8	86.9	89.8	93.0	90.8	91.8	96.4	89.1	92.0
Smoke marijuana	82.8	51.3	64.7	85.7	55.5	68.3	80.3	48.9	61.9	86.4	60.0	71.0	85.8	65.7	74.4	94.2	77.0	83.9
Vape nicotine	--	--	--	--	--	--	--	--	--	81.7	73.9	77.1	83.3	71.3	76.5	93.7	83.7	87.7
Vape marijuana	--	--	--	--	--	--	--	--	--	86.1	68.8	76.0	84.3	65.2	73.5	94.1	81.2	86.4
Use Prescription drugs	98.3	90.2	93.6	96.9	89.5	92.6	94.6	92.5	93.4	96.9	91.5	93.7	94.3	90.5	92.1	96.3	94.9	95.4
<b><i>Parents think it wrong</i></b>																		
Daily alcohol use	97.9	90.6	93.7	95.6	88.1	91.4	96.2	92.4	94.0	97.4	93.0	94.9	96.6	95.3	95.9	97.0	97.7	97.4
Smoke tobacco	99.2	92.4	95.3	97.5	94.2	95.7	98.6	97.2	97.8	99.5	96.4	97.7	99.0	97.6	98.2	98.4	98.8	98.7
Smoke marijuana	94.8	85.9	89.7	93.8	83.7	88.2	93.0	80.7	85.9	97.0	83.4	89.1	95.0	82.9	88.2	97.7	92.8	94.8
Use prescription drugs	98.8	96.3	97.4	99.2	96.7	97.8	97.7	97.2	97.5	98.3	98.8	98.6	97.3	93.4	95.1	99.0	99.1	99.1

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Flagler County and Florida Statewide youth, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	2.8	0.0	4.5	--	2.8	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	2.5	6.5	0.0	--	2.5	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	60.5	58.5	61.8	--	60.5	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	6.7	0.0	11.0	--	6.7	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	6.9	9.6	5.2	--	6.9	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	20.6	25.4	17.5	--	20.6	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Among high school drinkers, usual drinking location within the past 30 days, Flagler County and Florida Statewide youth, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	43.2	39.5	46.6	--	43.2	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	23.2	31.7	15.3	--	23.2	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	2.9	0.0	5.6	--	2.9	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	2.5	5.2	0.0	--	2.5	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	7.9	2.7	12.8	--	7.9	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	20.3	20.9	19.7	--	20.3	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Flagler County and Florida Statewide youth, 2024

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	49.2	47.1	50.9	--	49.2	--	--	33.2	34.8	30.9	--	33.2	--
2	--	27.7	27.4	28.0	--	27.7	--	--	23.0	25.2	20.0	--	23.0	--
3	--	8.4	16.0	1.9	--	8.4	--	--	17.8	17.8	17.6	--	17.8	--
4	--	0.0	0.0	0.0	--	0.0	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	14.7	9.5	19.1	--	14.7	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Flagler County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.2	2.8	3.9	1.3	2.0	3.2	2.5	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	3.8	6.3	7.7	2.9	3.1	6.8	5.3	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.9	0.6	1.7	0.6	1.6	0.9	1.1	1.8	2.2	2.3	1.8	1.7	2.4	2.1

**Table 14. Percentages of Flagler County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.7	5.1	3.3	9.2	7.3	5.8	6.2	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.7	1.3	1.2	0.9	0.6	1.7	1.0	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	0.5	0.3	0.0	0.7	0.6	0.1	0.4	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	1.4	0.8	0.6	1.5	1.4	0.9	1.0	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.7	0.0	0.5	0.1	0.6	0.0	0.3	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	15.4	14.3	16.0	13.6	15.5	16.7	14.7	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	6.8	2.0	4.3	3.6	5.9	2.5	3.9	8.4	4.3	5.4	6.7	8.0	4.5	6.0



**Table 15. Trends in delinquent behaviors for Flagler County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.9	6.7	5.5	2.6	7.4	5.3	8.1	9.0	8.6	7.3	3.3	5.0	6.6	9.5	8.2	7.7	5.1	6.2
Selling drugs	1.7	7.3	4.9	2.6	7.0	5.1	1.3	6.0	4.0	2.4	5.4	4.2	0.2	4.0	2.3	0.7	1.3	1.0
Attempting to steal a vehicle	1.2	1.8	1.5	0.7	2.2	1.5	0.9	3.3	2.3	1.1	1.5	1.4	1.3	2.5	2.0	0.5	0.3	0.4
Being arrested	1.9	2.8	2.4	1.2	3.9	2.8	2.0	4.6	3.5	2.5	2.2	2.3	1.4	8.1	5.2	1.4	0.8	1.0
Taking a handgun to school	0.6	0.8	0.7	0.0	1.4	0.8	0.1	1.4	0.9	0.0	0.3	0.2	0.1	0.5	0.3	0.7	0.0	0.3
Getting suspended	10.5	8.4	9.3	11.9	11.0	11.4	10.5	11.7	11.2	13.9	8.5	10.8	12.3	19.2	16.2	15.4	14.3	14.7
Attacking someone with intent to harm	6.6	8.3	7.5	5.4	8.9	7.4	7.2	5.1	6.0	7.6	3.9	5.4	7.0	8.7	8.0	6.8	2.0	3.9

**Table 16. Percentages of Flagler County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	29.5	25.0	35.9	17.5	28.2	24.2	26.8	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	42.3	34.1	46.8	27.8	41.9	33.1	37.4	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	33.1	23.7	34.2	20.5	32.0	23.9	27.5	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	44.0	36.6	49.3	29.8	42.4	37.3	39.6	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<b><i>Suicide (past 12 months)</i></b>														
Seriously considered attempting suicide	13.0	14.6	19.9	7.6	13.0	15.8	14.0	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	10.6	12.1	15.0	7.4	10.7	12.6	11.5	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	8.7	5.5	9.0	3.9	7.9	5.9	6.7	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.7	0.4	1.2	0.7	1.6	0.5	1.0	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Flagler County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	13.2	12.3	21.4	4.6	13.0	12.6	12.6	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	49.2	33.5	45.5	34.6	48.0	31.4	39.9	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	69.4	51.1	65.9	51.3	67.9	50.3	58.5	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	36.2	32.1	46.6	21.3	33.9	33.0	33.8	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	24.9	15.0	19.5	18.6	24.0	14.7	19.0	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	34.3	29.3	34.9	28.0	34.3	28.8	31.3	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	13.0	18.6	21.5	11.4	13.6	17.1	16.3	14.6	12.5	14.6	12.2	14.4	12.8	13.4

**Table 18. Percentages of Flagler County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	12.5	16.7	8.1	--	14.3	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	12.1	12.2	11.9	--	12.7	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	6.5	11.8	1.3	--	8.7	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	36.9	41.2	32.5	--	34.6	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	8.5	13.1	4.0	--	8.8	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	26.5	29.8	23.2	--	29.0	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	30.9	37.1	24.7	--	30.2	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	24.0	24.2	24.1	--	24.9	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	25.2	34.7	15.8	--	26.6	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	5.8	8.7	3.0	--	7.0	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

**Table 19. Number of adverse childhood experiences (ACEs) reported by Flagler County and Florida Statewide high school youth, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	36.5	28.5	44.4	--	36.5	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	21.7	24.2	19.4	--	21.7	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	13.4	13.0	13.9	--	13.4	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	6.1	7.3	4.9	--	6.1	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	7.7	7.9	7.5	--	7.7	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	6.5	6.0	7.0	--	6.5	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	2.5	4.3	0.3	--	2.5	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	3.9	5.6	2.3	--	3.9	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.8	1.5	0.2	--	0.8	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.8	1.6	0.0	--	0.8	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

**Table 20. Percentages of Flagler County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	30.5	21.8	26.0	24.5	28.4	22.1	25.2	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	29.9	19.6	25.6	21.8	28.0	20.9	23.7	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	29.3	23.4	30.0	21.8	27.5	24.6	25.7	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	28.1	22.6	24.5	25.0	26.9	23.9	24.8	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	32.0	19.4	27.0	21.4	28.8	20.4	24.4	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	47.5	32.0	47.6	28.5	46.0	31.7	38.1	47.0	34.8	48.8	31.2	46.1	34.9	39.9

**Table 21. Percentages of Flagler County and Florida Statewide youth who reported participation in extracurricular activities, 2024**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	26.5	38.4	29.6	37.1	28.7	39.4	33.6	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	42.7	25.3	27.1	37.6	41.5	26.3	32.4	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	15.1	8.7	11.5	11.1	13.6	10.2	11.3	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	27.5	25.4	33.4	19.2	26.4	21.2	26.3	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	10.4	13.7	15.0	9.9	10.5	13.5	12.4	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Flagler County and Florida Statewide youth, 2024

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.8	16.0	13.7	--	16.3	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	15.5	17.2	14.1	--	15.2	--	--	14.8	16.7	13.0	--	14.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	1.9	0.4	3.2	--	1.9	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	3.2	1.6	4.6	--	2.8	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.



Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Flagler County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	20.0	--	--	16.9	--	--	15.1	--	--	14.5	--	--	15.2	--	--	14.8	--
Marijuana	--	23.8	--	--	24.5	--	--	28.4	--	--	17.7	--	--	18.8	--	--	15.5	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	5.2	--	--	6.6	--	--	4.8	--	--	4.3	--	--	2.6	--	--	1.9	--
Marijuana	--	12.1	--	--	12.7	--	--	14.1	--	--	8.1	--	--	14.3	--	--	3.2	--

Note: The symbol "--" indicates that data are not available.

**Table 24. Protective factor prevalence rates for Flagler County, Florida Statewide youth, and the national normative database, 2024**

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	52	53	55	58	59	54
	Family Rewards for Prosocial Involvement	50	46	49	52	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	47	57	49	62	57	60
	School Rewards for Prosocial Involvement	42	58	45	57	53	58
<b>Peer and Individual</b>	Religiosity	38	46	43	54	56	62
<b>Average Prevalence Rate</b>		<b>46</b>	<b>52</b>	<b>48</b>	<b>57</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rates for Flagler County, Florida Statewide youth, and the national normative database, 2024**

Domain		Scale		Flagler County		Florida Statewide		National Norms	
				<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use			39	26	40	25	42	42
	Perceived Availability of Drugs			31	11	30	13	45	45
	Perceived Availability of Handguns			26	30	24	29	25	42
<b>Family</b>	Poor Family Management			47	38	47	35	44	45
	Family Conflict			46	31	40	30	42	37
<b>School</b>	Poor Academic Performance			49	48	45	45	45	48
	Lack of Commitment to School			80	73	76	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior			50	41	54	38	40	46
	Favorable Attitudes toward ATOD Use			26	19	27	22	39	45
	Early Initiation of Drug Use			20	13	19	11	41	46
<b>Average Prevalence Rate</b>				<b>41</b>	<b>33</b>	<b>40</b>	<b>32</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Flagler County, 2014 to 2024

Domain		Flagler County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	57	63	56	56	47	52
	Family Rewards for Prosocial Involvement	55	57	47	47	41	50
School	School Opportunities for Prosocial Involvement	45	43	53	53	45	47
	School Rewards for Prosocial Involvement	50	48	50	48	47	42
Peer and Individual	Religiosity	48	39	34	42	30	38
Average Prevalence Rate		51	50	48	49	42	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among middle school students for Flagler County, 2014 to 2024**

Domain		Flagler County					
Scale		2014	2016	2018	2020	2022	2024
<b>Community</b>	Laws and Norms Favorable to Drug Use	37	41	43	37	39	39
	Perceived Availability of Drugs	46	42	49	41	37	31
	Perceived Availability of Handguns	29	28	31	23	29	26
<b>Family</b>	Poor Family Management	42	41	44	42	47	47
	Family Conflict	38	39	44	46	51	46
<b>School</b>	Poor Academic Performance	45	47	47	48	48	49
	Lack of Commitment to School	56	61	63	71	73	80
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	41	43	48	46	54	50
	Favorable Attitudes toward ATOD Use	36	36	42	35	30	26
	Early Initiation of Drug Use	29	22	28	27	19	20
<b>Average Prevalence Rate</b>		<b>40</b>	<b>40</b>	<b>44</b>	<b>42</b>	<b>43</b>	<b>41</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Flagler County, 2014 to 2024

Domain		Flagler County					
Scale		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	55	56	55	52	45	53
	Family Rewards for Prosocial Involvement	55	53	51	49	40	46
School	School Opportunities for Prosocial Involvement	66	63	68	62	58	57
	School Rewards for Prosocial Involvement	59	57	53	53	49	58
Peer and Individual	Religiosity	53	44	46	47	35	46
Average Prevalence Rate		58	55	55	53	45	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 29. Risk factor prevalence rate trends among high school students for Flagler County, 2014 to 2024**

Domain		Flagler County					
Scale		2014	2016	2018	2020	2022	2024
<b>Community</b>	Laws and Norms Favorable to Drug Use	37	37	42	33	29	26
	Perceived Availability of Drugs	32	30	30	18	17	11
	Perceived Availability of Handguns	43	37	40	29	37	30
<b>Family</b>	Poor Family Management	34	40	35	38	37	38
	Family Conflict	34	36	43	37	40	31
<b>School</b>	Poor Academic Performance	40	46	48	45	54	48
	Lack of Commitment to School	48	59	61	63	68	73
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	38	38	40	32	40	41
	Favorable Attitudes toward ATOD Use	42	42	43	30	32	19
	Early Initiation of Drug Use	26	26	22	16	22	13
<b>Average Prevalence Rate</b>		<b>37</b>	<b>39</b>	<b>40</b>	<b>34</b>	<b>38</b>	<b>33</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.