

2024 Florida Youth Substance Abuse Survey

Santa Rosa County Data Tables

Table 1. Major demographic characteristics of surveyed Santa Rosa County and Florida Statewide, 2024

	Santa Rosa County		Florida Statewide	
	N	%	N	%
Sex				
Female	588	49.6	21,747	48.6
Male	587	49.5	22,711	50.7
Race/Ethnic group				
African American	57	4.8	9,493	21.2
American Indian	42	3.5	426	1.0
Asian	18	1.5	653	1.5
Hispanic/Latino	47	4.0	10,394	23.2
Native Hawaiian/Pacific Islander	7	0.6	41	0.1
Other/Multiple	286	24.1	7,299	16.3
White, non-Hispanic	707	59.6	16,109	36.0
Parent/Guardian in the Military				
No	911	76.8	38,723	86.5
Yes	269	22.7	5,679	12.7
Age				
11	85	7.2	2,499	5.6
12	195	16.4	5,938	13.3
13	185	15.6	6,288	14.0
14	179	15.1	6,501	14.5
15	216	18.2	6,784	15.2
16	151	12.7	6,743	15.1
17	116	9.8	6,358	14.2
18	54	4.6	3,252	7.3
Grade				
6th	191	16.1	6,126	13.7
7th	221	18.6	6,468	14.5
8th	157	13.2	6,341	14.2
9th	213	18.0	6,696	15.0
10th	195	16.4	6,738	15.1
11th	112	9.4	6,266	14.0
12th	97	8.2	6,121	13.7
Middle School	569	48.0	18,934	42.3
High School	617	52.0	25,821	57.7
Total	1,186	100.0	44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Santa Rosa County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.1	35.7	32.5	26.8	20.7	35.1	29.5	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	12.4	15.3	9.9	--	11.5	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	6.8	13.4	11.0	10.1	6.2	13.6	10.6	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	11.9	22.8	21.0	15.5	11.3	24.2	18.2	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	6.7	17.2	14.2	11.4	6.1	19.8	12.8	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	6.5	19.9	15.7	12.7	6.2	21.3	14.2	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	2.8	2.7	3.0	--	2.5	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	8.0	6.5	6.2	8.1	7.8	6.4	7.1	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.6	1.0	0.4	1.3	0.6	1.3	0.8	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.5	4.2	3.7	2.5	1.4	5.2	3.1	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.1	0.3	0.4	0.0	0.1	0.3	0.2	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.4	0.7	0.8	0.3	0.3	0.9	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	2.4	1.9	2.7	1.6	2.1	1.8	2.1	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	2.4	3.3	3.7	2.2	2.6	2.8	2.9	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	3.0	2.4	3.2	1.9	2.6	2.4	2.6	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	3.7	2.2	3.3	2.4	3.6	2.0	2.8	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.4	0.0	0.8	--	0.2	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	10.8	11.3	10.6	--	11.1	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.7	1.6	1.7	--	1.1	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	16.9	25.3	23.2	20.2	16.5	26.9	21.8	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	13.1	11.2	12.9	11.1	12.5	11.7	12.0	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	11.0	16.3	13.6	14.6	11.1	14.1	14.1	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	27.6	41.6	36.8	34.5	27.5	41.0	35.7	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	6.8	6.2	4.7	8.0	7.0	6.3	6.5	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Santa Rosa County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	6.0	15.2	12.6	9.9	6.0	14.4	11.3	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	1.1	5.4	3.8	3.4	1.6	4.8	3.6	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.3	1.9	0.9	1.5	0.3	1.3	1.2	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	4.4	10.3	9.6	6.2	4.2	10.9	7.8	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	2.4	9.2	6.9	5.9	2.2	10.5	6.3	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	2.3	9.9	7.7	5.8	2.1	10.8	6.7	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.6	0.4	0.8	--	0.8	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	1.6	1.4	0.7	2.3	1.4	1.8	1.5	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.0	0.5	0.1	0.5	0.0	0.7	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.1	1.2	0.1	1.3	0.1	1.2	0.7	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.3	0.0	0.3	0.0	0.4	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.3	0.0	0.3	0.0	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.3	0.2	0.5	0.0	0.3	0.2	0.2	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.7	0.5	0.5	0.6	0.9	0.3	0.6	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.5	0.0	0.5	0.0	0.5	0.0	0.2	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	1.1	0.6	1.1	0.6	1.3	0.5	0.8	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	5.6	11.9	10.0	8.7	5.5	13.0	9.2	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	3.4	3.5	2.7	4.2	3.4	3.9	3.4	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	3.5	9.4	7.5	6.2	3.7	8.1	6.9	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	9.1	21.3	17.5	14.8	9.1	21.2	16.1	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	3.2	6.3	5.0	5.1	3.2	7.0	5.0	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Santa Rosa County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.5	54.7	39.4	21.9	58.7	43.1	20.4	48.1	35.9	23.8	45.7	35.8	20.5	43.5	33.8	21.1	35.7	29.5
Blacking Out	--	21.1	--	--	21.9	--	--	14.4	--	--	16.2	--	--	13.3	--	--	12.4	--
Cigarettes	12.3	28.8	21.6	8.1	31.2	21.3	10.8	20.1	16.0	9.1	15.9	12.8	3.9	13.9	9.7	6.8	13.4	10.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	15.9	35.9	26.9	11.7	30.9	22.9	11.9	22.8	18.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	5.6	21.3	14.1	3.7	20.8	13.6	6.7	17.2	12.8
Marijuana or Hashish	5.2	32.9	20.8	4.1	34.2	21.2	5.9	24.8	16.5	5.7	27.7	17.7	5.6	24.2	16.4	6.5	19.9	14.2
Synthetic Marijuana	--	11.7	--	--	8.0	--	--	3.7	--	--	2.7	--	--	2.8	--	--	2.8	--
Inhalants	6.7	4.3	5.3	5.0	4.6	4.7	7.5	5.1	6.1	8.9	4.7	6.6	5.1	8.2	6.9	8.0	6.5	7.1
Club Drugs	0.3	5.5	3.2	0.9	3.5	2.4	0.4	2.0	1.3	0.3	3.7	2.1	0.5	3.3	2.1	0.6	1.0	0.8
LSD, PCP or Mushrooms	0.5	7.2	4.3	1.0	9.0	5.6	0.1	4.0	2.3	0.6	6.0	3.5	0.8	6.3	4.0	1.5	4.2	3.1
Methamphetamine	0.6	1.9	1.3	0.7	1.2	1.0	0.4	0.7	0.6	0.5	1.4	1.0	0.3	1.7	1.1	0.1	0.3	0.2
Cocaine or Crack	0.3	2.2	1.4	0.9	3.4	2.3	0.4	2.4	1.5	0.8	1.9	1.4	0.1	2.6	1.5	0.4	0.7	0.5
Heroin	0.7	0.7	0.7	0.4	0.6	0.5	0.1	0.4	0.2	0.2	1.0	0.6	0.5	0.9	0.8	0.1	0.1	0.1
Prescription Depressants	2.1	9.9	6.5	2.3	10.7	7.1	2.6	8.8	6.1	2.4	6.2	4.4	0.5	4.6	2.9	2.4	1.9	2.1
Prescription Pain Relievers	4.0	12.3	8.7	4.1	7.7	6.1	2.9	5.2	4.2	2.5	4.9	3.8	1.9	3.9	3.0	2.4	3.3	2.9
Prescription Amphetamines	0.6	8.0	4.8	1.8	8.3	5.5	1.7	5.9	4.0	2.9	4.8	4.0	2.5	5.8	4.4	3.0	2.4	2.6
Over-the-Counter Drugs	2.1	5.5	4.1	2.7	6.6	4.9	2.7	5.6	4.3	2.6	4.6	3.6	3.0	4.2	3.7	3.7	2.2	2.8
Needle to Inject Drugs	--	--	--	--	1.4	--	--	0.4	--	--	1.2	--	--	0.4	--	--	0.4	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.8	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.7	--
Any illicit drug	14.3	39.4	28.5	12.5	38.8	27.6	15.4	29.7	23.3	17.6	33.7	26.4	13.4	32.3	24.4	16.9	25.3	21.8
Any illicit drug other than marijuana	12.2	23.1	18.4	11.0	23.1	17.9	13.0	17.7	15.6	13.6	17.3	15.6	10.6	15.4	13.4	13.1	11.2	12.0
Alcohol only	11.3	21.4	17.0	14.0	23.4	19.4	11.7	21.8	17.4	12.9	18.7	16.1	11.8	17.2	14.9	11.0	16.3	14.1
Alcohol or any illicit drug	25.6	60.3	45.3	26.5	62.0	46.8	27.0	51.8	40.9	30.6	52.5	42.7	25.0	49.5	39.2	27.6	41.6	35.7
Any illicit drug, but no alcohol	6.2	5.7	5.9	4.8	3.5	4.1	6.9	3.8	5.2	6.9	6.7	6.8	4.8	6.1	5.5	6.8	6.2	6.5

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Santa Rosa County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	8.9	28.8	20.2	6.2	35.3	22.9	8.0	22.0	15.9	6.8	21.7	14.9	6.1	19.7	14.0	6.0	15.2	11.3
Binge Drinking	2.7	15.9	10.2	2.2	16.4	10.4	2.1	11.1	7.2	1.4	10.5	6.4	2.6	9.6	6.7	1.1	5.4	3.6
Cigarettes	3.4	9.4	6.8	2.2	8.7	6.0	2.1	5.3	3.8	2.0	4.1	3.2	0.6	2.3	1.6	0.3	1.9	1.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	5.9	18.7	12.9	6.0	15.4	11.4	4.4	10.3	7.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	2.5	9.5	6.3	1.7	11.0	7.1	2.4	9.2	6.3
Marijuana or Hashish	3.1	14.7	9.7	2.2	16.8	10.6	2.4	11.8	7.7	2.6	13.2	8.4	2.8	11.6	7.9	2.3	9.9	6.7
Synthetic Marijuana	--	1.3	--	--	1.7	--	--	0.4	--	--	0.4	--	--	0.9	--	--	0.6	--
Inhalants	2.2	1.0	1.5	1.6	0.6	1.0	2.2	1.0	1.6	2.3	1.9	2.1	1.2	1.1	1.2	1.6	1.4	1.5
Club Drugs	0.1	1.3	0.7	0.2	1.1	0.7	0.0	0.6	0.3	0.0	1.3	0.7	0.5	1.1	0.9	0.0	0.5	0.3
LSD, PCP or Mushrooms	0.1	1.0	0.6	0.0	2.6	1.5	0.4	1.2	0.8	0.2	2.3	1.3	0.8	1.1	1.0	0.1	1.2	0.7
Methamphetamine	0.2	0.5	0.4	0.6	0.5	0.6	0.1	0.4	0.3	0.1	0.8	0.4	0.0	0.0	0.0	0.0	0.1	0.1
Cocaine or Crack	0.1	0.2	0.1	0.5	0.7	0.6	0.0	0.4	0.2	0.3	1.2	0.8	0.0	0.9	0.5	0.0	0.3	0.2
Heroin	0.2	0.2	0.2	0.2	0.0	0.1	0.0	0.4	0.2	0.1	0.4	0.2	0.0	0.0	0.0	0.0	0.3	0.1
Prescription Depressants	0.6	3.8	2.4	0.6	3.1	2.0	0.9	2.4	1.7	0.4	1.4	0.9	0.2	1.2	0.7	0.3	0.2	0.2
Prescription Pain Relievers	1.5	5.6	3.8	1.7	3.2	2.6	1.6	2.3	2.0	0.9	1.2	1.0	0.9	0.9	0.9	0.7	0.5	0.6
Prescription Amphetamines	0.3	2.4	1.5	0.1	2.0	1.2	0.2	0.9	0.6	0.8	1.0	0.9	1.6	2.3	2.0	0.5	0.0	0.2
Over-the-Counter Drugs	1.3	2.3	1.9	1.1	3.0	2.2	1.1	1.1	1.1	1.1	1.0	1.0	1.0	1.2	1.1	1.1	0.6	0.8
Any illicit drug	7.1	20.1	14.5	4.9	20.2	13.7	6.4	15.2	11.4	6.2	16.1	11.6	6.3	14.6	11.1	5.6	11.9	9.2
Any illicit drug other than marijuana	5.1	11.1	8.4	4.1	8.9	6.8	4.8	7.1	6.1	3.7	7.6	5.8	4.8	5.1	5.0	3.4	3.5	3.4
Alcohol only	6.0	14.5	10.8	4.0	19.6	13.0	5.1	12.2	9.1	4.1	11.2	8.0	2.7	10.1	7.0	3.5	9.4	6.9
Alcohol or any illicit drug	12.9	34.6	25.2	8.7	39.5	26.2	12.0	27.0	20.4	10.3	27.4	19.7	8.9	24.7	18.1	9.1	21.3	16.1
Any illicit drug, but no alcohol	4.2	5.7	5.1	2.5	4.3	3.6	4.2	4.9	4.6	3.6	5.6	4.7	2.6	5.0	4.0	3.2	6.3	5.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Santa Rosa County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	15.7	17.6	13.6	--	15.6	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	3.9	4.9	3.0	--	3.9	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	7.3	7.3	6.9	--	8.2	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	6.5	7.2	5.9	--	7.2	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	9.9	12.4	7.7	--	11.8	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.5	5.0	4.0	--	4.8	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	56.6	47.4	52.2	50.9	55.8	48.0	51.3	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	70.8	59.6	64.8	64.1	70.0	59.6	64.3	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	72.0	72.6	70.3	74.3	71.9	72.2	72.3	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	63.4	51.3	55.2	57.8	63.1	50.6	56.4	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	64.6	46.0	52.3	55.8	63.9	44.8	53.9	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	55.6	36.5	41.8	47.6	54.7	36.4	44.6	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	37.6	23.9	26.7	33.0	36.2	24.9	29.7	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	75.4	71.5	75.1	71.2	74.4	73.1	73.1	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Santa Rosa County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	18.6	--	--	22.0	--	--	18.1	--	--	18.1	--	--	16.2	--	--	15.7	--
Drink monthly	--	3.6	--	--	3.8	--	--	3.3	--	--	4.0	--	--	2.1	--	--	3.9	--
Smoke cigarettes	--	14.6	--	--	14.8	--	--	9.8	--	--	8.6	--	--	8.0	--	--	7.3	--
Smoke marijuana	--	10.8	--	--	9.6	--	--	7.5	--	--	7.0	--	--	7.6	--	--	6.5	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	8.5	--	--	9.5	--	--	9.9	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	3.7	--	--	5.5	--	--	4.5	--
Great risk of harm																		
Daily alcohol use	47.4	32.9	39.2	47.0	36.4	41.0	50.6	44.4	47.2	47.9	46.7	47.2	51.7	46.1	48.4	56.6	47.4	51.3
5+ drinks daily	62.8	45.4	53.0	64.7	46.7	54.5	66.1	55.5	60.2	64.1	58.0	60.7	71.0	57.4	63.1	70.8	59.6	64.3
Daily cigarette use	73.2	66.5	69.4	73.2	67.0	69.7	73.0	69.6	71.1	69.7	72.9	71.5	74.1	72.7	73.3	72.0	72.6	72.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	54.3	43.3	48.2	60.7	42.3	50.1	63.4	51.3	56.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	56.6	42.0	48.6	62.2	37.8	48.1	64.6	46.0	53.9
Marijuana weekly	63.2	28.3	43.5	61.3	27.9	42.3	54.4	25.7	38.6	50.0	29.6	38.8	52.7	29.2	39.1	55.6	36.5	44.6
Try marijuana	44.4	20.5	31.0	38.6	16.1	25.8	35.4	14.2	23.7	32.8	17.2	24.2	32.6	20.9	25.9	37.6	23.9	29.7
Prescription drugs	77.8	65.2	70.7	75.9	65.3	69.9	73.6	68.7	70.8	73.6	68.1	70.6	74.9	67.8	70.8	75.4	71.5	73.1

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Santa Rosa County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	97.0	91.6	92.2	95.7	96.8	92.7	93.9	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	93.8	76.3	80.5	86.9	92.5	78.0	83.7	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	95.4	76.6	82.5	86.8	94.9	76.6	84.6	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	94.3	86.3	87.5	92.0	94.2	86.0	89.7	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	96.1	81.0	86.5	88.4	95.7	80.6	87.4	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	98.8	96.7	97.3	97.8	98.7	96.5	97.6	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	95.4	89.0	92.4	91.0	94.9	88.8	91.7	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	95.6	89.7	90.4	93.8	95.5	90.1	92.2	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	95.0	75.9	84.1	83.8	94.4	76.2	84.1	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	94.1	82.2	85.1	89.2	93.5	83.6	87.3	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	94.4	80.0	85.6	86.5	94.0	79.8	86.1	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	95.9	95.4	93.9	97.3	96.1	95.1	95.6	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	99.0	95.7	96.3	97.8	98.7	96.3	97.1	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	99.3	98.3	98.6	98.8	99.2	98.9	98.7	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	97.8	89.5	92.1	94.1	97.7	90.7	93.1	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	98.8	97.4	97.6	98.3	98.6	98.4	98.0	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Santa Rosa County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Think it wrong																		
Smoke cigarettes	94.4	82.7	87.9	96.1	82.9	88.5	95.6	85.2	89.8	96.0	91.5	93.5	97.7	88.4	92.3	97.0	91.6	93.9
Drink regularly	90.4	59.6	73.2	90.4	59.9	73.0	89.8	65.8	76.4	90.3	69.4	78.7	94.2	67.6	78.8	93.8	76.3	83.7
Smoke marijuana	93.5	65.5	77.9	93.6	64.2	76.8	91.9	62.2	75.3	91.7	64.8	76.9	94.4	68.2	79.2	95.4	76.6	84.6
Vape nicotine	--	--	--	--	--	--	--	--	--	90.7	79.7	84.6	94.5	77.3	84.5	94.3	86.3	89.7
Vape marijuana	--	--	--	--	--	--	--	--	--	92.5	76.6	83.7	95.3	74.6	83.3	96.1	81.0	87.4
Other illicit drugs	99.2	92.1	95.2	98.6	90.8	94.1	98.5	92.8	95.3	98.2	95.0	96.4	98.8	93.0	95.5	98.8	96.7	97.6
Friends think it wrong																		
Daily alcohol use	92.9	71.4	80.7	94.1	74.8	83.1	93.1	81.4	86.6	94.6	82.7	88.0	91.9	81.4	85.8	95.4	89.0	91.7
Smoke tobacco	94.7	79.7	86.2	95.3	80.2	86.7	95.7	85.6	90.1	94.6	85.2	89.4	95.0	82.7	87.9	95.6	89.7	92.2
Smoke marijuana	92.7	63.6	76.3	93.7	62.8	76.0	89.2	62.1	74.0	91.6	65.9	77.4	90.9	69.9	78.8	95.0	75.9	84.1
Vape nicotine	--	--	--	--	--	--	--	--	--	88.4	69.2	77.8	88.0	72.4	79.0	94.1	82.2	87.3
Vape marijuana	--	--	--	--	--	--	--	--	--	92.0	71.1	80.4	90.2	72.7	80.1	94.4	80.0	86.1
Use prescription drugs	97.7	88.5	92.5	96.5	87.0	91.1	97.3	91.6	94.1	97.3	92.5	94.6	96.0	90.2	92.6	95.9	95.4	95.6
Parents think it wrong																		
Daily alcohol use	97.8	90.9	93.8	98.1	92.1	94.7	98.4	95.2	96.7	98.2	95.1	96.6	97.5	96.4	96.9	99.0	95.7	97.1
Smoke tobacco	99.0	94.9	96.7	98.4	95.8	96.9	98.5	97.0	97.6	98.7	97.6	98.1	99.1	98.3	98.6	99.3	98.3	98.7
Smoke marijuana	97.0	90.3	93.2	97.6	88.0	92.2	96.6	89.0	92.4	97.0	86.4	91.5	96.1	87.9	91.5	97.8	89.5	93.1
Use prescription drugs	98.3	97.7	98.0	98.3	98.4	98.4	97.6	97.4	97.5	97.6	98.4	98.0	98.6	98.4	98.5	98.8	97.4	98.0

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Santa Rosa County and Florida Statewide youth, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	17.8	13.2	23.3	--	17.8	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	6.1	4.6	7.9	--	6.1	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	47.4	65.1	26.7	--	47.4	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	3.9	1.4	6.6	--	3.9	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	9.1	11.0	7.5	--	9.1	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	15.8	4.7	28.1	--	15.8	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Santa Rosa County and Florida Statewide youth, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	38.8	38.6	36.3	--	38.8	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	45.6	52.1	39.9	--	45.6	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	1.6	3.0	0.0	--	1.6	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	5.4	2.3	9.5	--	5.4	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	1.0	1.9	0.0	--	1.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.5	0.0	1.2	--	0.5	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	6.9	2.1	13.0	--	6.9	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Santa Rosa County and Florida Statewide youth, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	40.0	31.7	49.2	--	40.0	--	--	33.2	34.8	30.9	--	33.2	--
2	--	20.1	25.9	12.0	--	20.1	--	--	23.0	25.2	20.0	--	23.0	--
3	--	8.9	7.0	11.8	--	8.9	--	--	17.8	17.8	17.6	--	17.8	--
4	--	7.9	8.7	7.2	--	7.9	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	23.2	26.7	19.6	--	23.2	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Santa Rosa County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.3	3.1	3.7	1.9	2.2	3.5	2.8	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	3.6	6.6	5.4	5.3	2.8	8.0	5.3	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.7	1.8	1.5	2.0	1.5	1.7	1.7	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Santa Rosa County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.8	4.9	2.8	8.4	6.0	5.6	5.7	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.9	2.4	1.6	1.9	0.8	2.2	1.7	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.2	1.0	0.8	1.3	1.2	0.8	1.0	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	0.5	1.1	1.2	0.5	0.6	0.5	0.8	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.1	0.4	0.1	0.5	0.1	0.0	0.3	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	13.1	8.5	8.7	12.4	12.0	9.2	10.5	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	6.8	3.5	3.9	6.0	6.7	3.0	4.9	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Santa Rosa County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.9	8.2	7.6	6.0	8.0	7.2	8.9	6.6	7.6	6.1	6.4	6.3	7.7	8.1	7.9	6.8	4.9	5.7
Selling drugs	1.3	7.7	5.0	1.1	7.4	4.7	0.6	4.0	2.5	0.6	3.3	2.0	0.5	2.8	1.8	0.9	2.4	1.7
Attempting to steal a vehicle	0.5	1.6	1.1	0.5	1.0	0.8	0.7	1.6	1.2	1.0	2.2	1.6	0.0	1.5	0.8	1.2	1.0	1.0
Being arrested	1.6	2.5	2.1	0.9	3.5	2.4	1.8	1.9	1.9	1.1	1.9	1.5	1.5	1.0	1.2	0.5	1.1	0.8
Taking a handgun to school	0.1	0.7	0.5	0.2	0.5	0.3	0.0	0.7	0.4	0.4	0.5	0.4	0.0	0.5	0.3	0.1	0.4	0.3
Getting suspended	5.6	6.6	6.2	4.4	6.7	5.7	5.3	2.9	4.0	9.2	6.4	7.8	9.5	8.4	8.9	13.1	8.5	10.5
Attacking someone with intent to harm	4.5	5.9	5.3	4.8	5.0	4.9	6.3	3.4	4.7	6.6	4.7	5.6	6.5	6.3	6.4	6.8	3.5	4.9

Table 16. Percentages of Santa Rosa County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	26.5	27.1	36.4	16.8	26.3	25.1	26.8	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	42.8	40.2	47.7	34.6	42.5	38.9	41.3	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	25.5	26.3	30.6	20.6	26.2	25.3	26.0	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	44.7	41.0	52.4	32.5	43.9	39.5	42.6	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<i>Suicide (past 12 months)</i>														
Seriously considered attempting suicide	12.8	13.8	16.8	9.5	12.4	13.9	13.4	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	12.4	10.1	13.7	8.1	11.9	9.1	11.1	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	7.7	5.6	8.7	4.1	7.8	5.6	6.5	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.2	1.9	2.6	0.5	1.2	1.8	1.6	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Santa Rosa County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.4	13.1	17.6	6.6	10.2	13.9	12.0	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	48.8	35.1	43.5	38.5	48.3	34.2	40.9	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	72.7	57.4	70.7	57.3	71.4	58.3	63.9	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	40.4	35.5	47.5	27.7	39.2	35.6	37.5	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	19.2	10.8	12.1	16.5	19.9	9.1	14.3	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	34.9	28.5	30.8	31.6	34.9	27.9	31.2	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	16.6	12.2	15.6	12.8	16.5	11.7	14.0	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Santa Rosa County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	12.0	16.0	8.2	--	11.3	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	7.4	8.9	5.6	--	8.4	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	5.3	8.2	2.1	--	5.7	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	37.4	39.4	35.0	--	37.6	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	8.1	10.9	4.8	--	7.1	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	31.4	34.3	28.2	--	31.1	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	39.1	48.9	29.1	--	37.4	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	27.2	29.9	24.4	--	27.1	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	23.9	25.8	21.8	--	22.8	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	5.9	7.4	4.2	--	6.6	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Santa Rosa County and Florida Statewide high school youth, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	34.6	31.2	38.4	--	34.6	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	20.5	19.0	21.5	--	20.5	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	12.4	12.2	12.8	--	12.4	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	9.7	10.0	9.5	--	9.7	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	8.8	10.3	7.3	--	8.8	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	6.6	6.7	6.6	--	6.6	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	2.8	3.4	2.1	--	2.8	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	2.6	3.6	1.6	--	2.6	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.7	1.4	0.1	--	0.7	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	1.0	1.6	0.0	--	1.0	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.4	0.7	0.0	--	0.4	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Santa Rosa County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	30.3	26.6	28.2	28.1	29.5	26.6	28.1	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	24.3	17.5	20.8	20.2	23.9	17.6	20.4	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	30.5	27.8	27.1	30.2	29.4	29.0	28.9	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	28.2	24.8	24.1	28.4	28.0	25.3	26.3	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	26.3	17.6	23.3	19.6	25.5	16.1	21.3	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	52.2	40.2	53.5	36.8	52.7	36.3	45.2	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Santa Rosa County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	29.4	44.7	31.8	44.9	32.9	45.2	38.2	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	56.1	28.5	36.4	44.3	54.6	26.6	40.2	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	17.1	7.6	11.1	12.2	15.9	8.6	11.6	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	30.1	42.7	46.2	28.8	30.9	41.3	37.4	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	9.0	12.1	12.4	9.4	8.9	11.9	10.8	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Santa Rosa County and Florida Statewide youth, 2024

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	12.7	11.6	14.0	--	13.2	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	13.6	12.8	14.7	--	13.8	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	2.2	1.8	2.6	--	2.3	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	4.5	4.3	4.8	--	5.2	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Santa Rosa County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	17.9	--	--	16.7	--	--	11.7	--	--	14.1	--	--	16.1	--	--	12.7	--
Marijuana	--	18.9	--	--	20.4	--	--	15.4	--	--	18.9	--	--	17.4	--	--	13.6	--
<i>Driving a vehicle</i>																		
Alcohol	--	8.9	--	--	6.6	--	--	3.3	--	--	3.9	--	--	4.7	--	--	2.2	--
Marijuana	--	8.6	--	--	9.1	--	--	6.4	--	--	8.3	--	--	7.1	--	--	4.5	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Santa Rosa County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Santa Rosa County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	58	59	55	58	59	54
	Family Rewards for Prosocial Involvement	49	53	49	52	54	55
School	School Opportunities for Prosocial Involvement	48	66	49	62	57	60
	School Rewards for Prosocial Involvement	39	55	45	57	53	58
Peer and Individual	Religiosity	50	58	43	54	56	62
Average Prevalence Rate		49	58	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Santa Rosa County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Santa Rosa County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	36	25	40	25	42	42
	Perceived Availability of Drugs	37	14	30	13	45	45
	Perceived Availability of Handguns	30	37	24	29	25	42
Family	Poor Family Management	43	32	47	35	44	45
	Family Conflict	42	31	40	30	42	37
School	Poor Academic Performance	37	37	45	45	45	48
	Lack of Commitment to School	73	70	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	54	42	54	38	40	46
	Favorable Attitudes toward ATOD Use	24	22	27	22	39	45
	Early Initiation of Drug Use	20	14	19	11	41	46
Average Prevalence Rate		40	32	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Santa Rosa County, 2014 to 2024

Domain	Scale	Santa Rosa County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	65	65	57	58	59	58
	Family Rewards for Prosocial Involvement	62	62	49	47	46	49
School	School Opportunities for Prosocial Involvement	48	50	50	47	44	48
	School Rewards for Prosocial Involvement	54	53	50	39	45	39
Peer and Individual	Religiosity	60	56	52	46	40	50
Average Prevalence Rate		58	57	52	47	47	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Santa Rosa County, 2014 to 2024

Domain	Scale	Santa Rosa County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	30	26	30	35	30	36
	Perceived Availability of Drugs	36	36	31	39	31	37
	Perceived Availability of Handguns	31	33	31	30	33	30
Family	Poor Family Management	31	26	36	37	38	43
	Family Conflict	34	36	37	42	43	42
School	Poor Academic Performance	38	36	37	42	37	37
	Lack of Commitment to School	48	49	58	69	66	73
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	32	34	39	50	47	54
	Favorable Attitudes toward ATOD Use	29	26	31	32	24	24
	Early Initiation of Drug Use	21	19	21	22	19	20
Average Prevalence Rate		33	32	35	40	37	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Santa Rosa County, 2014 to 2024

Domain	Scale	Santa Rosa County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	57	63	65	53	59	59
	Family Rewards for Prosocial Involvement	55	59	59	56	50	53
School	School Opportunities for Prosocial Involvement	61	63	71	67	59	66
	School Rewards for Prosocial Involvement	63	62	63	60	51	55
Peer and Individual	Religiosity	63	62	60	60	52	58
Average Prevalence Rate		60	62	64	59	54	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Santa Rosa County, 2014 to 2024

Domain		Scale	Santa Rosa County					
			2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use		27	28	25	32	26	25
	Perceived Availability of Drugs		31	30	23	20	19	14
	Perceived Availability of Handguns		45	44	39	36	38	37
Family	Poor Family Management		38	32	26	29	30	32
	Family Conflict		32	34	32	35	40	31
School	Poor Academic Performance		36	37	32	36	38	37
	Lack of Commitment to School		48	52	52	65	69	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		37	35	37	35	41	42
	Favorable Attitudes toward ATOD Use		39	37	35	30	30	22
	Early Initiation of Drug Use		25	30	18	18	16	14
Average Prevalence Rate			36	36	32	34	35	32

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.