

2025 Florida Youth Substance Abuse Survey

Statewide Tables

Table 1. Major demographic characteristics of surveyed Florida youth, 2025

	Unweighted			Weighted	
	N	%		N	%
Sex					
Female	6,703	50.0		6,591	49.1
Male	6,674	49.8		6,790	50.6
Race/Ethnic group					
American Indian	166	1.2		94	0.7
Asian	375	2.8		214	1.6
African American	2,497	18.6		2,754	20.5
Hispanic/Latino	4,164	31.0		3,371	25.1
Native Hawaiian/Pacific Islander	21	0.2		11	0.1
Other/Multiple	3,260	24.3		2,203	16.4
White, non-Hispanic	2,875	21.4		4,712	35.1
Parent/Guardian in the Military					
No	11,699	87.2		11,731	87.5
Yes	1,659	12.4		1,637	12.2
Age					
11	892	6.7		709	5.3
12	2,261	16.9		1,734	12.9
13	2,456	18.3		1,942	14.5
14	2,124	15.8		1,846	13.8
15	1,930	14.4		2,079	15.5
16	1,639	12.2		2,008	15.0
17	1,332	9.9		1,936	14.4
18	702	5.2		1,058	7.9
Grade					
6th	2,337	17.4		1,835	13.7
7th	2,487	18.5		1,882	14.0
8th	2,435	18.2		1,971	14.7
9th	1,862	13.9		1,989	14.8
10th	1,755	13.1		2,007	15.0
11th	1,368	10.2		1,940	14.5
12th	1,168	8.7		1,788	13.3
Middle School	7,259	54.1		5,688	42.4
High School	6,153	45.9		7,724	57.6
Total	13,412	100.0		13,412	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases.

Table 2. Demographic characteristics of historical samples—2014 to 2025

	2014		2016		2018		2020		2022		2024		2025	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Sex														
Female	31,702	48.1	31,515	47.9	26,340	48.2	25,191	48.4	22,957	48.3	21,747	48.6	6,591	49.1
Male	33,056	50.1	32,905	50.0	27,468	50.3	26,328	50.5	23,857	50.1	22,711	50.7	6,790	50.6
Race/Ethnic group														
African American	12,512	19.0	14,666	22.3	12,088	22.1	11,284	21.7	10,187	21.4	9,493	21.2	2,754	20.5
Hispanic/Latino	12,827	19.5	13,174	20.0	11,242	20.6	11,091	21.3	10,291	21.6	10,394	23.2	3,371	25.1
White, non-Hispanic	29,014	44.0	28,309	43.0	22,618	41.4	20,904	40.1	18,419	38.7	16,109	36.0	4,712	35.1
Age														
11	3,909	17.5	3,856	5.9	3,339	6.1	3,151	6.0	2,576	5.4	2,499	5.6	709	5.3
12	8,589	5.9	8,338	12.7	7,363	13.5	7,124	13.7	6,243	13.1	5,938	13.3	1,734	12.9
13	9,491	13.0	9,230	14.0	7,738	14.2	7,698	14.8	6,872	14.4	6,288	14.0	1,942	14.5
14	9,764	14.4	9,454	14.4	7,864	14.4	7,616	14.6	7,136	15.0	6,501	14.5	1,846	13.8
15	10,011	14.8	10,070	15.3	7,982	14.6	7,582	14.6	7,278	15.3	6,784	15.2	2,079	15.5
16	9,431	15.2	9,684	14.7	7,926	14.5	7,502	14.4	6,918	14.5	6,743	15.1	2,008	15.0
17	8,940	14.3	9,348	14.2	7,725	14.1	7,073	13.6	6,616	13.9	6,358	14.2	1,936	14.4
18	4,837	13.6	4,799	7.3	3,990	7.3	3,807	7.3	3,403	7.2	3,252	7.3	1,058	7.9
Grade														
6th	9,610	14.6	9,301	14.1	8,050	14.7	7,718	14.8	6,626	13.9	6,126	13.7	1,835	13.7
7th	9,611	14.6	9,215	14.0	7,706	14.1	7,555	14.5	6,817	14.3	6,468	14.5	1,882	14.0
8th	9,427	14.3	9,326	14.2	7,715	14.1	7,632	14.6	7,021	14.8	6,341	14.2	1,971	14.7
9th	10,281	15.6	10,140	15.4	8,024	14.7	7,668	14.7	7,193	15.1	6,696	15.0	1,989	14.8
10th	9,595	14.6	9,834	15.0	7,925	14.5	7,481	14.4	7,025	14.8	6,738	15.1	2,007	15.0
11th	9,190	13.9	9,254	14.1	7,775	14.2	7,117	13.7	6,557	13.8	6,266	14.0	1,940	14.5
12th	8,203	12.4	8,705	13.2	7,417	13.6	6,923	13.3	6,333	13.3	6,121	13.7	1,788	13.3
Middle School	28,547	43.3	27,678	42.1	23,470	43.0	22,904	44.0	20,463	43.0	18,934	42.3	5,688	42.4
High School	37,164	56.4	37,765	57.4	31,141	57.0	29,189	56.0	27,109	57.0	25,821	57.7	7,724	57.6
Total	65,917	100.0	65,776	100.0	54,611	100.0	52,093	100.0	47,572	100.0	44,755	100.0	13,412	100.0

Note: Demographic results represent samples after sample weights have been applied.

Table 3. Lifetime prevalence of ATOD use, 2025

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	11.4	16.2	20.8	21.7	26.2	29.0	36.2
Cigarettes	2.4	2.9	4.0	5.9	5.5	8.0	9.0
Vaping Nicotine	5.8	9.2	11.4	15.7	17.0	16.4	20.8
Vaping Marijuana	1.9	4.2	5.7	10.7	13.0	11.5	17.2
Marijuana or Hashish	1.5	3.2	5.8	10.8	14.4	13.8	21.7
Synthetic Marijuana	--	--	--	1.5	2.0	1.6	2.0
Inhalants	6.6	5.9	6.4	3.7	3.7	2.6	2.8
Club Drugs	0.2	0.5	0.1	0.7	0.5	0.2	0.8
LSD, PCP or Mushrooms	0.3	0.6	0.9	1.8	1.8	2.5	4.5
Methamphetamine	0.8	0.5	0.6	0.7	0.6	0.0	0.4
Cocaine or Crack Cocaine	0.4	0.4	0.3	0.5	0.4	0.4	0.5
Heroin	0.1	0.1	0.3	0.3	0.3	0.0	0.1
Depressants	0.7	1.0	1.3	1.6	1.2	1.0	2.0
Prescription Pain Relievers	1.5	1.7	2.0	1.5	1.8	0.9	1.2
Prescription Amphetamines	0.5	0.9	1.1	1.4	1.3	1.5	1.7
Over-the-Counter Drugs	1.4	1.2	1.7	1.9	1.9	0.8	2.6
Needle to Inject Illegal Drugs	--	--	--	0.7	0.5	0.3	0.3

Table 4. Past-30-day prevalence of ATOD use, 2025

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	3.3	4.2	6.7	6.8	9.8	11.4	15.9
Binge Drinking	1.6	1.6	2.1	3.3	5.0	5.2	7.8
Cigarettes	0.5	0.6	0.7	1.4	1.3	1.2	2.0
Vaping Nicotine	1.5	2.6	3.0	6.4	6.7	7.2	8.1
Vaping Marijuana	0.5	1.3	1.7	4.8	5.9	5.6	6.3
Marijuana or Hashish	0.5	1.3	1.7	5.0	6.1	6.5	8.6
Synthetic Marijuana	--	--	--	0.7	0.9	0.4	0.5
Inhalants	2.7	2.1	1.9	1.0	0.8	0.6	0.9
Club Drugs	0.1	0.1	0.0	0.4	0.3	0.2	0.3
LSD, PCP or Mushrooms	0.1	0.1	0.1	0.5	0.8	0.2	0.8
Methamphetamine	0.5	0.3	0.4	0.4	0.5	0.1	0.2
Cocaine or Crack Cocaine	0.1	0.2	0.2	0.4	0.3	0.2	0.3
Heroin	0.0	0.0	0.2	0.1	0.1	0.0	0.2
Depressants	0.3	0.4	0.2	0.5	0.3	0.1	0.3
Prescription Pain Relievers	0.5	0.5	0.7	0.7	0.8	0.2	0.2
Prescription Amphetamines	0.3	0.2	0.3	0.3	0.5	0.3	0.4
Over-the-Counter Drugs	0.7	0.5	0.3	0.7	0.7	0.2	0.7

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2014 to 2025

	Alcohol Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	44.3	41.3	38.9	38.3	34.5	30.5	24.5	21.7	19.9	16.8	15.9	13.3	11.8	8.5
Male	40.9	37.1	34.1	32.5	27.5	23.5	21.7	19.4	17.0	13.8	13.7	10.3	8.6	8.1
Race/Ethnic group														
African American	34.3	31.0	28.2	26.4	22.9	19.0	18.1	13.8	12.4	9.5	9.1	7.4	6.5	5.3
Hispanic/Latino	45.3	41.5	38.3	35.3	31.0	25.7	21.8	22.0	18.6	15.3	14.0	10.7	8.9	6.8
White, non-Hispanic	46.0	42.1	39.8	39.6	35.1	31.4	27.1	23.7	21.4	18.4	18.0	14.7	12.8	11.2
Age														
11	11.2	10.0	10.9	12.9	13.2	13.1	8.9	3.8	2.5	2.8	4.4	3.9	2.8	2.6
12	18.1	15.7	15.3	18.4	16.9	15.7	13.2	6.1	5.3	4.5	6.0	4.9	4.8	3.5
13	28.0	24.8	23.9	26.1	22.9	21.8	18.9	11.2	9.4	8.3	9.2	7.6	6.9	5.0
14	39.0	34.6	33.9	33.0	29.0	24.1	21.3	18.3	14.7	13.2	12.3	9.7	8.2	7.1
15	48.6	43.4	39.0	38.4	32.7	27.1	22.4	22.7	19.9	15.8	15.8	11.7	10.3	8.0
16	58.0	51.4	49.9	45.3	38.6	32.7	27.5	28.3	23.6	21.4	19.4	15.4	13.1	10.1
17	63.9	60.3	55.5	51.2	43.9	37.8	34.2	34.1	32.4	25.6	24.0	18.6	15.6	13.8
18	64.4	61.3	55.5	52.8	47.4	41.1	31.8	36.2	34.5	28.5	27.3	22.2	18.7	14.8
Grade														
6th	15.1	12.5	12.6	15.3	14.3	14.2	11.4	5.0	4.0	3.8	5.1	4.4	3.9	3.3
7th	24.0	21.6	20.5	22.9	20.7	19.1	16.2	9.5	7.7	6.3	8.1	6.4	6.2	4.2
8th	35.9	31.2	29.5	30.7	27.5	24.5	20.8	15.9	13.2	11.9	11.3	9.2	8.2	6.7
9th	45.4	39.9	37.7	35.0	29.8	23.6	21.7	21.3	17.2	13.9	13.0	10.6	8.3	6.8
10th	54.0	47.9	45.2	42.3	36.2	30.3	26.2	26.3	22.3	19.5	18.2	13.1	11.8	9.8
11th	60.2	56.7	52.7	48.5	41.7	36.7	29.0	30.3	29.2	23.4	21.8	18.1	14.6	11.4
12th	66.9	62.8	57.3	55.1	47.7	40.4	36.2	37.5	34.4	28.3	27.5	21.3	18.2	15.9
Middle School	25.0	21.8	20.8	23.0	21.0	19.3	16.3	10.1	8.3	7.3	8.2	6.7	6.2	4.8
High School	56.0	51.4	48.0	44.9	38.5	32.5	28.1	28.4	25.5	21.2	19.9	15.5	13.1	10.9
Total	42.6	39.1	36.5	35.3	31.0	26.9	23.1	20.5	18.3	15.3	14.8	11.8	10.2	8.3

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2025

	Alcohol						
	Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex							
Female	91.5	6.2	1.2	0.6	0.3	0.1	0.1
Male	91.9	5.3	1.5	0.4	0.5	0.1	0.3
Race/Ethnic group							
African American	94.7	3.5	0.7	0.3	0.3	0.1	0.3
Hispanic/Latino	93.2	4.7	1.3	0.3	0.3	0.1	0.2
White, non-Hispanic	88.8	7.9	1.9	0.6	0.4	0.1	0.3
Age							
11	97.4	1.6	0.4	0.0	0.3	0.2	0.1
12	96.5	2.5	0.6	0.2	0.2	0.0	0.1
13	95.0	3.3	0.7	0.5	0.2	0.0	0.3
14	92.9	5.0	1.2	0.3	0.3	0.1	0.2
15	92.0	5.7	1.1	0.4	0.4	0.2	0.2
16	89.9	7.0	1.9	0.4	0.6	0.1	0.1
17	86.2	9.3	2.4	1.3	0.2	0.2	0.5
18	85.2	10.3	2.6	0.7	0.9	0.0	0.3
Grade							
6th	96.7	2.3	0.5	0.1	0.2	0.1	0.1
7th	95.8	2.7	0.7	0.3	0.3	0.0	0.2
8th	93.3	4.7	1.0	0.5	0.2	0.1	0.2
9th	93.2	5.1	0.7	0.3	0.4	0.1	0.3
10th	90.2	6.7	1.7	0.6	0.4	0.1	0.2
11th	88.6	7.9	2.2	0.7	0.5	0.0	0.0
12th	84.1	10.7	2.9	0.9	0.6	0.2	0.6
Middle School	95.2	3.3	0.8	0.3	0.2	0.1	0.2
High School	89.1	7.6	1.9	0.6	0.5	0.1	0.3
Total	91.7	5.7	1.4	0.5	0.4	0.1	0.2

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2014 to 2025

	High-Risk Alcohol Use													
	Binge Drinking							Blacking Out						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	9.5	7.9	6.7	6.8	6.1	4.8	3.7	19.8	16.5	15.0	14.2	12.7	10.3	7.9
Male	9.4	7.7	6.9	6.4	5.1	4.1	3.8	18.1	15.4	13.5	13.3	9.5	8.0	7.6
Race/Ethnic group														
African American	6.0	4.9	3.9	4.5	3.9	3.2	2.8	10.3	8.4	7.7	8.1	7.2	5.2	4.7
Hispanic/Latino	11.3	8.6	7.6	7.0	5.8	4.3	3.1	18.6	15.3	12.4	11.7	8.2	6.6	6.4
White, non-Hispanic	10.7	8.8	7.9	7.5	6.4	5.2	5.0	22.4	20.0	18.9	18.0	14.7	12.9	10.6
Age														
11	1.1	0.6	1.2	1.6	2.1	1.4	1.4	--	--	--	--	--	--	--
12	1.9	1.8	1.9	2.2	1.7	1.6	1.6	--	--	--	--	--	--	--
13	4.4	3.7	3.2	3.9	3.5	2.7	1.5	--	--	--	--	--	--	--
14	6.7	5.5	5.1	5.1	4.0	3.2	2.3	10.0	7.3	7.0	7.7	5.4	5.1	4.7
15	10.2	7.8	6.4	7.0	5.4	4.7	3.9	14.2	11.5	9.9	10.5	8.2	6.6	5.9
16	14.4	9.6	10.0	9.0	7.1	6.0	5.1	20.0	15.5	14.4	13.1	10.3	9.3	7.5
17	16.7	15.4	12.1	10.6	9.2	7.1	6.5	24.5	21.2	17.7	16.7	15.0	11.6	10.1
18	19.0	15.7	13.7	14.6	11.9	8.4	7.4	23.1	22.3	21.0	20.7	15.8	12.2	9.3
Grade														
6th	1.9	1.6	1.8	2.1	2.3	1.6	1.6	--	--	--	--	--	--	--
7th	3.8	3.2	2.8	3.2	2.7	2.4	1.6	--	--	--	--	--	--	--
8th	6.0	4.9	4.6	4.9	4.0	3.3	2.1	--	--	--	--	--	--	--
9th	9.3	6.9	5.6	5.8	4.9	4.1	3.3	12.7	9.5	8.6	8.5	6.3	5.5	5.0
10th	12.7	9.0	8.9	8.4	5.9	5.0	5.0	17.9	14.0	12.3	12.4	9.3	7.9	7.0
11th	14.9	12.7	10.4	9.9	8.6	7.1	5.2	21.0	18.9	15.8	15.0	13.3	11.3	8.4
12th	19.2	15.8	13.6	13.2	11.1	7.9	7.8	25.4	22.3	20.7	19.8	16.0	12.2	10.8
Middle School	3.9	3.2	3.1	3.4	3.0	2.4	1.8	--	--	--	--	--	--	--
High School	13.7	10.9	9.6	9.2	7.5	5.9	5.3	18.9	15.9	14.2	13.8	11.0	9.1	7.7
Total	9.5	7.7	6.8	6.7	5.6	4.4	3.8	--	--	--	--	--	--	--

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went.

Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2014 to 2025

	Cigarette Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	17.2	14.0	11.1	8.5	7.2	6.4	5.0	4.4	3.3	2.6	1.4	1.0	0.9	0.9
Male	18.0	14.1	11.4	9.6	7.0	6.2	5.8	5.3	3.5	2.4	2.1	1.3	1.2	1.3
Race/Ethnic group														
African American	10.3	8.9	6.5	5.8	4.0	3.1	3.7	2.0	1.5	1.2	1.2	0.7	0.8	0.9
Hispanic/Latino	17.2	13.4	11.4	7.7	6.0	5.7	4.1	3.6	2.6	2.0	1.3	0.8	0.9	0.7
White, non-Hispanic	21.2	16.7	13.6	11.3	9.2	8.3	7.2	6.9	4.7	3.3	2.3	1.5	1.3	1.4
Age														
11	3.7	2.4	3.2	2.9	2.6	2.0	2.1	0.4	0.3	0.8	0.5	0.3	0.2	0.4
12	6.5	5.1	4.6	4.8	3.8	3.6	2.3	1.1	0.8	0.7	0.8	0.5	0.5	0.7
13	10.6	9.1	7.4	6.8	5.7	4.5	3.4	2.2	1.7	1.4	1.3	1.0	0.7	0.3
14	15.2	12.4	9.5	8.1	6.3	5.5	4.6	3.6	2.2	1.6	1.4	1.0	0.9	0.8
15	19.3	14.9	11.4	9.3	7.0	7.2	5.5	5.1	3.5	2.5	1.7	1.2	1.6	1.4
16	22.9	18.5	15.1	11.4	8.3	8.1	7.3	6.5	4.3	3.4	2.4	1.2	1.2	1.5
17	28.9	22.4	17.5	12.6	9.7	8.3	8.7	9.0	6.2	4.0	2.9	1.7	1.4	1.7
18	30.2	23.6	19.2	15.9	13.1	9.5	7.9	11.1	7.4	5.4	3.6	2.1	1.8	1.7
Grade														
6th	5.7	4.3	4.4	4.5	3.8	3.0	2.4	1.0	0.8	0.7	0.8	0.5	0.4	0.5
7th	9.5	8.3	6.5	6.3	5.0	4.3	2.9	2.1	1.5	1.2	1.1	0.8	0.6	0.6
8th	14.2	11.3	9.2	7.4	6.3	5.7	4.0	2.9	2.0	1.6	1.4	1.1	1.0	0.7
9th	18.3	13.8	9.8	8.8	6.8	5.7	5.9	5.2	2.9	1.9	1.5	1.0	1.1	1.4
10th	22.0	17.2	14.4	10.1	7.0	7.6	5.5	6.2	4.6	3.5	1.9	1.3	1.3	1.3
11th	24.7	21.4	15.5	11.5	9.0	8.8	8.0	7.2	5.0	3.6	2.8	1.4	1.7	1.2
12th	30.8	22.4	19.5	15.4	12.1	8.9	9.0	10.8	7.1	5.0	3.3	2.0	1.5	2.0
Middle School	9.8	8.0	6.7	6.1	5.0	4.4	3.1	2.0	1.4	1.2	1.1	0.8	0.7	0.6
High School	23.6	18.5	14.7	11.3	8.6	7.7	7.0	7.1	4.8	3.5	2.4	1.4	1.4	1.5
Total	17.6	14.1	11.3	9.0	7.1	6.3	5.4	4.9	3.4	2.5	1.8	1.2	1.1	1.1

Table 9. Percentage of surveyed Florida youth who vaped nicotine (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2025

	Vaped Nicotine													
	Lifetime							Past 30 Days						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %
Sex														
Female	25.2	24.9	26.1	23.8	20.1	20.2	15.8	12.9	12.3	13.9	11.9	9.9	8.4	5.7
Male	21.9	20.8	19.3	16.7	12.9	12.4	11.8	12.1	10.4	8.7	7.5	5.7	4.9	4.5
Race/Ethnic group														
African American	11.8	12.0	13.5	13.7	10.8	11.5	10.1	4.4	4.8	5.6	5.7	4.9	4.3	2.7
Hispanic/Latino	21.6	21.3	22.1	19.6	18.2	15.7	14.2	11.2	9.9	9.0	9.4	8.0	5.6	4.1
White, non-Hispanic	30.5	28.8	27.0	23.5	18.2	18.9	15.7	18.0	15.2	14.6	11.8	9.3	8.5	7.3
Age														
11	6.0	4.6	5.8	6.4	6.9	5.7	5.8	2.0	1.8	1.6	2.1	2.0	1.7	1.1
12	9.8	9.6	10.9	10.1	10.1	8.3	6.5	4.0	3.8	4.4	3.5	3.7	2.7	2.1
13	16.8	16.3	17.7	14.3	13.1	11.9	10.0	7.4	7.1	7.8	6.5	5.9	4.0	2.5
14	21.4	22.1	24.2	18.5	16.1	15.4	12.9	10.1	10.1	11.1	8.7	6.1	5.6	4.1
15	30.0	26.2	25.0	22.2	17.5	18.1	16.0	15.5	13.5	12.7	10.7	7.8	7.9	6.7
16	32.0	31.8	29.2	25.9	20.0	20.3	17.2	17.6	16.3	15.7	12.5	11.9	8.6	6.9
17	31.6	32.4	29.8	29.8	20.7	22.9	19.2	19.2	17.1	15.8	15.2	10.1	10.2	8.7
18	32.7	33.9	30.3	29.6	23.8	23.8	18.8	21.3	19.2	15.7	15.9	12.0	10.8	6.0
Grade														
6th	7.8	7.4	8.2	8.8	9.3	6.6	5.8	2.7	2.8	3.0	3.1	3.0	2.2	1.5
7th	13.9	13.0	15.0	12.4	11.6	11.2	9.2	6.1	5.8	5.9	5.3	5.9	3.7	2.6
8th	19.4	19.8	22.1	17.6	17.5	14.5	11.4	8.9	8.7	10.1	7.9	7.2	5.1	3.0
9th	26.3	24.1	22.7	19.5	17.9	15.7	15.7	13.2	12.1	11.4	9.9	8.2	6.6	6.4
10th	30.6	29.3	27.8	23.3	18.7	19.7	17.0	16.9	15.1	14.4	11.0	9.8	8.6	6.7
11th	33.5	32.0	30.7	28.6	18.7	22.1	16.4	18.3	16.8	16.2	13.8	10.0	9.2	7.2
12th	33.2	35.1	31.9	31.5	23.6	23.6	20.8	21.6	19.0	17.5	16.8	11.1	10.8	8.1
Middle School	13.7	13.5	15.1	13.1	12.8	10.9	8.9	5.9	5.8	6.4	5.5	5.4	3.7	2.4
High School	30.8	30.0	28.1	25.5	19.6	20.1	17.4	17.4	15.6	14.8	12.7	9.7	8.7	7.1
Total	23.5	22.8	22.5	20.2	16.6	16.2	13.8	12.5	11.4	11.2	9.7	7.8	6.6	5.1

Table 10. Percentage of surveyed Florida youth who vaped marijuana (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2025

	Vaped Marijuana													
	Lifetime							Past 30 Days						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %
Sex														
Female	16.1	16.6	16.8	15.1	14.0	14.4	10.8	8.1	7.3	7.4	7.7	7.0	6.3	4.0
Male	14.6	14.5	13.1	11.4	9.5	9.2	7.7	8.4	7.3	6.1	5.9	5.0	4.7	3.5
Race/Ethnic group														
African American	9.5	10.1	9.0	9.8	8.9	9.6	8.0	4.2	4.2	3.7	4.8	4.9	4.8	3.5
Hispanic/Latino	15.3	15.0	15.2	12.4	11.1	10.3	8.0	8.1	6.8	6.4	6.4	5.2	4.1	2.8
White, non-Hispanic	18.1	18.2	17.2	15.2	13.2	13.5	10.8	10.5	8.5	8.0	7.9	6.8	6.5	4.7
Age														
11	1.5	1.8	2.6	2.0	1.8	2.4	1.6	1.1	0.8	0.9	0.7	0.6	0.7	0.2
12	3.9	4.1	3.4	4.0	3.7	3.7	2.3	1.7	1.8	1.6	1.6	1.6	1.3	0.9
13	8.1	8.4	7.6	6.8	7.4	6.3	4.8	3.4	3.6	2.8	3.4	3.5	2.4	1.2
14	12.0	12.0	12.3	9.6	9.1	8.9	7.4	5.9	5.8	5.5	4.9	4.3	3.9	2.7
15	19.5	17.3	15.6	14.3	12.2	13.4	11.6	10.2	8.5	6.8	7.0	7.2	6.5	5.3
16	22.4	24.2	22.8	17.9	16.4	16.4	12.4	13.3	11.3	10.1	9.4	8.1	8.7	5.5
17	25.5	25.8	24.6	24.2	17.5	19.9	14.4	14.2	12.2	12.3	13.2	8.7	8.8	7.2
18	25.1	28.7	28.2	24.7	22.8	20.5	16.2	14.6	13.8	12.3	13.0	12.2	10.1	4.5
Grade														
6th	2.3	3.1	2.9	3.5	3.4	3.0	1.9	1.4	1.2	1.4	1.6	0.9	1.1	0.5
7th	6.7	6.7	5.6	5.5	6.2	5.4	4.2	2.5	3.1	2.0	2.5	3.4	1.9	1.3
8th	10.7	10.6	10.9	9.1	9.4	8.1	5.7	5.1	4.8	4.2	4.5	4.7	3.5	1.7
9th	16.1	13.8	12.6	11.3	11.7	10.4	10.7	8.2	6.8	6.0	5.7	6.4	5.0	4.8
10th	20.6	21.5	20.4	16.2	15.3	15.6	13.0	11.6	10.3	9.8	8.5	8.2	8.1	5.9
11th	25.5	25.8	23.9	21.2	15.6	18.9	11.5	14.2	12.1	11.1	11.0	7.2	8.6	5.6
12th	26.1	28.4	29.0	26.2	22.7	20.9	17.2	15.4	13.6	12.9	14.1	12.2	9.7	6.3
Middle School	6.6	6.8	6.5	6.1	6.3	5.5	4.0	3.0	3.0	2.5	2.9	3.0	2.2	1.2
High School	22.0	22.2	21.3	18.4	16.0	16.3	13.0	12.3	10.6	9.9	9.7	8.4	7.8	5.6
Total	15.3	15.5	14.9	13.2	11.8	11.7	9.2	8.3	7.3	6.7	6.8	6.0	5.5	3.7

Table 11. Percentage of surveyed Florida youth who used an electronic vaporizer, such as an e-cigarette, in lifetime and past 30 days—2016 and 2018

	Electronic Vaporizer Use											
	Lifetime						Past 30 Days					
		2016 %	2018 %					2016 %	2018 %			
Sex												
Female		24.4	26.5					8.4	13.5			
Male		27.1	27.6					10.6	14.0			
Race/Ethnic group												
African American		17.9	17.0					5.5	5.9			
Hispanic/Latino		26.7	27.5					9.6	12.8			
White, non-Hispanic		29.2	32.1					11.8	18.3			
Age												
11		4.9	7.0					1.4	2.2			
12		8.8	10.3					2.9	3.5			
13		17.5	16.8					6.3	7.5			
14		24.4	26.6					8.8	13.5			
15		31.5	31.5					11.7	16.7			
16		35.1	38.6					13.2	19.8			
17		37.0	39.2					13.8	20.6			
18		36.9	38.9					14.9	22.2			
Grade												
6th		6.9	8.7					2.5	3.0			
7th		14.1	14.1					5.1	6.0			
8th		22.8	22.6					7.8	10.2			
9th		28.8	29.9					10.7	16.1			
10th		33.7	36.0					13.4	18.7			
11th		36.8	38.4					12.6	19.8			
12th		36.9	40.2					14.5	22.6			
Middle School		14.6	15.1					5.1	6.4			
High School		33.9	36.0					12.8	19.2			
Total		25.8	27.1					9.6	13.7			

Note: These items were replaced by questions distinguishing between nicotine vaping and marijuana vaping.

Table 12. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2014 to 2025

	Marijuana or Hashish Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	22.1	21.4	21.0	21.0	18.1	15.3	11.0	11.7	10.9	11.0	10.6	9.1	7.1	4.2
Male	23.0	21.3	19.4	19.2	14.0	11.2	9.4	13.1	11.5	10.7	10.7	7.4	5.6	4.3
Race/Ethnic group														
African American	20.9	19.4	17.9	18.6	14.4	12.4	9.6	10.7	9.1	9.4	9.7	7.3	6.4	4.3
Hispanic/Latino	22.0	20.5	19.4	18.1	13.6	10.6	7.9	11.4	10.7	9.6	9.2	6.9	4.2	2.8
White, non-Hispanic	24.3	22.6	21.8	21.7	18.0	15.1	12.1	13.7	12.3	12.1	11.6	9.4	7.4	5.4
Age														
11	1.4	0.9	1.8	1.9	1.7	2.3	1.0	0.5	0.3	0.8	1.0	0.5	0.9	0.5
12	4.2	2.9	3.5	4.7	3.5	3.5	1.8	2.0	1.1	1.4	2.0	1.2	1.2	0.8
13	8.7	8.0	9.4	9.8	7.4	6.3	4.1	3.8	3.8	4.4	4.3	3.6	2.6	1.3
14	17.1	15.8	15.7	15.9	12.1	10.1	7.6	9.8	7.9	8.1	8.0	6.2	4.6	3.0
15	27.1	24.1	22.4	22.0	16.8	14.3	11.2	15.5	13.3	12.3	11.9	9.0	7.1	5.1
16	35.0	32.5	31.4	31.3	22.2	19.1	14.6	18.1	16.9	17.2	16.6	11.0	9.3	6.2
17	41.1	39.2	35.8	34.6	29.6	23.4	18.0	23.5	20.9	19.2	19.3	15.9	11.0	8.2
18	41.4	41.7	38.1	38.4	32.0	24.7	20.4	23.6	22.3	22.8	21.9	17.8	13.2	7.8
Grade														
6th	3.0	2.1	3.0	3.4	3.1	2.9	1.5	1.1	0.8	1.3	1.4	1.0	1.0	0.5
7th	7.6	6.5	6.8	7.5	5.5	5.3	3.2	3.7	3.0	3.1	3.3	2.5	1.9	1.3
8th	14.6	12.5	13.1	13.7	10.8	9.2	5.8	7.8	5.9	6.7	6.6	5.4	4.4	1.7
9th	23.6	21.1	18.8	18.8	14.0	11.5	10.8	13.5	11.6	9.7	9.8	7.4	5.8	5.0
10th	31.9	29.0	27.9	27.0	19.3	16.6	14.4	17.6	15.8	15.9	14.6	10.3	8.2	6.1
11th	37.5	37.3	33.9	34.3	26.6	22.0	13.8	20.4	19.6	18.2	19.7	13.6	10.4	6.5
12th	42.8	40.7	38.9	37.7	33.1	24.9	21.7	24.1	21.5	21.6	20.2	18.1	12.5	8.6
Middle School	8.4	7.0	7.6	8.2	6.6	5.9	3.6	4.2	3.2	3.7	3.8	3.0	2.4	1.2
High School	33.4	31.7	29.7	29.2	22.9	18.6	15.0	18.6	17.0	16.3	15.9	12.2	9.1	6.5
Total	22.6	21.3	20.2	20.1	16.0	13.2	10.2	12.4	11.2	10.9	10.7	8.3	6.3	4.3

Table 13. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2025

	Marijuana or Hashish <i>Number of Occasions in Past 30 Days</i>						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex							
Female	95.8	1.4	0.9	0.6	0.5	0.3	0.4
Male	95.7	1.3	0.7	0.4	0.5	0.3	1.0
Race/Ethnic group							
African American	95.7	1.3	1.0	0.5	0.7	0.2	0.5
Hispanic/Latino	97.2	1.1	0.7	0.3	0.3	0.0	0.4
White, non-Hispanic	94.6	1.5	0.8	0.7	0.7	0.5	1.2
Age							
11	99.5	0.0	0.1	0.3	0.2	0.0	0.0
12	99.2	0.2	0.2	0.2	0.1	0.0	0.1
13	98.7	0.7	0.1	0.1	0.1	0.1	0.1
14	97.0	1.4	0.5	0.3	0.4	0.1	0.2
15	94.9	1.9	1.5	0.4	0.5	0.2	0.6
16	93.8	1.8	1.2	1.0	0.7	0.4	1.0
17	91.8	2.0	1.1	1.2	1.1	0.7	2.0
18	92.2	2.5	1.4	0.6	0.8	0.9	1.6
Grade							
6th	99.5	0.1	0.1	0.2	0.1	0.0	0.0
7th	98.7	0.6	0.1	0.2	0.1	0.0	0.2
8th	98.3	0.7	0.2	0.2	0.2	0.1	0.3
9th	95.0	2.2	1.2	0.5	0.4	0.4	0.3
10th	93.9	1.9	1.3	0.6	0.8	0.2	1.3
11th	93.5	1.7	1.4	1.4	0.5	0.4	1.2
12th	91.4	2.5	1.1	0.7	1.4	1.0	1.8
Middle School	98.8	0.5	0.2	0.2	0.2	0.0	0.2
High School	93.5	2.0	1.3	0.8	0.8	0.5	1.1
Total	95.7	1.4	0.8	0.5	0.5	0.3	0.7

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 14. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2014 to 2025

	Synthetic Marijuana Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	7.7	4.8	3.7	2.9	2.8	2.4	1.5	1.2	0.9	1.1	0.8	1.0	0.8	0.5
Male	10.0	5.0	3.3	2.9	2.2	1.5	2.0	1.6	1.2	1.1	1.0	0.7	0.6	0.7
Race/Ethnic group														
African American	4.7	3.1	2.0	1.5	1.3	0.7	1.2	0.9	1.2	0.8	0.6	0.8	0.6	0.6
Hispanic/Latino	7.7	4.8	3.7	2.7	2.3	1.9	1.8	2.0	1.2	1.2	0.7	0.9	0.6	0.7
White, non-Hispanic	11.0	5.6	4.1	3.5	3.2	2.3	2.2	1.4	0.8	1.1	1.0	0.8	0.8	0.7
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	5.6	2.8	2.7	2.1	1.4	1.8	1.8	1.0	0.5	0.9	0.3	0.5	0.8	0.6
15	6.7	3.6	3.4	2.3	1.9	1.9	1.5	1.5	1.0	1.2	0.7	0.7	0.7	0.8
16	8.8	4.8	3.6	3.0	2.6	1.8	1.5	1.5	1.1	1.3	1.1	1.0	0.6	0.6
17	11.2	6.0	3.5	3.1	3.0	2.0	2.0	1.5	1.2	0.9	1.0	0.9	0.8	0.7
18	11.2	6.2	4.2	4.0	3.5	2.3	2.3	1.2	0.7	1.1	1.0	1.1	0.6	0.3
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	6.6	3.7	3.2	2.2	1.5	1.7	1.5	1.3	1.1	1.2	0.6	0.6	0.9	0.7
10th	8.4	4.7	3.5	2.7	2.4	1.9	2.0	1.6	1.1	1.2	0.9	0.9	0.7	0.9
11th	8.9	5.5	3.3	3.2	3.1	2.0	1.6	1.4	1.2	0.9	1.1	1.0	0.6	0.4
12th	12.2	5.9	4.2	3.5	3.1	2.3	2.0	1.3	0.7	1.1	0.9	0.9	0.7	0.5
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	8.8	4.9	3.5	2.9	2.5	1.9	1.8	1.4	1.0	1.1	0.9	0.8	0.7	0.6
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 15. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2014 to 2025

	Inhalant Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	7.2	6.1	6.7	7.7	6.6	5.5	4.7	2.3	1.9	2.1	2.4	1.9	1.9	1.5
Male	5.8	4.7	4.9	5.2	4.6	4.3	4.3	1.9	1.4	1.6	1.4	1.2	1.2	1.3
Race/Ethnic group														
African American	5.8	5.3	5.4	5.1	4.8	4.0	3.6	2.3	1.8	2.3	1.9	1.8	1.6	1.6
Hispanic/Latino	6.9	5.5	5.3	6.1	4.8	3.8	4.0	2.3	1.7	1.6	1.7	1.4	1.2	1.2
White, non-Hispanic	6.2	5.1	5.9	6.9	6.4	5.5	4.8	1.7	1.4	1.7	1.8	1.6	1.6	1.4
Age														
11	6.3	4.8	6.0	6.5	6.5	7.4	6.3	2.9	1.4	2.5	2.5	2.2	2.9	2.9
12	7.8	6.0	7.3	8.3	7.2	7.2	6.6	2.7	2.2	2.8	2.7	2.2	2.7	2.5
13	9.5	6.7	8.5	8.9	7.1	7.0	5.8	3.3	2.4	2.9	2.9	2.3	2.4	1.4
14	8.5	7.1	7.7	7.6	6.2	5.1	6.3	2.5	2.1	2.2	2.4	2.0	1.7	2.2
15	5.8	5.8	4.9	6.0	5.7	4.7	3.5	2.0	1.7	1.3	1.6	1.3	1.3	1.0
16	4.8	4.5	4.3	4.8	4.4	3.6	2.7	1.4	1.1	1.2	1.1	0.8	0.9	0.7
17	4.3	3.8	3.6	4.2	4.4	2.7	2.9	1.0	0.7	0.9	0.9	0.9	0.8	0.4
18	3.5	3.3	3.4	4.6	3.4	2.2	3.0	0.5	1.0	1.0	1.3	0.9	0.5	1.2
Grade														
6th	7.1	5.4	6.7	7.3	7.0	7.0	6.6	2.8	1.8	2.9	2.6	2.3	2.8	2.7
7th	9.3	6.3	8.2	9.2	7.3	7.6	5.9	3.3	2.5	3.1	3.0	2.3	2.6	2.1
8th	9.6	7.6	8.3	8.4	7.1	6.1	6.4	3.1	2.5	2.5	2.8	2.2	2.0	1.9
9th	5.9	6.0	5.5	6.1	5.2	4.3	3.7	1.7	1.8	1.3	1.5	1.4	1.3	1.0
10th	5.3	5.0	4.4	5.3	5.1	4.1	3.7	1.7	1.2	1.1	1.4	1.1	1.1	0.8
11th	4.4	4.3	3.5	4.7	4.8	3.1	2.6	0.9	1.0	1.0	1.0	0.9	0.7	0.6
12th	3.7	3.0	3.7	4.3	3.2	2.2	2.8	0.7	0.7	0.9	1.1	1.0	0.6	0.9
Middle School	8.6	6.4	7.8	8.3	7.1	6.9	6.3	3.1	2.2	2.8	2.8	2.3	2.5	2.2
High School	4.9	4.6	4.3	5.1	4.6	3.5	3.2	1.3	1.2	1.1	1.2	1.1	0.9	0.8
Total	6.5	5.4	5.8	6.5	5.7	4.9	4.5	2.1	1.6	1.8	1.9	1.6	1.6	1.4

Table 16. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2014 to 2025

	Club Drug Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	2.8	1.9	1.2	1.3	1.0	0.6	0.5	0.7	0.5	0.3	0.4	0.3	0.2	0.2
Male	3.2	2.2	1.4	1.8	1.0	0.6	0.3	0.8	0.6	0.5	0.6	0.4	0.2	0.2
Race/Ethnic group														
African American	1.4	1.2	0.9	0.7	0.7	0.5	0.6	0.4	0.4	0.4	0.3	0.4	0.2	0.5
Hispanic/Latino	3.1	2.1	1.2	1.4	0.7	0.4	0.4	0.8	0.5	0.5	0.4	0.2	0.1	0.3
White, non-Hispanic	3.5	2.3	1.5	1.8	1.3	0.6	0.4	0.8	0.6	0.3	0.5	0.4	0.1	0.1
Age														
11	0.1	0.2	0.2	0.3	0.1	0.0	0.3	0.1	0.0	0.1	0.2	0.1	0.0	0.1
12	0.5	0.4	0.5	0.4	0.3	0.3	0.4	0.2	0.2	0.1	0.2	0.2	0.2	0.1
13	1.0	0.9	0.6	1.0	0.8	0.4	0.2	0.4	0.3	0.3	0.5	0.4	0.2	0.1
14	2.4	1.3	1.0	1.0	0.7	0.4	0.3	0.7	0.4	0.3	0.3	0.3	0.2	0.1
15	3.3	2.3	1.3	1.6	0.8	0.7	0.8	1.0	0.6	0.4	0.7	0.3	0.2	0.5
16	4.1	2.9	1.6	2.0	1.4	0.9	0.2	1.1	0.8	0.5	0.7	0.3	0.3	0.2
17	5.4	3.6	2.0	2.6	1.8	0.9	0.6	0.9	0.8	0.7	0.6	0.6	0.2	0.3
18	6.9	4.5	3.3	3.2	2.3	0.8	0.5	1.3	0.9	0.8	0.9	0.9	0.1	0.2
Grade														
6th	0.4	0.4	0.5	0.4	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1
7th	0.9	0.7	0.5	0.7	0.5	0.3	0.5	0.3	0.4	0.2	0.4	0.3	0.2	0.1
8th	2.0	1.1	1.1	1.1	0.8	0.5	0.1	0.5	0.3	0.3	0.5	0.3	0.2	0.0
9th	2.7	2.0	1.0	1.2	0.8	0.5	0.7	0.8	0.5	0.4	0.5	0.2	0.1	0.4
10th	4.0	2.7	1.5	1.7	1.0	0.8	0.5	1.1	0.7	0.3	0.7	0.4	0.4	0.3
11th	4.9	3.4	1.8	2.3	1.7	0.9	0.2	1.1	1.1	0.6	0.6	0.4	0.1	0.2
12th	6.7	4.2	2.8	3.3	2.2	0.9	0.8	1.2	0.8	0.8	0.8	0.6	0.1	0.3
Middle School	1.1	0.7	0.7	0.7	0.5	0.4	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.1
High School	4.5	3.0	1.8	2.1	1.4	0.8	0.5	1.0	0.8	0.5	0.6	0.4	0.2	0.3
Total	3.0	2.1	1.3	1.5	1.0	0.6	0.4	0.7	0.6	0.4	0.5	0.4	0.2	0.2

Note: The survey question asks about the use of "club drugs" such as Ecstasy, Rohypnol, GHB, or ketamine.

Table 17. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2014 to 2025

	LSD, PCP or Hallucinogenic Mushroom Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	2.8	2.7	2.3	2.5	2.6	2.3	1.6	0.8	0.7	0.7	0.7	0.6	0.5	0.3
Male	4.3	3.7	3.1	3.4	2.5	2.1	1.9	1.2	1.1	0.9	1.2	0.7	0.6	0.4
Race/Ethnic group														
African American	1.1	1.1	1.0	1.0	1.2	1.0	0.9	0.5	0.4	0.5	0.5	0.5	0.4	0.3
Hispanic/Latino	3.1	2.8	2.3	2.1	2.0	1.8	1.2	0.9	0.8	0.8	0.7	0.5	0.4	0.4
White, non-Hispanic	4.7	4.2	3.6	4.1	3.6	2.7	2.5	1.3	1.1	1.0	1.2	0.9	0.6	0.3
Age														
11	0.3	0.2	0.3	0.3	0.2	0.5	0.2	0.1	0.0	0.2	0.2	0.1	0.1	0.1
12	0.5	0.5	0.8	0.8	0.5	0.6	0.5	0.3	0.2	0.3	0.2	0.3	0.3	0.1
13	1.4	1.1	0.9	1.3	1.1	1.2	0.6	0.5	0.2	0.3	0.5	0.4	0.3	0.1
14	2.6	2.0	1.7	1.6	1.6	1.4	1.1	1.0	0.5	0.5	0.5	0.5	0.4	0.1
15	4.3	3.7	2.7	3.1	2.1	2.3	1.9	1.2	1.1	0.9	1.0	0.5	0.7	0.8
16	5.1	5.2	4.1	4.5	3.9	3.1	2.1	1.5	1.7	1.2	1.8	0.9	0.7	0.3
17	6.6	5.8	4.8	5.3	5.2	3.8	3.6	1.5	1.4	1.3	1.4	1.2	0.9	0.5
18	6.9	6.8	6.5	6.9	6.4	3.9	3.6	1.6	1.7	1.6	2.0	1.3	0.7	1.1
Grade														
6th	0.4	0.4	0.7	0.6	0.5	0.6	0.3	0.2	0.1	0.3	0.2	0.3	0.2	0.1
7th	1.2	0.8	0.7	1.0	0.7	1.0	0.6	0.4	0.2	0.3	0.4	0.3	0.4	0.1
8th	2.4	1.8	1.6	1.7	1.6	1.5	0.9	1.1	0.5	0.5	0.6	0.5	0.5	0.1
9th	3.5	2.8	2.0	2.4	1.7	1.8	1.8	1.1	0.9	0.7	0.7	0.5	0.4	0.5
10th	5.0	4.5	3.7	3.4	3.0	2.5	1.8	1.6	1.4	1.1	1.3	0.8	0.8	0.8
11th	5.8	5.8	4.3	5.1	4.3	3.8	2.5	1.4	1.6	1.1	1.4	1.0	0.9	0.2
12th	7.2	6.4	6.1	6.7	6.4	3.9	4.5	1.5	1.6	1.6	2.0	1.1	0.6	0.8
Middle School	1.3	1.0	1.0	1.1	1.0	1.0	0.6	0.6	0.3	0.4	0.4	0.4	0.3	0.1
High School	5.3	4.8	4.0	4.3	3.8	3.0	2.6	1.4	1.4	1.1	1.3	0.9	0.7	0.5
Total	3.6	3.2	2.7	2.9	2.6	2.2	1.8	1.0	0.9	0.8	0.9	0.6	0.5	0.4

Table 18. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2014 to 2025

	Cocaine or Crack Cocaine Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	1.6	1.6	1.3	1.3	0.9	0.5	0.4	0.5	0.6	0.4	0.4	0.2	0.1	0.2
Male	2.1	1.9	1.6	1.4	0.8	0.5	0.5	0.7	0.6	0.5	0.5	0.3	0.2	0.3
Race/Ethnic group														
African American	0.6	0.9	0.7	0.5	0.6	0.5	0.3	0.3	0.4	0.4	0.3	0.2	0.3	0.3
Hispanic/Latino	2.3	1.8	1.7	1.5	0.7	0.4	0.4	0.7	0.7	0.4	0.4	0.3	0.2	0.3
White, non-Hispanic	2.1	2.1	1.7	1.5	1.1	0.6	0.3	0.6	0.7	0.4	0.4	0.3	0.2	0.2
Age														
11	0.2	0.2	0.6	0.5	0.3	0.3	0.4	0.0	0.1	0.2	0.0	0.2	0.0	0.1
12	0.7	0.5	0.7	0.8	0.6	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.1	0.2
13	1.2	1.0	0.9	1.0	0.6	0.6	0.1	0.5	0.3	0.3	0.4	0.1	0.2	0.1
14	1.2	0.9	0.9	0.8	0.7	0.5	0.5	0.6	0.3	0.3	0.3	0.3	0.1	0.2
15	1.5	1.8	1.1	1.1	0.5	0.4	0.6	0.5	0.6	0.4	0.5	0.1	0.1	0.6
16	2.3	2.4	1.6	1.7	1.0	0.6	0.2	0.8	0.9	0.6	0.6	0.3	0.3	0.1
17	3.7	2.8	2.3	2.0	1.4	0.8	0.7	0.8	0.9	0.4	0.6	0.3	0.2	0.5
18	3.9	4.4	3.8	3.0	2.1	0.8	0.3	1.1	1.4	0.9	0.7	0.9	0.5	0.0
Grade														
6th	0.5	0.5	0.7	0.7	0.6	0.3	0.4	0.1	0.2	0.3	0.2	0.3	0.0	0.1
7th	1.1	0.7	0.7	0.9	0.7	0.5	0.4	0.5	0.3	0.3	0.4	0.1	0.1	0.2
8th	1.2	1.0	1.1	0.9	0.7	0.6	0.3	0.6	0.3	0.4	0.4	0.2	0.2	0.2
9th	1.5	1.5	0.9	0.9	0.5	0.4	0.5	0.5	0.5	0.3	0.3	0.1	0.1	0.4
10th	1.9	2.0	1.4	1.4	0.8	0.5	0.4	0.5	0.8	0.4	0.7	0.3	0.3	0.3
11th	3.0	2.8	1.7	1.9	1.3	0.7	0.4	0.8	0.9	0.5	0.3	0.3	0.2	0.2
12th	4.1	3.8	3.6	2.7	1.6	0.8	0.5	1.1	1.2	0.7	0.8	0.5	0.3	0.3
Middle School	0.9	0.8	0.8	0.9	0.7	0.5	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.2
High School	2.5	2.5	1.9	1.7	1.0	0.6	0.5	0.7	0.8	0.5	0.5	0.3	0.2	0.3
Total	1.9	1.8	1.4	1.3	0.9	0.5	0.4	0.6	0.6	0.4	0.4	0.3	0.2	0.2

Table 19. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2014 to 2025

	Methamphetamine Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	0.8	0.6	0.6	0.6	0.6	0.6	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.4
Male	1.2	0.8	0.8	0.9	0.7	0.5	0.6	0.6	0.4	0.5	0.5	0.4	0.3	0.3
Race/Ethnic group														
African American	0.9	0.6	1.0	0.6	0.7	0.8	0.6	0.5	0.4	0.7	0.5	0.5	0.5	0.5
Hispanic/Latino	1.2	0.7	0.8	0.9	0.8	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.4
White, non-Hispanic	0.9	0.7	0.5	0.7	0.7	0.4	0.4	0.4	0.3	0.2	0.3	0.3	0.2	0.3
Age														
11	0.2	0.3	0.5	0.6	0.8	0.6	1.1	0.1	0.1	0.2	0.3	0.3	0.3	0.5
12	0.8	0.4	0.6	0.5	0.5	0.6	0.6	0.4	0.2	0.4	0.3	0.2	0.4	0.5
13	1.0	0.6	0.7	0.8	0.7	0.5	0.4	0.5	0.3	0.4	0.5	0.4	0.3	0.2
14	0.9	0.6	0.7	0.5	0.6	0.6	0.8	0.5	0.3	0.4	0.3	0.3	0.4	0.5
15	1.2	0.8	0.6	0.9	0.6	0.8	0.6	0.6	0.4	0.3	0.6	0.3	0.4	0.5
16	1.0	0.9	0.7	0.8	0.6	0.4	0.2	0.5	0.5	0.4	0.4	0.3	0.3	0.2
17	1.3	0.6	0.6	1.1	0.9	0.4	0.3	0.5	0.4	0.3	0.5	0.4	0.2	0.3
18	1.0	1.3	1.4	0.8	0.9	0.6	0.4	0.4	0.5	0.8	0.4	0.3	0.2	0.1
Grade														
6th	0.7	0.4	0.7	0.7	0.7	0.7	0.8	0.3	0.2	0.4	0.4	0.3	0.4	0.5
7th	1.0	0.5	0.6	0.8	0.4	0.6	0.5	0.5	0.3	0.4	0.4	0.2	0.4	0.3
8th	1.0	0.7	0.7	0.6	0.8	0.7	0.6	0.5	0.4	0.4	0.3	0.4	0.3	0.4
9th	1.1	0.7	0.7	0.6	0.6	0.4	0.7	0.5	0.3	0.3	0.5	0.3	0.4	0.4
10th	0.9	1.0	0.6	0.8	0.6	0.7	0.6	0.4	0.6	0.3	0.4	0.3	0.4	0.5
11th	1.0	0.9	0.5	1.0	1.0	0.3	0.0	0.5	0.5	0.3	0.5	0.4	0.2	0.1
12th	1.3	0.8	1.1	0.9	0.8	0.6	0.4	0.5	0.3	0.6	0.4	0.3	0.1	0.2
Middle School	0.9	0.5	0.7	0.7	0.7	0.6	0.6	0.4	0.3	0.4	0.4	0.3	0.4	0.4
High School	1.1	0.8	0.7	0.8	0.7	0.5	0.4	0.5	0.4	0.4	0.4	0.3	0.3	0.3
Total	1.0	0.7	0.7	0.8	0.7	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3

Table 20. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2014 to 2025

	Depressant Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	5.1	5.3	4.4	4.2	2.8	1.8	1.4	1.8	2.0	1.4	1.0	0.8	0.5	0.3
Male	3.6	4.1	4.3	3.2	1.9	1.1	1.0	1.2	1.5	1.2	1.0	0.6	0.3	0.3
Race/Ethnic group														
African American	1.7	2.0	2.4	1.7	1.2	0.6	0.4	0.8	1.0	1.0	0.6	0.3	0.3	0.2
Hispanic/Latino	4.2	4.7	3.7	3.2	1.8	1.2	0.9	1.4	1.7	1.0	0.8	0.6	0.5	0.3
White, non-Hispanic	5.4	5.8	5.4	4.7	3.1	1.9	1.9	1.8	2.0	1.6	1.2	0.9	0.3	0.4
Age														
11	0.4	0.6	0.9	1.0	0.5	0.7	0.7	0.1	0.1	0.2	0.3	0.3	0.2	0.1
12	1.0	1.4	1.4	1.9	1.1	1.1	1.1	0.4	0.4	0.7	0.7	0.3	0.3	0.5
13	2.4	2.6	2.5	2.5	1.9	1.5	1.1	1.0	1.0	1.0	0.8	0.5	0.5	0.3
14	3.5	3.8	4.1	3.2	2.1	1.2	0.9	1.3	1.6	1.4	1.0	0.7	0.3	0.2
15	5.1	5.5	4.9	3.8	2.4	1.5	1.5	2.2	2.3	1.7	1.3	0.7	0.5	0.6
16	6.6	6.6	6.5	5.3	3.2	1.8	1.4	1.7	2.3	1.7	1.4	0.8	0.5	0.2
17	7.2	7.8	6.5	5.7	3.8	1.7	1.7	2.7	2.8	1.3	1.1	1.2	0.4	0.4
18	7.3	8.0	7.4	5.8	3.3	2.0	1.0	1.9	2.9	2.1	1.5	0.8	0.1	0.1
Grade														
6th	0.8	1.0	1.1	1.4	0.8	0.8	0.7	0.3	0.3	0.5	0.6	0.3	0.3	0.3
7th	1.8	1.9	2.1	2.1	1.8	1.3	1.0	0.8	0.9	0.8	0.7	0.6	0.5	0.4
8th	3.0	3.6	3.9	3.0	1.8	1.5	1.3	1.2	1.3	1.5	1.1	0.5	0.5	0.2
9th	4.3	4.6	4.3	3.6	2.4	1.3	1.6	1.8	1.8	1.5	0.9	0.7	0.4	0.5
10th	6.2	6.4	5.8	4.8	2.7	1.5	1.2	2.1	2.4	1.7	1.6	0.8	0.4	0.3
11th	6.9	7.7	6.4	5.4	3.4	1.8	1.0	2.1	2.8	1.4	1.2	1.0	0.5	0.1
12th	7.8	7.7	7.3	6.1	3.8	1.9	2.0	2.5	2.7	1.8	1.3	1.0	0.2	0.3
Middle School	1.9	2.2	2.3	2.2	1.5	1.2	1.0	0.8	0.8	0.9	0.8	0.5	0.4	0.3
High School	6.2	6.5	5.9	4.9	3.1	1.6	1.4	2.1	2.4	1.6	1.2	0.8	0.4	0.3
Total	4.3	4.7	4.4	3.7	2.4	1.5	1.2	1.5	1.8	1.3	1.0	0.7	0.4	0.3

Note: In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. As a result of these changes, please exercise caution when comparing to results from earlier years.

Table 21. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2014 to 2025

	Heroin Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	0.4	0.4	0.3	0.4	0.4	0.3	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.1
Male	0.8	0.4	0.4	0.6	0.3	0.3	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.1
Race/Ethnic group														
African American	0.6	0.4	0.4	0.5	0.3	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.1	0.0
Hispanic/Latino	0.6	0.3	0.4	0.6	0.4	0.3	0.1	0.3	0.2	0.1	0.2	0.2	0.1	0.1
White, non-Hispanic	0.6	0.4	0.3	0.5	0.4	0.3	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.0
Age														
11	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.1	0.2	0.1	0.0	0.0
12	0.5	0.3	0.4	0.5	0.2	0.2	0.1	0.3	0.1	0.1	0.1	0.0	0.1	0.0
13	0.7	0.5	0.4	0.7	0.3	0.3	0.2	0.3	0.2	0.1	0.3	0.2	0.1	0.1
14	0.6	0.3	0.4	0.3	0.4	0.2	0.3	0.3	0.1	0.1	0.1	0.2	0.1	0.1
15	0.5	0.5	0.4	0.5	0.4	0.2	0.1	0.2	0.2	0.1	0.3	0.2	0.0	0.0
16	0.7	0.5	0.2	0.6	0.3	0.4	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.1
17	0.9	0.3	0.3	0.7	0.5	0.4	0.0	0.4	0.1	0.1	0.4	0.3	0.2	0.0
18	0.5	0.5	0.5	0.7	0.5	0.2	0.2	0.1	0.2	0.1	0.4	0.1	0.1	0.1
Grade														
6th	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.0
7th	0.5	0.4	0.3	0.6	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.0	0.0
8th	0.9	0.4	0.5	0.5	0.5	0.3	0.3	0.4	0.1	0.2	0.3	0.3	0.2	0.2
9th	0.6	0.4	0.3	0.6	0.3	0.2	0.3	0.2	0.2	0.2	0.3	0.2	0.1	0.1
10th	0.5	0.6	0.4	0.6	0.4	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1
11th	0.7	0.3	0.2	0.5	0.5	0.6	0.0	0.3	0.2	0.1	0.3	0.2	0.2	0.0
12th	0.8	0.3	0.3	0.6	0.4	0.1	0.1	0.3	0.1	0.0	0.3	0.1	0.0	0.2
Middle School	0.6	0.4	0.4	0.5	0.4	0.2	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.1
High School	0.7	0.4	0.3	0.6	0.4	0.3	0.2	0.3	0.2	0.1	0.3	0.2	0.1	0.1
Total	0.6	0.4	0.4	0.5	0.4	0.3	0.2	0.3	0.2	0.1	0.2	0.2	0.1	0.1

Table 22. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2014 to 2025

	Prescription Pain Reliever Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	5.9	5.3	4.4	3.7	3.3	1.9	1.4	2.4	2.2	1.5	1.3	1.3	0.6	0.5
Male	5.1	4.2	3.6	2.5	2.2	1.5	1.7	1.8	1.5	0.9	0.8	0.7	0.6	0.5
Race/Ethnic group														
African American	3.4	3.7	3.1	2.1	2.0	1.0	1.2	1.7	1.8	1.2	1.0	0.8	0.6	0.5
Hispanic/Latino	5.2	4.6	3.8	3.0	2.5	1.6	0.9	2.1	2.0	1.4	1.1	0.9	0.6	0.4
White, non-Hispanic	6.3	5.2	4.5	3.3	3.1	1.9	1.9	2.1	1.7	1.2	1.1	1.0	0.6	0.5
Age														
11	1.6	1.7	1.8	1.8	2.9	1.4	1.6	0.5	0.8	0.6	0.7	0.8	0.8	1.0
12	2.0	2.8	2.0	2.9	3.1	1.5	1.6	1.0	1.4	0.8	1.2	1.0	0.5	0.3
13	3.6	3.6	2.8	3.1	3.0	1.6	1.5	1.7	1.6	1.0	1.4	1.3	0.5	0.5
14	4.9	4.6	3.9	3.4	2.8	1.8	2.0	2.4	2.0	1.4	1.2	1.1	0.9	0.9
15	6.6	5.2	4.7	2.7	2.8	1.6	1.6	2.6	2.3	1.7	1.2	1.1	0.5	0.7
16	7.2	6.1	4.9	3.4	2.2	2.0	1.5	2.7	2.1	1.4	0.9	0.9	0.6	0.6
17	8.4	5.9	5.2	3.2	2.9	1.8	1.4	2.6	1.9	1.2	1.0	0.8	0.4	0.2
18	7.4	7.0	6.4	3.9	2.5	1.8	0.9	2.1	1.9	1.1	0.9	0.7	0.4	0.2
Grade														
6th	1.8	2.4	1.8	2.2	3.0	1.2	1.5	0.8	1.1	0.7	0.9	1.0	0.5	0.5
7th	3.4	3.2	2.6	3.2	3.3	1.7	1.7	1.6	1.7	1.0	1.4	1.2	0.7	0.5
8th	3.6	4.2	3.6	3.3	2.8	1.8	2.0	1.8	1.9	1.3	1.3	1.2	0.9	0.7
9th	6.2	5.1	4.2	3.0	2.7	1.7	1.5	2.7	2.3	1.6	1.3	1.0	0.5	0.7
10th	7.5	5.6	5.0	3.0	2.6	1.7	1.8	3.1	2.0	1.7	0.9	1.0	0.7	0.8
11th	7.4	6.3	5.1	3.5	2.3	2.1	0.9	2.1	2.0	1.2	1.0	0.7	0.4	0.2
12th	8.3	6.4	5.8	3.4	2.7	1.6	1.2	2.4	1.8	1.0	0.8	0.7	0.4	0.2
Middle School	3.0	3.3	2.6	2.9	3.0	1.6	1.7	1.4	1.6	1.0	1.2	1.1	0.7	0.6
High School	7.3	5.8	5.0	3.2	2.6	1.8	1.4	2.6	2.0	1.4	1.0	0.9	0.5	0.5
Total	5.5	4.8	4.0	3.1	2.8	1.7	1.5	2.1	1.8	1.2	1.1	1.0	0.6	0.5

Note: In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. As a result of these changes, please exercise caution when comparing to results from earlier years.

Table 23. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2014 to 2025

	Over-The-Counter Drug Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	5.1	4.7	4.3	3.9	3.2	2.2	1.6	2.3	2.0	1.7	1.4	1.1	0.7	0.5
Male	4.8	4.2	4.1	3.5	2.4	1.6	1.7	1.8	1.9	1.5	1.2	1.0	0.7	0.6
Race/Ethnic group														
African American	4.8	3.9	4.0	2.9	2.1	1.6	1.1	2.4	1.7	2.0	1.5	1.1	0.8	0.5
Hispanic/Latino	4.4	4.2	3.7	3.3	2.3	1.1	1.3	2.0	1.9	1.5	1.0	0.8	0.5	0.3
White, non-Hispanic	5.0	4.6	4.3	3.9	3.2	2.2	1.8	1.8	2.0	1.5	1.2	1.2	0.7	0.6
Age														
11	1.9	1.9	1.6	1.8	1.7	1.0	1.7	1.2	1.0	0.6	0.9	1.0	0.4	1.1
12	2.6	2.7	2.4	2.2	1.7	1.4	1.1	1.1	1.3	1.1	1.0	0.8	0.6	0.5
13	3.4	3.3	3.5	3.3	2.8	2.0	1.4	1.6	1.8	1.5	1.7	1.2	0.7	0.4
14	4.9	4.6	5.0	4.0	3.2	1.6	1.9	2.4	2.4	2.2	1.6	1.3	0.8	0.5
15	6.1	5.1	4.6	4.8	2.7	2.2	1.6	3.0	2.3	1.6	1.5	0.9	0.9	0.6
16	5.9	5.6	5.2	4.1	3.2	2.6	1.6	2.1	2.1	2.1	1.2	1.0	0.9	0.5
17	6.4	5.6	4.8	4.1	3.3	1.9	1.9	2.1	2.0	1.8	1.0	0.9	0.5	0.5
18	7.2	5.5	5.4	4.8	2.8	1.7	1.8	2.6	2.1	1.2	1.1	1.1	0.4	0.6
Grade														
6th	2.5	2.3	2.0	2.3	2.0	1.2	1.4	1.2	1.2	1.0	1.0	1.2	0.5	0.7
7th	3.2	3.0	3.2	2.6	2.3	1.8	1.2	1.5	1.6	1.4	1.3	0.8	0.7	0.5
8th	4.5	4.3	4.5	4.0	3.1	2.2	1.7	2.2	2.5	1.8	1.8	1.3	1.0	0.3
9th	5.3	4.8	4.4	4.1	2.9	1.7	1.9	2.5	2.2	1.9	1.7	1.0	0.9	0.7
10th	6.8	5.7	5.6	4.4	3.0	2.3	1.9	2.9	2.5	2.3	1.3	1.1	0.8	0.7
11th	6.2	5.6	4.8	4.3	3.5	2.5	0.8	2.1	1.9	1.6	1.0	1.0	0.7	0.2
12th	6.6	5.1	4.9	4.4	2.7	1.5	2.6	2.1	1.7	1.3	1.0	0.7	0.3	0.7
Middle School	3.4	3.2	3.2	3.0	2.5	1.7	1.4	1.6	1.8	1.4	1.4	1.1	0.7	0.5
High School	6.1	5.3	4.9	4.3	3.0	2.0	1.8	2.4	2.1	1.8	1.3	1.0	0.7	0.6
Total	5.0	4.4	4.2	3.7	2.8	1.9	1.6	2.1	2.0	1.6	1.3	1.0	0.7	0.5

Table 24. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2014 to 2025

	Prescription Amphetamine Use													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	3.5	3.3	2.6	3.7	3.2	2.2	1.3	1.1	1.1	0.8	1.1	1.1	0.6	0.3
Male	3.2	3.2	2.6	3.2	2.3	1.4	1.0	1.1	1.2	0.7	1.1	0.8	0.4	0.3
Race/Ethnic group														
African American	1.3	1.2	1.2	1.9	1.8	0.9	0.6	0.6	0.6	0.5	0.9	0.7	0.4	0.2
Hispanic/Latino	2.8	2.5	1.9	2.5	2.0	1.5	0.9	1.2	0.9	0.6	0.8	0.7	0.4	0.3
White, non-Hispanic	4.3	4.3	3.6	4.3	3.5	2.4	1.4	1.3	1.5	0.9	1.3	1.1	0.6	0.4
Age														
11	0.4	0.5	0.6	1.1	1.4	0.9	0.7	0.2	0.2	0.3	0.7	0.8	0.3	0.4
12	0.7	1.0	0.9	1.3	1.4	1.2	0.6	0.4	0.4	0.4	0.4	0.5	0.3	0.1
13	1.1	1.4	1.6	2.7	2.0	1.5	1.2	0.6	0.6	0.5	1.0	0.7	0.6	0.3
14	2.1	2.2	2.1	3.3	2.9	1.9	1.2	0.9	0.8	0.8	1.5	1.1	0.7	0.3
15	3.6	3.2	2.5	3.8	2.6	2.1	1.1	1.3	1.3	0.8	1.3	1.1	0.6	0.3
16	4.7	4.9	3.6	4.4	3.3	1.9	1.2	1.5	1.8	1.0	1.3	0.9	0.4	0.3
17	6.9	5.6	4.3	4.9	4.5	2.5	2.3	2.1	2.1	1.1	1.0	1.2	0.6	0.6
18	6.6	6.9	5.6	5.7	3.8	1.8	1.0	2.1	1.8	0.8	1.6	1.3	0.3	0.1
Grade														
6th	0.6	0.8	0.9	1.1	1.4	0.9	0.5	0.4	0.3	0.4	0.5	0.6	0.2	0.3
7th	1.0	1.2	1.0	2.0	1.7	1.4	0.9	0.5	0.7	0.5	0.6	0.5	0.6	0.2
8th	1.4	1.8	1.9	3.2	2.7	2.0	1.1	0.6	0.7	0.6	1.4	1.0	0.7	0.3
9th	3.1	2.6	2.3	3.4	2.5	1.9	1.4	1.1	0.9	0.9	1.5	1.1	0.7	0.3
10th	4.5	4.2	3.1	4.3	3.1	2.0	1.3	1.4	1.6	0.9	1.4	1.2	0.5	0.5
11th	5.4	5.8	3.9	5.1	3.6	1.8	1.5	1.7	2.1	1.0	1.4	0.9	0.5	0.3
12th	7.7	6.4	5.4	5.1	4.5	2.4	1.7	2.5	1.9	1.0	1.2	1.3	0.4	0.4
Middle School	1.0	1.3	1.2	2.1	1.9	1.5	0.8	0.5	0.5	0.5	0.8	0.7	0.5	0.3
High School	5.1	4.7	3.6	4.5	3.4	2.0	1.5	1.7	1.6	1.0	1.3	1.1	0.5	0.4
Total	3.3	3.2	2.6	3.4	2.8	1.8	1.2	1.2	1.2	0.8	1.1	0.9	0.5	0.3

Table 25. Percentage of surveyed Florida high school youth who used a needle to inject an illegal drug in lifetime—2016 to 2025

	Needle to Inject Illegal Drug						
		2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex							
Female		0.6	0.5	0.6	0.4	0.5	0.2
Male		0.8	0.8	0.9	0.7	0.6	0.6
Race/Ethnic group							
African American		0.6	0.6	0.8	0.8	0.5	0.4
Hispanic/Latino		0.6	0.5	0.5	0.4	0.4	0.6
White, non-Hispanic		0.8	0.6	0.6	0.6	0.6	0.5
Age							
11		--	--	--	--	--	--
12		--	--	--	--	--	--
13		--	--	--	--	--	--
14		0.4	0.7	0.6	0.3	0.8	0.4
15		0.7	0.5	0.8	0.6	0.7	0.3
16		0.9	0.5	0.8	0.6	0.5	0.9
17		0.7	0.7	0.7	0.5	0.6	0.1
18		0.7	0.7	0.8	0.6	0.2	0.3
Grade							
6th		--	--	--	--	--	--
7th		--	--	--	--	--	--
8th		--	--	--	--	--	--
9th		0.6	0.6	0.8	0.4	0.7	0.7
10th		1.0	0.7	0.6	0.8	0.5	0.5
11th		0.7	0.7	0.9	0.5	0.6	0.3
12th		0.7	0.5	0.6	0.5	0.4	0.3
Middle School		--	--	--	--	--	--
High School		0.8	0.6	0.7	0.6	0.6	0.4
Total		--	--	--	--	--	--

Table 26. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2014 to 2025

	Any Illicit Drug													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	30.7	29.0	28.7	31.0	27.3	23.3	18.4	16.4	15.1	15.0	15.5	14.0	11.2	7.4
Male	29.4	26.4	25.2	25.6	20.5	17.2	15.9	16.3	14.2	13.4	14.1	10.7	8.3	7.2
Race/Ethnic group														
African American	27.9	26.1	24.7	25.8	21.5	18.6	15.9	14.4	12.6	13.4	13.6	11.6	9.9	7.6
Hispanic/Latino	29.7	26.9	25.7	26.5	21.6	16.9	14.4	15.7	14.4	12.8	13.4	11.0	7.3	5.5
White, non-Hispanic	31.3	28.6	28.4	29.6	26.1	22.2	19.2	17.5	15.4	15.1	15.3	13.2	10.6	8.2
Age														
11	9.6	8.0	9.5	10.7	11.8	11.7	9.7	4.7	3.2	4.4	4.7	5.0	5.0	4.9
12	12.9	11.9	12.2	15.3	14.0	13.3	11.0	5.7	5.6	5.6	6.6	5.9	5.3	4.4
13	19.5	17.0	18.8	20.8	17.5	15.5	13.4	8.9	8.0	8.8	9.5	8.4	6.4	3.9
14	26.6	23.7	24.1	26.3	21.1	17.6	15.8	14.3	12.2	12.0	13.0	10.9	8.8	6.5
15	34.0	30.0	29.2	29.5	24.6	21.2	17.2	19.8	16.9	15.6	16.2	12.9	10.4	8.4
16	40.4	37.0	36.4	37.7	28.5	24.0	19.3	21.6	19.8	20.3	20.1	14.7	12.6	8.2
17	46.1	43.1	39.4	39.6	35.5	28.1	23.9	26.6	23.4	21.5	22.0	19.2	13.6	11.5
18	45.0	44.8	41.8	43.7	36.4	29.3	25.1	26.6	24.5	24.5	25.9	20.7	15.1	10.2
Grade														
6th	12.0	10.2	11.0	13.1	13.6	12.2	10.7	5.4	4.6	5.4	5.7	6.2	5.1	4.6
7th	17.3	15.1	16.5	18.3	15.8	15.2	11.9	8.3	7.4	7.6	8.4	7.0	6.2	4.2
8th	24.4	21.6	22.0	24.6	20.6	17.8	15.0	12.3	10.5	10.6	12.2	10.2	8.3	5.0
9th	31.1	27.3	25.9	27.5	21.6	18.1	17.0	17.6	15.2	13.3	13.9	11.4	9.0	8.0
10th	38.4	34.5	34.3	33.6	26.7	22.7	20.3	21.8	19.1	19.3	18.5	14.3	11.5	9.0
11th	42.4	41.3	37.3	40.0	32.6	26.5	18.8	23.5	22.4	20.4	22.9	16.6	13.4	8.6
12th	47.0	44.0	42.3	42.7	37.6	29.6	26.5	27.0	23.7	23.5	23.2	21.2	14.5	11.9
Middle School	17.9	15.7	16.5	18.7	16.7	15.1	12.6	8.7	7.5	7.9	8.8	7.8	6.6	4.6
High School	39.3	36.4	34.8	35.7	29.3	24.0	20.5	22.3	20.0	19.0	19.5	15.7	12.0	9.3
Total	30.0	27.7	26.9	28.3	23.9	20.2	17.2	16.4	14.7	14.3	14.8	12.3	9.7	7.3

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 27. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2014 to 2025

	Any Illicit Drug Other Than Marijuana													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	17.9	16.4	15.5	15.9	14.0	11.0	9.0	7.9	7.3	6.5	6.0	5.2	4.1	3.0
Male	16.4	14.2	13.7	12.7	10.4	8.7	8.4	7.0	6.2	5.1	5.0	4.0	3.2	3.1
Race/Ethnic group														
African American	12.8	12.3	12.0	10.9	9.5	7.3	6.6	6.2	5.7	6.0	4.9	4.6	3.5	3.3
Hispanic/Latino	16.9	15.2	13.7	13.1	10.8	8.2	7.1	7.5	7.0	5.3	4.9	4.1	3.1	2.8
White, non-Hispanic	18.5	16.3	15.9	15.6	14.0	11.2	10.2	7.6	6.8	5.8	5.5	5.0	3.8	2.9
Age														
11	8.7	7.5	8.7	9.2	10.4	9.7	8.4	4.3	3.1	4.1	4.1	4.6	4.3	4.4
12	11.2	10.5	10.7	12.2	11.1	10.3	9.6	4.6	5.0	4.9	5.0	4.4	4.3	3.8
13	15.2	12.9	13.8	14.4	12.3	10.5	9.5	6.7	5.8	5.9	6.1	5.2	4.2	2.5
14	16.9	15.3	15.4	14.5	12.6	9.7	9.8	7.9	7.2	6.4	5.9	5.4	4.1	3.6
15	17.9	16.7	15.3	14.0	11.6	10.0	7.4	8.6	7.8	5.7	5.6	4.4	3.9	3.2
16	19.0	17.6	17.0	15.2	12.1	9.3	6.7	8.4	7.7	6.7	5.7	4.2	3.0	1.9
17	22.9	19.0	16.2	15.9	14.4	9.8	9.9	9.1	7.5	6.0	5.2	4.6	2.9	2.8
18	21.8	19.8	18.3	17.7	13.2	9.5	8.8	8.1	8.5	5.9	6.3	4.3	2.6	3.4
Grade														
6th	10.5	9.2	9.8	10.7	11.3	9.5	9.3	4.8	4.2	4.8	4.6	5.0	4.1	4.2
7th	14.0	11.7	13.0	13.5	11.7	10.8	8.7	6.1	5.7	5.6	5.7	4.7	4.6	3.0
8th	16.7	15.1	15.1	15.2	13.0	10.9	10.2	7.6	6.8	6.2	6.6	5.4	4.6	3.1
9th	16.8	15.6	14.4	13.6	11.1	9.2	8.4	7.8	7.2	5.8	5.1	4.5	3.6	3.1
10th	19.5	17.8	17.1	14.3	12.1	8.9	7.3	9.4	7.9	6.7	5.7	4.5	3.1	2.7
11th	20.2	18.6	15.7	16.1	13.0	9.7	7.4	7.8	7.8	5.7	5.3	4.1	3.4	1.9
12th	23.0	19.2	17.6	17.0	13.9	9.9	10.0	9.0	7.7	6.0	5.7	4.4	2.3	3.4
Middle School	13.7	12.0	12.6	13.2	12.0	10.5	9.4	6.2	5.6	5.5	5.7	5.0	4.4	3.4
High School	19.7	17.7	16.2	15.2	12.5	9.4	8.3	8.5	7.7	6.0	5.4	4.4	3.1	2.8
Total	17.1	15.3	14.6	14.3	12.3	9.9	8.7	7.5	6.8	5.8	5.5	4.7	3.7	3.0

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 28. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2014 to 2025

	Alcohol Only													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	19.5	18.1	16.8	15.3	14.8	14.2	11.9	11.7	11.1	9.0	8.6	7.2	6.9	5.5
Male	17.8	17.0	15.6	14.3	13.8	12.8	12.1	10.1	9.1	7.4	7.0	5.6	5.2	5.2
Race/Ethnic group														
African American	14.6	13.7	12.4	11.3	10.4	8.8	9.8	7.8	7.3	5.1	5.1	3.5	3.4	3.5
Hispanic/Latino	21.5	20.3	18.6	16.5	15.9	14.5	13.1	12.9	10.8	9.1	7.8	6.2	5.8	4.8
White, non-Hispanic	19.4	18.3	17.0	15.9	15.2	15.3	12.7	12.2	11.4	9.6	9.3	7.9	7.5	6.9
Age														
11	8.0	7.3	7.2	8.5	8.9	8.5	5.6	2.8	1.8	1.8	2.8	2.4	2.0	1.9
12	11.6	10.2	9.4	10.6	10.2	9.8	8.9	4.3	3.7	2.8	4.0	3.6	3.2	2.5
13	15.7	14.1	12.8	12.7	12.7	12.8	11.4	7.3	6.1	5.0	5.2	4.7	4.7	3.8
14	19.4	17.8	17.0	15.5	15.2	13.7	11.9	10.2	8.4	7.5	7.1	5.6	5.1	5.1
15	20.8	19.6	17.2	17.1	15.0	13.1	11.9	11.7	10.9	8.2	8.5	6.6	5.6	5.1
16	22.5	20.5	20.1	15.6	17.0	14.9	13.8	15.0	12.0	11.0	9.9	8.4	7.5	5.7
17	23.0	22.9	21.9	18.5	16.0	16.2	15.5	16.4	17.2	13.6	11.4	8.6	9.2	7.6
18	23.9	21.7	19.5	17.2	17.2	17.7	13.0	17.9	18.0	14.2	12.4	10.5	10.3	10.3
Grade														
6th	9.9	8.4	7.6	9.2	8.9	9.1	7.4	3.5	2.9	2.2	3.5	2.8	2.6	2.5
7th	13.3	12.6	11.6	11.9	11.8	11.6	10.4	5.8	4.6	3.7	4.8	4.5	4.2	3.1
8th	18.7	16.3	14.7	14.4	14.2	13.6	12.1	9.4	8.2	7.0	6.4	5.3	5.3	5.0
9th	20.7	19.1	18.9	16.4	15.2	12.5	11.6	11.4	9.5	7.6	7.5	6.0	4.7	4.5
10th	21.1	20.3	17.9	16.4	16.3	14.4	12.5	13.5	11.6	10.1	9.1	6.8	6.7	5.7
11th	23.1	21.4	21.8	16.6	16.8	16.3	14.8	15.2	15.0	12.1	10.1	9.4	8.4	6.9
12th	24.2	23.4	20.7	19.1	16.6	16.7	14.9	18.5	18.3	14.8	13.5	9.9	10.3	9.8
Middle School	14.0	12.5	11.3	11.9	11.7	11.5	10.0	6.3	5.2	4.3	4.9	4.2	4.1	3.6
High School	22.2	21.0	19.8	17.1	16.2	14.9	13.4	14.5	13.4	11.1	10.0	8.0	7.4	6.6
Total	18.6	17.5	16.2	14.8	14.3	13.4	12.0	10.9	10.0	8.2	7.7	6.4	6.0	5.3

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 29. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2014 to 2025

	Alcohol Or Any Illicit Drug													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	50.1	46.8	45.2	46.1	42.0	37.3	30.3	27.9	25.8	23.7	23.9	21.0	17.9	12.9
Male	47.0	43.1	40.5	39.6	34.0	29.8	27.9	26.1	22.9	20.4	20.8	16.1	13.4	12.4
Race/Ethnic group														
African American	42.3	39.4	36.8	36.6	31.7	27.2	25.7	21.6	19.4	17.8	18.3	15.0	13.2	11.1
Hispanic/Latino	51.1	46.8	44.0	42.7	37.2	31.2	27.5	28.1	24.7	21.7	21.0	17.0	13.0	10.4
White, non-Hispanic	50.6	46.7	45.3	45.3	41.2	37.3	31.8	29.5	26.6	24.4	24.5	21.0	18.1	15.1
Age														
11	17.4	14.9	16.5	19.0	20.6	20.0	15.3	7.3	5.1	6.2	7.6	7.4	6.9	6.9
12	24.3	21.7	21.3	25.6	24.0	22.9	19.8	9.9	9.0	8.3	10.5	9.3	8.4	6.8
13	35.1	30.8	31.3	33.4	29.9	28.2	24.7	16.1	13.9	13.7	14.5	12.9	11.1	7.7
14	45.9	41.1	40.8	41.6	36.2	31.1	27.7	24.3	20.2	19.3	20.0	16.3	13.8	11.7
15	54.8	49.5	46.2	46.0	39.6	34.2	29.0	31.1	27.4	23.4	24.4	19.3	15.9	13.5
16	62.7	57.4	56.3	52.8	45.4	38.7	33.0	36.1	31.3	30.7	29.7	23.0	19.9	14.0
17	69.0	65.8	61.1	58.0	51.0	44.0	39.3	42.7	40.2	34.3	33.2	27.5	22.5	19.1
18	68.8	66.3	61.1	60.5	53.3	46.6	38.1	44.0	41.7	37.5	37.8	31.0	25.1	20.5
Grade														
6th	21.7	18.2	18.4	22.1	22.4	21.1	17.9	8.9	7.3	7.6	9.1	8.9	7.7	7.1
7th	30.4	27.4	27.7	30.1	27.3	26.6	22.2	14.0	11.9	11.2	13.1	11.3	10.3	7.4
8th	43.0	37.6	36.4	38.8	34.6	31.3	27.1	21.6	18.3	17.5	18.5	15.2	13.7	10.0
9th	51.7	46.2	44.6	43.4	36.6	30.3	28.6	28.6	24.3	20.5	21.1	17.3	13.5	12.5
10th	59.5	54.5	52.0	49.6	42.9	36.9	32.8	34.8	30.2	28.8	27.2	21.1	18.1	14.7
11th	65.5	62.4	58.8	56.3	49.0	42.6	33.5	38.6	36.8	31.9	32.8	25.8	21.5	15.4
12th	71.0	67.4	62.8	61.5	53.9	46.0	41.4	45.1	41.7	37.3	36.3	30.9	24.7	21.7
Middle School	31.7	27.8	27.5	30.4	28.2	26.4	22.5	14.8	12.5	12.1	13.6	11.9	10.6	8.2
High School	61.4	57.2	54.4	52.4	45.3	38.7	33.9	36.3	32.9	29.5	29.1	23.5	19.3	16.0
Total	48.5	44.8	42.9	42.8	38.0	33.5	29.1	27.0	24.3	22.0	22.3	18.5	15.6	12.7

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 30. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2014 to 2025

	Any Illicit Drug, But No Alcohol													
	Lifetime							Past 30 Days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	5.9	6.0	6.7	7.9	7.7	7.0	5.9	6.5	6.4	7.2	8.1	7.9	6.2	4.5
Male	6.3	6.5	6.7	7.3	6.8	6.6	6.2	6.9	6.3	6.9	7.2	6.0	4.9	4.2
Race/Ethnic group														
African American	8.3	9.0	8.9	10.5	9.3	8.5	7.6	8.2	7.7	8.9	9.4	7.9	6.8	5.8
Hispanic/Latino	6.0	6.0	6.2	7.6	6.5	5.8	5.7	6.3	6.7	6.7	7.1	6.5	4.2	3.5
White, non-Hispanic	4.8	5.0	5.7	5.9	6.4	6.1	4.8	6.0	5.4	6.2	6.6	6.4	5.4	3.9
Age														
11	6.3	5.3	5.7	6.1	7.6	7.0	6.5	3.6	2.7	3.5	3.1	3.6	4.1	4.4
12	6.3	6.4	6.2	7.3	7.4	7.5	6.7	3.8	4.0	3.9	4.6	4.6	3.8	3.4
13	7.3	6.6	7.8	7.5	7.2	6.5	5.7	5.1	4.8	5.6	5.4	5.4	4.1	2.6
14	7.1	7.0	7.3	8.9	7.4	7.2	6.4	6.1	5.9	6.4	7.8	6.8	5.7	4.6
15	6.3	6.4	7.4	7.8	7.2	7.5	6.7	8.6	7.8	7.9	8.7	7.7	5.8	5.6
16	4.9	6.2	6.7	7.6	7.0	6.1	5.6	8.1	8.0	9.6	10.4	7.9	6.9	3.8
17	5.3	5.8	5.8	7.1	7.5	6.6	5.1	8.8	8.1	9.1	9.4	9.2	7.2	5.2
18	4.5	5.2	5.7	7.9	6.3	6.1	6.2	8.1	7.6	9.4	10.8	9.0	6.7	5.7
Grade														
6th	6.7	6.2	6.1	6.9	8.2	7.0	6.5	3.9	3.5	3.9	4.0	4.6	3.8	3.8
7th	6.6	6.3	7.5	7.3	6.8	7.7	6.0	4.7	4.5	5.1	5.2	5.0	4.1	3.1
8th	7.3	7.0	7.2	8.3	7.3	6.9	6.4	5.9	5.5	5.8	7.2	6.2	5.5	3.2
9th	6.4	6.5	7.2	8.7	7.1	7.0	7.0	7.5	7.4	6.9	8.2	6.9	5.3	5.6
10th	5.7	6.9	7.1	7.4	7.1	6.9	6.6	8.7	8.1	9.6	9.1	8.3	6.4	4.8
11th	5.3	6.1	6.3	8.0	7.4	6.1	4.7	8.6	8.0	8.8	11.1	8.0	7.1	4.0
12th	4.4	4.8	5.6	6.7	6.6	6.0	5.2	7.8	7.7	9.3	9.0	9.8	6.8	5.8
Middle School	6.9	6.5	6.9	7.5	7.5	7.2	6.3	4.8	4.5	4.9	5.5	5.3	4.5	3.4
High School	5.5	6.1	6.6	7.7	7.1	6.5	5.9	8.1	7.8	8.6	9.4	8.2	6.4	5.1
Total	6.1	6.3	6.7	7.6	7.2	6.8	6.1	6.7	6.4	7.1	7.7	6.9	5.6	4.3

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2014 to 2025

	Delinquent Behavior													
	Carrying a Handgun							Selling Drugs						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	2.7	2.6	3.2	3.6	3.9	3.5	2.5	3.1	3.0	2.7	2.3	1.6	1.1	0.5
Male	7.8	8.3	8.7	8.6	8.1	8.2	6.9	6.6	5.4	5.1	4.2	2.4	2.0	1.1
Race/Ethnic group														
African American	4.8	4.7	5.8	5.7	5.0	4.9	4.0	4.3	3.4	3.3	2.9	1.7	1.7	0.9
Hispanic/Latino	4.0	4.7	5.0	4.9	4.8	3.7	3.4	4.6	4.2	3.3	2.9	1.9	1.0	0.7
White, non-Hispanic	5.9	6.1	6.6	6.7	7.1	7.6	6.2	5.4	4.4	4.3	3.5	2.2	1.8	0.9
Age														
11	2.7	3.5	4.0	5.1	4.4	5.2	2.6	0.5	0.2	0.3	0.2	0.4	0.2	0.1
12	4.3	4.3	4.4	5.1	5.6	6.6	4.3	0.9	0.9	0.8	0.8	0.6	0.6	0.3
13	5.5	5.1	6.3	6.9	7.0	6.2	5.1	2.0	1.6	1.7	2.0	1.1	0.9	0.5
14	5.6	6.0	6.6	6.3	7.0	6.7	5.8	4.0	3.4	3.3	2.5	1.8	1.6	1.0
15	6.3	6.2	6.2	6.1	6.3	5.5	4.8	6.5	5.8	4.8	3.3	2.2	2.1	1.0
16	4.9	5.8	6.4	6.0	5.7	6.1	4.7	7.7	6.2	5.7	4.9	3.0	2.3	0.7
17	5.4	5.7	6.7	5.6	5.5	5.0	4.7	7.8	6.2	6.4	5.3	3.1	2.0	1.5
18	6.2	5.8	5.7	7.8	4.9	4.6	4.9	8.1	7.0	7.1	7.1	3.0	2.2	1.1
Grade														
6th	3.9	4.2	4.4	5.2	5.3	6.4	3.7	0.8	0.6	0.6	0.6	0.8	0.6	0.2
7th	5.3	4.8	5.5	6.3	7.0	6.5	4.9	1.8	1.3	1.2	1.5	1.0	0.9	0.6
8th	6.1	6.1	7.1	7.0	7.6	6.9	5.6	3.8	2.9	2.7	2.7	1.5	1.6	0.8
9th	5.4	6.4	6.0	5.9	6.2	5.6	4.4	5.6	5.4	4.2	2.8	2.0	1.7	0.9
10th	6.0	6.0	6.7	5.9	5.7	5.9	5.2	7.3	6.4	5.7	3.6	2.6	2.2	1.1
11th	5.2	5.8	5.9	5.8	5.5	5.6	5.1	7.7	6.1	5.5	5.9	3.4	2.1	1.0
12th	5.0	4.9	6.3	6.5	4.6	4.2	4.0	7.3	6.4	7.4	6.1	2.7	2.1	1.2
Middle School	5.1	5.0	5.7	6.2	6.7	6.6	4.8	2.1	1.6	1.5	1.6	1.1	1.0	0.6
High School	5.4	5.8	6.2	6.0	5.5	5.4	4.7	6.9	6.0	5.7	4.5	2.7	2.0	1.0
Total	5.3	5.5	6.0	6.1	6.0	5.9	4.7	4.9	4.2	3.9	3.3	2.0	1.6	0.8

Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2014 to 2025

	Delinquent Behavior													
	Attempting to Steal a Vehicle							Being Arrested						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	0.9	0.8	1.2	1.1	1.0	0.8	0.6	2.1	1.8	1.7	1.8	1.3	1.3	1.2
Male	1.8	1.7	1.8	1.8	1.2	1.4	1.0	3.5	3.0	2.8	2.7	2.0	2.1	1.7
Race/Ethnic group														
African American	2.1	2.0	2.5	2.2	1.4	1.6	1.1	4.1	3.7	3.7	3.5	2.4	2.9	2.4
Hispanic/Latino	1.1	1.3	1.2	1.4	1.1	0.7	0.5	2.8	2.3	1.9	1.9	1.3	1.2	0.9
White, non-Hispanic	1.1	0.9	1.0	1.1	0.8	1.0	0.8	2.3	1.8	1.7	1.7	1.3	1.4	1.3
Age														
11	0.3	0.2	0.6	0.4	0.4	0.8	0.3	0.6	0.5	0.5	1.5	0.6	0.7	0.6
12	0.6	0.7	0.8	1.0	0.9	1.0	0.7	0.9	1.1	1.0	1.4	1.2	1.0	0.7
13	1.1	1.2	1.3	1.5	1.0	1.0	0.8	2.0	2.0	2.1	2.3	1.7	1.5	1.3
14	1.5	1.4	2.2	1.5	1.3	1.4	0.9	2.9	2.7	2.7	2.8	2.2	2.2	1.6
15	1.8	1.7	2.0	1.8	1.3	1.0	0.7	4.1	3.3	2.9	2.3	1.8	2.3	1.9
16	1.9	1.6	1.7	1.4	1.4	1.4	1.3	3.6	3.1	2.8	2.7	1.8	1.9	1.6
17	1.4	1.3	1.0	1.4	1.0	0.9	0.5	3.4	2.5	2.6	2.0	1.7	1.9	1.4
18	1.7	1.6	1.5	2.3	0.8	0.9	1.0	3.6	2.8	2.3	3.0	1.3	1.4	1.8
Grade														
6th	0.7	0.6	0.7	0.9	0.9	1.1	0.6	1.2	1.1	1.1	1.8	1.4	1.2	0.7
7th	0.9	1.1	1.2	1.3	0.8	1.1	0.7	1.8	1.7	2.0	2.1	1.6	1.3	1.2
8th	1.7	1.3	2.1	1.5	1.5	1.3	1.0	3.4	2.9	2.1	2.7	2.1	2.6	1.4
9th	1.4	1.6	2.2	1.7	1.1	1.1	0.7	3.2	3.1	2.9	2.4	1.9	1.9	2.0
10th	1.9	1.8	1.8	1.5	1.4	1.2	1.0	3.9	3.3	3.1	2.3	1.8	1.9	2.1
11th	1.5	1.3	1.0	1.8	1.1	1.2	0.8	3.0	2.7	2.2	2.5	1.6	1.8	0.9
12th	1.3	1.1	1.2	1.4	0.7	0.8	0.7	3.1	2.0	2.4	2.0	1.4	1.4	1.8
Middle School	1.1	1.0	1.4	1.3	1.1	1.2	0.8	2.2	1.9	1.7	2.2	1.7	1.7	1.1
High School	1.5	1.5	1.6	1.6	1.1	1.1	0.8	3.3	2.8	2.6	2.3	1.7	1.8	1.7
Total	1.4	1.3	1.5	1.5	1.1	1.1	0.8	2.8	2.4	2.3	2.3	1.7	1.7	1.4

Table 33. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2014 to 2025

	Delinquent Behavior													
	Taking a Handgun to School							Getting Suspended						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	0.4	0.3	0.3	0.4	0.3	0.3	0.4	7.4	7.0	7.3	9.2	8.8	11.2	10.3
Male	1.0	0.9	0.9	0.8	0.5	0.6	0.4	12.9	12.5	11.7	14.1	13.3	15.8	15.8
Race/Ethnic group														
African American	1.3	1.0	1.4	1.0	0.7	0.8	0.7	18.6	16.4	16.7	20.5	19.1	23.0	22.1
Hispanic/Latino	0.7	0.7	0.5	0.5	0.4	0.5	0.2	10.3	9.5	8.1	9.5	9.4	11.8	10.6
White, non-Hispanic	0.5	0.3	0.3	0.4	0.2	0.3	0.3	7.2	6.7	6.7	8.2	8.2	9.3	9.6
Age														
11	0.4	0.1	0.2	0.4	0.1	0.2	0.0	5.5	5.5	7.3	9.0	10.0	11.8	12.6
12	0.3	0.2	0.4	0.3	0.3	0.3	0.3	8.1	7.8	8.7	11.8	10.2	14.5	13.4
13	0.5	0.6	0.5	0.5	0.3	0.5	0.3	11.8	11.5	11.4	14.6	14.9	17.0	18.0
14	0.8	0.6	0.7	0.6	0.4	0.4	0.5	12.2	12.3	12.0	13.9	13.7	17.5	16.4
15	0.9	0.6	0.8	0.5	0.6	0.7	0.5	12.2	11.5	10.4	12.2	11.5	14.7	13.5
16	0.9	1.0	0.7	0.6	0.5	0.4	0.3	10.9	9.8	8.9	10.0	9.7	11.7	11.7
17	0.8	0.5	0.7	0.7	0.5	0.8	0.3	8.8	8.0	7.5	8.6	8.6	9.2	8.6
18	1.0	0.9	0.9	1.2	0.7	0.3	0.7	7.9	7.6	7.5	10.5	6.8	7.5	8.8
Grade														
6th	0.5	0.2	0.4	0.4	0.3	0.4	0.2	8.2	8.0	8.7	11.6	12.0	14.7	14.3
7th	0.4	0.5	0.4	0.5	0.3	0.3	0.3	12.0	11.2	11.4	14.5	13.8	16.6	15.4
8th	0.8	0.5	0.6	0.5	0.3	0.5	0.5	12.6	12.6	12.0	15.0	14.7	19.3	18.4
9th	0.7	0.8	1.1	0.6	0.5	0.5	0.1	11.6	12.0	11.4	12.5	11.0	14.5	14.2
10th	1.1	0.9	0.7	0.6	0.6	0.5	0.6	10.9	9.4	8.8	9.4	9.9	12.1	12.0
11th	0.9	0.7	0.6	1.0	0.3	0.6	0.3	9.2	8.7	6.7	9.4	8.7	9.6	9.3
12th	0.6	0.6	0.8	0.8	0.6	0.4	0.5	6.5	6.1	7.6	8.6	7.1	7.2	7.5
Middle School	0.6	0.4	0.4	0.4	0.3	0.4	0.4	11.0	10.6	10.7	13.7	13.5	16.9	16.1
High School	0.8	0.7	0.8	0.7	0.5	0.5	0.4	9.7	9.1	8.7	10.0	9.2	10.9	10.8
Total	0.7	0.6	0.6	0.6	0.4	0.5	0.4	10.3	9.8	9.5	11.6	11.1	13.5	13.0

Table 34. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2014 to 2025

	Delinquent Behavior						
	Attacking Someone with Intent to Harm						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex							
Female	6.1	5.3	5.6	5.8	6.2	5.4	4.2
Male	7.7	6.9	7.3	7.6	7.2	6.7	5.7
Race/Ethnic group							
African American	11.2	10.1	11.3	11.3	10.8	9.5	9.5
Hispanic/Latino	6.3	5.2	5.3	5.4	5.3	4.2	3.8
White, non-Hispanic	4.9	4.4	4.3	4.6	5.1	4.6	2.8
Age							
11	4.3	4.2	4.9	6.5	7.1	6.6	6.2
12	5.5	4.6	6.3	7.8	8.6	8.6	6.3
13	7.3	6.7	8.0	8.6	10.2	8.1	6.9
14	7.5	7.3	7.4	7.6	7.8	8.0	6.6
15	8.5	7.6	6.5	6.8	6.3	5.5	4.9
16	7.6	6.6	5.9	5.2	5.5	4.5	3.1
17	6.7	5.6	5.5	4.8	4.0	3.3	3.3
18	4.7	4.2	5.4	5.3	3.4	2.6	2.5
Grade							
6th	5.5	4.5	6.5	7.8	8.9	8.3	6.4
7th	6.6	6.1	6.7	8.2	9.6	8.7	7.4
8th	8.1	7.8	8.3	8.8	9.3	8.3	6.1
9th	8.3	7.8	6.9	6.8	5.9	6.4	5.4
10th	8.4	6.5	6.0	5.2	5.6	4.5	4.0
11th	6.1	5.7	5.2	5.3	4.7	3.8	2.2
12th	4.6	4.1	5.7	4.6	3.1	2.3	3.4
Middle School	6.7	6.2	7.2	8.3	9.3	8.4	6.6
High School	7.0	6.1	5.9	5.5	4.9	4.3	3.8
Total	6.9	6.1	6.5	6.7	6.7	6.0	5.0

Table 35. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2014 to 2025

	Early ATOD Use													
	More Than a Sip of Alcohol							Drinking at Least Once a Month						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	20.5	18.3	17.1	16.4	15.5	14.3	13.0	3.9	3.7	2.4	2.9	2.3	2.3	2.0
Male	23.2	20.2	18.1	15.4	12.6	12.1	11.9	3.9	3.4	2.5	2.5	2.1	1.7	2.1
Race/Ethnic group														
African American	19.4	17.5	16.4	13.8	10.7	8.8	11.2	3.6	3.9	2.2	2.7	1.7	1.6	1.7
Hispanic/Latino	22.0	19.1	17.1	15.4	14.4	12.2	11.0	4.1	3.1	2.7	2.6	2.2	1.6	1.4
White, non-Hispanic	22.3	19.5	18.2	17.0	14.9	15.1	13.8	3.9	3.3	2.4	2.6	2.5	2.3	2.2
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	30.3	27.4	27.0	24.8	21.1	18.6	20.1	5.2	4.8	3.3	3.6	3.0	2.8	3.8
15	25.4	21.5	20.0	18.6	16.9	15.8	13.9	4.1	3.8	2.9	2.8	2.6	2.4	2.1
16	20.9	19.0	17.7	15.1	13.8	12.9	11.7	4.0	3.8	2.3	2.5	2.1	1.8	1.9
17	18.8	17.4	13.6	12.3	11.4	11.3	11.1	3.5	2.9	2.3	2.3	1.9	1.8	1.9
18	16.0	13.8	12.9	12.4	8.8	8.1	8.9	3.0	2.7	1.8	3.0	1.1	1.2	1.4
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	27.5	24.3	23.3	21.5	18.6	17.2	16.3	4.9	4.5	3.3	3.3	3.1	2.8	3.1
10th	22.7	18.3	18.1	16.3	14.9	13.4	12.5	4.2	3.3	2.4	2.5	2.0	1.8	2.2
11th	18.9	18.1	15.0	13.0	12.5	12.5	10.3	3.0	3.1	2.1	2.4	2.0	1.8	1.4
12th	17.2	16.0	13.6	12.4	9.7	9.5	10.4	3.3	3.1	2.1	2.5	1.4	1.5	1.4
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	21.8	19.4	17.6	15.9	14.1	13.2	12.4	3.9	3.5	2.5	2.7	2.2	2.0	2.0
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 36. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2014 to 2025

	Early ATOD Use													
	Cigarettes							Marijuana						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	10.7	8.6	6.9	5.6	4.9	4.7	3.3	9.1	9.0	8.0	7.6	7.2	5.8	4.9
Male	13.1	9.8	7.9	6.2	4.9	3.9	4.5	13.6	12.0	10.6	8.8	5.8	4.4	3.7
Race/Ethnic group														
African American	7.4	6.5	5.2	4.0	2.4	2.1	3.1	10.2	10.0	9.5	7.6	5.5	4.2	3.7
Hispanic/Latino	10.5	8.0	6.7	4.5	4.3	3.8	3.0	10.8	10.3	8.9	6.9	5.3	4.2	3.3
White, non-Hispanic	14.1	10.6	8.7	7.5	6.4	5.7	4.6	11.8	10.6	9.2	8.6	7.4	5.9	5.0
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	12.6	9.5	6.3	6.3	5.2	3.4	5.0	12.8	11.3	11.0	10.3	6.7	6.2	5.9
15	12.1	9.3	7.5	6.0	5.2	5.1	4.2	12.1	11.1	9.3	8.6	6.9	5.4	5.1
16	11.1	9.3	7.3	5.9	4.7	4.4	4.2	11.0	11.2	9.8	7.9	6.6	5.3	4.3
17	12.5	9.5	7.9	5.6	4.8	4.2	4.1	11.3	10.2	8.2	7.1	6.7	4.5	3.7
18	11.3	8.4	6.6	5.4	4.6	3.0	2.0	9.5	8.7	8.8	7.9	5.1	4.2	2.9
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	13.2	9.9	7.0	6.5	5.6	4.2	5.1	12.6	11.9	9.9	9.7	7.1	5.7	5.9
10th	11.6	9.2	8.1	6.0	4.5	4.9	3.8	12.0	11.0	10.1	7.8	6.0	5.2	4.9
11th	11.0	9.6	7.0	5.4	4.8	4.4	3.8	10.3	10.2	8.6	7.9	6.8	5.0	2.7
12th	11.8	8.3	7.5	5.6	4.6	3.6	2.9	10.2	9.0	8.6	7.2	6.0	4.3	3.6
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	11.9	9.3	7.4	5.9	4.9	4.3	3.9	11.4	10.6	9.3	8.2	6.5	5.1	4.3
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 37. Percentage of surveyed Florida high school youth who started vaping nicotine or vaping marijuana at age 13 or younger—2019 to 2025

	Early ATOD Use													
	Vaping Nicotine							Vaping Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %
Sex														
Female	5.0	5.9	8.5	9.6	8.6	10.7	9.1	2.6	3.1	4.2	4.8	4.6	5.1	5.0
Male	5.4	6.2	6.1	7.0	5.6	6.2	6.7	3.0	3.2	3.6	3.6	2.4	3.5	3.5
Race/Ethnic group														
African American	2.8	3.4	3.2	3.5	3.8	4.8	5.0	1.8	2.2	2.1	2.2	3.5	2.7	2.8
Hispanic/Latino	5.4	4.8	6.9	7.8	6.6	8.4	6.9	2.9	2.8	3.9	4.3	2.7	4.2	3.6
White, non-Hispanic	6.6	7.6	9.0	10.7	9.1	10.1	9.5	3.5	3.4	4.2	5.0	3.9	5.0	5.1
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	12.4	14.4	14.8	11.5	8.2	11.6	11.6	5.1	6.7	6.7	5.1	4.1	5.9	5.6
15	7.1	8.6	11.5	10.5	8.5	10.2	10.1	3.7	4.1	5.5	5.3	3.6	5.2	5.5
16	3.8	4.8	7.5	8.4	6.9	8.1	8.3	2.5	2.8	4.5	4.3	3.7	4.5	4.9
17	3.6	2.8	3.0	6.6	6.8	7.0	6.5	1.8	1.7	1.8	3.5	3.9	3.4	2.9
18	2.1	2.6	0.8	4.4	5.8	5.6	3.6	1.7	1.6	1.2	2.2	2.1	2.3	2.2
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	9.7	11.0	12.1	11.2	8.9	10.3	11.1	4.6	5.5	5.6	5.3	4.0	5.5	6.1
10th	4.3	6.6	9.8	8.3	7.0	9.1	8.8	2.5	3.1	5.4	4.1	3.3	4.5	4.9
11th	4.0	3.2	4.4	8.3	6.1	7.5	6.3	2.4	2.1	2.5	4.5	4.0	4.2	2.9
12th	2.4	2.9	2.0	5.0	6.5	6.5	4.9	1.5	1.6	1.5	2.6	2.7	2.8	3.0
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	5.2	6.0	7.3	8.3	7.2	8.4	7.9	2.8	3.1	3.8	4.2	3.5	4.3	4.2
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2014 to 2025

	Perceive Great Risk of Harm If:													
	Drink One or More Alcoholic Drinks Nearly Every Day							Smoke a Pack or More of Cigarettes Per Day						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	45.4	46.4	49.1	48.4	47.8	51.8	55.2	69.5	68.4	67.6	67.3	66.3	65.8	67.2
Male	39.7	39.3	42.8	43.1	44.0	47.6	49.1	68.9	68.5	66.6	64.5	65.1	63.6	63.3
Race/Ethnic group														
African American	43.9	44.0	46.3	44.5	44.5	47.8	49.1	64.6	64.1	62.1	58.9	58.4	56.5	57.3
Hispanic/Latino	44.9	44.7	47.8	47.6	49.3	52.3	54.6	67.6	65.7	65.7	64.6	64.1	63.6	64.3
White, non-Hispanic	39.6	40.3	43.9	44.7	43.7	48.5	51.5	71.5	71.2	70.1	69.8	69.6	69.6	70.7
Age														
11	53.8	51.2	56.6	55.7	52.4	55.3	55.8	74.0	71.6	71.3	67.6	68.1	64.6	65.0
12	47.2	47.4	51.7	51.3	49.8	52.5	54.7	69.1	69.0	67.4	66.8	65.6	65.0	64.3
13	44.8	44.7	47.8	48.7	46.2	50.6	51.5	67.1	67.6	66.5	65.9	64.3	64.7	62.8
14	41.2	43.7	43.5	42.3	45.8	48.9	48.9	68.5	68.4	66.3	63.6	65.5	64.2	64.5
15	40.7	41.2	45.1	44.2	44.7	48.6	52.5	69.4	67.0	66.4	66.4	65.8	65.2	65.9
16	39.7	40.1	42.5	43.7	44.9	48.4	51.5	69.7	68.8	67.0	67.3	65.4	65.5	66.6
17	39.2	38.7	43.3	43.3	44.8	48.1	51.4	70.2	69.0	68.2	65.8	67.1	64.5	66.3
18	39.9	40.4	41.7	40.4	40.4	49.0	53.9	70.0	69.3	65.3	65.9	66.4	64.2	66.9
Grade														
6th	48.6	48.1	52.8	51.1	49.9	52.6	53.8	68.6	67.8	66.8	64.7	63.9	63.5	62.2
7th	45.2	44.7	48.6	50.2	47.6	50.4	53.4	66.8	66.7	66.4	65.5	64.6	63.7	64.3
8th	43.3	44.1	46.5	46.0	46.0	50.9	49.6	68.6	69.0	67.3	65.9	65.8	65.3	63.0
9th	40.7	42.3	42.4	41.8	44.2	48.0	50.3	69.2	67.0	65.1	63.9	64.8	64.1	64.7
10th	39.8	41.0	43.9	45.2	45.9	49.4	52.7	69.9	68.5	66.6	67.7	65.8	66.4	67.3
11th	40.0	39.4	44.4	43.5	44.5	47.8	52.3	70.2	69.3	68.7	66.7	66.5	64.3	67.2
12th	39.5	39.9	42.3	42.0	43.3	48.8	52.9	70.5	70.6	68.2	67.0	68.7	65.2	67.7
Middle School	45.7	45.7	49.3	49.1	47.8	51.3	52.2	68.0	67.9	66.8	65.4	64.8	64.2	63.2
High School	40.0	40.7	43.3	43.1	44.5	48.5	52.1	70.0	68.8	67.1	66.3	66.4	65.0	66.7
Total	42.5	42.8	45.9	45.7	45.9	49.7	52.1	69.1	68.4	67.0	65.9	65.7	64.7	65.2

Table 39. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2014 to 2025

	Perceive Great Risk of Harm If:													
	Smoke Marijuana Once or Twice a Week							Try Marijuana Once or Twice						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	39.2	37.5	35.2	34.1	33.9	38.9	43.7	25.5	24.8	22.8	22.7	22.3	27.3	31.9
Male	36.3	35.2	33.7	32.8	34.8	39.2	43.0	25.3	25.0	23.6	23.6	24.6	28.6	32.8
Race/Ethnic group														
African American	32.5	31.4	29.8	28.2	29.8	33.3	39.1	24.7	23.8	23.2	22.2	23.0	26.4	31.8
Hispanic/Latino	38.5	36.2	34.9	35.6	36.6	42.5	46.4	28.1	26.7	25.0	26.1	26.3	32.4	36.4
White, non-Hispanic	38.7	38.6	35.9	34.9	34.6	39.8	42.9	23.6	24.3	21.8	21.9	21.5	26.4	29.9
Age														
11	70.0	65.1	62.5	57.3	57.8	56.2	58.1	51.7	47.7	44.3	41.2	39.9	41.4	43.8
12	60.9	58.8	56.1	52.9	51.5	52.3	56.3	43.0	41.0	38.0	36.3	35.5	36.4	41.5
13	50.9	48.4	44.9	44.3	43.7	47.0	49.4	33.7	33.5	29.3	29.8	29.4	33.4	36.8
14	37.5	38.3	34.6	32.5	36.2	40.6	41.9	24.1	25.3	22.5	22.0	24.8	29.3	31.4
15	30.1	29.0	28.0	26.8	29.3	35.3	41.8	18.4	19.6	17.9	18.4	19.2	25.1	29.9
16	24.6	24.3	21.6	21.5	25.6	32.6	36.9	15.8	16.4	15.0	14.6	17.4	23.2	27.1
17	20.2	19.5	19.7	21.3	20.9	28.2	35.7	13.6	12.9	14.1	15.3	14.9	20.6	27.3
18	21.0	21.4	19.1	17.7	18.2	26.1	32.7	14.8	13.9	13.4	13.1	12.6	19.6	26.9
Grade														
6th	62.8	61.0	57.9	53.4	53.0	53.7	56.0	46.3	44.6	41.2	38.1	38.0	38.8	42.5
7th	53.9	51.5	50.0	47.6	47.3	48.0	52.2	36.5	35.6	32.6	32.6	31.2	33.7	39.6
8th	44.5	42.8	39.4	39.5	39.7	44.7	45.4	28.7	28.4	25.5	26.1	27.4	32.2	32.6
9th	31.4	32.4	29.5	27.5	31.5	36.9	39.7	19.9	21.7	19.2	19.1	20.8	26.0	28.6
10th	26.6	26.1	24.2	24.1	26.9	34.2	40.4	16.3	17.5	16.3	16.3	17.7	24.7	29.9
11th	22.9	21.1	20.8	20.6	22.8	29.4	37.5	15.3	14.2	14.3	14.3	16.0	20.6	27.9
12th	19.3	20.0	18.6	19.0	18.6	26.6	32.2	13.1	13.0	13.1	13.9	12.9	19.8	25.7
Middle School	53.8	51.7	49.1	46.8	46.5	48.7	51.0	37.1	36.1	33.2	32.3	32.1	34.8	38.1
High School	25.4	25.2	23.3	22.9	25.2	31.9	37.6	16.3	16.8	15.8	16.0	17.0	22.9	28.1
Total	37.7	36.3	34.4	33.4	34.3	39.0	43.3	25.3	24.9	23.2	23.1	23.5	27.9	32.3

Table 40. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor's orders or having five or more alcoholic drinks once or twice a week—2014 to 2025

	Perceive Great Risk of Harm If:													
	Take a Prescription Drug without a Doctor's Orders							Five or More Alcoholic Drinks Once or Twice a Week						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	72.3	70.0	69.5	69.4	69.3	69.3	68.4	57.7	58.4	61.3	60.4	58.3	60.8	63.6
Male	70.3	67.3	65.9	65.8	66.5	65.6	65.0	51.7	51.2	54.9	54.1	54.8	57.5	58.2
Race/Ethnic group														
African American	66.0	63.3	61.7	60.8	60.1	59.6	59.8	55.4	55.4	56.4	55.0	53.6	55.7	56.7
Hispanic/Latino	69.3	67.2	66.7	66.4	67.4	66.7	66.9	54.1	53.5	57.9	56.3	57.3	59.4	61.2
White, non-Hispanic	74.2	71.5	70.8	71.5	71.6	71.8	70.5	53.6	54.1	58.4	57.9	56.2	60.1	62.6
Age														
11	76.0	72.8	74.1	72.3	71.4	70.6	70.0	66.8	63.4	68.3	65.6	65.3	64.8	66.5
12	72.6	69.0	69.2	69.4	67.5	67.1	67.2	60.8	60.0	64.7	63.6	62.2	64.2	66.7
13	70.7	69.0	66.9	68.4	66.2	66.5	66.2	57.6	57.7	60.8	60.8	57.8	60.7	61.6
14	71.4	69.0	66.2	66.6	67.7	67.0	67.1	55.3	55.8	57.7	55.7	57.7	59.3	58.4
15	71.1	67.9	66.0	66.3	67.3	67.3	67.9	52.9	52.5	56.7	56.2	55.7	58.6	61.0
16	70.2	67.7	66.5	67.4	68.2	68.4	65.3	51.9	52.5	53.7	54.4	54.0	58.0	59.7
17	70.6	68.0	68.6	67.1	68.3	67.4	65.8	49.5	50.4	55.3	53.1	53.1	55.3	58.0
18	69.8	68.1	68.2	65.4	68.5	68.2	66.6	46.9	49.7	51.9	50.4	49.8	54.3	59.2
Grade														
6th	71.9	68.9	70.0	68.9	67.9	67.7	67.1	61.1	59.6	64.4	61.8	61.4	62.5	64.8
7th	70.4	68.3	67.4	69.1	66.2	66.2	66.4	57.6	57.8	61.8	62.3	59.7	61.5	63.2
8th	72.7	70.0	67.1	67.7	66.9	67.1	65.9	57.5	56.6	60.1	59.2	58.3	61.0	60.1
9th	71.2	68.2	65.4	66.3	67.8	66.6	68.0	53.5	53.9	55.5	55.4	55.5	58.4	59.7
10th	70.5	67.8	66.5	66.7	68.1	68.0	65.1	52.8	52.4	55.7	54.8	55.0	58.9	60.0
11th	71.2	68.2	68.0	67.1	67.5	68.2	68.6	51.0	51.6	55.3	54.4	54.6	56.5	60.4
12th	70.0	68.3	68.7	67.1	70.1	68.2	65.3	47.7	51.0	53.3	51.9	51.5	55.2	58.0
Middle School	71.7	69.1	68.2	68.5	67.0	67.0	66.5	58.8	58.1	62.1	61.1	59.7	61.6	62.6
High School	70.8	68.2	67.1	66.8	68.4	67.7	66.8	51.4	52.3	55.0	54.2	54.2	57.3	59.5
Total	71.2	68.5	67.6	67.6	67.8	67.4	66.6	54.6	54.7	58.0	57.2	56.6	59.1	60.9

Table 41. Percentage of surveyed Florida youth who perceive great risk of harm in vaping nicotine or vaping marijuana—2019 to 2025

	Perceive Great Risk of Harm If:													
	Vaping Nicotine							Vaping Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %
Sex														
Female	38.5	46.7	41.3	42.8	48.0	49.5	52.2	36.9	44.1	39.6	41.0	45.6	48.0	51.8
Male	36.5	43.1	43.0	44.5	50.7	51.1	51.7	36.1	41.5	40.4	42.6	46.7	48.6	50.7
Race/Ethnic group														
African American	37.7	47.3	43.9	43.0	49.9	47.3	49.7	34.2	42.0	40.2	39.6	44.5	43.9	47.3
Hispanic/Latino	40.1	44.9	39.4	43.4	46.2	51.0	51.8	39.0	43.6	39.4	43.0	47.1	50.2	53.3
White, non-Hispanic	36.0	43.6	43.1	43.4	50.4	51.5	52.8	36.5	42.9	41.1	41.6	45.4	49.3	51.5
Age														
11	56.2	60.1	56.9	59.2	58.2	59.6	61.7	63.7	64.3	61.2	63.0	61.6	62.7	64.3
12	46.8	54.2	51.3	52.4	55.1	56.9	59.2	51.6	57.2	55.4	56.7	57.4	59.2	62.0
13	41.1	48.1	44.7	46.2	49.8	53.6	53.5	44.1	50.1	46.5	48.3	52.2	55.1	55.9
14	36.0	41.6	39.1	44.1	49.1	50.3	49.6	37.0	40.2	38.3	43.6	47.2	49.7	50.2
15	32.2	41.6	37.2	39.5	47.6	47.9	49.9	29.3	38.2	33.8	36.7	42.8	44.8	50.0
16	31.0	39.6	36.5	40.0	44.9	47.8	49.5	25.3	34.6	31.2	35.0	39.8	42.7	45.8
17	34.7	40.9	38.2	38.4	47.4	45.1	48.9	28.1	33.6	31.1	31.1	39.1	39.2	43.6
18	32.5	39.0	42.3	36.4	51.7	45.6	48.8	25.1	32.3	32.3	28.6	38.4	37.9	45.1
Grade														
6th	51.3	55.2	54.9	54.2	55.1	57.5	58.6	57.6	58.9	57.4	58.2	58.0	60.0	61.3
7th	40.2	51.0	46.6	48.2	51.0	53.6	56.0	44.2	53.6	49.5	51.9	53.5	55.5	58.8
8th	40.1	45.2	41.9	45.3	50.0	53.0	50.9	41.8	45.5	43.1	46.1	48.6	53.2	52.6
9th	33.4	40.9	37.7	41.2	45.5	48.7	48.7	32.1	37.5	36.1	38.7	42.4	46.7	48.2
10th	31.5	40.3	34.9	40.5	47.1	48.2	51.3	26.5	36.3	30.1	36.5	40.4	44.4	48.8
11th	31.7	41.0	37.9	38.2	46.0	44.9	49.7	25.3	34.2	31.8	31.7	39.8	39.3	45.7
12th	34.2	39.5	41.9	37.8	50.6	46.5	48.4	27.3	32.2	32.0	29.6	38.2	39.0	43.5
Middle School	43.9	50.4	47.7	49.1	52.1	54.6	55.0	47.9	52.6	49.9	51.9	53.3	56.2	57.4
High School	32.7	40.5	38.0	39.5	47.1	47.1	49.6	27.9	35.1	32.5	34.3	40.3	42.5	46.6
Total	37.5	44.8	42.2	43.6	49.3	50.3	51.9	36.5	42.8	40.1	41.8	46.0	48.2	51.2

Table 42. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2014 to 2025

	Think It Would Be Wrong for Someone Their Age To:													
	Drink Alcohol Regularly							Smoke Cigarettes						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	72.7	74.1	75.9	77.4	78.6	82.6	87.0	88.7	91.1	92.6	93.8	93.2	94.3	95.4
Male	73.8	75.2	76.7	79.2	82.0	85.0	86.3	88.5	91.0	92.1	93.3	94.1	94.8	94.8
Race/Ethnic group														
African American	77.9	78.8	79.1	83.1	84.6	87.2	89.9	92.6	93.7	94.5	95.4	95.6	96.7	96.8
Hispanic/Latino	72.6	74.8	76.6	79.5	82.1	85.1	88.9	89.8	91.4	92.9	94.3	94.7	94.5	96.0
White, non-Hispanic	70.1	72.2	74.5	75.2	76.9	81.3	82.6	85.7	89.5	90.9	92.0	92.1	93.2	93.4
Age														
11	96.3	96.4	94.4	94.4	94.4	96.0	96.5	98.3	98.4	98.1	97.9	97.9	98.5	98.2
12	92.8	92.9	92.5	91.8	93.7	93.4	94.4	96.7	97.1	96.9	97.5	97.5	97.5	97.9
13	87.1	87.2	86.2	87.5	88.0	90.1	92.9	94.1	95.1	95.0	95.1	95.7	96.4	97.1
14	78.1	79.8	79.9	80.9	82.6	87.1	89.7	91.8	92.9	93.7	94.4	94.6	95.8	95.9
15	69.2	71.8	74.3	75.8	79.1	82.4	85.9	88.6	91.1	91.9	93.4	93.7	94.3	95.1
16	61.6	65.5	67.6	70.8	73.7	78.6	82.4	85.7	89.3	91.5	92.5	92.1	93.9	94.0
17	54.7	56.8	60.9	65.1	68.9	74.3	77.8	80.3	86.0	88.8	90.9	90.5	91.0	92.2
18	50.1	53.6	58.5	62.0	65.0	70.8	76.7	72.4	78.3	81.6	85.8	87.0	88.8	91.6
Grade														
6th	94.3	94.5	93.5	92.9	93.9	94.6	95.4	97.0	97.7	97.2	97.5	97.5	98.0	98.1
7th	88.9	89.3	88.6	89.2	90.0	91.5	93.6	94.7	95.7	95.7	96.1	96.4	96.9	97.6
8th	81.3	82.7	82.9	84.1	85.2	88.3	91.5	92.2	93.3	93.9	94.6	95.2	96.2	96.6
9th	72.1	74.4	76.4	77.9	81.0	85.0	86.6	89.7	91.1	93.2	93.6	93.8	95.0	95.1
10th	63.9	68.2	70.6	72.2	76.0	80.0	82.8	87.0	90.3	91.5	93.5	93.1	93.9	94.2
11th	58.5	60.2	63.4	68.4	70.7	75.6	80.6	82.8	87.2	89.9	91.2	91.0	91.9	94.3
12th	49.8	53.3	57.9	61.6	65.2	71.9	76.2	74.4	81.5	84.3	87.7	88.1	89.8	89.7
Middle School	88.2	88.8	88.4	88.7	89.6	91.4	93.5	94.7	95.6	95.6	96.1	96.4	97.0	97.4
High School	61.7	64.5	67.2	70.3	73.5	78.3	81.7	83.9	87.7	89.8	91.6	91.6	92.7	93.4
Total	73.2	74.7	76.3	78.3	80.4	83.8	86.7	88.6	91.0	92.3	93.5	93.6	94.5	95.1

Table 43. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2014 to 2025

	Think It Would Be Wrong for Someone Their Age To:													
	Smoke Marijuana							Use Other Illicit Drugs						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	75.2	74.4	72.9	73.9	77.0	84.6	89.3	95.2	95.8	96.2	95.9	96.4	97.8	98.2
Male	72.8	73.3	72.8	75.4	79.7	85.8	88.8	94.5	94.7	95.1	94.6	96.1	97.1	97.4
Race/Ethnic group														
African American	74.0	73.7	72.9	73.6	77.1	83.4	89.5	96.1	96.1	96.5	96.0	96.3	97.8	97.9
Hispanic/Latino	75.6	75.8	74.8	78.6	82.9	88.9	91.8	94.4	94.5	95.5	95.4	96.6	97.4	98.0
White, non-Hispanic	72.4	73.1	71.8	73.2	76.1	83.9	86.6	94.5	95.1	95.5	95.0	96.0	97.4	97.6
Age														
11	98.2	98.0	96.9	97.0	97.2	98.0	97.6	99.4	99.3	99.0	98.5	99.1	99.1	99.0
12	94.8	94.8	93.9	93.8	95.7	96.3	97.6	98.5	98.3	98.2	98.5	98.8	98.5	99.0
13	88.4	88.4	86.3	87.2	89.6	92.9	95.3	97.0	97.2	96.8	97.0	97.4	98.0	98.7
14	78.0	78.2	76.0	78.5	83.0	89.0	91.3	95.6	96.0	95.9	96.2	96.7	97.8	98.1
15	68.9	68.7	68.0	70.2	76.9	84.6	88.7	94.4	94.7	95.5	94.8	96.4	97.1	97.3
16	60.9	62.4	60.1	62.6	68.5	78.4	85.1	93.0	93.2	94.6	93.5	95.4	97.1	97.1
17	55.4	55.3	55.0	57.5	60.8	74.0	81.1	91.2	92.8	93.5	92.5	93.8	96.3	97.5
18	53.4	54.2	52.2	52.7	58.2	70.2	77.7	90.4	92.2	92.6	90.9	93.2	96.1	96.6
Grade														
6th	96.4	96.3	95.1	95.5	96.2	97.3	97.8	98.8	98.7	98.4	98.6	98.9	99.0	99.0
7th	90.2	90.8	89.3	90.0	92.7	94.0	95.6	97.1	97.7	97.3	97.5	97.8	98.1	98.8
8th	81.5	82.1	80.9	82.6	85.1	89.9	93.7	96.1	95.9	96.2	96.4	97.0	97.5	98.3
9th	72.2	71.6	71.4	73.0	79.7	87.2	89.0	95.1	95.2	96.0	95.7	96.4	97.7	97.9
10th	63.9	64.5	63.0	65.7	73.1	81.7	86.1	93.1	94.0	94.9	93.8	96.4	97.2	97.1
11th	58.4	58.1	56.9	59.5	63.2	75.4	83.5	92.3	92.4	93.9	93.1	94.3	96.3	97.3
12th	52.0	53.6	51.7	53.4	57.3	70.5	77.4	90.4	92.5	92.3	91.3	93.1	96.1	96.2
Middle School	89.4	89.7	88.5	89.4	91.2	93.7	95.7	97.4	97.5	97.3	97.5	97.9	98.2	98.7
High School	62.2	62.3	60.9	63.2	68.7	79.0	84.2	92.9	93.6	94.3	93.5	95.1	96.9	97.1
Total	74.0	73.8	72.8	74.6	78.3	85.2	89.1	94.8	95.2	95.6	95.3	96.3	97.4	97.8

Table 44. Percentage of surveyed Florida youth who think it would be wrong for someone their age to vape nicotine or vape marijuana—2019 to 2025

	Think It Would Be Wrong for Someone Their Age To:													
	Vape Nicotine							Vape Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %
Sex														
Female	81.2	83.7	80.2	82.4	86.6	88.3	90.8	79.5	81.7	79.8	81.3	84.6	87.2	90.9
Male	80.6	85.0	84.9	87.5	90.7	91.6	92.3	80.0	82.8	82.4	84.9	87.6	89.4	90.9
Race/Ethnic group														
African American	87.1	89.5	89.0	87.3	91.8	91.6	93.1	83.6	85.7	86.1	84.4	88.5	88.9	91.7
Hispanic/Latino	83.8	86.8	82.8	86.0	88.1	91.5	92.2	82.2	84.8	83.6	86.2	87.8	90.6	92.4
White, non-Hispanic	76.4	80.7	79.1	82.9	87.8	88.2	90.1	77.2	79.6	77.5	80.7	84.1	86.8	89.3
Age														
11	95.4	96.0	95.6	96.0	95.4	97.0	96.5	97.3	97.2	96.1	97.2	96.4	98.3	97.9
12	91.1	93.2	92.1	93.9	94.0	95.5	96.1	94.0	95.1	95.2	96.0	96.4	96.6	97.5
13	86.8	88.1	85.9	89.1	91.0	92.8	94.3	90.4	89.9	89.2	90.8	92.2	93.7	95.9
14	81.5	84.8	81.7	86.0	88.3	90.8	92.9	82.6	84.3	83.4	86.5	88.5	90.8	92.6
15	77.4	82.4	81.4	83.7	88.3	88.9	89.8	75.6	79.6	80.7	81.9	83.7	87.5	89.2
16	75.9	80.2	78.2	80.6	86.7	87.9	89.7	71.3	74.2	72.5	76.1	81.4	83.9	87.8
17	74.4	78.8	76.3	78.6	85.9	85.7	88.2	68.6	72.0	68.8	70.8	78.1	80.5	85.5
18	69.4	73.2	74.7	74.4	83.6	83.0	86.5	62.5	67.2	66.4	68.0	76.7	77.0	83.5
Grade														
6th	94.1	94.5	94.4	94.8	94.4	96.1	96.7	95.9	96.1	95.9	96.4	96.9	97.4	97.9
7th	88.1	90.0	88.0	90.7	91.3	94.0	94.6	91.5	91.9	92.0	93.0	92.6	95.0	95.8
8th	83.9	86.1	83.0	87.0	88.7	91.5	93.9	87.4	86.9	85.8	88.0	88.5	91.6	94.7
9th	78.7	83.6	82.4	84.7	87.4	90.1	90.4	77.6	82.0	82.1	83.9	84.4	89.3	90.1
10th	76.0	80.7	79.0	83.1	87.4	88.1	89.9	73.1	75.6	74.4	80.0	82.1	85.7	87.8
11th	75.1	79.6	76.4	78.6	86.5	86.6	90.1	68.0	73.1	70.9	72.1	80.6	81.5	87.7
12th	70.3	75.1	75.0	75.3	84.4	83.8	85.2	64.3	68.4	66.3	67.5	75.7	77.6	82.3
Middle School	88.7	90.2	88.4	90.7	91.5	93.8	95.0	91.6	91.6	91.2	92.4	92.7	94.7	96.1
High School	75.1	79.9	78.3	80.6	86.5	87.2	89.0	70.9	75.0	73.7	76.2	81.0	83.7	87.1
Total	81.0	84.4	82.7	84.9	88.7	90.0	91.5	79.8	82.2	81.2	83.1	86.0	88.3	90.9

Table 45. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco or drink alcohol regularly—2014 to 2025

	Friends Feel It Would Be Wrong for You To:													
	Smoke Tobacco							Drink Alcohol Regularly						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	89.4	91.1	92.1	92.1	91.5	93.2	94.3	84.0	85.6	87.1	87.6	87.9	91.3	93.3
Male	86.7	89.5	90.2	90.6	91.9	93.1	94.0	81.0	82.9	83.7	85.7	88.0	90.2	91.5
Race/Ethnic group														
African American	92.8	93.1	93.8	93.5	93.8	95.3	95.8	85.9	86.5	87.8	88.9	89.7	92.8	94.4
Hispanic/Latino	89.4	91.5	92.1	93.0	92.9	93.9	94.6	81.9	84.4	85.3	86.5	88.4	91.4	92.8
White, non-Hispanic	85.0	88.3	89.2	89.3	89.9	91.5	92.5	80.7	82.8	84.2	85.4	86.6	89.4	91.0
Age														
11	98.1	98.0	97.6	97.1	98.1	97.7	97.9	96.6	96.9	95.7	95.4	96.0	96.6	97.1
12	95.7	96.4	96.0	96.2	95.9	96.7	97.1	93.8	94.5	93.7	94.1	93.9	94.9	95.9
13	94.4	94.0	93.0	93.3	93.5	94.9	96.2	89.9	89.9	89.4	89.7	90.3	92.8	94.0
14	89.8	91.8	91.7	91.6	91.6	94.2	95.5	83.1	85.6	85.0	87.2	87.2	91.0	93.6
15	87.7	90.3	91.0	90.8	91.4	92.3	93.6	79.1	81.5	83.7	83.9	86.5	89.7	90.6
16	84.5	87.6	89.4	89.1	89.7	91.5	93.8	76.6	79.0	80.7	82.8	85.1	88.4	92.0
17	79.7	85.2	87.4	87.5	87.6	89.7	90.7	73.6	76.6	79.6	81.4	83.9	88.0	89.1
18	75.2	80.4	83.9	84.8	87.7	89.7	89.4	71.7	74.8	78.9	80.2	84.6	87.1	89.1
Grade														
6th	96.7	97.1	96.9	96.5	97.0	97.5	97.8	94.8	95.4	94.8	94.5	94.9	96.0	96.5
7th	93.8	94.7	94.4	94.3	94.2	95.1	96.4	90.6	91.4	90.7	91.2	91.5	93.3	95.3
8th	91.8	92.5	91.8	92.4	92.3	94.1	95.5	85.3	87.1	87.0	88.2	88.2	91.2	93.6
9th	87.6	90.7	91.1	90.8	91.6	93.5	94.1	80.4	83.0	84.1	85.5	86.9	90.1	91.5
10th	86.3	88.3	90.4	90.0	90.3	91.8	93.7	77.2	80.0	81.3	82.9	85.7	89.5	90.9
11th	81.9	86.0	88.7	88.8	88.3	90.2	92.4	75.0	78.1	80.1	82.6	84.0	87.7	90.2
12th	76.0	82.2	84.3	85.2	87.6	89.7	88.8	72.5	74.1	79.0	80.1	84.5	87.3	88.9
Middle School	94.2	94.8	94.4	94.4	94.5	95.6	96.6	90.3	91.3	90.9	91.3	91.4	93.5	95.1
High School	83.3	87.0	88.7	88.8	89.5	91.4	92.3	76.5	79.0	81.2	82.8	85.3	88.7	90.4
Total	88.0	90.3	91.1	91.3	91.7	93.1	94.1	82.5	84.2	85.3	86.6	87.9	90.7	92.4

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

Table 46. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke marijuana or use prescription drugs not prescribed to you—2014 to 2025

	Smoke Marijuana							Use Rx Drugs Not Prescribed to You						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	72.8	72.6	71.5	73.0	76.0	83.5	88.6	93.8	93.4	94.1	93.7	94.5	96.0	96.6
Male	70.2	71.3	70.6	73.6	79.1	84.7	88.2	92.6	92.2	92.3	92.6	94.2	95.5	96.3
Race/Ethnic group														
African American	71.6	72.3	71.8	72.9	76.8	83.7	89.0	94.0	93.3	93.4	93.5	94.4	95.7	96.2
Hispanic/Latino	72.1	74.0	72.6	76.6	81.4	87.2	91.2	92.6	91.9	93.3	93.4	94.7	96.2	96.6
White, non-Hispanic	70.6	71.2	69.7	71.9	75.5	82.6	85.8	93.1	93.1	93.2	93.2	94.2	95.3	96.4
Age														
11	97.8	97.7	96.8	95.9	97.3	97.2	97.7	98.5	98.0	97.1	96.8	97.5	97.8	96.9
12	93.8	94.2	93.3	93.1	94.0	95.6	96.7	97.2	96.7	96.4	96.8	96.1	96.9	97.3
13	87.5	86.3	83.9	85.5	88.4	92.2	94.8	96.1	95.4	94.4	94.1	94.7	96.3	97.5
14	73.3	75.8	72.4	76.3	80.6	87.6	91.5	93.3	93.7	92.4	93.3	93.2	96.2	96.8
15	65.2	66.5	66.2	67.9	75.7	82.4	87.0	92.0	91.6	92.2	91.7	94.0	94.5	96.0
16	58.0	59.0	58.4	60.1	68.2	77.4	84.6	91.1	89.4	91.8	91.4	94.1	95.2	96.2
17	52.9	53.4	53.1	56.2	60.3	71.8	79.4	89.8	90.0	91.7	90.9	92.7	94.5	95.9
18	51.6	52.9	52.0	54.7	60.8	71.7	78.9	88.5	90.4	91.3	91.1	93.8	95.7	94.5
Grade														
6th	95.7	96.1	95.2	94.6	95.3	97.0	97.3	97.6	97.4	97.0	96.8	97.0	97.7	97.4
7th	89.0	89.3	88.1	88.6	90.9	93.1	95.1	96.1	95.9	95.0	95.1	95.2	96.2	97.0
8th	78.8	80.3	77.5	80.4	83.3	88.7	93.7	94.4	94.0	93.1	93.7	93.1	95.9	97.2
9th	67.4	68.7	68.6	71.5	77.9	85.1	87.7	92.2	92.4	92.8	92.4	93.6	95.5	96.5
10th	61.1	61.7	61.5	62.9	72.1	80.2	85.1	92.0	90.7	91.6	91.6	94.2	95.0	94.9
11th	54.9	55.8	55.1	57.1	63.0	73.5	82.5	90.1	89.6	91.5	91.0	92.9	94.6	96.7
12th	50.6	51.9	50.4	54.6	59.0	70.6	77.3	89.0	89.3	91.1	90.8	93.9	95.2	95.1
Middle School	87.9	88.6	87.0	87.9	89.7	92.9	95.3	96.1	95.7	95.0	95.2	95.1	96.6	97.2
High School	59.0	59.9	59.1	61.8	68.4	77.6	83.3	90.9	90.6	91.8	91.5	93.7	95.1	95.8
Total	71.5	72.0	71.0	73.3	77.6	84.1	88.4	93.1	92.7	93.2	93.1	94.3	95.7	96.4

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

Table 47. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to vape nicotine or vape marijuana—2019 to 2025

	Friends Feel It Would Be Wrong for You To:													
	Vape Nicotine							Vape Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %	2025 %
Sex														
Female	75.8	78.3	75.3	77.6	81.9	84.7	88.6	76.0	78.9	77.5	78.7	81.4	84.8	89.3
Male	75.5	80.3	81.0	83.8	86.7	89.0	90.8	77.1	79.5	81.0	82.8	84.8	87.5	89.8
Race/Ethnic group														
African American	86.0	87.7	84.2	85.2	88.6	89.3	92.2	82.6	84.5	83.5	83.5	85.9	87.5	90.8
Hispanic/Latino	78.9	81.4	79.7	81.8	84.0	88.4	90.4	78.1	80.9	81.4	83.0	84.6	88.6	91.5
White, non-Hispanic	68.8	74.3	75.2	77.4	82.8	84.8	87.6	73.2	76.1	76.6	78.1	81.1	84.3	87.2
Age														
11	94.5	95.3	94.0	94.8	93.4	95.2	96.0	96.2	96.5	96.1	96.9	95.4	97.1	97.6
12	88.0	91.4	90.3	90.2	91.4	93.6	95.3	91.8	93.8	93.7	93.4	94.1	95.4	96.7
13	83.4	84.8	82.8	85.6	87.2	90.7	93.3	86.7	87.7	86.8	88.7	89.5	92.5	94.9
14	74.5	79.8	77.1	80.6	83.9	87.8	90.3	78.8	81.4	81.2	83.2	84.5	88.7	91.9
15	70.5	75.6	76.8	78.5	82.4	85.2	87.5	72.1	75.4	77.5	79.2	80.3	84.4	88.2
16	67.9	72.7	70.6	75.6	80.7	84.1	89.0	65.6	69.7	69.8	73.5	77.3	81.1	86.5
17	68.3	69.8	70.5	72.4	81.0	80.6	83.8	66.0	66.3	68.1	67.3	75.8	77.1	81.6
18	65.2	69.0	70.0	73.7	80.2	80.4	85.8	61.8	66.0	64.3	67.9	73.7	76.4	82.1
Grade														
6th	92.3	93.6	92.9	92.5	92.4	94.6	95.8	95.0	95.2	95.1	95.0	95.3	96.7	97.3
7th	85.0	87.6	85.7	87.1	87.1	91.7	93.6	88.4	90.4	90.1	90.7	89.5	93.5	95.0
8th	77.7	82.3	79.7	82.9	85.0	88.4	92.2	81.2	84.4	83.8	85.3	85.2	89.5	93.9
9th	72.1	77.0	75.5	79.4	82.0	87.5	88.1	74.8	78.2	78.7	80.8	81.5	87.2	88.7
10th	68.2	73.7	73.7	77.5	80.9	84.3	88.2	67.8	71.4	72.6	77.0	77.8	82.8	87.0
11th	68.6	71.3	70.7	72.9	81.3	81.5	86.6	65.3	67.6	68.1	68.9	76.8	77.7	84.2
12th	64.6	68.2	69.3	72.2	80.0	80.1	83.5	62.5	65.0	65.2	66.5	73.1	75.9	80.3
Middle School	85.1	87.8	86.0	87.4	88.2	91.5	93.8	88.2	90.0	89.6	90.2	90.0	93.2	95.4
High School	68.4	72.7	72.4	75.6	81.1	83.5	86.7	67.7	70.7	71.3	73.6	77.5	81.1	85.2
Total	75.7	79.3	78.3	80.7	84.2	86.9	89.7	76.6	79.2	79.3	80.8	83.0	86.2	89.5

Table 48. Percentage of surveyed Florida youth who reported that their parents feel it would be wrong to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, 2025

	Parents Feel It Would Be Wrong for You To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
Sex				
Female	97.7	98.7	95.8	98.3
Male	96.9	98.6	95.6	98.5
Race/Ethnic group				
African American	97.9	99.0	96.4	98.2
Hispanic/Latino	97.5	98.8	97.3	98.5
White, non-Hispanic	96.8	98.4	94.1	98.4
Age				
11	99.1	99.8	99.7	98.7
12	98.4	99.0	98.9	98.6
13	98.6	99.2	98.7	98.7
14	97.5	98.9	97.2	98.7
15	97.6	98.7	95.4	98.3
16	97.6	98.8	94.9	98.8
17	95.6	97.9	91.7	97.7
18	93.8	96.9	89.8	97.3
Grade				
6th	98.4	99.3	99.3	98.6
7th	98.7	99.3	98.7	99.0
8th	98.3	98.9	98.0	98.6
9th	97.5	98.8	95.5	98.4
10th	97.0	98.5	94.6	98.5
11th	96.5	98.7	94.1	98.0
12th	94.4	97.0	89.6	97.7
Middle School	98.5	99.1	98.7	98.7
High School	96.4	98.3	93.5	98.1
Total	97.3	98.6	95.7	98.4

Table 49. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2025

	Think It Would Be Wrong for Their Parents To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
Sex				
Female	85.0	88.5	91.3	97.2
Male	85.3	91.2	93.4	97.8
Race/Ethnic group				
African American	89.5	93.5	91.9	97.5
Hispanic/Latino	87.8	92.4	95.3	98.2
White, non-Hispanic	79.9	86.3	90.6	97.2
Age				
11	86.8	91.7	96.7	97.1
12	86.1	90.8	94.2	97.8
13	84.2	88.6	91.4	97.9
14	83.5	89.1	88.8	96.6
15	--	--	--	--
16	--	--	--	--
17	--	--	--	--
18	--	--	--	--
Grade				
6th	87.0	90.7	96.0	97.6
7th	84.8	89.7	91.2	97.7
8th	83.7	89.2	90.1	97.2
9th	--	--	--	--
10th	--	--	--	--
11th	--	--	--	--
12th	--	--	--	--
Middle School	85.1	89.8	92.3	97.5
High School	--	--	--	--
Total	--	--	--	--

Table 50. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2025

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
	%	%	%	%	%
Sex					
Female	36.2	32.5	12.9	42.0	17.3
Male	42.1	40.9	11.5	24.5	10.6
Race/Ethnic group					
African American	47.6	33.4	13.3	31.3	12.8
Hispanic/Latino	37.6	32.9	9.7	30.4	12.1
White, non-Hispanic	36.8	41.3	12.6	35.0	15.3
Age					
11	38.3	52.4	13.6	25.6	9.1
12	37.7	49.4	18.7	25.8	9.9
13	42.7	44.0	16.0	23.4	11.3
14	40.8	40.3	14.5	27.6	11.5
15	41.1	34.8	9.7	34.7	13.9
16	41.2	28.6	8.1	38.0	15.2
17	34.0	25.9	9.1	43.7	19.0
18	33.6	25.1	8.5	46.2	20.7
Grade					
6th	38.5	50.9	16.5	24.6	10.1
7th	42.6	46.2	17.2	23.9	10.0
8th	40.8	42.6	15.9	25.6	11.9
9th	40.0	35.3	10.5	31.6	12.3
10th	41.8	30.5	8.7	37.5	15.3
11th	37.5	27.7	8.6	41.6	17.1
12th	32.0	24.0	8.2	47.6	20.8
Middle School	40.7	46.5	16.5	24.7	10.7
High School	38.0	29.5	9.1	39.3	16.2
Total	39.1	36.7	12.2	33.1	13.9

Table 51. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2025

	Skipped School Because of Bullying	Was Kicked or Shoved	Was Taunted or Teased	Victim of Cyber Bullying	Physically Bullied Others	Verbally Bullied Others	Cyber Bullied Others
	%	%	%	%	%	%	%
Sex							
Female	12.8	33.6	62.2	34.6	14.1	27.6	13.2
Male	4.7	33.6	52.4	20.4	16.3	30.0	10.5
Race/Ethnic group							
African American	6.0	31.4	52.4	24.5	19.2	30.7	13.3
Hispanic/Latino	7.2	25.9	47.5	21.3	11.8	24.7	9.6
White, non-Hispanic	10.7	38.7	64.9	32.9	14.2	29.0	12.1
Age							
11	8.9	46.6	67.4	24.3	21.1	36.2	9.3
12	9.0	46.4	67.9	27.5	19.7	34.1	11.4
13	8.7	42.7	63.6	27.2	20.3	33.8	13.0
14	9.5	39.2	61.3	30.2	17.5	32.3	14.5
15	9.8	31.9	58.5	29.8	14.6	29.6	13.0
16	8.4	25.1	50.7	27.8	12.4	24.3	10.2
17	7.0	22.1	47.7	26.8	9.3	22.1	11.4
18	7.3	19.5	44.4	21.6	8.0	19.9	9.6
Grade							
6th	9.1	46.5	66.7	26.4	21.4	34.7	11.9
7th	9.2	43.9	65.4	26.6	19.7	34.5	11.9
8th	9.3	40.6	62.6	27.9	19.3	33.0	13.6
9th	9.1	34.3	59.5	31.0	15.0	30.7	13.1
10th	9.6	28.3	53.1	29.3	13.0	26.9	12.4
11th	7.3	20.9	47.2	26.6	9.3	21.6	10.1
12th	7.1	21.4	46.7	23.7	8.7	20.2	9.9
Middle School	9.2	43.6	64.8	27.0	20.1	34.0	12.5
High School	8.3	26.4	51.8	27.7	11.6	25.0	11.4
Total	8.7	33.7	57.3	27.4	15.2	28.8	11.9

Table 52. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2025

	Bought in a Store	Bought in a Restaurant, Bar or Club	Bought at a Public Event	Someone Bought it for Me	Someone Gave it to Me	Took it from a Store	Took it from a Family Member	Some Other Way
	%	%	%	%	%	%	%	%
Sex								
Female	13.1	3.0	1.3	10.7	45.2	1.7	9.9	15.1
Male	17.2	2.3	1.8	6.2	37.1	1.7	14.8	18.8
Race/Ethnic group								
African American	7.3	0.0	4.6	5.6	41.6	6.8	10.4	23.7
Hispanic/Latino	13.3	3.8	2.5	5.4	39.1	3.0	10.1	22.6
White, non-Hispanic	18.8	2.7	0.5	12.0	40.6	1.1	12.6	11.7
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	4.2	0.0	0.0	12.8	41.2	2.0	22.2	17.5
15	10.1	2.8	4.0	7.9	35.8	2.8	14.1	22.6
16	10.3	4.8	1.7	6.6	44.7	2.0	12.5	17.4
17	17.8	1.3	0.4	7.0	45.1	1.9	11.6	14.8
18	24.7	2.7	1.2	13.1	38.3	0.0	7.1	12.9
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	4.4	3.6	2.7	6.8	41.9	3.7	17.3	19.7
10th	15.5	1.8	2.7	10.6	35.6	2.2	12.3	19.4
11th	10.8	2.4	0.8	8.0	48.5	1.3	11.2	17.1
12th	24.2	3.0	0.8	8.5	39.0	0.8	10.5	13.3
Middle School	--	--	--	--	--	--	--	--
High School	15.1	2.7	1.5	8.6	41.5	1.7	12.2	16.8
Total	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 53. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2025

	My Home	Another Person's Home	Car or Other Vehicle	Restaurant, Bar or Club	Public Place	Public Event	School Property	Some Other Place
	%	%	%	%	%	%	%	%
Sex								
Female	38.7	35.5	1.8	4.9	5.4	4.2	1.5	8.2
Male	42.9	31.5	2.8	2.9	5.9	2.6	0.5	11.1
Race/Ethnic group								
African American	38.1	28.5	7.7	3.9	4.3	3.3	0.0	14.2
Hispanic/Latino	49.1	21.7	1.1	6.7	6.1	5.3	0.5	9.4
White, non-Hispanic	38.8	40.0	2.2	2.4	5.3	2.5	0.8	8.0
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	36.7	41.4	3.2	2.9	2.0	2.5	0.0	11.3
15	47.7	24.0	1.6	2.5	4.6	6.9	2.2	10.5
16	35.2	31.2	3.7	2.7	6.6	4.1	0.6	16.0
17	42.6	34.7	2.7	3.9	7.6	2.2	0.0	6.3
18	38.6	42.3	0.0	7.4	3.6	1.4	1.5	5.1
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	44.9	26.4	2.8	3.6	3.1	5.5	2.5	11.3
10th	43.7	27.9	3.3	1.7	6.1	5.0	0.6	11.6
11th	38.6	34.5	2.3	2.9	6.6	3.7	0.0	11.5
12th	38.3	40.6	1.1	6.6	5.7	0.9	1.3	5.4
Middle School	--	--	--	--	--	--	--	--
High School	40.8	33.5	2.2	3.9	5.6	3.4	1.0	9.6
Total	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 54. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2025

	1	2	3	4	5 or More
	%	%	%	%	%
Sex					
Female	33.0	23.7	17.1	8.3	18.0
Male	28.8	18.9	16.6	11.3	24.4
Race/Ethnic group					
African American	44.8	26.0	14.2	5.4	9.6
Hispanic/Latino	37.9	24.3	15.3	9.7	12.7
White, non-Hispanic	26.4	19.6	15.9	12.6	25.5
Age					
11	--	--	--	--	--
12	--	--	--	--	--
13	--	--	--	--	--
14	40.4	29.5	9.0	7.3	13.8
15	34.1	23.7	14.1	9.2	18.9
16	33.9	21.7	14.1	13.0	17.3
17	29.5	18.1	15.7	7.5	29.2
18	25.3	22.7	27.2	8.9	15.9
Grade					
6th	--	--	--	--	--
7th	--	--	--	--	--
8th	--	--	--	--	--
9th	36.2	26.8	12.3	10.4	14.3
10th	36.9	17.7	13.7	8.9	22.8
11th	30.0	22.2	17.6	11.5	18.7
12th	25.6	20.9	20.4	8.4	24.7
Middle School	--	--	--	--	--
High School	31.1	21.4	16.8	9.7	21.0
Total	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 55. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana—2014 to 2025

	Riding in a Vehicle Driven by Someone Who Had Been:													
	Drinking Alcohol							Using Marijuana						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	20.1	17.5	15.1	16.2	16.0	14.1	13.3	24.4	23.7	24.4	24.0	20.6	16.7	14.2
Male	16.2	15.3	13.4	13.3	11.2	10.7	12.0	22.7	21.7	21.5	20.2	15.1	13.0	12.7
Race/Ethnic group														
African American	14.8	14.7	12.5	11.6	10.1	8.8	10.4	27.1	26.2	25.4	26.7	20.0	16.1	13.9
Hispanic/Latino	19.0	17.2	14.2	15.4	13.8	11.6	10.8	20.6	19.9	19.8	18.0	15.2	10.5	8.9
White, non-Hispanic	19.4	16.7	15.0	15.6	14.9	14.3	14.8	23.3	21.6	22.5	21.3	18.3	16.2	16.3
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	16.8	15.6	15.2	14.8	15.6	12.1	15.3	14.8	14.3	16.4	16.4	12.9	11.1	12.1
15	17.8	17.1	14.5	15.9	14.9	14.0	13.4	19.1	18.9	18.7	18.5	15.8	13.8	13.3
16	17.2	15.2	13.7	14.8	13.1	12.7	11.5	23.6	22.6	23.8	22.0	17.6	14.7	14.2
17	19.3	16.7	14.8	13.6	12.8	11.0	13.7	28.7	27.2	25.8	25.0	20.5	15.8	14.0
18	18.9	17.0	13.7	14.6	11.1	11.3	10.5	28.9	27.9	29.0	28.6	21.9	18.2	13.1
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	18.2	17.2	15.4	15.8	15.6	13.1	14.1	17.5	16.9	17.7	17.2	14.3	12.9	14.0
10th	18.0	15.6	14.2	14.8	13.8	13.7	12.5	22.7	21.9	22.3	20.4	16.3	14.0	13.1
11th	17.8	16.3	13.9	13.9	12.8	12.0	11.7	26.1	24.6	24.2	24.6	19.9	16.1	13.2
12th	18.6	16.3	13.9	14.4	11.6	10.5	12.3	29.3	28.1	28.0	26.7	21.4	16.5	13.8
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	18.1	16.4	14.3	14.7	13.5	12.4	12.6	23.5	22.7	22.9	22.1	17.8	14.8	13.5
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 56. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana—2014 to 2025

	Driving a Vehicle After:													
	Drinking Alcohol							Using Marijuana						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	6.2	5.0	3.8	3.6	3.2	2.1	2.0	9.6	9.1	8.7	8.2	6.7	4.5	2.9
Male	6.8	5.8	4.9	4.6	3.4	2.8	2.6	12.2	11.4	10.1	9.8	6.1	4.3	4.4
Race/Ethnic group														
African American	4.8	5.0	3.7	3.2	2.5	1.8	1.4	10.0	10.3	9.4	9.6	7.0	4.8	3.8
Hispanic/Latino	6.7	5.5	4.1	4.1	2.3	2.0	2.6	10.2	9.5	7.7	7.5	4.3	2.9	2.8
White, non-Hispanic	7.4	5.6	4.8	4.4	4.3	2.9	2.5	11.4	10.4	10.1	9.3	7.2	5.0	4.1
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	2.6	1.9	1.5	2.0	1.1	1.0	1.4	4.5	4.3	3.0	2.2	2.8	2.0	2.6
15	4.2	3.4	3.1	2.7	2.1	1.4	2.4	7.1	6.0	5.3	5.7	3.9	3.0	3.4
16	6.1	5.0	3.8	3.4	3.2	2.5	2.7	10.1	9.7	9.7	9.1	6.5	4.3	3.9
17	8.6	7.1	5.9	5.4	4.2	3.0	2.3	15.1	13.9	12.5	11.7	8.5	5.8	4.1
18	10.5	8.9	7.2	7.2	5.6	4.0	1.9	16.5	16.5	15.8	16.0	10.0	6.1	3.5
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	3.8	3.1	2.5	2.5	2.1	1.4	2.1	6.5	5.8	4.6	4.2	3.7	2.4	3.7
10th	5.8	4.5	3.9	2.9	2.2	2.1	2.3	9.6	8.5	7.8	7.3	5.0	4.0	3.1
11th	7.3	5.9	4.6	4.4	4.0	3.0	2.5	12.5	11.8	11.4	11.5	7.3	4.9	3.8
12th	10.2	8.5	6.8	6.9	5.3	3.5	2.2	16.1	15.7	14.5	13.8	9.9	6.3	4.2
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	6.6	5.4	4.4	4.1	3.3	2.4	2.3	10.9	10.3	9.5	9.0	6.4	4.4	3.7
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 57. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2025

	Drinking Alcohol	Smoking Marijuana	Using Another Drug
	%	%	%
Sex			
Female	2.7	5.2	1.8
Male	2.1	3.6	1.1
Race/Ethnic group			
African American	2.2	4.5	1.7
Hispanic/Latino	2.2	3.2	0.7
White, non-Hispanic	2.4	5.2	1.8
Age			
11	0.8	0.1	0.5
12	1.1	1.1	0.8
13	2.2	2.5	1.5
14	2.6	3.9	1.6
15	3.0	5.8	1.8
16	3.0	6.4	1.3
17	3.3	7.3	2.2
18	1.6	5.3	1.0
Grade			
6th	1.2	0.7	0.9
7th	1.5	1.8	1.1
8th	3.0	3.3	1.7
9th	2.4	5.3	1.7
10th	3.1	6.7	1.7
11th	2.5	5.5	1.7
12th	2.9	7.1	1.3
Middle School	1.9	2.0	1.2
High School	2.7	6.1	1.6
Total	2.4	4.4	1.5

Table 58. Percentage of surveyed Florida youth who have talked with a parent or guardian in the past 12 months about the dangers of taking a prescription drug that was not prescribed to you—2018 to 2025

	Talked with a Parent about Prescription Drug Abuse						
			2018 %	2020 %	2022 %	2024 %	2025 %
Sex							
Female			25.2	26.1	22.9	22.4	21.4
Male			23.7	25.1	21.6	20.2	19.5
Race/Ethnic group							
African American			20.4	20.4	16.5	16.4	15.5
Hispanic/Latino			26.2	26.9	24.5	21.7	23.4
White, non-Hispanic			25.7	27.6	24.1	23.6	21.6
Age							
11			28.6	27.4	24.2	22.3	23.2
12			27.0	26.4	24.1	21.7	21.6
13			25.1	26.3	22.4	22.0	20.2
14			24.9	27.3	23.8	21.4	19.8
15			25.2	26.5	23.4	21.9	22.0
16			24.0	24.9	22.2	22.7	19.6
17			22.1	22.6	18.9	19.7	20.6
18			19.9	23.6	18.9	16.6	16.9
Grade							
6th			27.8	27.7	24.3	22.1	22.1
7th			24.6	25.1	22.3	21.4	20.5
8th			25.6	26.7	22.9	22.1	20.3
9th			25.3	27.5	23.9	21.0	21.4
10th			25.5	24.9	22.5	22.7	20.3
11th			22.1	24.7	20.5	21.8	20.0
12th			20.5	22.4	18.8	17.4	18.6
Middle School			26.0	26.5	23.1	21.9	20.9
High School			23.4	24.9	21.5	20.8	20.1
Total			24.5	25.6	22.2	21.2	20.4

Table 59. Percentage of surveyed Florida high school youth who have heard about or have used products that contain Delta-8 THC or Delta-10 THC or kratom, 2025

	Heard about products that contain Delta-8 THC or Delta-10 THC	Used products that contain Delta-8 THC or Delta-10 THC	Heard about products that contain kratom	Used products that contain kratom
	%	%	%	%
Sex				
Female	20.3	6.1	6.2	0.8
Male	21.2	6.5	7.2	1.1
Race/Ethnic group				
African American	15.5	5.1	3.4	0.6
Hispanic/Latino	14.3	3.8	4.1	0.2
White, non-Hispanic	29.1	8.7	11.4	1.7
Age				
11	--	--	--	--
12	--	--	--	--
13	--	--	--	--
14	11.7	2.4	5.7	0.2
15	15.4	3.5	6.2	1.0
16	21.6	6.4	6.7	0.9
17	26.4	9.0	7.6	1.1
18	25.2	8.9	7.2	1.0
Grade				
6th	--	--	--	--
7th	--	--	--	--
8th	--	--	--	--
9th	13.3	3.0	6.0	0.7
10th	20.0	5.7	6.4	1.2
11th	23.0	6.9	6.5	0.6
12th	27.4	9.8	8.1	1.4
Middle School	--	--	--	--
High School	20.8	6.3	6.7	0.9
Total	--	--	--	--

Table 60. Percentage of surveyed Florida youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2025

	Lack of Self-Control					
	Do what brings me pleasure now	More concerned with the short run	Getting in trouble is exciting	Excitement more important than security	People better stay away from me when I'm angry	I get upset when I have a disagreement
	%	%	%	%	%	%
Sex						
Female	28.6	25.1	22.9	20.2	24.7	45.3
Male	25.5	21.5	23.7	24.0	18.8	29.8
Race/Ethnic group						
African American	31.5	28.3	21.3	19.3	30.1	39.9
Hispanic/Latino	24.6	22.8	21.6	21.3	18.1	33.3
White, non-Hispanic	25.6	20.1	25.6	24.0	19.0	37.8
Age						
11	31.3	27.2	21.1	23.5	27.4	52.4
12	27.5	25.1	21.1	22.2	26.7	46.0
13	27.3	27.0	27.7	25.3	27.3	44.4
14	28.7	24.7	25.5	24.0	23.6	40.6
15	25.3	23.1	24.5	22.0	18.2	35.7
16	27.7	20.3	22.8	20.8	17.6	33.0
17	25.7	21.7	21.7	20.5	19.5	28.9
18	25.8	18.9	19.1	18.7	15.9	26.4
Grade						
6th	29.3	26.5	20.5	22.0	28.0	47.4
7th	26.4	25.6	25.0	24.6	27.5	45.9
8th	29.9	27.7	27.5	25.2	25.2	43.3
9th	25.5	21.3	24.7	22.5	18.9	35.9
10th	26.8	22.1	23.3	20.9	18.1	32.7
11th	25.4	21.5	21.9	21.0	19.9	31.1
12th	26.5	18.9	20.2	18.5	15.2	27.0
Middle School	28.6	26.6	24.5	24.0	26.8	45.4
High School	26.0	21.0	22.6	20.8	18.1	31.8
Total	27.1	23.3	23.4	22.1	21.7	37.5

Table 61. Average number of hours of sleep on a school night reported by surveyed Florida youth—2018 to 2025

	Hours of Sleep on a School Night						
			2018	2020	2022	2024	2025
Sex							
Female			6.9	6.8	6.7	6.9	6.9
Male			7.0	6.9	7.0	7.1	7.1
Race/Ethnic group							
African American			6.9	6.9	6.8	7.0	6.9
Hispanic/Latino			6.9	6.8	6.8	7.0	7.0
White, non-Hispanic			7.0	6.9	6.9	7.0	7.1
Age							
11			8.2	7.9	7.9	8.0	8.0
12			7.9	7.7	7.7	7.7	7.8
13			7.5	7.3	7.3	7.4	7.5
14			7.0	6.9	6.9	7.0	7.1
15			6.7	6.6	6.6	6.8	6.7
16			6.4	6.4	6.4	6.6	6.7
17			6.3	6.2	6.2	6.4	6.4
18			6.2	6.2	6.2	6.3	6.3
Grade							
6th			8.0	7.8	7.8	7.9	8.0
7th			7.6	7.5	7.4	7.5	7.5
8th			7.3	7.1	7.2	7.3	7.4
9th			6.7	6.6	6.7	6.8	6.7
10th			6.5	6.5	6.5	6.7	6.7
11th			6.3	6.3	6.3	6.5	6.4
12th			6.2	6.2	6.2	6.3	6.3
Middle School			7.6	7.5	7.4	7.6	7.6
High School			6.4	6.4	6.4	6.6	6.6
Total			6.9	6.9	6.9	7.0	7.0

Note: In 2022, two additional response options, “11 hours” and “12 or more hours,” were added.

Table 62. Percentage of surveyed Florida youth who reported symptoms of depression—2014 to 2025

	Symptoms of Depression													
	Sometimes I think that life is not worth it							At times I think I am no good at all						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	30.3	31.1	35.9	39.5	43.0	35.1	31.8	46.4	46.2	49.9	55.8	57.5	48.5	44.7
Male	15.3	15.8	20.5	21.9	23.2	18.9	16.6	24.9	25.2	29.6	33.5	34.5	30.2	29.3
Race/Ethnic group														
African American	20.2	22.1	27.1	29.9	33.0	27.9	27.3	30.9	33.0	35.4	39.7	41.8	35.5	36.8
Hispanic/Latino	22.5	22.8	27.2	29.2	30.9	24.3	20.8	35.7	35.6	39.6	43.9	46.3	38.2	35.4
White, non-Hispanic	22.9	23.6	27.8	30.7	33.0	27.0	23.2	35.8	35.7	40.0	46.2	46.4	40.5	35.9
Age														
11	15.1	16.7	22.7	27.3	31.4	29.2	23.9	31.2	32.8	36.2	43.5	48.5	44.7	44.5
12	19.6	19.9	23.3	28.1	30.8	27.6	26.5	32.6	32.7	36.4	43.8	47.1	42.4	42.2
13	24.2	24.0	28.4	31.4	33.6	29.3	25.8	36.7	35.4	40.4	45.9	47.5	42.2	38.2
14	25.0	26.0	30.4	31.3	36.4	28.2	26.0	37.2	37.6	40.7	45.2	47.5	39.9	37.5
15	26.3	25.9	29.3	32.0	34.3	27.9	25.6	38.3	38.1	40.3	45.2	45.3	38.2	35.5
16	23.7	25.1	30.4	31.4	34.4	25.8	20.6	37.4	37.2	42.1	45.9	46.5	37.1	33.7
17	22.2	22.8	30.6	31.7	33.4	24.2	23.5	34.5	34.9	42.4	44.6	44.7	36.4	36.3
18	20.0	23.1	26.6	31.2	28.2	23.1	19.5	31.8	33.9	35.7	41.8	41.5	36.2	31.8
Grade														
6th	18.3	18.8	23.5	28.6	31.7	28.2	25.9	32.4	32.8	36.4	43.6	48.2	43.1	43.9
7th	22.5	22.4	26.3	29.8	33.0	28.7	25.9	34.4	34.9	38.1	45.2	47.2	42.3	38.7
8th	24.5	25.8	29.7	31.3	34.3	29.5	26.3	37.2	36.0	40.3	45.2	46.5	41.1	38.5
9th	25.9	25.8	29.4	30.9	34.2	27.4	25.2	38.1	37.8	41.4	44.7	45.7	38.5	34.9
10th	25.2	25.5	29.5	31.8	35.3	26.3	23.5	37.9	37.9	40.8	45.6	46.0	37.5	36.2
11th	22.2	23.2	29.6	31.8	34.2	25.2	20.7	35.8	35.6	41.4	45.9	46.2	37.1	32.7
12th	20.5	22.7	29.5	31.1	30.0	23.0	22.0	32.5	34.4	39.5	42.2	42.8	35.3	34.7
Middle School	21.8	22.3	26.5	29.9	33.0	28.8	26.0	34.7	34.5	38.2	44.7	47.3	42.2	40.3
High School	23.6	24.4	29.5	31.4	33.5	25.5	22.9	36.3	36.5	40.8	44.6	45.2	37.1	34.6
Total	22.8	23.5	28.2	30.7	33.3	26.9	24.2	35.6	35.7	39.7	44.7	46.1	39.3	37.0

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 63. Percentage of surveyed Florida youth who reported symptoms of depression—2014 to 2025

	Symptoms of Depression													
	All in all, I am inclined to think that I am a failure							In the past year, felt depressed or sad on most days						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2025 %
Sex														
Female	26.1	27.6	32.1	36.6	38.6	33.4	29.2	51.0	50.5	53.1	57.0	58.4	50.7	46.1
Male	14.4	15.3	18.8	20.8	22.4	20.7	18.8	29.9	29.0	32.2	35.5	36.0	30.9	28.6
Race/Ethnic group														
African American	16.1	17.5	21.2	23.7	25.9	23.1	22.2	43.4	42.0	45.2	46.0	47.5	41.1	40.0
Hispanic/Latino	21.2	22.6	25.8	29.4	30.7	26.1	23.5	43.2	41.9	43.9	47.6	47.9	39.6	34.8
White, non-Hispanic	20.2	21.7	26.1	29.6	31.2	28.2	23.4	36.0	36.3	38.6	44.2	44.9	39.4	34.9
Age														
11	16.8	17.7	22.8	27.5	32.5	30.3	27.1	35.3	35.5	37.3	41.2	46.5	41.8	39.8
12	19.0	19.1	22.8	28.2	30.5	29.5	27.1	38.5	37.1	38.2	43.5	44.3	43.6	39.9
13	22.3	21.9	25.8	29.2	32.6	29.8	25.6	40.4	39.5	42.0	45.0	47.4	41.7	38.9
14	21.8	24.3	26.4	28.6	31.4	28.3	25.5	41.7	40.9	42.6	46.5	48.3	40.9	40.1
15	21.3	24.1	27.3	29.5	30.8	26.1	23.5	42.2	41.1	44.0	47.6	47.0	40.6	37.5
16	21.3	21.8	27.8	29.7	31.4	24.6	20.5	41.8	41.2	46.9	48.5	48.5	38.9	33.3
17	18.5	19.9	26.7	27.8	28.9	25.3	23.6	40.8	39.7	44.8	47.9	48.9	39.2	36.3
18	17.0	18.7	21.1	28.7	26.7	23.2	19.7	38.5	39.0	40.7	48.1	46.1	39.7	32.8
Grade														
6th	18.6	18.7	22.8	28.1	32.3	29.4	26.6	39.4	37.1	39.1	43.0	46.2	42.8	40.1
7th	20.6	21.7	24.5	28.6	31.9	30.6	26.3	39.3	39.3	39.9	44.4	46.4	43.0	39.1
8th	22.6	22.5	26.1	29.6	31.1	28.8	26.0	40.5	39.9	42.7	46.1	47.9	42.0	39.7
9th	21.4	24.4	27.4	28.0	30.7	26.5	23.3	42.0	41.3	43.4	46.4	45.8	39.8	38.3
10th	21.7	22.7	26.9	29.9	31.1	25.0	22.9	43.0	41.2	45.2	48.1	47.9	39.0	35.6
11th	19.4	20.1	26.8	29.1	31.1	25.2	20.9	40.5	40.5	45.0	49.0	50.1	40.0	33.7
12th	16.6	19.7	24.1	27.5	26.8	23.8	22.0	37.4	38.1	42.9	46.8	46.9	38.7	34.8
Middle School	20.6	21.0	24.5	28.8	31.7	29.6	26.3	39.7	38.8	40.6	44.5	46.9	42.6	39.6
High School	19.9	21.9	26.3	28.6	30.0	25.1	22.3	40.9	40.3	44.1	47.6	47.7	39.3	35.6
Total	20.2	21.5	25.5	28.7	30.7	27.0	24.0	40.4	39.7	42.6	46.2	47.3	40.7	37.3

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 64. Percentage of surveyed Florida youth who reported suicidal ideation or behavior in the past 12 months, 2025

	Felt sad or hopeless for 2 or more weeks	Seriously considered attempting suicide	Made a suicide plan	Attempted suicide one or more times	Suicide attempt that required medical care
	%	%	%	%	%
Sex					
Female	35.7	15.6	11.9	8.5	1.6
Male	19.3	7.7	6.5	4.2	1.0
Race/Ethnic group					
African American	27.9	11.9	9.7	7.6	2.0
Hispanic/Latino	27.2	9.4	7.1	5.6	1.4
White, non-Hispanic	25.4	12.2	9.4	5.3	0.6
Age					
11	26.9	9.6	9.2	6.1	0.9
12	27.5	13.5	11.5	8.1	1.4
13	28.7	12.7	10.1	8.0	1.7
14	30.7	14.9	11.7	8.4	1.9
15	28.4	11.7	10.1	7.6	1.7
16	25.3	9.4	7.2	4.1	1.1
17	27.2	11.0	7.0	4.4	0.7
18	23.5	8.0	5.7	3.2	0.3
Grade					
6th	26.9	11.0	10.1	6.7	1.4
7th	28.5	13.6	10.5	8.9	1.6
8th	29.5	13.9	11.7	8.6	2.0
9th	29.6	12.9	10.3	7.2	1.8
10th	27.5	10.7	8.4	5.5	1.2
11th	24.8	9.1	6.4	4.4	0.6
12th	25.7	10.2	6.9	3.1	0.5
Middle School	28.3	12.9	10.8	8.1	1.7
High School	26.9	10.7	8.0	5.1	1.0
Total	27.5	11.7	9.2	6.4	1.3

Table 65. Percentage of surveyed Florida youth who have heard the prevention messages One Pill Can Kill and The Facts, Your Future, would be “very likely” to call the 988 crisis line when experiencing suicidal thoughts, or would be “very likely” to use phone, text, or chat to talk with a crisis counselor, 2025

	Heard about <u>One Pill Can Kill</u>	Heard about <u>The Facts, Your Future</u>	“Very likely” to call <u>988</u>	“Very likely” to use <u>phone</u> to contact crisis counselor	“Very likely” to use <u>text</u> to contact crisis counselor	“Very likely” to use <u>chat</u> to contact crisis counselor
	%	%	%	%	%	%
Sex						
Female	41.1	26.4	14.9	18.6	22.9	18.5
Male	35.8	29.7	22.8	26.4	24.2	23.1
Race/Ethnic group						
African American	35.3	31.2	15.9	21.3	22.1	19.3
Hispanic/Latino	38.3	27.3	18.5	23.6	23.0	21.4
White, non-Hispanic	40.7	27.7	21.4	22.4	25.9	21.8
Age						
11	35.6	23.6	25.7	28.7	26.9	28.2
12	36.3	22.8	24.8	28.1	26.6	25.2
13	34.5	25.4	20.8	24.6	24.4	22.2
14	37.2	26.3	17.0	23.0	23.3	20.2
15	40.4	27.7	16.6	20.8	21.6	19.5
16	40.6	30.6	16.0	19.5	22.5	17.4
17	41.2	33.6	17.5	18.7	22.3	20.0
18	39.4	32.6	17.6	21.6	24.0	18.2
Grade						
6th	37.1	25.0	25.6	28.9	26.7	27.4
7th	33.5	23.1	22.4	26.0	25.8	23.4
8th	35.5	25.8	17.6	22.7	23.2	20.1
9th	40.0	27.2	17.0	21.8	22.6	19.6
10th	41.3	30.7	15.3	19.8	21.2	18.3
11th	40.5	31.6	16.6	19.5	22.2	19.2
12th	40.9	33.1	18.5	19.6	23.6	18.4
Middle School	35.4	24.6	21.7	25.8	25.2	23.5
High School	40.7	30.6	16.8	20.2	22.4	18.9
Total	38.4	28.1	18.9	22.5	23.5	20.8

Table 66. Percentage of surveyed Florida high school youth who reported adverse childhood experiences (ACEs), 2025

	Emotional Abuse	Physical Abuse	Sexual Abuse	Parents Separated or Divorced	Physical Abuse in Household	Substance Abuse in Household	Mental Illness in Household	Incarcerated Household Member	Emotional Neglect	Physical Neglect
	%	%	%	%	%	%	%	%	%	%
Sex										
Female	16.2	8.9	6.7	37.6	7.5	23.6	29.7	19.2	27.1	6.0
Male	7.4	7.2	2.4	32.3	5.1	17.9	17.8	16.8	18.3	4.9
Race/Ethnic group										
African American	14.2	11.4	5.0	39.2	5.8	12.7	15.4	19.8	26.0	5.5
Hispanic/Latino	9.4	7.5	3.4	32.4	5.3	16.7	17.4	13.0	20.2	5.0
White, non-Hispanic	11.0	5.8	4.5	34.0	6.7	27.7	32.1	19.4	21.3	5.3
Age										
11	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--
14	15.8	8.9	3.6	36.9	7.3	22.2	24.2	21.4	25.9	7.0
15	12.6	9.0	5.0	35.6	6.9	19.7	24.7	19.1	23.9	5.0
16	11.9	7.9	4.3	33.7	6.1	21.0	22.4	17.4	20.9	5.8
17	10.7	7.6	5.2	36.3	6.3	21.4	25.5	18.5	22.8	4.5
18	10.2	7.0	3.6	33.3	5.2	20.6	22.4	14.6	22.5	6.4
Grade										
6th	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--
9th	13.7	8.6	4.3	37.6	6.9	20.5	24.4	21.0	24.2	6.2
10th	11.9	8.9	4.8	32.7	6.8	20.8	22.1	16.7	21.5	5.5
11th	11.5	6.9	4.3	34.2	5.0	19.6	24.0	17.8	22.8	4.0
12th	10.1	7.6	4.6	35.6	6.5	22.2	24.8	16.6	22.5	6.0
Middle School	--	--	--	--	--	--	--	--	--	--
High School	11.8	8.0	4.5	35.0	6.3	20.8	23.8	18.0	22.7	5.4
Total	--	--	--	--	--	--	--	--	--	--

Table 67. Number of adverse childhood experiences (ACEs) reported by surveyed Florida high school youth, 2025

	Number of Adverse Childhood Experiences										
	0	1	2	3	4	5	6	7	8	9	10
	%	%	%	%	%	%	%	%	%	%	%
Sex											
Female	37.0	20.3	13.1	10.0	7.5	5.0	3.3	1.7	1.4	0.5	0.3
Male	45.7	22.8	13.2	6.8	4.7	3.2	2.0	0.7	0.4	0.4	0.2
Race/Ethnic group											
African American	39.8	23.0	13.2	8.6	6.7	4.5	1.9	1.1	0.7	0.5	0.1
Hispanic/Latino	46.7	21.8	12.4	8.2	4.5	2.2	2.2	0.9	0.7	0.2	0.3
White, non-Hispanic	39.7	22.0	12.2	8.3	6.3	5.2	2.9	1.4	1.2	0.5	0.3
Age											
11	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--
14	38.0	22.3	13.3	8.1	6.5	4.6	3.9	1.6	0.6	0.5	0.6
15	40.0	21.4	12.7	9.5	6.4	4.4	3.1	1.2	0.7	0.4	0.3
16	42.7	20.9	13.9	7.7	5.9	3.8	2.1	1.4	1.0	0.6	0.0
17	40.2	21.5	14.2	8.8	6.4	3.8	2.2	0.9	1.4	0.5	0.3
18	44.1	22.3	11.0	7.9	4.9	4.4	3.2	1.3	0.3	0.1	0.4
Grade											
6th	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--
9th	39.1	22.1	12.5	9.0	6.0	4.8	3.5	1.5	0.7	0.5	0.4
10th	42.8	20.4	13.5	8.2	6.5	3.6	2.2	1.4	0.8	0.5	0.1
11th	41.0	22.2	14.6	8.1	6.3	3.3	2.1	1.0	0.9	0.4	0.2
12th	42.5	21.3	11.9	8.3	5.5	4.8	2.9	1.1	1.0	0.4	0.3
Middle School	--	--	--	--	--	--	--	--	--	--	--
High School	41.3	21.5	13.2	8.4	6.1	4.1	2.6	1.2	0.9	0.4	0.3
Total	--	--	--	--	--	--	--	--	--	--	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

.....

Table 68. Percentage of Florida youth with elevated protective factor scale scores, 2025

	Middle School	High School	Overall
Family Domain			
Family Opportunities for Prosocial Involvement	57	59	58
Family Rewards for Prosocial Involvement	52	55	54
School Domain			
School Opportunities for Prosocial Involvement	51	63	58
School Rewards for Prosocial Involvement	47	62	55
Peer and Individual Domain			
Religiosity	45	57	52
Protective Factor Average	50	59	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 69. Percentage of Florida youth with elevated risk factor scale scores, 2025

	Middle School	High School	Overall
Community Domain			
Laws and Norms Favorable to Drug Use	36	24	29
Perceived Availability of Drugs	25	10	16
Perceived Availability of Handguns	19	24	22
Family Domain			
Poor Family Management	47	37	41
Family Conflict	36	27	31
School Domain			
Poor Academic Performance	43	42	43
Lack of Commitment to School	76	65	70
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	50	33	40
Favorable Attitudes toward ATOD Use	23	18	20
Early Initiation of Drug Use	16	9	12
Risk Factor Average	37	29	32

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

.....

Table 70. Percentage of youth from the national normative sample with elevated protective factor scale scores

	Middle School	High School	Overall
Family Domain			
Family Opportunities for Prosocial Involvement	59	54	56
Family Rewards for Prosocial Involvement	54	55	55
School Domain			
School Opportunities for Prosocial Involvement	57	60	59
School Rewards for Prosocial Involvement	53	58	55
Peer and Individual Domain			
Religiosity	56	62	59
Protective Factor Average	56	58	57

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 71. Percentage of youth from the national normative sample with elevated risk factor scale scores

	Middle School	High School	Overall
Community Domain			
Laws and Norms Favorable to Drug Use	42	42	42
Perceived Availability of Drugs	45	45	45
Perceived Availability of Handguns	25	42	34
Family Domain			
Poor Family Management	44	45	45
Family Conflict	42	37	39
School Domain			
Poor Academic Performance	45	48	47
Lack of Commitment to School	47	46	46
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	40	46	43
Favorable Attitudes toward ATOD Use	39	45	42
Early Initiation of Drug Use	41	46	43
Risk Factor Average	41	44	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 72. Percentage of Florida middle school youth with elevated protective factor scale scores—2014 to 2025

	2014	2016	2018	2020	2022	2024	2025
Family Domain							
Family Opportunities for Prosocial Involvement	60	60	58	57	53	55	57
Family Rewards for Prosocial Involvement	55	56	50	50	46	49	52
School Domain							
School Opportunities for Prosocial Involvement	51	53	54	51	51	49	51
School Rewards for Prosocial Involvement	50	49	45	44	45	45	47
Peer and Individual Domain							
Religiosity	47	49	46	42	36	43	45
Protective Factor Average	53	53	51	49	46	48	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 73. Percentage of Florida high school youth with elevated protective factor scale scores—2014 to 2025

	2014	2016	2018	2020	2022	2024	2025
Family Domain							
Family Opportunities for Prosocial Involvement	58	59	57	57	55	58	59
Family Rewards for Prosocial Involvement	56	56	51	53	49	52	55
School Domain							
School Opportunities for Prosocial Involvement	62	63	64	60	60	62	63
School Rewards for Prosocial Involvement	60	59	55	54	56	57	62
Peer and Individual Domain							
Religiosity	57	57	54	52	46	54	57
Protective Factor Average	59	59	56	55	53	57	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 74. Percentage of Florida middle school youth with elevated risk factor scale scores—2014 to 2025

	2014	2016	2018	2020	2022	2024	2025
Community Domain							
Laws and Norms Favorable to Drug Use	36	37	38	41	41	40	36
Perceived Availability of Drugs	40	37	35	34	33	30	25
Perceived Availability of Handguns	24	24	24	23	25	24	19
Family Domain							
Poor Family Management	40	40	43	43	47	47	47
Family Conflict	38	38	39	42	43	40	36
School Domain							
Poor Academic Performance	42	42	43	46	48	45	43
Lack of Commitment to School	52	53	60	69	73	76	76
Peer and Individual Domain							
Favorable Attitudes toward Antisocial Behavior	38	39	43	49	52	54	50
Favorable Attitudes toward ATOD Use	32	32	35	35	33	27	23
Early Initiation of Drug Use	25	23	24	24	21	19	16
Risk Factor Average	37	37	38	41	42	40	37

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 75. Percentage of Florida high school youth with elevated risk factor scale scores—2014 to 2025

	2014	2016	2018	2020	2022	2024	2025
Community Domain							
Laws and Norms Favorable to Drug Use	33	31	32	32	29	25	24
Perceived Availability of Drugs	31	27	24	20	15	13	10
Perceived Availability of Handguns	37	36	34	31	30	29	24
Family Domain							
Poor Family Management	38	38	37	35	34	35	37
Family Conflict	33	33	34	34	34	30	27
School Domain							
Poor Academic Performance	43	44	43	46	48	45	42
Lack of Commitment to School	52	54	57	63	68	68	65
Peer and Individual Domain							
Favorable Attitudes toward Antisocial Behavior	36	35	36	38	39	38	33
Favorable Attitudes toward ATOD Use	38	36	34	32	29	22	18
Early Initiation of Drug Use	26	22	19	17	13	11	9
Risk Factor Average	37	36	35	35	34	32	29

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.