

2010 Florida Youth Substance Abuse Survey

Alachua County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Alachua County youth and Florida Statewide 2010 youth

	Alachua County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	893	50.5		35,119	48.2
Male	851	48.2		36,540	50.2
Race/Ethnic group					
African American	418	23.7		12,829	17.7
American Indian	22	1.2		812	1.1
Asian	83	4.7		1,667	2.3
Hispanic/Latino	106	6.0		16,990	23.5
Native Hawaiian/Pacific Islander	8	0.5		314	0.4
Other/Multiple	255	14.4		10,689	14.8
White, non-Hispanic	862	48.8		29,034	40.1
Age					
10	1	0.1		102	0.1
11	76	4.3		2,655	3.6
12	240	13.6		8,828	12.1
13	294	16.6		10,495	14.4
14	295	16.7		10,640	14.6
15	312	17.7		11,346	15.6
16	281	15.9		11,220	15.4
17	157	8.9		10,069	13.8
18	99	5.6		6,339	8.7
19 or older	8	0.5		844	1.2
Grade					
6th	263	14.9		10,458	14.4
7th	306	17.3		10,655	14.6
8th	283	16.0		10,428	14.3
9th	355	20.1		11,566	15.9
10th	251	14.2		10,486	14.4
11th	180	10.2		10,131	13.9
12th	129	7.3		9,072	12.5
Overall Middle School	852	48.2		31,541	43.3
Overall High School	915	51.8		41,256	56.7
Total	1,767	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Alachua County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Alachua County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	31.4	59.5	48.1	46.9	31.2	58.4	47.5	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	15.6	27.3	21.7	22.8	14.0	27.5	22.3	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	8.1	35.1	21.3	25.7	8.6	32.6	23.5	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	11.9	8.8	9.5	11.0	11.1	8.3	10.1	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	0.8	6.5	3.6	4.5	1.0	5.0	4.1	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.2	8.2	3.9	6.5	1.4	7.1	5.2	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.2	1.5	0.7	1.2	0.2	1.2	0.9	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	0.3	3.0	1.9	1.9	0.3	2.8	1.9	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.5	1.2	0.9	0.8	0.6	0.9	0.9	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	1.5	7.5	5.0	4.9	1.7	5.9	4.9	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.4	11.8	8.4	7.9	3.4	10.6	8.2	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.2	7.4	4.3	5.2	1.6	5.8	4.8	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.7	1.0	0.4	1.4	0.6	1.3	0.9	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	3.2	10.2	5.8	8.5	3.3	9.6	7.2	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	21.7	40.7	31.0	34.3	21.2	39.4	32.6	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	17.6	24.1	20.2	22.5	16.7	24.6	21.3	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	17.8	22.3	22.0	18.7	17.8	22.3	20.4	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	39.2	63.1	53.2	52.7	38.9	61.8	52.9	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	7.8	3.8	5.5	5.7	7.7	3.5	5.5	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Alachua County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Alachua County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	14.6	37.3	27.6	27.9	14.8	36.6	27.7	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	5.1	21.5	14.7	14.3	5.1	19.6	14.5	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	3.6	8.1	4.9	7.6	3.2	7.4	6.2	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	4.1	23.4	13.8	16.8	4.4	21.1	15.2	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	4.0	2.1	3.0	2.9	3.7	1.8	2.9	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.4	2.5	1.4	1.8	0.5	1.9	1.6	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.3	1.6	0.6	1.5	0.5	1.3	1.0	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.2	0.7	0.1	0.9	0.2	0.7	0.5	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.6	0.6	0.6	0.6	0.5	0.8	0.6	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.2	0.5	0.3	0.5	0.2	0.5	0.4	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	0.5	3.1	1.9	2.2	0.6	2.6	2.0	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	1.7	4.0	2.7	3.4	1.3	4.8	3.0	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.4	2.8	1.5	2.1	0.7	2.1	1.8	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.2	0.4	0.1	0.6	0.2	0.6	0.3	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	1.0	3.4	1.4	3.4	0.9	3.3	2.4	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	9.7	25.7	18.1	20.0	9.4	23.8	18.9	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	7.1	11.2	8.7	10.3	6.8	10.6	9.4	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	9.6	16.8	14.0	13.5	10.2	17.1	13.7	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	18.9	42.0	31.7	32.9	19.3	40.4	32.1	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	4.4	5.2	4.3	5.5	4.6	4.1	4.8	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Alachua County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	44.2	68.9	57.4	39.0	72.2	57.2	36.9	67.2	54.7	--	--	--	31.2	63.2	49.8	31.4	59.5	47.5
Cigarettes	35.9	53.2	45.1	24.0	46.2	36.1	19.6	41.1	31.9	--	--	--	14.0	28.1	22.3	15.6	27.3	22.3
Marijuana or Hashish	22.7	40.1	32.2	12.7	43.0	29.4	7.9	38.2	25.6	--	--	--	6.6	31.5	21.2	8.1	35.1	23.5
Inhalants	13.3	10.4	11.4	10.7	10.3	10.4	16.2	9.6	12.4	--	--	--	11.9	10.2	10.9	11.9	8.8	10.1
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	0.8	6.5	4.1
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.8	--	--	1.2	8.2	5.2
Methamphetamine	3.5	4.8	4.2	2.2	1.6	1.8	1.4	2.5	2.1	--	--	--	0.9	1.4	--	0.2	1.5	0.9
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	0.3	3.0	1.9
Heroin	2.8	3.2	3.0	1.1	1.9	1.5	0.6	1.5	1.1	--	--	--	0.5	0.3	0.4	0.5	1.2	0.9
Depressants	--	--	--	2.1	7.3	5.0	1.7	7.8	5.3	--	--	--	1.7	7.6	5.2	1.5	7.5	4.9
Prescription Pain Relievers	--	--	--	3.8	8.6	6.4	3.9	11.0	8.1	--	--	--	3.8	12.5	8.9	3.4	11.8	8.2
Prescription Amphetamines	--	--	--	2.1	4.2	3.2	2.0	6.6	4.7	--	--	--	1.4	5.0	3.5	1.2	7.4	4.8
Steroids (without a doctor's order)	3.4	2.4	2.9	0.9	1.4	1.1	1.6	2.0	1.9	--	--	--	0.6	1.0	0.8	0.7	1.0	0.9
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	3.3	--	--	3.2	10.2	7.2
Any illicit drug	--	--	--	22.7	49.8	37.5	23.2	43.4	35.1	--	--	--	18.8	40.0	31.2	21.7	40.7	32.6
Any illicit drug other than marijuana	--	--	--	16.9	21.5	19.3	19.2	23.7	22.0	--	--	--	15.0	24.5	20.6	17.6	24.1	21.3
Alcohol only	--	--	--	22.4	25.1	23.9	20.4	28.1	24.9	--	--	--	17.4	26.6	22.8	17.8	22.3	20.4
Alcohol or any illicit drug	--	--	--	44.7	74.7	61.1	43.3	71.5	59.8	--	--	--	36.3	66.5	53.9	39.2	63.1	52.9
Any illicit drug, but no alcohol	--	--	--	6.0	3.2	4.4	6.4	4.4	5.2	--	--	--	5.2	3.7	4.3	7.8	3.8	5.5

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Alachua County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	20.0	43.6	32.9	17.1	41.9	30.7	15.2	44.7	32.7	--	--	--	12.7	38.5	27.7	14.6	37.3	27.7
Binge Drinking	13.4	22.1	18.3	5.8	20.8	14.1	6.2	23.0	16.0	--	--	--	4.5	19.8	13.4	5.1	21.5	14.5
Cigarettes	11.9	21.5	17.1	6.6	12.4	9.7	5.5	15.6	11.3	--	--	--	2.6	9.2	6.4	3.6	8.1	6.2
Marijuana or Hashish	8.6	17.8	13.7	6.2	21.5	14.6	3.5	20.0	13.2	--	--	--	2.1	16.3	10.4	4.1	23.4	15.2
Inhalants	7.6	2.5	4.6	4.4	2.1	3.1	5.6	2.9	4.1	--	--	--	4.4	2.4	3.2	4.0	2.1	2.9
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.4	--	--	0.4	2.5	1.6
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	0.3	1.6	1.0
Methamphetamine	0.6	1.1	0.8	0.7	0.2	0.5	0.7	0.6	0.6	--	--	--	0.5	0.2	0.3	0.2	0.7	0.5
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.3	--	--	0.6	0.6	0.6
Heroin	2.1	0.3	1.1	0.3	0.5	0.4	0.2	0.6	0.4	--	--	--	0.3	0.1	0.2	0.2	0.5	0.4
Depressants	--	--	--	0.9	3.3	2.2	0.5	3.1	2.0	--	--	--	0.7	2.9	2.0	0.5	3.1	2.0
Prescription Pain Relievers	--	--	--	1.4	3.3	2.5	0.9	5.4	3.6	--	--	--	1.3	4.6	3.2	1.7	4.0	3.0
Prescription Amphetamines	--	--	--	1.7	1.0	1.3	0.6	2.7	1.8	--	--	--	0.7	1.3	1.1	0.4	2.8	1.8
Steroids (without a doctor's order)	0.5	0.4	0.4	0.5	0.5	0.5	0.5	0.6	0.5	--	--	--	0.1	0.6	0.4	0.2	0.4	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.2	--	--	1.0	3.4	2.4
Any illicit drug	--	--	--	12.0	24.9	19.0	10.9	22.9	17.9	--	--	--	7.3	21.4	15.5	9.7	25.7	18.9
Any illicit drug other than marijuana	--	--	--	8.1	8.0	8.0	8.6	9.0	8.8	--	--	--	6.0	10.1	8.4	7.1	11.2	9.4
Alcohol only	--	--	--	10.6	22.5	17.1	9.8	25.9	19.4	--	--	--	8.7	21.7	16.3	9.6	16.8	13.7
Alcohol or any illicit drug	--	--	--	22.3	47.2	35.9	20.3	48.3	36.9	--	--	--	16.0	42.6	31.5	18.9	42.0	32.1
Any illicit drug, but no alcohol	--	--	--	4.9	5.8	5.4	5.1	3.9	4.4	--	--	--	3.5	4.7	4.2	4.4	5.2	4.8

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Alachua County youth and Florida Statewide youth who reported a early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Alachua County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	25.1	23.9	26.3	--	23.8	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	4.1	5.0	3.3	--	3.7	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	14.5	14.2	14.8	--	14.2	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	11.4	8.6	13.9	--	10.0	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	43.5	39.5	43.1	39.0	43.5	40.0	41.2	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	71.6	66.5	69.5	67.7	72.2	67.0	68.7	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	71.7	40.4	58.6	48.5	70.1	42.2	53.7	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	37.1	17.0	27.5	23.7	36.0	18.7	25.5	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	92.1	76.6	85.8	80.6	91.4	80.2	83.2	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	84.7	55.6	69.3	67.0	84.4	57.1	68.0	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	90.0	62.6	77.0	71.5	89.1	64.1	74.2	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.1	91.7	95.7	91.6	96.2	93.1	93.6	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	7.0	18.3	14.8	12.2	6.6	17.5	13.5	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	4.9	3.9	4.1	4.6	4.8	4.0	4.4	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	11.1	21.2	17.6	16.1	11.4	20.4	16.8	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Alachua County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	40.8	--	--	38.6	--	--	35.1	--	--	--	--	28.9	--	--	25.1	--	--
Regular alcohol use	--	7.7	--	--	5.1	--	--	8.1	--	--	--	--	5.4	--	--	4.1	--	--
Cigarettes	--	40.9	--	--	30.0	--	--	32.7	--	--	--	--	18.0	--	--	14.5	--	--
Marijuana	--	17.5	--	--	13.1	--	--	17.3	--	--	--	--	11.4	--	--	11.4	--	--
Great risk of harm																		
Daily alcohol use	37.6	38.1	38.1	40.9	41.8	41.6	41.3	36.2	38.2	--	--	--	43.7	37.8	40.2	43.5	39.5	41.2
Daily cigarette use	62.3	68.1	65.5	64.8	68.7	67.1	66.6	68.0	67.2	--	--	--	72.4	71.7	72.0	71.6	66.5	68.7
Regular marijuana use	60.6	52.5	56.2	66.6	44.4	54.4	72.3	45.7	56.6	--	--	--	76.6	46.2	58.7	71.7	40.4	53.7
Try marijuana	34.0	19.1	26.0	38.2	20.5	28.4	38.5	19.6	27.5	--	--	--	45.7	23.0	32.3	37.1	17.0	25.5
Think it wrong																		
Smoke cigarettes	84.1	65.4	74.0	88.9	69.4	78.3	90.5	70.8	79.1	--	--	--	94.3	77.8	84.5	92.1	76.6	83.2
Drink regularly	79.8	59.7	69.0	85.2	52.1	67.1	81.0	48.7	62.3	--	--	--	85.4	54.3	66.8	84.7	55.6	68.0
Smoke marijuana	82.2	70.8	76.2	88.8	62.3	74.3	92.0	65.7	76.8	--	--	--	92.8	67.5	77.6	90.0	62.6	74.2
Use other illicit drugs	95.7	91.9	93.7	98.4	90.0	93.8	97.2	93.2	94.9	--	--	--	98.2	93.6	95.4	96.1	91.7	93.6
Seen as cool																		
Drink regularly	14.9	13.1	13.7	9.7	18.1	14.4	7.4	18.5	14.1	--	--	--	6.9	16.2	12.4	7.0	18.3	13.5
Smoke cigarettes	7.5	7.8	7.5	8.6	4.0	6.0	5.8	4.4	5.0	--	--	--	4.6	4.7	4.7	4.9	3.9	4.4
Smoke marijuana	10.9	13.8	12.4	12.7	18.3	15.8	7.9	16.4	13.1	--	--	--	6.6	15.4	11.8	11.1	21.2	16.8

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Alachua County youth and Florida Statewide, 2010

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	10.6	2.0	18.8	--	9.8	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	0.4	0.0	0.7	--	0.5	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.5	0.6	0.5	--	0.7	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	22.8	24.2	21.8	--	17.9	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	43.0	50.3	35.2	--	46.9	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	5.1	7.0	3.3	--	5.6	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	17.6	15.8	19.6	--	18.4	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Alachua County youth and Florida Statewide, 2010

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	22.2	22.9	22.0	--	25.3	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	48.1	52.0	45.2	--	44.9	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	3.0	2.6	3.5	--	3.4	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.5	2.8	1.1	--	2.6	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	6.7	5.8	7.7	--	6.5	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.6	3.3	0.0	--	1.0	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.4	0.0	2.6	--	0.7	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	14.5	10.5	18.0	--	15.7	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Alachua County youth and Florida Statewide, 2010

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	17.0	20.6	13.5	--	21.1	--	--	23.5	26.8	20.0	--	24.0	--
2	--	21.7	16.0	27.8	--	22.0	--	--	21.2	23.5	18.9	--	21.8	--
3	--	20.6	25.0	16.5	--	18.8	--	--	16.8	18.0	15.5	--	17.0	--
4	--	15.2	13.7	16.9	--	14.7	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	25.5	24.7	25.3	--	23.3	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Alachua County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Alachua County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	3.9	7.2	1.9	9.5	4.0	6.4	5.7	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	2.0	8.0	2.7	8.2	2.1	7.5	5.5	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.2	2.5	1.1	3.5	2.3	2.1	2.3	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	3.8	5.6	2.1	7.3	3.2	6.2	4.8	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.5	1.5	0.3	1.9	0.5	1.0	1.1	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	16.6	13.1	11.5	17.4	15.3	14.5	14.6	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	10.6	9.4	7.9	11.8	9.8	10.8	9.9	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	6.1	20.1	10.8	17.0	6.5	18.5	14.1	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Alachua County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	8.3	6.6	7.2	4.4	5.7	5.1	3.7	5.6	4.9	--	--	--	3.7	7.0	5.6	3.9	7.2	5.7
Selling drugs	6.1	9.5	7.9	3.4	8.6	6.2	2.5	10.0	7.1	--	--	--	1.5	8.6	5.6	2.0	8.0	5.5
Attempting to steal a vehicle	4.2	3.3	3.6	3.0	3.0	3.0	3.0	4.6	3.9	--	--	--	0.8	1.7	1.3	2.2	2.5	2.3
Being arrested	3.5	7.0	5.5	3.3	3.3	3.3	3.9	5.3	4.8	--	--	--	2.3	5.4	4.1	3.8	5.6	4.8
Taking a handgun to school	2.5	1.9	2.1	1.2	1.1	1.1	0.7	1.3	1.1	--	--	--	0.5	1.7	1.2	0.5	1.5	1.1
Getting suspended	20.8	17.5	18.7	11.9	12.0	11.9	13.4	16.0	15.1	--	--	--	14.8	14.7	14.7	16.6	13.1	14.6
Attacking someone with intent to harm	21.0	14.4	17.0	9.7	11.4	10.6	12.7	9.9	11.0	--	--	--	11.6	12.7	12.2	10.6	9.4	9.9
Being drunk or high at school	10.3	19.9	15.5	7.3	19.8	14.2	5.8	20.2	14.5	--	--	--	3.4	16.0	10.7	6.1	20.1	14.1

Table 13. Percentages of Alachua County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Alachua County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	56.9	53.4	41.7	67.6	56.4	54.8	54.9	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	14.3	11.4	7.9	17.2	13.4	12.6	12.6	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Alachua County youth and Florida Statewide youth who reported involvement in bullying behavior

	Alachua County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	30.3	16.0	26.3	18.0	29.6	15.8	22.1	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	2.5	3.7	3.3	3.0	2.5	3.5	3.2	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	19.6	9.1	11.5	15.3	19.5	8.6	13.6	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	41.6	25.0	32.2	31.7	40.3	25.3	32.0	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	8.3	8.9	9.6	7.6	8.7	9.3	8.6	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	12.1	11.0	10.4	12.3	11.9	11.9	11.5	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	24.2	18.2	19.9	21.4	23.2	18.8	20.7	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	4.2	7.6	6.1	6.2	4.5	6.9	6.2	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Alachua County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	4.6	4.2	5.1	--	4.1	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	7.0	7.2	6.7	--	6.3	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	4.3	4.8	3.6	--	4.2	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	2.3	1.7	2.9	--	1.9	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	5.7	7.0	4.5	--	5.6	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	2.4	2.3	2.5	--	2.4	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	3.0	3.1	2.8	--	2.5	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.2	0.6	1.9	--	0.8	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.4	1.7	1.1	--	1.2	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	2.0	1.7	2.4	--	2.0	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.4	1.0	1.6	--	1.5	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	2.9	2.3	3.5	--	2.8	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	2.0	2.3	1.7	--	2.1	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.3	1.2	1.5	--	1.3	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.0	0.8	1.3	--	0.7	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	5.7	7.8	3.7	--	6.0	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	7.2	9.0	5.3	--	6.9	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Alachua County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	45.5	44.2	47.2	--	46.4	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	27.2	21.9	32.6	--	27.1	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	26.6	24.1	29.1	--	25.6	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	34.0	28.3	39.6	--	34.4	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	19.1	16.5	21.8	--	19.7	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Alachua County youth and Florida Statewide high school students

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	82.1	85.1	79.4	--	81.8	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	1.3	0.2	2.3	--	1.3	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	2.0	1.4	2.4	--	1.8	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	1.4	0.6	2.2	--	1.0	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.6	0.3	0.8	--	0.7	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	2.2	0.6	3.8	--	2.3	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.6	0.7	2.7	--	1.5	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.6	0.1	1.1	--	0.6	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	3.3	2.4	4.3	--	3.1	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Alachua County youth and Florida Statewide youth who reported participation in extracurricular activities

	Alachua County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	41.8	48.5	41.1	50.3	42.0	50.5	45.6	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	45.5	28.0	33.3	37.6	45.5	28.4	35.5	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	24.2	5.1	13.8	12.7	23.6	5.3	13.2	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	24.3	37.6	39.1	24.9	25.1	34.8	31.9	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	14.2	14.7	19.1	10.2	13.9	14.3	14.5	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Alachua County, Florida Statewide and the national normative database, 2010

Domain	Scale	Alachua County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	53	66	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	55	58	55	55	59	54
	Family Rewards for Prosocial Involvement	51	55	50	53	54	55
School	School Opportunities for Prosocial Involvement	52	61	46	60	57	60
	School Rewards for Prosocial Involvement	49	59	47	59	53	58
Peer and Individual	Religiosity	53	61	50	60	56	62
Average Prevalence Rate		52	60	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Alachua County, Florida Statewide and the national normative database, 2010

Domain	Scale	Alachua County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	39	38	51	50	47	47
	Transitions and Mobility	61	62	61	63	47	46
	Laws and Norms Favorable to Drug Use	42	32	44	38	42	42
	Perceived Availability of Drugs	48	35	48	37	45	45
	Perceived Availability of Handguns	29	40	25	38	25	42
Family	Poor Family Management	45	51	48	46	44	45
	Family Conflict	39	35	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	22	38	22	38	23	41
School	Poor Academic Performance	39	43	43	46	45	48
	Lack of Commitment to School	49	51	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	44	53	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	47	43	47	41	40	46
	Favorable Attitudes toward ATOD Use	37	44	41	40	39	45
	Low Perceived Risks of Drug Use	41	53	44	49	40	46
	Early Initiation of Drug Use	32	32	35	33	41	46
Average Prevalence Rate		41	43	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rate trends among middle school students for Alachua County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Alachua County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	54	52	51	--	59	53
Family	Family Opportunities for Prosocial Involvement	62	56	56	--	58	55
	Family Rewards for Prosocial Involvement	58	49	51	--	55	51
School	School Opportunities for Prosocial Involvement	46	41	45	--	48	52
	School Rewards for Prosocial Involvement	44	44	48	--	51	49
Peer and Individual	Religiosity	54	56	58	--	56	53
Average Prevalence Rate		53	50	52	--	55	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 22. Risk factor prevalence rate trends among middle school students for Alachua County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Alachua County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	50	41	40	--	37	39
	Transitions and Mobility	58	58	57	--	56	61
	Laws and Norms Favorable to Drug Use	49	48	45	--	42	42
	Perceived Availability of Drugs	50	49	43	--	44	48
	Perceived Availability of Handguns	30	25	25	--	28	29
Family	Poor Family Management	51	49	50	--	44	45
	Family Conflict	43	47	42	--	42	39
	Parental Attitudes Favorable toward ATOD Use	20	19	22	--	19	22
School	Poor Academic Performance	45	46	39	--	41	39
	Lack of Commitment to School	47	52	48	--	50	49
Peer and Individual	Peer Rewards for Antisocial Behavior	45	45	39	--	39	44
	Favorable Attitudes toward Antisocial Behavior	45	46	46	--	44	47
	Favorable Attitudes toward ATOD Use	48	40	43	--	33	37
	Low Perceived Risks of Drug Use	50	45	43	--	37	41
	Early Initiation of Drug Use	53	49	43	--	32	32
Average Prevalence Rate		48	46	44	--	39	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Alachua County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Alachua County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	68	66	63	--	67	66
Family	Family Opportunities for Prosocial Involvement	58	63	54	--	52	58
	Family Rewards for Prosocial Involvement	56	60	58	--	51	55
School	School Opportunities for Prosocial Involvement	54	55	52	--	58	61
	School Rewards for Prosocial Involvement	53	53	52	--	59	59
Peer and Individual	Religiosity	66	66	63	--	65	61
Average Prevalence Rate		59	61	57	--	59	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among high school students for Alachua County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Alachua County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	40	38	41	--	44	38
	Transitions and Mobility	50	60	59	--	63	62
	Laws and Norms Favorable to Drug Use	41	40	39	--	35	32
	Perceived Availability of Drugs	49	50	42	--	38	35
	Perceived Availability of Handguns	56	51	46	--	43	40
Family	Poor Family Management	51	49	53	--	52	51
	Family Conflict	36	31	32	--	35	35
	Parental Attitudes Favorable toward ATOD Use	35	36	41	--	33	38
School	Poor Academic Performance	51	45	45	--	41	43
	Lack of Commitment to School	43	49	50	--	45	51
Peer and Individual	Peer Rewards for Antisocial Behavior	44	48	49	--	46	53
	Favorable Attitudes toward Antisocial Behavior	36	46	45	--	49	43
	Favorable Attitudes toward ATOD Use	41	45	48	--	40	44
	Low Perceived Risks of Drug Use	44	47	48	--	48	53
	Early Initiation of Drug Use	49	47	44	--	30	32
Average Prevalence Rate		43	47	47	--	43	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.