

# **2010 Florida Youth Substance Abuse Survey**

**Baker County Report**



# Appendix A

## Detailed Tables

---

**Table 1. Major demographic characteristics of surveyed Baker County youth and Florida Statewide 2010 youth**

	Baker County			Florida Statewide 2010	
	N	%		N	%
<b>Sex</b>					
Female	401	48.3		35,119	48.2
Male	420	50.5		36,540	50.2
<b>Race/Ethnic group</b>					
African American	98	11.8		12,829	17.7
American Indian	14	1.7		812	1.1
Asian	3	0.4		1,667	2.3
Hispanic/Latino	15	1.8		16,990	23.5
Native Hawaiian/Pacific Islander	5	0.6		314	0.4
Other/Multiple	53	6.4		10,689	14.8
White, non-Hispanic	640	77.0		29,034	40.1
<b>Age</b>					
10	1	0.1		102	0.1
11	30	3.6		2,655	3.6
12	122	14.7		8,828	12.1
13	117	14.1		10,495	14.4
14	135	16.2		10,640	14.6
15	124	14.9		11,346	15.6
16	123	14.8		11,220	15.4
17	111	13.4		10,069	13.8
18	58	7.0		6,339	8.7
19 or older	10	1.2		844	1.2
<b>Grade</b>					
6th	143	17.2		10,458	14.4
7th	129	15.5		10,655	14.6
8th	119	14.3		10,428	14.3
9th	139	16.7		11,566	15.9
10th	119	14.3		10,486	14.4
11th	113	13.6		10,131	13.9
12th	69	8.3		9,072	12.5
Overall Middle School	391	47.1		31,541	43.3
Overall High School	440	52.9		41,256	56.7
<b>Total</b>	<b>831</b>	<b>100.0</b>		<b>72,797</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Baker County youth and Florida Statewide youth who reported having used various drugs in their lifetimes**

	Baker County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	32.0	67.6	50.7	53.1	33.5	65.9	52.0	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	24.9	42.4	31.4	37.9	22.8	42.6	34.7	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	9.9	32.7	16.5	28.3	8.6	32.3	22.6	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	9.6	8.2	9.0	8.6	9.7	9.0	8.8	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.1	3.0	2.2	1.9	1.0	3.4	2.1	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.8	4.0	2.8	3.4	1.7	4.2	3.1	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	1.7	1.4	1.9	1.2	1.3	1.4	1.5	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.3	4.0	2.8	2.9	1.5	3.2	2.8	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.7	1.7	1.7	0.9	0.7	1.5	1.3	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.0	9.7	6.3	7.1	2.6	8.6	6.8	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.8	13.4	7.8	10.2	4.2	12.7	9.2	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.1	5.0	1.9	4.6	1.3	3.8	3.3	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.7	1.2	0.3	1.6	0.4	1.3	1.0	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	3.0	8.2	6.4	5.1	3.2	7.3	5.9	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	18.2	39.9	27.4	32.9	17.1	38.9	30.4	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	12.1	24.2	18.6	18.9	11.7	23.6	18.9	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	19.6	30.3	27.2	24.3	21.1	31.2	25.6	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	37.6	70.4	54.5	57.4	38.0	70.2	56.0	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	5.7	3.0	3.9	4.5	4.6	4.4	4.2	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

**Table 3. Percentages of Baker County youth and Florida Statewide youth who reported having used various drugs in the past 30 days**

	Baker County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	20.7	42.1	29.4	35.3	19.0	42.3	32.7	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	11.1	25.7	14.5	23.4	8.6	26.5	19.3	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	10.2	21.5	13.6	19.0	9.6	20.2	16.6	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	5.9	18.3	8.8	16.7	5.4	17.3	12.8	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	5.0	1.1	2.8	2.9	5.4	0.9	2.8	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.8	0.6	0.5	0.8	0.8	0.8	0.7	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.9	1.0	0.6	1.3	0.9	1.3	1.0	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.6	0.5	0.5	0.5	0.5	0.6	0.5	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.8	0.2	0.5	0.4	0.7	0.3	0.5	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.0	0.6	0.4	0.3	0.0	0.3	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.4	3.8	2.6	3.0	1.3	2.8	2.8	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	1.1	4.5	3.0	2.7	1.8	3.6	3.0	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.2	1.2	0.7	0.9	0.2	1.6	0.8	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.3	0.6	0.0	0.9	0.0	0.5	0.4	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	1.2	2.8	2.6	1.5	1.2	2.4	2.1	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	10.6	21.4	13.5	19.5	10.4	19.6	16.7	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	7.4	10.6	8.8	9.4	7.4	9.0	9.2	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	14.5	26.1	20.7	21.2	13.6	27.3	21.0	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	24.9	47.7	33.9	40.8	23.8	47.1	37.7	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	4.5	5.9	4.9	5.7	5.1	5.2	5.2	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Baker County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	41.7	68.5	55.7	39.5	64.9	52.3	43.8	72.8	59.4	43.3	64.8	55.3	37.9	67.6	54.2	32.0	67.6	52.0
Cigarettes	37.4	51.8	44.8	37.1	46.2	41.7	43.5	52.0	48.3	27.5	44.1	37.0	26.3	50.6	39.7	24.9	42.4	34.7
Marijuana or Hashish	13.6	31.2	22.8	15.1	33.5	24.6	16.6	35.1	27.1	13.2	26.7	20.8	8.6	32.3	21.8	9.9	32.7	22.6
Inhalants	15.7	10.4	12.9	12.3	13.4	12.9	18.2	12.0	14.9	14.9	11.4	13.0	13.1	11.0	12.0	9.6	8.2	8.8
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.2	--	--	1.1	3.0	2.1
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	3.3	--	--	1.8	4.0	3.1
Methamphetamine	3.1	3.1	3.1	1.9	3.9	2.9	4.0	3.1	3.6	3.5	1.9	2.6	2.4	1.9	--	1.7	1.4	1.5
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	2.1	--	--	1.3	4.0	2.8
Heroin	1.2	1.3	1.2	1.3	0.6	0.9	1.8	0.7	1.2	2.1	0.8	1.5	1.3	0.3	0.8	0.7	1.7	1.3
Depressants	--	--	--	3.2	12.5	8.0	7.7	15.5	12.1	4.7	15.6	10.9	2.0	12.3	7.7	3.0	9.7	6.8
Prescription Pain Relievers	--	--	--	5.5	15.8	10.8	10.7	19.3	15.5	8.4	13.7	11.8	4.3	16.7	11.2	3.8	13.4	9.2
Prescription Amphetamines	--	--	--	2.0	3.9	3.0	1.3	3.7	2.6	4.4	5.9	5.2	2.3	4.7	3.6	1.1	5.0	3.3
Steroids (without a doctor's order)	2.3	1.5	1.8	1.8	3.1	2.5	3.1	2.7	3.0	2.3	0.7	1.4	0.9	1.3	1.1	0.7	1.2	1.0
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	4.9	--	--	3.0	8.2	5.9
Any illicit drug	--	--	--	24.5	38.9	31.8	32.0	40.4	36.8	26.5	37.7	33.0	21.4	40.7	32.1	18.2	39.9	30.4
Any illicit drug other than marijuana	--	--	--	18.1	25.8	22.0	26.6	26.4	26.7	22.9	27.6	25.8	17.5	28.3	23.5	12.1	24.2	18.9
Alcohol only	--	--	--	20.6	27.9	24.3	21.3	34.3	28.2	21.7	30.9	26.6	21.7	29.7	26.1	19.6	30.3	25.6
Alcohol or any illicit drug	--	--	--	44.8	66.5	55.8	52.6	74.4	64.5	48.2	68.3	59.4	43.5	70.0	58.1	37.6	70.4	56.0
Any illicit drug, but no alcohol	--	--	--	5.8	2.3	4.1	8.5	2.3	5.3	5.8	3.7	4.8	5.8	2.5	3.9	5.7	3.0	4.2

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Baker County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	21.0	45.3	33.7	19.9	42.3	31.3	23.7	46.9	36.6	22.7	43.3	34.2	18.3	44.6	32.9	20.7	42.1	32.7
Binge Drinking	10.4	25.9	18.3	9.3	26.4	18.1	15.8	30.4	23.8	12.8	30.1	22.6	10.3	27.2	19.7	11.1	25.7	19.3
Cigarettes	14.9	22.7	18.9	12.4	20.8	16.6	17.1	18.7	18.2	11.1	19.9	16.2	7.7	20.9	15.0	10.2	21.5	16.6
Marijuana or Hashish	7.5	14.5	11.3	6.2	16.6	11.6	11.2	16.8	14.7	6.8	14.1	10.9	5.0	16.4	11.4	5.9	18.3	12.8
Inhalants	6.8	0.7	3.6	5.3	1.9	3.5	9.1	2.9	5.6	5.2	2.9	4.1	5.1	2.4	3.6	5.0	1.1	2.8
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.4	--	--	0.8	0.6	0.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.4	--	--	0.9	1.0	1.0
Methamphetamine	1.5	1.0	1.3	0.3	0.5	0.4	0.2	0.6	0.4	1.2	0.8	1.0	0.7	1.0	0.9	0.6	0.5	0.5
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--	--	0.8	0.2	0.5
Heroin	0.0	0.4	0.2	0.0	0.3	0.2	0.2	0.3	0.3	1.0	0.4	0.7	1.4	0.0	0.6	0.0	0.6	0.3
Depressants	--	--	--	1.6	4.4	3.1	3.6	5.5	4.8	0.7	7.6	4.5	0.7	4.1	2.6	1.4	3.8	2.8
Prescription Pain Relievers	--	--	--	2.6	9.0	5.9	6.0	6.3	6.3	3.2	5.3	4.5	1.7	7.6	5.0	1.1	4.5	3.0
Prescription Amphetamines	--	--	--	0.3	1.5	0.9	1.5	0.9	1.2	1.9	4.0	3.0	0.5	0.6	0.6	0.2	1.2	0.8
Steroids (without a doctor's order)	0.9	0.9	0.9	0.3	0.9	0.6	0.0	1.0	0.7	1.5	0.0	0.6	0.9	0.7	0.8	0.3	0.6	0.4
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.9	--	--	1.2	2.8	2.1
Any illicit drug	--	--	--	11.8	18.7	15.3	19.5	21.3	20.9	12.8	19.5	16.6	10.1	23.2	17.4	10.6	21.4	16.7
Any illicit drug other than marijuana	--	--	--	8.5	9.8	9.1	15.1	9.9	12.5	9.9	13.6	12.0	8.0	12.3	10.3	7.4	10.6	9.2
Alcohol only	--	--	--	12.5	27.9	20.4	14.5	29.0	22.4	13.6	26.5	20.7	14.4	27.6	21.7	14.5	26.1	21.0
Alcohol or any illicit drug	--	--	--	23.9	45.8	35.0	33.0	50.5	42.7	26.1	45.6	36.8	24.3	50.0	38.5	24.9	47.7	37.7
Any illicit drug, but no alcohol	--	--	--	4.2	3.4	3.7	9.4	3.6	6.2	3.5	2.7	3.1	6.5	5.2	5.8	4.5	5.9	5.2

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.



**Table 6. Percentages of Baker County youth and Florida Statewide youth who reported a early ATOD use, perceived risk of harm, personal disapproval and peer approval**

	Baker County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	29.4	21.1	35.4	--	32.0	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	4.5	2.5	6.3	--	5.2	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	26.2	20.7	30.7	--	27.1	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	12.7	7.7	16.8	--	14.9	--	--	11.3	8.5	13.9	--	11.4	--
<b>Perceive great risk of harm if...</b>														
One or more drinks every day	52.7	35.6	49.8	37.0	51.9	37.2	43.1	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	68.2	63.6	72.8	59.5	69.4	61.1	65.6	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	73.0	51.4	68.7	53.8	74.9	51.5	60.9	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	55.6	28.0	46.0	34.5	56.9	26.7	40.1	39.1	21.2	30.8	27.2	38.3	21.5	28.9
<b>Think it would be wrong for someone their age to...</b>														
Smoke cigarettes	86.3	70.2	80.3	74.4	87.7	71.0	77.3	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	78.8	54.3	68.6	61.8	81.0	54.2	65.0	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	89.6	71.4	86.1	72.9	90.6	71.5	79.3	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	97.2	93.2	96.0	93.9	97.1	93.4	95.0	96.2	93.0	95.4	93.4	96.3	93.0	94.4
<b>Good chance of being seen as cool if...</b>														
Drink alcohol regularly	12.7	20.3	16.1	17.8	14.0	19.3	17.0	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	5.9	7.9	6.1	7.8	6.8	6.6	7.0	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	10.7	16.5	12.4	15.0	10.9	17.1	14.0	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 7. Trends in early ATOD use and attitudes toward substance use for Baker County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	35.4	--	--	34.4	--	--	36.6	--	--	38.6	--	--	33.5	--	--	29.4	--
Regular alcohol use	--	8.1	--	--	9.2	--	--	9.1	--	--	11.1	--	--	8.4	--	--	4.5	--
Cigarettes	--	31.8	--	--	33.3	--	--	38.4	--	--	32.8	--	--	29.8	--	--	26.2	--
Marijuana	--	10.1	--	--	14.9	--	--	14.9	--	--	14.9	--	--	11.9	--	--	12.7	--
<b>Great risk of harm</b>																		
Daily alcohol use	39.7	37.7	38.6	40.5	35.0	37.6	34.2	32.2	33.1	37.2	38.9	38.2	37.5	30.6	33.7	52.7	35.6	43.1
Daily cigarette use	65.8	71.7	69.0	62.2	64.0	62.8	56.1	73.4	65.1	56.7	65.5	61.4	61.8	63.5	62.7	68.2	63.6	65.6
Regular marijuana use	73.0	66.4	69.5	69.7	57.7	63.5	56.0	62.9	59.4	67.6	62.7	65.0	74.0	50.5	61.1	73.0	51.4	60.9
Try marijuana	45.8	36.8	41.3	46.9	30.6	38.1	33.0	34.4	33.6	43.7	35.3	39.3	46.4	29.7	37.2	55.6	28.0	40.1
<b>Think it wrong</b>																		
Smoke cigarettes	83.1	68.6	75.7	86.1	66.2	76.0	77.1	66.9	71.4	83.1	70.1	75.7	87.2	61.3	72.8	86.3	70.2	77.3
Drink regularly	78.3	59.6	68.8	78.4	58.2	68.2	68.1	51.6	59.3	71.1	54.0	61.6	77.7	48.7	61.5	78.8	54.3	65.0
Smoke marijuana	88.0	79.7	83.6	90.6	76.0	83.1	84.1	76.8	80.0	86.8	81.5	83.7	90.4	77.9	83.5	89.6	71.4	79.3
Use other illicit drugs	96.7	94.2	95.4	97.0	95.3	96.2	94.2	94.0	94.1	94.1	95.5	94.8	95.9	94.8	95.3	97.2	93.2	95.0
<b>Seen as cool</b>																		
Drink regularly	6.9	10.3	8.6	7.9	14.2	11.2	13.0	16.6	14.9	12.7	19.6	16.3	13.5	22.4	18.4	12.7	20.3	17.0
Smoke cigarettes	6.1	3.1	4.6	7.2	5.2	6.2	11.1	3.9	7.3	7.0	8.3	7.6	9.2	6.9	7.9	5.9	7.9	7.0
Smoke marijuana	9.1	6.4	7.8	8.6	10.8	9.6	18.5	10.0	14.0	10.5	10.8	10.6	9.1	11.4	10.4	10.7	16.5	14.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Baker County youth and Florida Statewide, 2010**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	12.1	2.8	18.7	--	8.0	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	2.3	0.0	3.8	--	0.0	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	20.1	18.3	21.9	--	25.4	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	38.7	54.1	28.6	--	36.9	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	2.0	0.0	3.4	--	1.8	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	5.4	4.2	6.3	--	7.6	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	19.4	20.5	17.3	--	20.3	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Baker County youth and Florida Statewide, 2010**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	19.4	19.6	19.9	--	21.0	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	38.2	48.3	31.9	--	41.4	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	10.7	12.9	9.6	--	12.1	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	0.9	2.2	0.0	--	0.0	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	8.1	6.8	9.1	--	8.6	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.0	0.0	1.7	--	0.0	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.3	0.0	2.1	--	0.8	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	20.4	10.3	25.6	--	16.0	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Baker County youth and Florida Statewide, 2010**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	19.2	22.3	17.7	--	18.7	--	--	23.5	26.8	20.0	--	24.0	--
2	--	18.2	16.4	19.0	--	19.0	--	--	21.2	23.5	18.9	--	21.8	--
3	--	11.2	17.8	7.3	--	12.4	--	--	16.8	18.0	15.5	--	17.0	--
4	--	10.5	12.1	9.0	--	12.3	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	41.0	31.5	47.0	--	37.6	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Baker County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months**

	Baker County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.7	7.8	2.9	13.3	8.2	8.3	8.2	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	3.7	8.8	2.5	10.5	3.9	8.0	6.6	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.2	1.2	0.4	2.9	1.8	1.7	1.7	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	3.6	6.3	2.9	7.3	3.6	5.9	5.1	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	1.9	1.2	0.2	2.8	1.3	2.0	1.5	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	11.0	12.6	9.2	14.2	11.2	12.7	11.9	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	11.1	12.7	7.5	16.2	10.5	14.1	12.0	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	9.5	18.2	10.9	17.6	9.0	19.2	14.4	7.4	17.0	11.8	14.0	7.3	17.0	12.9

**Table 12. Trends in delinquent behaviors for Baker County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.4	4.6	4.0	2.6	4.6	3.6	5.5	4.9	5.3	6.5	5.5	5.9	5.6	8.7	7.3	8.7	7.8	8.2
Selling drugs	3.5	4.9	4.2	2.1	7.2	4.8	5.8	9.2	7.8	4.6	6.9	5.8	2.5	6.5	4.7	3.7	8.8	6.6
Attempting to steal a vehicle	3.0	3.5	3.3	3.2	2.6	2.9	2.9	1.3	2.0	5.4	4.9	5.1	2.7	2.7	2.7	2.2	1.2	1.7
Being arrested	1.8	4.2	3.1	3.4	6.4	5.0	8.9	5.1	6.9	6.1	4.7	5.6	4.4	8.1	6.5	3.6	6.3	5.1
Taking a handgun to school	1.0	1.2	1.1	1.7	0.9	1.3	2.6	1.1	1.7	2.8	0.9	1.7	1.0	1.3	1.2	1.9	1.2	1.5
Getting suspended	14.6	13.8	14.1	16.9	12.2	14.4	16.7	11.9	14.1	12.0	13.7	13.1	10.3	13.6	12.2	11.0	12.6	11.9
Attacking someone with intent to harm	8.7	12.4	10.6	9.3	11.0	10.1	16.7	15.0	15.8	15.9	13.5	14.6	9.1	14.2	11.9	11.1	12.7	12.0
Being drunk or high at school	8.8	15.5	12.4	7.6	23.5	16.0	15.7	24.0	20.6	12.6	19.7	16.9	6.6	25.1	16.9	9.5	18.2	14.4

**Table 13. Percentages of Baker County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months**

	Baker County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	45.9	48.9	36.0	58.2	46.6	49.4	47.6	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	13.1	12.6	7.7	17.6	12.6	13.3	12.8	15.9	12.1	9.8	17.5	15.5	12.6	13.7



**Table 14. Percentages of Baker County youth and Florida Statewide youth who reported involvement in bullying behavior**

	Baker County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	25.9	12.3	24.1	12.7	25.4	12.5	18.2	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	4.7	2.0	4.7	1.9	4.2	2.5	3.2	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	20.2	6.3	11.8	13.0	18.1	7.2	12.4	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	35.2	18.6	27.0	24.7	35.7	18.0	25.9	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	9.1	9.7	13.9	5.0	9.3	10.2	9.5	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	16.4	8.4	8.9	14.4	15.9	9.2	11.9	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	21.9	16.6	15.3	22.2	22.7	16.1	19.0	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	7.8	8.8	9.5	7.1	7.2	9.4	8.4	5.7	6.3	7.2	4.9	5.5	6.5	6.0

**Table 15. Percentages of Baker County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	5.5	6.1	5.1	--	5.7	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	3.9	5.8	2.4	--	4.6	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	5.2	7.1	3.8	--	4.9	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	2.3	2.1	2.5	--	2.2	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	4.8	6.6	2.9	--	5.3	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	3.5	3.1	3.6	--	3.8	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.7	3.4	1.7	--	3.5	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.5	1.7	1.3	--	1.7	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	0.6	0.9	0.4	--	0.9	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.3	1.3	0.8	--	1.8	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.1	0.9	1.4	--	1.6	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	3.1	3.7	2.7	--	3.0	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	0.8	1.3	0.4	--	1.1	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.2	2.1	0.4	--	1.7	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.3	1.4	1.2	--	1.5	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	3.6	6.1	0.9	--	5.1	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	6.1	10.2	2.4	--	6.9	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

**Table 16. Percentages of Baker County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	36.5	39.6	33.6	--	40.0	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	17.6	14.5	20.1	--	21.0	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	21.5	21.8	20.9	--	23.8	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	32.1	31.2	33.1	--	33.8	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	25.6	27.2	24.2	--	27.7	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

**Table 17. Reasons for joining a gang, among Baker County youth and Florida Statewide high school students**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	88.3	94.9	82.9	--	86.6	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	1.5	0.8	2.1	--	1.5	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	1.4	0.4	2.3	--	1.6	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.4	0.4	4.3	--	2.8	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.2	0.4	0.0	--	0.2	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	1.8	1.2	2.3	--	1.9	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.5	0.8	2.2	--	1.6	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.5	0.4	0.6	--	0.6	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	2.9	1.5	3.7	--	3.2	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

**Table 18. Percentages of Baker County youth and Florida Statewide youth who reported participation in extracurricular activities**

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	42.1	38.4	38.2	41.4	42.8	41.0	40.0	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	42.5	27.0	32.9	34.1	42.4	27.9	33.8	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	11.5	5.9	8.7	8.1	11.8	4.8	8.4	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	20.5	31.2	38.2	16.3	22.6	31.3	26.5	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	6.8	9.1	12.2	4.6	7.7	9.2	8.1	10.9	14.0	16.4	9.1	11.2	13.8	12.7

**Table 19. Protective factor prevalence rates for Baker County, Florida Statewide and the national normative database, 2010**

Domain	Scale	Baker County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Rewards for Prosocial Involvement	51	69	50	61	56	63
<b>Family</b>	Family Opportunities for Prosocial Involvement	57	53	55	55	59	54
	Family Rewards for Prosocial Involvement	47	48	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	51	53	46	60	57	60
	School Rewards for Prosocial Involvement	54	64	47	59	53	58
<b>Peer and Individual</b>	Religiosity	62	71	50	60	56	62
<b>Average Prevalence Rate</b>		<b>54</b>	<b>60</b>	<b>50</b>	<b>58</b>	<b>56</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 20. Risk factor prevalence rates for Baker County, Florida Statewide and the national normative database, 2010**

Domain	Scale	Baker County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Disorganization	45	46	51	50	47	47
	Transitions and Mobility	47	56	61	63	47	46
	Laws and Norms Favorable to Drug Use	49	41	44	38	42	42
	Perceived Availability of Drugs	45	41	48	37	45	45
	Perceived Availability of Handguns	34	53	25	38	25	42
<b>Family</b>	Poor Family Management	52	45	48	46	44	45
	Family Conflict	34	33	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	19	39	22	38	23	41
<b>School</b>	Poor Academic Performance	44	46	43	46	45	48
	Lack of Commitment to School	58	57	54	51	47	46
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	42	49	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	43	41	47	41	40	46
	Favorable Attitudes toward ATOD Use	38	41	41	40	39	45
	Low Perceived Risks of Drug Use	36	48	44	49	40	46
	Early Initiation of Drug Use	41	36	35	33	41	46
<b>Average Prevalence Rate</b>		<b>42</b>	<b>45</b>	<b>43</b>	<b>44</b>	<b>40</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 21. Protective factor prevalence rate trends among middle school students for Baker County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Baker County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Rewards for Prosocial Involvement	60	55	50	52	52	51
<b>Family</b>	Family Opportunities for Prosocial Involvement	58	57	43	55	53	57
	Family Rewards for Prosocial Involvement	56	52	42	49	51	47
<b>School</b>	School Opportunities for Prosocial Involvement	53	52	39	37	50	51
	School Rewards for Prosocial Involvement	39	52	42	40	53	54
<b>Peer and Individual</b>	Religiosity	69	64	53	59	59	62
<b>Average Prevalence Rate</b>		<b>56</b>	<b>55</b>	<b>45</b>	<b>49</b>	<b>53</b>	<b>54</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.



**Table 22. Risk factor prevalence rate trends among middle school students for Baker County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Baker County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Disorganization	45	45	51	49	46	45
	Transitions and Mobility	54	55	55	53	58	47
	Laws and Norms Favorable to Drug Use	55	51	67	57	52	49
	Perceived Availability of Drugs	53	55	58	52	45	45
	Perceived Availability of Handguns	36	33	38	41	35	34
<b>Family</b>	Poor Family Management	50	50	59	55	48	52
	Family Conflict	37	34	45	44	37	34
	Parental Attitudes Favorable toward ATOD Use	20	18	26	29	21	19
<b>School</b>	Poor Academic Performance	55	48	57	52	45	44
	Lack of Commitment to School	64	58	65	69	61	58
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	41	40	53	46	43	42
	Favorable Attitudes toward Antisocial Behavior	44	40	53	48	43	43
	Favorable Attitudes toward ATOD Use	47	47	55	52	42	38
	Low Perceived Risks of Drug Use	45	45	60	44	42	36
	Early Initiation of Drug Use	51	53	57	44	44	41
<b>Average Prevalence Rate</b>		<b>49</b>	<b>47</b>	<b>57</b>	<b>51</b>	<b>46</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 23. Protective factor prevalence rate trends among high school students for Baker County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Baker County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Rewards for Prosocial Involvement	70	69	65	69	68	69
<b>Family</b>	Family Opportunities for Prosocial Involvement	60	55	53	52	52	53
	Family Rewards for Prosocial Involvement	64	55	52	47	50	48
<b>School</b>	School Opportunities for Prosocial Involvement	60	62	60	57	53	53
	School Rewards for Prosocial Involvement	59	61	54	59	55	64
<b>Peer and Individual</b>	Religiosity	83	76	75	67	68	71
<b>Average Prevalence Rate</b>		<b>66</b>	<b>63</b>	<b>60</b>	<b>59</b>	<b>58</b>	<b>60</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 24. Risk factor prevalence rate trends among high school students for Baker County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain		Baker County					
Scale		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Disorganization	40	42	43	44	46	46
	Transitions and Mobility	61	57	61	65	62	56
	Laws and Norms Favorable to Drug Use	37	39	36	38	41	41
	Perceived Availability of Drugs	54	49	47	44	41	41
	Perceived Availability of Handguns	60	57	56	55	51	53
<b>Family</b>	Poor Family Management	36	42	45	52	56	45
	Family Conflict	33	33	34	33	44	33
	Parental Attitudes Favorable toward ATOD Use	26	34	32	37	40	39
<b>School</b>	Poor Academic Performance	39	40	45	44	47	46
	Lack of Commitment to School	44	48	55	51	58	57
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	30	36	38	44	48	49
	Favorable Attitudes toward Antisocial Behavior	29	34	43	41	46	41
	Favorable Attitudes toward ATOD Use	37	39	42	37	45	41
	Low Perceived Risks of Drug Use	35	46	37	42	48	48
	Early Initiation of Drug Use	45	44	47	43	44	36
<b>Average Prevalence Rate</b>		<b>37</b>	<b>41</b>	<b>44</b>	<b>43</b>	<b>48</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.