

2010 Florida Youth Substance Abuse Survey

Bradford County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Bradford County youth and Florida Statewide 2010 youth

	Bradford County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	201	49.0		35,119	48.2
Male	206	50.2		36,540	50.2
Race/Ethnic group					
African American	98	23.9		12,829	17.7
American Indian	11	2.7		812	1.1
Asian	3	0.7		1,667	2.3
Hispanic/Latino	14	3.4		16,990	23.5
Native Hawaiian/Pacific Islander	2	0.5		314	0.4
Other/Multiple	42	10.2		10,689	14.8
White, non-Hispanic	239	58.3		29,034	40.1
Age					
10	0	0.0		102	0.1
11	6	1.5		2,655	3.6
12	54	13.2		8,828	12.1
13	78	19.0		10,495	14.4
14	71	17.3		10,640	14.6
15	73	17.8		11,346	15.6
16	56	13.7		11,220	15.4
17	40	9.8		10,069	13.8
18	24	5.9		6,339	8.7
19 or older	3	0.7		844	1.2
Grade					
6th	57	13.9		10,458	14.4
7th	93	22.7		10,655	14.6
8th	81	19.8		10,428	14.3
9th	62	15.1		11,566	15.9
10th	56	13.7		10,486	14.4
11th	36	8.8		10,131	13.9
12th	25	6.1		9,072	12.5
Overall Middle School	231	56.3		31,541	43.3
Overall High School	179	43.7		41,256	56.7
Total	410	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Bradford County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Bradford County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	45.2	59.7	53.9	53.0	43.5	64.1	53.4	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	26.5	32.6	31.3	29.1	24.7	36.2	29.9	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	11.5	30.8	19.9	25.5	9.0	34.1	22.4	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	8.3	9.1	9.8	7.8	9.5	9.7	8.8	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	2.0	1.8	1.9	1.9	1.7	2.5	1.9	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	3.0	6.0	3.1	6.6	2.9	6.2	4.7	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.9	0.9	1.5	0.3	0.9	1.2	0.9	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.0	2.9	2.0	2.2	0.9	3.6	2.1	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.6	0.9	0.5	0.0	0.0	1.6	0.8	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.1	10.1	5.8	7.5	2.4	12.2	7.1	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.8	8.8	5.8	7.8	3.3	10.7	6.7	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	2.6	1.5	2.6	1.4	2.3	2.2	2.0	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	1.1	1.0	0.0	2.2	1.2	1.2	1.0	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	6.7	4.8	4.6	6.9	6.5	5.1	5.6	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	21.4	40.0	28.8	34.6	20.4	44.6	31.8	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	15.2	20.6	15.5	20.5	15.3	23.6	18.3	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	29.8	26.2	29.6	25.4	29.8	25.4	27.8	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	50.8	66.2	58.0	60.2	49.7	70.1	59.5	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	6.3	7.4	4.9	8.1	7.0	7.0	6.9	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Bradford County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Bradford County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.2	32.1	25.9	33.9	24.7	35.4	29.5	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	10.5	18.6	12.5	18.1	8.7	20.3	15.1	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	8.3	16.1	10.6	15.1	8.1	17.7	12.7	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	5.2	14.9	9.3	12.4	3.0	17.3	10.7	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	3.3	2.1	2.2	3.0	3.5	2.4	2.6	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	1.1	0.6	0.6	1.0	0.8	1.0	0.8	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	1.2	1.7	1.2	1.8	0.9	2.3	1.5	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.0	1.0	1.0	0.0	0.5	0.7	0.5	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	1.2	1.2	1.3	1.0	1.2	1.4	1.2	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.6	3.9	2.0	3.9	1.7	4.6	2.9	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	1.5	4.0	3.7	2.1	1.1	5.2	2.9	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.4	0.6	0.0	1.1	0.4	0.7	0.5	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.4	1.0	0.0	1.6	0.4	1.2	0.7	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	3.9	1.6	2.1	3.2	3.7	2.3	2.6	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	12.0	17.2	12.1	18.3	10.3	20.2	14.9	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	9.9	7.2	6.4	10.7	8.9	10.0	8.4	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	18.0	20.9	17.3	22.5	18.5	20.4	19.6	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	29.8	36.7	28.5	39.8	28.7	39.3	33.7	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	3.4	5.3	2.8	6.4	3.8	4.7	4.5	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Bradford County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	34.0	67.6	54.0	38.4	60.9	52.1	22.0	61.3	45.5	30.2	64.3	49.3	39.8	65.3	54.6	45.2	59.7	53.4
Cigarettes	35.3	55.5	47.0	32.3	46.3	40.8	20.1	38.1	30.7	26.0	47.9	37.8	23.0	39.8	32.7	26.5	32.6	29.9
Marijuana or Hashish	13.0	37.4	27.5	11.8	38.4	27.8	5.8	24.1	17.0	14.2	34.0	25.9	10.2	34.4	24.2	11.5	30.8	22.4
Inhalants	10.3	10.0	10.3	11.7	9.3	10.4	11.8	10.1	10.7	7.6	10.3	9.5	10.3	13.1	11.9	8.3	9.1	8.8
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.6	--	--	2.0	1.8	1.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	2.8	--	--	3.0	6.0	4.7
Methamphetamine	1.5	5.5	3.9	1.1	3.9	2.8	0.0	2.4	1.5	3.6	3.2	3.6	1.7	1.4	--	0.9	0.9	0.9
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	2.0	--	--	1.0	2.9	2.1
Heroin	0.6	1.2	0.9	0.0	1.8	1.1	0.0	0.8	0.5	1.7	1.0	1.3	0.6	0.5	0.5	0.6	0.9	0.8
Depressants	--	--	--	2.6	14.2	9.5	0.0	10.6	6.5	5.5	13.9	10.6	2.3	10.7	7.1	3.1	10.1	7.1
Prescription Pain Relievers	--	--	--	6.8	18.0	13.5	3.1	8.4	6.5	7.1	20.1	15.0	4.6	8.8	7.0	3.8	8.8	6.7
Prescription Amphetamines	--	--	--	2.3	7.1	5.1	2.3	1.6	1.8	3.2	5.5	4.8	1.3	4.0	2.9	2.6	1.5	2.0
Steroids (without a doctor's order)	2.8	4.0	3.5	2.3	0.5	1.2	0.0	2.0	1.3	0.0	3.0	1.6	2.1	0.5	1.2	1.1	1.0	1.0
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	5.2	--	--	6.7	4.8	5.6
Any illicit drug	--	--	--	22.3	39.7	32.6	13.2	31.1	24.1	13.1	39.9	28.4	20.0	37.4	30.0	21.4	40.0	31.8
Any illicit drug other than marijuana	--	--	--	16.0	24.0	20.8	13.5	21.4	18.3	8.6	24.8	18.2	15.0	20.7	18.2	15.2	20.6	18.3
Alcohol only	--	--	--	20.4	23.8	22.8	18.1	33.0	27.1	15.6	25.2	20.6	22.9	30.4	27.2	29.8	26.2	27.8
Alcohol or any illicit drug	--	--	--	42.9	63.1	55.2	32.0	64.1	51.1	29.5	65.0	49.1	43.2	67.1	57.0	50.8	66.2	59.5
Any illicit drug, but no alcohol	--	--	--	4.6	2.7	3.5	10.4	2.9	5.8	0.0	0.9	0.5	4.0	1.8	2.7	6.3	7.4	6.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Bradford County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	18.5	36.1	28.8	17.0	37.8	29.4	7.5	35.5	24.5	10.6	36.0	24.8	21.3	39.9	32.1	26.2	32.1	29.5
Binge Drinking	11.0	20.9	16.8	7.8	23.7	17.1	2.8	18.9	12.5	5.4	24.2	15.9	10.5	24.4	18.5	10.5	18.6	15.1
Cigarettes	12.0	20.9	17.1	9.2	19.2	15.0	4.6	16.0	11.5	6.1	23.4	15.7	8.2	17.3	13.4	8.3	16.1	12.7
Marijuana or Hashish	8.3	19.3	14.9	7.2	22.2	16.1	0.0	13.2	7.9	8.5	13.5	11.5	6.9	13.2	10.6	5.2	14.9	10.7
Inhalants	4.8	3.4	4.1	4.6	3.0	3.6	0.0	2.9	1.8	1.8	3.9	3.0	2.0	2.9	2.5	3.3	2.1	2.6
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	1.1	0.6	0.8
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	1.2	1.7	1.5
Methamphetamine	2.3	2.7	2.5	0.4	1.6	1.1	0.0	0.0	0.0	0.0	1.9	1.1	0.4	0.6	0.5	0.0	1.0	0.5
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.2	1.2	1.2
Heroin	0.6	0.5	0.5	0.4	0.5	0.5	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.8	0.5	0.0	0.0	0.0
Depressants	--	--	--	1.1	7.9	5.2	0.0	6.3	3.8	3.7	5.1	4.4	0.7	5.9	3.7	1.6	3.9	2.9
Prescription Pain Relievers	--	--	--	5.4	8.4	7.2	0.0	2.6	1.6	1.8	9.9	6.7	3.2	3.7	3.5	1.5	4.0	2.9
Prescription Amphetamines	--	--	--	1.6	0.8	1.1	0.0	0.8	0.5	3.6	2.4	3.2	0.4	1.6	1.1	0.4	0.6	0.5
Steroids (without a doctor's order)	0.4	0.3	0.3	0.0	0.3	0.2	0.0	1.0	0.6	0.0	2.1	1.2	1.2	0.0	0.5	0.4	1.0	0.7
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.3	--	--	3.9	1.6	2.6
Any illicit drug	--	--	--	12.5	22.8	18.5	0.0	17.9	10.8	7.9	19.0	14.2	9.9	17.2	14.2	12.0	17.2	14.9
Any illicit drug other than marijuana	--	--	--	8.0	12.2	10.4	0.0	9.8	6.0	5.1	12.9	9.6	5.7	9.1	7.7	9.9	7.2	8.4
Alcohol only	--	--	--	9.2	19.1	15.1	5.8	26.2	18.3	4.3	19.9	13.0	12.6	24.6	19.7	18.0	20.9	19.6
Alcohol or any illicit drug	--	--	--	21.9	41.4	33.5	7.3	44.3	29.5	12.9	38.0	26.7	23.3	41.4	33.7	29.8	36.7	33.7
Any illicit drug, but no alcohol	--	--	--	4.8	4.2	4.4	0.0	9.0	5.5	3.0	2.2	2.5	2.7	1.8	2.2	3.4	5.3	4.5

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Bradford County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Bradford County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	27.8	25.1	31.6	--	29.0	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	9.3	6.5	10.8	--	10.3	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	20.7	18.3	23.9	--	25.0	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	11.7	6.5	17.6	--	13.8	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	42.0	38.1	47.1	32.4	41.5	41.0	39.8	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	62.8	57.0	63.4	55.9	61.6	60.9	59.6	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	64.5	42.4	60.3	43.5	67.4	44.9	52.0	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	45.7	25.6	36.8	31.5	46.6	25.9	34.3	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	86.6	69.0	79.1	74.0	87.7	73.4	76.8	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	69.7	56.5	67.9	56.6	73.6	55.7	62.3	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	86.5	71.4	79.5	76.1	89.6	70.5	78.0	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.3	96.4	97.2	95.4	96.5	95.8	96.3	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	11.9	17.5	13.7	15.6	9.9	19.9	15.0	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	8.1	3.7	5.7	5.7	7.2	5.1	5.6	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	12.6	13.3	12.6	13.6	10.4	15.7	13.0	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Bradford County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	40.3	--	--	32.3	--	--	38.9	--	--	37.1	--	--	34.9	--	--	27.8	--
Regular alcohol use	--	13.4	--	--	10.3	--	--	9.6	--	--	6.2	--	--	9.8	--	--	9.3	--
Cigarettes	--	40.6	--	--	37.9	--	--	33.5	--	--	30.7	--	--	28.9	--	--	20.7	--
Marijuana	--	17.1	--	--	20.6	--	--	16.3	--	--	17.5	--	--	13.4	--	--	11.7	--
Great risk of harm																		
Daily alcohol use	36.8	38.1	37.7	41.8	46.5	44.6	62.1	35.4	46.5	42.1	38.6	40.0	42.4	36.6	39.1	42.0	38.1	39.8
Daily cigarette use	52.7	59.5	57.0	59.0	67.3	63.7	73.9	60.5	66.1	61.6	59.2	59.6	65.1	55.6	59.6	62.8	57.0	59.6
Regular marijuana use	60.2	48.9	53.7	69.3	56.2	61.4	86.4	53.6	66.5	69.9	49.5	58.8	68.8	46.5	56.0	64.5	42.4	52.0
Try marijuana	37.2	29.7	32.8	44.4	35.8	39.2	60.3	31.2	43.0	49.6	29.6	38.6	48.5	24.4	34.6	45.7	25.6	34.3
Think it wrong																		
Smoke cigarettes	82.2	66.2	73.2	84.8	68.2	75.3	100.0	77.1	86.5	95.1	69.8	80.7	86.7	72.2	78.3	86.6	69.0	76.8
Drink regularly	80.4	53.2	65.1	81.7	57.2	67.8	93.4	60.5	74.0	88.2	57.9	71.2	78.6	56.6	65.9	69.7	56.5	62.3
Smoke marijuana	87.8	71.7	78.6	88.3	71.1	78.4	100.0	81.7	89.2	92.3	71.6	80.5	85.9	76.8	80.7	86.5	71.4	78.0
Use other illicit drugs	93.8	92.0	92.7	96.6	89.0	92.3	100.0	92.4	95.5	96.7	91.1	93.4	96.9	95.3	96.0	96.3	96.4	96.3
Seen as cool																		
Drink regularly	6.7	11.1	9.2	13.4	14.1	13.7	7.3	9.8	8.7	5.2	16.5	11.7	7.3	14.3	11.3	11.9	17.5	15.0
Smoke cigarettes	6.3	5.8	5.9	8.7	6.9	7.6	0.0	2.8	1.6	6.8	8.3	7.8	7.0	4.5	5.6	8.1	3.7	5.6
Smoke marijuana	7.1	10.8	9.1	12.5	15.3	14.0	2.4	12.6	8.3	8.5	12.8	11.0	5.8	8.6	7.4	12.6	13.3	13.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Bradford County youth and Florida Statewide, 2010

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.8	0.0	19.3	--	2.9	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	33.1	35.8	29.8	--	38.2	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	38.3	45.8	29.4	--	40.9	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	1.6	2.9	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	5.1	4.3	5.9	--	6.5	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	13.2	11.2	15.6	--	11.6	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Bradford County youth and Florida Statewide, 2010

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	29.4	30.1	28.5	--	18.1	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	50.0	61.8	36.0	--	61.0	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	5.0	0.0	10.8	--	6.8	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	2.7	5.0	0.0	--	3.8	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.7	3.1	0.0	--	0.0	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	11.3	0.0	24.7	--	10.3	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Bradford County youth and Florida Statewide, 2010

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	7.3	4.8	10.3	--	9.0	--	--	23.5	26.8	20.0	--	24.0	--
2	--	11.2	15.4	6.3	--	5.1	--	--	21.2	23.5	18.9	--	21.8	--
3	--	22.6	28.6	15.7	--	25.8	--	--	16.8	18.0	15.5	--	17.0	--
4	--	14.9	18.1	11.2	--	18.2	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	44.0	33.1	56.6	--	42.0	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Bradford County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Bradford County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.2	9.6	1.3	15.5	5.3	7.9	8.1	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	3.7	11.8	5.7	11.2	3.0	13.1	8.3	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	0.4	4.1	0.7	4.4	0.0	3.7	2.5	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	3.2	7.5	1.8	9.8	2.5	7.8	5.7	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.4	2.5	0.0	3.3	0.0	2.5	1.6	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	17.4	14.6	11.0	20.5	15.0	19.8	15.8	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	10.7	12.0	9.1	14.2	8.5	15.4	11.4	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	10.0	17.9	15.0	14.2	7.8	19.4	14.4	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Bradford County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.1	3.7	4.4	1.9	6.4	4.7	0.0	4.5	2.9	3.8	7.3	5.8	5.6	5.9	5.8	6.2	9.6	8.1
Selling drugs	4.3	6.6	5.7	2.6	13.2	9.1	0.0	8.9	5.7	3.9	11.1	8.4	4.5	6.0	5.4	3.7	11.8	8.3
Attempting to steal a vehicle	1.2	3.0	2.4	2.6	4.2	3.6	0.0	3.0	2.0	2.0	2.1	2.0	2.1	0.5	1.2	0.4	4.1	2.5
Being arrested	4.4	6.7	5.9	3.1	7.3	5.6	0.0	4.5	2.9	3.9	6.8	5.5	2.1	2.3	2.2	3.2	7.5	5.7
Taking a handgun to school	0.7	2.1	1.6	0.4	3.6	2.4	0.0	1.6	1.1	2.0	0.5	1.1	1.0	0.6	0.7	0.4	2.5	1.6
Getting suspended	13.0	11.9	12.4	13.3	13.9	14.0	7.1	13.1	10.9	17.6	16.2	17.2	14.8	16.3	15.6	17.4	14.6	15.8
Attacking someone with intent to harm	15.7	13.8	14.6	8.9	13.7	11.8	6.1	11.6	9.6	3.9	10.1	8.4	14.6	9.2	11.4	10.7	12.0	11.4
Being drunk or high at school	8.3	19.4	14.7	6.9	22.3	16.5	0.0	15.4	10.0	6.8	22.0	16.1	7.7	20.3	15.2	10.0	17.9	14.4

Table 13. Percentages of Bradford County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Bradford County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	54.1	48.1	39.3	63.0	53.2	46.4	50.7	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	21.3	12.4	10.1	22.7	19.9	14.7	16.3	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Bradford County youth and Florida Statewide youth who reported involvement in bullying behavior

	Bradford County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	30.5	17.4	31.0	15.6	33.0	18.8	23.2	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	4.3	7.8	7.0	5.6	5.8	3.5	6.3	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	17.7	13.3	15.1	15.6	18.3	11.1	15.2	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	42.2	25.1	36.9	29.0	43.0	26.0	32.7	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	7.9	8.3	12.5	3.9	7.3	9.0	8.2	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	15.6	9.0	10.9	13.2	14.4	9.9	11.9	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	29.1	16.4	23.1	20.2	26.5	19.9	22.0	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	7.1	5.8	9.2	3.6	6.0	6.4	6.4	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Bradford County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	4.5	5.2	3.7	--	3.1	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	12.6	15.0	10.5	--	12.3	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	6.9	8.2	5.8	--	5.2	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	4.6	5.5	3.8	--	2.2	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	8.7	12.6	4.6	--	9.8	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	6.0	5.4	6.8	--	5.6	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	5.2	6.7	3.8	--	4.8	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	3.6	3.4	3.9	--	1.9	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	3.3	4.8	1.8	--	1.6	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	5.2	6.8	3.7	--	5.3	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	4.3	6.6	1.8	--	2.8	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	5.7	8.6	2.7	--	4.3	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	1.8	1.9	1.8	--	0.7	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.3	0.8	1.8	--	0.0	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.7	1.7	1.8	--	0.6	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	6.9	10.9	2.8	--	6.3	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	3.3	3.7	2.9	--	2.6	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Bradford County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	46.7	50.4	44.3	--	46.6	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	21.3	15.9	25.9	--	19.4	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	35.5	33.3	38.9	--	34.4	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	37.2	40.7	33.4	--	38.7	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	23.5	20.1	26.6	--	24.0	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Bradford County youth and Florida Statewide high school students

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	79.2	82.9	74.6	--	80.8	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	3.7	4.5	3.0	--	3.8	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	0.9	0.0	1.9	--	1.2	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.1	0.0	4.3	--	1.9	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.5	0.0	1.0	--	0.6	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	1.0	1.1	0.9	--	1.3	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.0	1.1	0.9	--	1.3	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.9	0.0	1.8	--	1.1	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	2.6	2.0	3.4	--	3.5	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Bradford County youth and Florida Statewide youth who reported participation in extracurricular activities

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	54.8	51.3	51.4	53.4	52.3	54.1	52.8	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	27.4	17.6	20.0	24.4	26.5	19.1	22.0	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	15.4	8.1	12.5	10.3	16.9	6.5	11.3	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	26.4	25.5	36.5	15.4	28.2	25.4	25.9	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	9.7	12.6	16.2	6.7	10.2	11.8	11.4	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Bradford County, Florida Statewide and the national normative database, 2010

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	56	68	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	54	52	55	55	59	54
	Family Rewards for Prosocial Involvement	50	45	50	53	54	55
School	School Opportunities for Prosocial Involvement	48	47	46	60	57	60
	School Rewards for Prosocial Involvement	44	49	47	59	53	58
Peer and Individual	Religiosity	51	63	50	60	56	62
Average Prevalence Rate		51	54	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Bradford County, Florida Statewide and the national normative database, 2010

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	53	54	51	50	47	47
	Transitions and Mobility	65	53	61	63	47	46
	Laws and Norms Favorable to Drug Use	56	47	44	38	42	42
	Perceived Availability of Drugs	49	39	48	37	45	45
	Perceived Availability of Handguns	38	47	25	38	25	42
Family	Poor Family Management	51	49	48	46	44	45
	Family Conflict	42	27	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	28	37	22	38	23	41
School	Poor Academic Performance	52	42	43	46	45	48
	Lack of Commitment to School	57	59	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	51	42	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	53	36	47	41	40	46
	Favorable Attitudes toward ATOD Use	56	39	41	40	39	45
	Low Perceived Risks of Drug Use	46	57	44	49	40	46
	Early Initiation of Drug Use	48	37	35	33	41	46
Average Prevalence Rate		50	44	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Bradford County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Bradford County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	60	55	64	59	58	56
Family	Family Opportunities for Prosocial Involvement	55	56	79	66	55	54
	Family Rewards for Prosocial Involvement	51	50	77	63	48	50
School	School Opportunities for Prosocial Involvement	46	39	51	41	39	48
	School Rewards for Prosocial Involvement	41	30	41	41	38	44
Peer and Individual	Religiosity	64	68	76	67	63	51
Average Prevalence Rate		53	50	65	56	50	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Bradford County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Bradford County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	44	44	23	50	44	53
	Transitions and Mobility	34	52	28	66	55	65
	Laws and Norms Favorable to Drug Use	51	55	50	47	54	56
	Perceived Availability of Drugs	45	54	43	41	46	49
	Perceived Availability of Handguns	29	36	29	36	33	38
Family	Poor Family Management	56	47	30	36	51	51
	Family Conflict	28	44	28	36	41	42
	Parental Attitudes Favorable toward ATOD Use	21	21	11	23	24	28
School	Poor Academic Performance	43	43	24	54	45	52
	Lack of Commitment to School	50	52	59	52	58	57
Peer and Individual	Peer Rewards for Antisocial Behavior	32	40	28	38	40	51
	Favorable Attitudes toward Antisocial Behavior	40	41	35	37	45	53
	Favorable Attitudes toward ATOD Use	44	46	38	28	46	56
	Low Perceived Risks of Drug Use	52	45	29	42	43	46
	Early Initiation of Drug Use	52	52	42	42	45	48
Average Prevalence Rate		45	46	39	40	46	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Bradford County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Bradford County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	74	66	70	73	63	68
Family	Family Opportunities for Prosocial Involvement	52	53	48	52	53	52
	Family Rewards for Prosocial Involvement	56	55	48	55	54	45
School	School Opportunities for Prosocial Involvement	50	61	62	35	48	47
	School Rewards for Prosocial Involvement	47	47	46	44	42	49
Peer and Individual	Religiosity	77	73	70	70	71	63
Average Prevalence Rate		59	59	57	55	55	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Bradford County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Bradford County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	46	49	43	53	42	54
	Transitions and Mobility	42	51	55	56	61	53
	Laws and Norms Favorable to Drug Use	32	33	35	43	40	47
	Perceived Availability of Drugs	41	42	41	47	40	39
	Perceived Availability of Handguns	49	49	44	53	50	47
Family	Poor Family Management	53	47	52	46	48	49
	Family Conflict	26	29	40	32	33	27
	Parental Attitudes Favorable toward ATOD Use	32	33	38	35	34	37
School	Poor Academic Performance	51	45	37	42	47	42
	Lack of Commitment to School	38	49	52	56	46	59
Peer and Individual	Peer Rewards for Antisocial Behavior	34	37	42	43	36	42
	Favorable Attitudes toward Antisocial Behavior	36	37	42	43	41	36
	Favorable Attitudes toward ATOD Use	42	39	35	45	36	39
	Low Perceived Risks of Drug Use	46	42	44	47	53	57
	Early Initiation of Drug Use	50	46	42	46	41	37
Average Prevalence Rate		41	42	43	47	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.