

2010 Florida Youth Substance Abuse Survey

Brevard County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Brevard County youth and Florida Statewide 2010 youth

	Brevard County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	984	55.5		35,119	48.2
Male	767	43.3		36,540	50.2
Race/Ethnic group					
African American	268	15.1		12,829	17.7
American Indian	20	1.1		812	1.1
Asian	25	1.4		1,667	2.3
Hispanic/Latino	168	9.5		16,990	23.5
Native Hawaiian/Pacific Islander	6	0.3		314	0.4
Other/Multiple	277	15.6		10,689	14.8
White, non-Hispanic	999	56.3		29,034	40.1
Age					
10	2	0.1		102	0.1
11	73	4.1		2,655	3.6
12	296	16.7		8,828	12.1
13	289	16.3		10,495	14.4
14	253	14.3		10,640	14.6
15	244	13.8		11,346	15.6
16	254	14.3		11,220	15.4
17	204	11.5		10,069	13.8
18	129	7.3		6,339	8.7
19 or older	24	1.4		844	1.2
Grade					
6th	408	23.0		10,458	14.4
7th	244	13.8		10,655	14.6
8th	259	14.6		10,428	14.3
9th	255	14.4		11,566	15.9
10th	231	13.0		10,486	14.4
11th	204	11.5		10,131	13.9
12th	172	9.7		9,072	12.5
Overall Middle School	911	51.4		31,541	43.3
Overall High School	862	48.6		41,256	56.7
Total	1,773	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Brevard County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Brevard County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	35.4	65.8	56.3	49.5	34.5	64.8	52.8	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	17.7	35.2	30.9	24.9	15.4	36.1	27.8	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	11.1	38.4	26.9	26.9	8.7	37.9	26.9	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	11.3	9.3	11.0	9.4	11.5	8.9	10.2	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.3	5.5	3.2	4.3	1.3	5.0	3.7	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.8	7.0	4.3	5.3	1.2	6.4	4.8	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.7	1.9	1.3	1.4	0.7	1.6	1.4	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.7	2.6	2.1	2.4	0.9	2.6	2.2	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.9	1.5	1.1	1.4	0.7	1.2	1.2	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.4	11.0	8.0	7.4	2.3	10.9	7.8	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	4.4	14.2	11.3	8.7	3.9	13.4	10.0	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.5	7.5	6.1	3.9	2.2	5.0	5.0	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.8	0.7	0.4	1.1	0.8	0.7	0.8	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	5.3	9.4	8.2	7.2	4.2	10.0	7.6	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	22.9	46.3	38.5	34.4	21.2	46.0	36.4	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	18.2	26.9	25.8	20.7	17.5	26.7	23.2	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	17.5	23.8	22.0	20.3	18.0	24.2	21.1	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	40.3	69.9	60.3	54.5	39.1	69.9	57.3	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	4.9	4.0	3.9	5.0	4.4	4.9	4.4	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Brevard County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Brevard County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	15.4	36.9	29.4	26.4	15.6	34.3	27.8	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	6.2	18.0	11.5	14.7	5.4	16.8	13.0	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	5.9	14.2	11.8	9.7	5.2	13.5	10.7	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	5.1	19.6	11.8	15.1	4.5	18.2	13.5	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	3.9	2.3	3.5	2.3	3.7	2.5	2.9	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.6	0.9	0.2	1.3	0.2	1.3	0.7	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.2	1.6	0.3	1.8	0.2	1.6	1.0	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.4	0.7	0.5	0.7	0.5	0.8	0.6	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.2	0.4	0.3	0.3	0.2	0.5	0.3	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.5	3.7	2.9	2.7	1.4	3.4	2.8	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.5	4.3	4.5	2.5	1.9	5.1	3.5	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.7	1.6	1.2	1.2	0.5	1.6	1.2	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.3	0.0	0.2	0.0	0.3	0.0	0.1	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	1.5	3.1	3.3	1.5	1.4	3.4	2.4	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	10.4	24.9	19.0	18.4	9.6	24.0	18.8	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	7.3	11.1	11.3	7.7	6.8	11.5	9.5	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	9.9	18.9	16.6	13.7	10.4	18.0	15.1	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	20.0	43.3	35.4	31.5	19.7	41.3	33.4	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	4.8	6.6	6.0	5.5	4.3	7.2	5.8	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Brevard County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	41.1	74.6	59.1	41.0	76.3	60.0	38.0	74.4	58.1	38.8	73.7	58.9	34.5	74.3	57.2	35.4	65.8	52.8
Cigarettes	39.6	61.8	51.4	29.7	50.6	41.1	22.9	42.7	33.9	14.4	36.1	26.9	15.8	39.2	29.2	17.7	35.2	27.8
Marijuana or Hashish	17.7	48.0	33.8	14.0	41.7	28.7	13.0	35.4	25.5	9.1	33.2	23.0	8.0	33.8	22.8	11.1	38.4	26.9
Inhalants	11.4	16.4	13.9	10.0	7.7	8.8	12.2	11.6	11.8	13.3	7.8	10.2	13.7	11.5	12.5	11.3	9.3	10.2
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	1.3	5.5	3.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--	--	1.8	7.0	4.8
Methamphetamine	2.3	13.9	8.4	3.0	3.3	3.1	4.2	2.6	3.3	2.3	0.8	1.4	0.6	2.9		0.7	1.9	1.4
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.5	--	--	1.7	2.6	2.2
Heroin	1.6	7.5	4.7	1.6	1.2	1.4	1.8	0.3	0.9	0.9	1.4	1.2	0.4	1.0	0.8	0.9	1.5	1.2
Depressants	--	--	--	1.9	15.1	8.9	2.9	10.8	7.2	3.2	8.4	6.2	2.0	13.1	8.4	3.4	11.0	7.8
Prescription Pain Relievers	--	--	--	5.4	14.7	10.3	7.1	10.9	9.2	3.9	10.1	7.4	4.7	13.9	10.0	4.4	14.2	10.0
Prescription Amphetamines	--	--	--	3.5	12.9	8.5	4.3	8.9	6.8	2.3	5.6	4.2	1.1	8.9	5.6	1.5	7.5	5.0
Steroids (without a doctor's order)	2.6	5.2	4.1	2.1	1.3	1.6	1.3	0.3	0.7	0.3	0.5	0.4	0.4	1.2	0.9	0.8	0.7	0.8
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	3.9	--	--	5.3	9.4	7.6
Any illicit drug	--	--	--	22.5	45.2	34.5	22.3	41.8	33.1	20.7	38.5	31.1	21.8	42.0	33.3	22.9	46.3	36.4
Any illicit drug other than marijuana	--	--	--	16.3	27.2	22.0	16.3	24.8	20.9	17.2	21.9	19.9	18.0	28.0	23.7	18.2	26.9	23.2
Alcohol only	--	--	--	23.1	32.7	28.5	19.1	35.7	28.2	21.7	36.5	30.2	20.0	34.2	28.1	17.5	23.8	21.1
Alcohol or any illicit drug	--	--	--	45.4	77.6	62.7	41.4	77.3	61.2	42.6	74.9	61.2	41.7	76.1	61.3	40.3	69.9	57.3
Any illicit drug, but no alcohol	--	--	--	4.5	1.4	2.9	3.1	3.1	3.1	3.9	1.1	2.4	7.3	2.0	4.3	4.9	4.0	4.4

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Brevard County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	26.7	52.3	40.2	19.9	51.4	36.8	17.2	46.7	33.5	16.6	46.4	33.9	14.7	43.8	31.4	15.4	36.9	27.8
Binge Drinking	13.4	32.9	23.6	7.3	30.2	19.6	9.0	21.0	15.7	6.4	23.4	16.1	4.0	24.1	15.5	6.2	18.0	13.0
Cigarettes	17.2	30.0	23.8	8.8	14.8	11.9	8.2	15.5	12.2	4.6	10.0	7.7	3.9	15.9	10.8	5.9	14.2	10.7
Marijuana or Hashish	11.1	28.1	19.9	7.9	20.8	14.8	7.1	19.1	13.7	5.5	13.8	10.2	3.7	17.8	11.8	5.1	19.6	13.5
Inhalants	6.6	5.8	6.1	3.1	0.8	1.9	6.0	1.9	3.6	5.7	1.5	3.3	5.6	2.1	3.6	3.9	2.3	2.9
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.6	0.9	0.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.4	--	--	0.2	1.6	1.0
Methamphetamine	1.3	6.8	4.2	1.1	0.5	0.8	0.7	1.2	1.0	1.1	0.5	0.8	0.2	1.0	0.6	0.4	0.7	0.6
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.2	--	--	0.2	0.4	0.3
Heroin	0.8	2.8	1.8	0.0	0.6	0.3	0.8	0.0	0.3	0.2	0.0	0.1	0.2	0.3	0.2	0.3	0.2	0.3
Depressants	--	--	--	0.9	5.6	3.4	1.9	5.5	3.9	1.0	2.9	2.1	0.9	5.6	3.6	1.5	3.7	2.8
Prescription Pain Relievers	--	--	--	2.4	4.7	3.6	3.0	5.1	4.2	2.2	3.7	3.0	1.4	5.6	3.8	2.5	4.3	3.5
Prescription Amphetamines	--	--	--	0.7	3.7	2.3	2.6	2.8	2.7	0.8	1.5	1.2	0.5	2.3	1.5	0.7	1.6	1.2
Steroids (without a doctor's order)	1.2	0.7	0.9	0.9	0.2	0.5	0.7	0.0	0.3	0.3	0.2	0.3	0.2	0.5	0.4	0.3	0.0	0.1
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.2	--	--	1.5	3.1	2.4
Any illicit drug	--	--	--	11.1	24.9	18.5	13.3	23.9	19.1	9.8	16.6	13.7	10.2	21.7	16.8	10.4	24.9	18.8
Any illicit drug other than marijuana	--	--	--	6.9	10.8	8.9	9.3	10.5	9.9	7.9	6.7	7.2	7.8	11.7	10.1	7.3	11.1	9.5
Alcohol only	--	--	--	13.4	27.3	21.1	9.3	26.8	19.1	10.4	33.7	24.0	9.8	25.4	18.8	9.9	18.9	15.1
Alcohol or any illicit drug	--	--	--	23.8	51.8	38.9	22.1	50.8	37.8	20.1	49.8	37.2	19.7	46.9	35.3	20.0	43.3	33.4
Any illicit drug, but no alcohol	--	--	--	4.3	0.5	2.4	5.0	4.2	4.5	3.7	3.1	3.4	5.2	3.3	4.1	4.8	6.6	5.8

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Brevard County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Brevard County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	26.9	23.9	30.2	--	26.8	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	5.6	5.1	6.2	--	5.0	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	17.1	15.8	18.5	--	18.0	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	14.0	9.9	18.1	--	14.8	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	43.1	41.0	46.4	36.9	43.5	41.8	41.9	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	70.1	65.9	71.2	64.0	69.7	66.6	67.7	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	69.1	42.2	60.0	46.8	69.8	42.9	53.6	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	39.1	18.6	30.3	24.2	39.1	19.6	27.3	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	90.5	71.3	79.4	79.6	91.0	73.6	79.5	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	82.2	51.0	65.4	63.2	82.3	52.4	64.3	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	88.3	64.8	77.5	71.9	89.3	65.3	74.7	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.7	93.3	95.8	93.6	97.5	92.8	94.7	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	8.8	17.9	13.9	14.5	9.7	17.3	14.1	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	6.9	5.0	6.5	5.2	7.3	4.7	5.8	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	9.5	19.7	15.9	15.1	9.7	19.9	15.4	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Brevard County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	50.1	--	--	37.0	--	--	35.7	--	--	32.6	--	--	32.0	--	--	26.9	--
Regular alcohol use	--	13.5	--	--	6.1	--	--	6.3	--	--	4.0	--	--	5.5	--	--	5.6	--
Cigarettes	--	47.4	--	--	32.8	--	--	34.5	--	--	22.4	--	--	22.9	--	--	17.1	--
Marijuana	--	26.2	--	--	15.7	--	--	16.0	--	--	14.1	--	--	12.3	--	--	14.0	--
Great risk of harm																		
Daily alcohol use	33.6	41.4	37.6	37.3	28.5	32.4	39.2	33.0	36.0	43.3	36.2	39.2	44.5	37.8	40.7	43.1	41.0	41.9
Daily cigarette use	58.9	66.6	62.9	60.9	64.5	62.9	69.3	66.0	67.6	74.4	68.1	70.9	73.3	70.8	71.9	70.1	65.9	67.7
Regular marijuana use	64.1	48.9	56.0	66.7	49.2	57.3	71.9	49.2	59.4	77.5	52.1	62.9	77.2	50.0	61.7	69.1	42.2	53.6
Try marijuana	32.4	19.7	25.7	33.3	14.0	23.1	40.6	20.6	29.6	39.7	18.8	27.7	42.5	20.4	29.9	39.1	18.6	27.3
Think it wrong																		
Smoke cigarettes	79.3	54.2	66.2	85.4	67.0	75.6	89.0	65.1	75.8	88.5	68.6	77.2	92.8	67.6	78.4	90.5	71.3	79.5
Drink regularly	73.7	47.8	59.9	79.9	49.2	63.5	79.7	46.3	61.1	77.6	45.9	59.5	84.6	50.0	64.8	82.2	51.0	64.3
Smoke marijuana	84.0	61.2	72.1	88.5	69.2	78.3	89.0	68.6	77.6	89.6	75.8	81.7	93.1	70.8	80.3	88.3	64.8	74.7
Use other illicit drugs	93.4	87.2	90.2	95.1	90.3	92.6	97.5	92.3	94.6	97.7	94.5	95.9	97.8	93.3	95.3	96.7	93.3	94.7
Seen as cool																		
Drink regularly	7.8	15.8	12.0	8.8	16.2	12.7	5.3	16.3	11.3	8.4	12.5	10.7	9.6	19.3	15.2	8.8	17.9	14.1
Smoke cigarettes	9.5	7.5	8.4	8.4	4.6	6.3	4.3	6.5	5.5	7.1	2.6	4.5	7.7	4.4	5.8	6.9	5.0	5.8
Smoke marijuana	9.9	16.1	13.0	9.9	13.8	11.9	7.2	15.6	11.9	8.2	6.5	7.2	9.6	13.3	11.7	9.5	19.7	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Brevard County youth and Florida Statewide, 2010

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.7	2.6	16.3	--	4.7	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	1.3	1.3	1.4	--	1.9	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	24.6	25.6	23.1	--	20.0	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	42.4	47.9	36.1	--	46.0	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.3	0.0	0.6	--	0.4	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	5.3	5.2	5.5	--	7.7	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	17.5	17.5	17.1	--	19.2	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Brevard County youth and Florida Statewide, 2010

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	22.5	17.5	28.8	--	26.1	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	56.9	61.7	50.9	--	50.9	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	1.3	1.7	0.9	--	1.6	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.6	3.8	1.3	--	1.9	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	3.6	3.0	4.4	--	4.5	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	0.5	1.0	0.0	--	0.3	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.5	1.5	1.4	--	2.1	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	10.9	9.8	12.3	--	12.6	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Brevard County youth and Florida Statewide, 2010

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.4	25.0	19.4	--	22.9	--	--	23.5	26.8	20.0	--	24.0	--
2	--	22.6	29.1	14.6	--	21.8	--	--	21.2	23.5	18.9	--	21.8	--
3	--	15.1	16.2	13.8	--	15.2	--	--	16.8	18.0	15.5	--	17.0	--
4	--	7.6	7.3	7.6	--	9.8	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	32.4	22.4	44.6	--	30.3	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Brevard County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Brevard County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	2.5	5.7	1.5	7.2	2.0	6.6	4.3	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	2.1	9.5	4.2	8.7	1.7	9.5	6.4	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	0.9	2.1	0.8	2.5	0.5	3.0	1.6	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	4.1	4.8	4.2	4.9	3.1	5.4	4.5	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.1	0.8	0.1	0.9	0.3	0.8	0.5	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	12.8	18.9	13.2	19.4	10.9	20.1	16.3	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	7.1	10.4	7.9	10.0	6.7	11.2	9.0	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	6.9	19.3	14.0	13.9	5.1	19.4	14.1	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Brevard County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	2.9	7.9	5.4	3.3	5.5	4.6	2.1	3.8	3.0	2.9	3.5	3.2	2.6	5.2	4.1	2.5	5.7	4.3
Selling drugs	4.4	17.4	11.1	3.3	12.8	8.4	3.6	9.6	6.9	2.9	5.8	4.6	1.2	8.7	5.5	2.1	9.5	6.4
Attempting to steal a vehicle	4.0	8.3	6.3	1.5	2.2	1.9	2.5	2.2	2.3	2.5	2.2	2.3	2.4	1.2	1.7	0.9	2.1	1.6
Being arrested	6.3	14.7	10.6	5.0	7.4	6.3	5.0	5.0	5.0	1.8	4.8	3.5	3.0	6.1	4.8	4.1	4.8	4.5
Taking a handgun to school	0.8	2.8	1.8	1.5	0.5	1.0	0.7	0.9	0.8	0.3	0.5	0.4	0.2	0.5	0.4	0.1	0.8	0.5
Getting suspended	16.7	19.6	18.3	14.0	11.8	13.1	14.5	16.7	15.7	8.8	11.2	10.2	13.0	16.7	15.2	12.8	18.9	16.3
Attacking someone with intent to harm	18.0	23.1	20.6	8.6	12.1	10.7	11.1	13.2	12.2	10.5	10.7	10.5	10.1	10.4	10.3	7.1	10.4	9.0
Being drunk or high at school	11.9	26.0	19.2	9.0	20.5	15.2	7.5	19.1	13.8	5.8	12.7	10.0	4.0	16.8	11.3	6.9	19.3	14.1

Table 13. Percentages of Brevard County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Brevard County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	52.9	54.3	43.8	64.0	51.9	55.3	53.7	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	16.8	12.4	10.0	18.7	16.4	13.4	14.3	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Brevard County youth and Florida Statewide youth who reported involvement in bullying behavior

	Brevard County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	31.0	18.6	30.0	17.8	31.9	18.4	23.9	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	4.9	4.0	6.4	2.4	5.0	4.0	4.4	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	20.3	8.3	11.6	15.2	19.9	8.6	13.4	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	38.0	23.9	31.5	28.4	38.2	26.2	29.9	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	10.2	8.2	12.8	5.2	10.5	8.3	9.0	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	10.8	7.2	7.3	10.1	10.1	8.5	8.7	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	23.0	16.6	17.1	21.6	21.8	19.7	19.3	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	5.3	5.2	6.4	4.0	5.0	5.8	5.2	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Brevard County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	4.0	3.3	4.7	--	3.6	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	9.6	10.6	8.3	--	10.3	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	5.1	7.5	2.6	--	5.1	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	0.9	1.1	0.6	--	0.9	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	6.8	8.1	5.0	--	5.8	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	2.7	2.3	3.1	--	2.1	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.4	3.1	1.8	--	2.7	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.3	1.4	1.2	--	1.2	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	0.6	0.8	0.3	--	0.3	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.3	1.3	1.2	--	1.2	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.2	1.5	0.9	--	1.3	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	2.3	2.8	1.8	--	2.5	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	2.1	1.9	2.2	--	1.6	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	0.4	0.9	0.0	--	0.3	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.1	0.9	1.1	--	1.1	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	6.8	11.3	2.2	--	6.4	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	7.6	9.5	5.4	--	7.4	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Brevard County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	35.1	39.6	30.5	--	35.6	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	27.0	25.6	28.6	--	28.0	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	21.0	21.2	20.9	--	22.0	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	28.3	26.4	30.4	--	29.8	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	16.4	16.7	16.1	--	16.7	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Brevard County youth and Florida Statewide high school students

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	87.9	92.3	83.4	--	87.5	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	3.3	1.8	4.9	--	3.4	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	2.1	2.0	2.3	--	2.1	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.3	2.3	2.4	--	2.2	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.2	0.1	0.3	--	0.1	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	1.5	0.5	2.4	--	1.4	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.2	0.3	2.1	--	1.2	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.6	0.0	1.3	--	0.7	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	3.7	2.9	4.5	--	4.1	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Brevard County youth and Florida Statewide youth who reported participation in extracurricular activities

	Brevard County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	29.8	45.6	38.0	39.8	29.9	46.2	38.9	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	49.0	26.5	32.1	39.9	49.0	27.9	36.0	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	19.9	9.6	12.3	15.7	19.3	10.6	14.0	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	27.6	25.4	34.0	18.2	28.0	24.4	26.3	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	11.5	13.5	15.6	9.8	12.2	11.7	12.7	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Brevard County, Florida Statewide and the national normative database, 2010

Domain	Scale	Brevard County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	50	61	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	57	55	55	55	59	54
	Family Rewards for Prosocial Involvement	51	53	50	53	54	55
School	School Opportunities for Prosocial Involvement	50	64	46	60	57	60
	School Rewards for Prosocial Involvement	51	66	47	59	53	58
Peer and Individual	Religiosity	45	62	50	60	56	62
Average Prevalence Rate		51	60	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Brevard County, Florida Statewide and the national normative database, 2010

Domain	Scale	Brevard County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	46	53	51	50	47	47
	Transitions and Mobility	58	64	61	63	47	46
	Laws and Norms Favorable to Drug Use	42	39	44	38	42	42
	Perceived Availability of Drugs	49	44	48	37	45	45
	Perceived Availability of Handguns	25	43	25	38	25	42
Family	Poor Family Management	41	45	48	46	44	45
	Family Conflict	41	38	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	22	42	22	38	23	41
School	Poor Academic Performance	46	44	43	46	45	48
	Lack of Commitment to School	50	51	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	45	50	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	46	47	47	41	40	46
	Favorable Attitudes toward ATOD Use	39	45	41	40	39	45
	Low Perceived Risks of Drug Use	41	53	44	49	40	46
	Early Initiation of Drug Use	36	33	35	33	41	46
Average Prevalence Rate		42	46	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Brevard County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Brevard County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	51	50	46	58	55	50
Family	Family Opportunities for Prosocial Involvement	52	55	66	57	53	57
	Family Rewards for Prosocial Involvement	55	50	55	57	48	51
School	School Opportunities for Prosocial Involvement	45	46	42	43	44	50
	School Rewards for Prosocial Involvement	48	47	49	48	50	51
Peer and Individual	Religiosity	39	46	47	52	53	45
Average Prevalence Rate		48	49	51	53	51	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Brevard County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Brevard County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	49	42	45	39	43	46
	Transitions and Mobility	59	61	62	60	59	58
	Laws and Norms Favorable to Drug Use	48	51	43	40	42	42
	Perceived Availability of Drugs	55	53	49	44	51	49
	Perceived Availability of Handguns	29	28	26	24	29	25
Family	Poor Family Management	52	52	43	44	46	41
	Family Conflict	42	42	33	37	46	41
	Parental Attitudes Favorable toward ATOD Use	26	21	22	24	22	22
School	Poor Academic Performance	56	42	37	41	42	46
	Lack of Commitment to School	58	54	58	56	54	50
Peer and Individual	Peer Rewards for Antisocial Behavior	43	46	44	42	46	45
	Favorable Attitudes toward Antisocial Behavior	52	52	46	50	48	46
	Favorable Attitudes toward ATOD Use	47	47	43	43	39	39
	Low Perceived Risks of Drug Use	52	50	41	37	35	41
	Early Initiation of Drug Use	53	47	44	37	34	36
Average Prevalence Rate		51	49	46	44	43	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Brevard County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Brevard County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	62	64	65	70	66	61
Family	Family Opportunities for Prosocial Involvement	56	56	51	56	51	55
	Family Rewards for Prosocial Involvement	53	56	55	56	56	53
School	School Opportunities for Prosocial Involvement	51	51	57	63	59	64
	School Rewards for Prosocial Involvement	44	49	59	60	63	66
Peer and Individual	Religiosity	59	60	56	59	58	62
Average Prevalence Rate		54	56	57	61	59	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Brevard County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Brevard County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	43	40	42	38	47	53
	Transitions and Mobility	65	59	67	60	63	64
	Laws and Norms Favorable to Drug Use	44	44	41	34	39	39
	Perceived Availability of Drugs	59	47	48	41	46	44
	Perceived Availability of Handguns	54	42	41	43	44	43
Family	Poor Family Management	53	49	49	52	46	45
	Family Conflict	42	38	41	36	39	38
	Parental Attitudes Favorable toward ATOD Use	44	46	47	45	43	42
School	Poor Academic Performance	45	31	39	35	44	44
	Lack of Commitment to School	52	52	57	47	49	51
Peer and Individual	Peer Rewards for Antisocial Behavior	43	49	48	40	50	50
	Favorable Attitudes toward Antisocial Behavior	49	48	53	48	50	47
	Favorable Attitudes toward ATOD Use	53	48	47	41	44	45
	Low Perceived Risks of Drug Use	46	49	50	43	43	53
	Early Initiation of Drug Use	57	47	43	37	38	33
Average Prevalence Rate		50	49	50	43	46	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.