

2010 Florida Youth Substance Abuse Survey

Clay County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Clay County youth and Florida Statewide 2010 youth

	Clay County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	875	51.2		35,119	48.2
Male	809	47.4		36,540	50.2
Race/Ethnic group					
African American	206	12.1		12,829	17.7
American Indian	34	2.0		812	1.1
Asian	33	1.9		1,667	2.3
Hispanic/Latino	115	6.7		16,990	23.5
Native Hawaiian/Pacific Islander	11	0.6		314	0.4
Other/Multiple	315	18.4		10,689	14.8
White, non-Hispanic	981	57.4		29,034	40.1
Age					
10	2	0.1		102	0.1
11	72	4.2		2,655	3.6
12	305	17.9		8,828	12.1
13	337	19.7		10,495	14.4
14	301	17.6		10,640	14.6
15	220	12.9		11,346	15.6
16	195	11.4		11,220	15.4
17	136	8.0		10,069	13.8
18	126	7.4		6,339	8.7
19 or older	14	0.8		844	1.2
Grade					
6th	348	20.4		10,458	14.4
7th	320	18.7		10,655	14.6
8th	328	19.2		10,428	14.3
9th	208	12.2		11,566	15.9
10th	208	12.2		10,486	14.4
11th	117	6.9		10,131	13.9
12th	179	10.5		9,072	12.5
Overall Middle School	996	58.3		31,541	43.3
Overall High School	712	41.7		41,256	56.7
Total	1,708	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Clay County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Clay County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	36.0	66.8	56.3	51.0	36.7	65.6	53.7	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	20.9	40.2	34.2	29.7	20.7	38.3	31.9	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	11.6	38.1	27.5	25.4	11.3	36.5	26.8	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	10.5	9.7	11.4	8.4	9.5	10.2	10.1	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	2.3	5.1	4.2	3.3	1.7	5.2	3.9	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	3.0	5.3	5.0	3.6	2.6	6.3	4.3	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	1.2	1.5	1.3	1.3	0.9	1.6	1.4	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	2.0	4.1	3.6	2.7	1.6	3.8	3.2	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	1.1	0.9	1.0	1.0	0.9	1.0	1.0	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.6	11.3	10.3	5.7	3.5	11.0	8.0	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	5.1	13.6	11.7	8.1	4.8	13.4	10.0	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.6	6.7	5.5	3.5	1.4	6.7	4.5	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.5	0.6	0.2	1.0	0.5	0.6	0.6	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	4.8	10.1	9.3	6.6	4.8	9.7	7.8	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	21.0	44.7	36.4	32.2	20.5	43.7	34.6	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	16.5	26.6	24.7	19.6	15.5	26.7	22.3	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	20.0	25.4	22.9	23.6	21.1	25.3	23.1	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	40.6	69.9	59.2	55.5	41.4	68.7	57.4	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	4.9	3.0	2.9	4.5	4.8	3.1	3.8	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Clay County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Clay County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	16.6	41.3	33.3	28.2	17.7	38.6	30.8	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	6.6	22.9	16.4	15.3	6.8	20.6	16.0	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	5.9	16.9	13.4	10.8	5.6	15.5	12.2	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	4.8	21.3	14.3	13.7	4.5	21.0	14.3	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	3.5	1.7	2.6	2.1	3.0	2.0	2.5	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.8	0.9	0.7	1.0	0.5	1.3	0.9	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	1.1	1.3	1.0	1.3	0.9	1.8	1.2	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.5	1.0	0.6	0.8	0.3	0.9	0.8	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	1.1	0.8	0.9	0.8	0.8	1.0	0.9	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.7	0.3	0.2	0.7	0.4	0.4	0.5	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.9	3.3	3.2	2.2	1.8	2.9	2.7	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.6	4.1	4.3	2.7	2.0	4.3	3.5	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.4	2.0	1.1	1.4	0.3	2.4	1.3	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.2	0.0	0.0	0.2	0.1	0.1	0.1	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	1.8	3.4	3.0	2.5	2.1	3.4	2.7	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	9.2	24.3	18.5	16.6	8.7	24.6	17.8	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	7.2	10.7	9.2	8.8	6.7	10.7	9.2	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	11.0	22.2	19.3	15.9	12.2	20.4	17.4	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	19.8	45.9	37.3	31.9	20.5	44.2	34.7	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	3.4	4.4	3.9	4.0	3.0	5.5	4.0	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Clay County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	42.7	67.9	56.8	43.8	74.5	60.6	45.2	74.1	61.0	38.9	71.1	56.8	37.5	69.0	55.4	36.0	66.8	53.7
Cigarettes	48.8	53.8	51.5	35.7	54.8	46.2	30.5	48.6	40.6	22.1	37.8	30.8	19.7	39.7	31.1	20.9	40.2	31.9
Marijuana or Hashish	21.1	34.3	28.5	17.7	40.2	30.2	14.5	40.7	29.2	11.7	32.7	23.5	10.2	36.6	25.3	11.6	38.1	26.8
Inhalants	20.0	12.2	15.5	16.6	13.5	14.8	20.3	11.5	15.5	15.0	13.5	14.1	11.7	10.0	10.7	10.5	9.7	10.1
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.0	--	--	2.3	5.1	3.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	2.1	--	--	3.0	5.3	4.3
Methamphetamine	5.8	3.4	4.5	3.7	4.2	4.0	2.3	2.6	2.4	2.0	2.6	2.4	1.3	1.5	--	1.2	1.5	1.4
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	2.0	--	--	2.0	4.1	3.2
Heroin	1.5	2.6	2.1	1.6	2.7	2.3	0.1	0.7	0.5	1.8	1.6	1.7	1.0	1.2	1.1	1.1	0.9	1.0
Depressants	--	--	--	5.6	11.9	9.0	5.0	11.9	8.9	4.5	9.5	7.3	4.0	11.9	8.5	3.6	11.3	8.0
Prescription Pain Relievers	--	--	--	7.9	14.6	11.6	8.7	14.9	12.3	7.0	13.1	10.4	7.2	14.7	11.5	5.1	13.6	10.0
Prescription Amphetamines	--	--	--	6.3	6.2	6.2	4.6	6.6	5.8	3.1	7.7	5.7	2.3	8.1	5.6	1.6	6.7	4.5
Steroids (without a doctor's order)	3.4	2.4	2.8	2.5	2.8	2.6	1.4	1.0	1.2	1.1	1.1	1.2	0.9	1.3	1.1	0.5	0.6	0.6
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	4.5	--	--	4.8	10.1	7.8
Any illicit drug	--	--	--	29.4	46.2	38.7	29.4	46.8	39.0	24.7	39.7	33.0	20.9	42.5	33.2	21.0	44.7	34.6
Any illicit drug other than marijuana	--	--	--	24.2	28.1	26.3	24.6	28.1	26.6	20.6	25.5	23.3	17.3	26.2	22.4	16.5	26.6	22.3
Alcohol only	--	--	--	19.6	31.2	26.0	21.9	30.7	26.7	20.6	33.8	28.0	21.0	28.9	25.5	20.0	25.4	23.1
Alcohol or any illicit drug	--	--	--	49.2	76.8	64.3	51.0	77.3	65.4	45.3	73.4	60.8	41.7	70.9	58.4	40.6	69.9	57.4
Any illicit drug, but no alcohol	--	--	--	5.6	2.5	3.8	5.9	3.3	4.5	6.3	2.7	4.2	4.4	2.4	3.2	4.9	3.0	3.8

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Clay County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	28.4	38.8	34.2	27.5	43.7	36.4	23.4	44.5	35.1	19.0	45.4	33.7	17.2	41.7	31.2	16.6	41.3	30.8
Binge Drinking	14.1	20.7	17.8	12.9	24.3	19.1	8.0	27.1	18.6	7.8	24.0	16.8	7.7	23.7	16.8	6.6	22.9	16.0
Cigarettes	18.2	22.1	20.3	12.1	17.7	15.1	9.5	18.6	14.5	6.1	15.3	11.2	6.9	18.0	13.2	5.9	16.9	12.2
Marijuana or Hashish	12.6	15.8	14.3	11.2	21.7	17.1	7.8	16.2	12.4	6.5	13.2	10.3	5.1	19.7	13.4	4.8	21.3	14.3
Inhalants	12.0	3.9	7.4	4.3	2.0	3.0	8.1	3.5	5.5	5.9	1.9	3.6	4.8	2.5	3.5	3.5	1.7	2.5
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	0.8	0.9	0.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.9	--	--	1.1	1.3	1.2
Methamphetamine	2.6	1.9	2.2	2.2	0.8	1.4	0.3	0.6	0.5	1.3	0.4	0.7	0.4	0.4	0.4	0.5	1.0	0.8
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.9	--	--	1.1	0.8	0.9
Heroin	0.2	0.9	0.6	0.4	0.6	0.5	0.0	0.0	0.0	0.7	0.0	0.3	0.2	0.3	0.3	0.7	0.3	0.5
Depressants	--	--	--	2.6	6.2	4.6	1.4	4.5	3.1	2.8	4.1	3.5	2.1	5.3	3.9	1.9	3.3	2.7
Prescription Pain Relievers	--	--	--	3.0	6.4	5.0	3.3	5.9	4.7	3.4	5.1	4.3	2.6	6.2	4.7	2.6	4.1	3.5
Prescription Amphetamines	--	--	--	2.9	2.8	2.8	1.4	2.0	1.7	1.4	2.1	1.8	0.8	2.6	1.9	0.4	2.0	1.3
Steroids (without a doctor's order)	1.3	1.3	1.3	0.7	0.8	0.7	0.9	0.3	0.6	0.4	0.9	0.8	0.3	0.7	0.5	0.2	0.0	0.1
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.5	--	--	1.8	3.4	2.7
Any illicit drug	--	--	--	15.9	24.2	20.4	15.8	20.8	18.4	13.3	17.1	15.4	10.6	24.0	18.2	9.2	24.3	17.8
Any illicit drug other than marijuana	--	--	--	10.3	11.8	11.1	11.4	9.9	10.5	10.9	9.3	10.0	8.5	11.6	10.2	7.2	10.7	9.2
Alcohol only	--	--	--	15.5	25.3	21.0	14.2	29.2	22.6	12.2	30.4	22.4	10.7	23.2	17.8	11.0	22.2	17.4
Alcohol or any illicit drug	--	--	--	31.4	49.3	41.2	29.5	49.3	40.4	24.9	47.2	37.4	21.0	46.6	35.7	19.8	45.9	34.7
Any illicit drug, but no alcohol	--	--	--	4.4	5.6	5.0	6.0	4.8	5.3	6.3	2.2	4.1	4.0	5.5	4.9	3.4	4.4	4.0

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Clay County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Clay County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	28.8	30.1	27.5	--	30.7	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	5.7	5.1	6.0	--	6.2	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	21.4	24.9	17.6	--	20.7	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	13.4	13.3	12.5	--	13.2	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	46.2	39.8	45.4	39.3	46.1	39.6	42.5	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	71.2	66.0	71.5	64.9	72.0	67.5	68.2	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	72.3	45.0	62.4	51.2	72.3	45.2	56.6	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	40.9	20.5	30.3	28.0	39.7	22.1	29.2	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	88.3	69.3	75.8	78.9	88.5	71.3	77.4	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	82.3	52.2	64.1	66.3	80.9	53.4	65.1	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	89.2	65.1	75.1	76.0	89.1	63.7	75.4	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	95.8	93.7	95.8	93.5	96.0	93.5	94.6	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	10.8	19.8	18.2	13.8	10.6	19.8	16.0	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	9.7	7.5	8.8	8.0	9.4	8.3	8.4	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	13.3	19.1	17.3	15.5	12.9	18.9	16.6	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Clay County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	39.4	--	--	38.5	--	--	32.8	--	--	35.5	--	--	31.1	--	--	28.8	--
Regular alcohol use	--	8.7	--	--	6.5	--	--	4.6	--	--	6.4	--	--	5.5	--	--	5.7	--
Cigarettes	--	40.1	--	--	35.3	--	--	33.1	--	--	24.6	--	--	21.2	--	--	21.4	--
Marijuana	--	16.8	--	--	15.7	--	--	14.9	--	--	15.1	--	--	11.4	--	--	13.4	--
Great risk of harm																		
Daily alcohol use	36.6	38.0	37.5	34.9	34.6	35.0	39.1	37.9	38.4	44.0	37.5	40.3	43.5	38.7	40.7	46.2	39.8	42.5
Daily cigarette use	59.8	67.4	64.0	64.4	65.9	65.3	66.5	70.3	68.5	68.6	65.8	67.1	71.3	67.6	69.2	71.2	66.0	68.2
Regular marijuana use	63.3	62.0	62.6	67.6	52.8	59.2	73.0	56.7	63.8	77.4	58.3	66.7	76.9	51.2	62.2	72.3	45.0	56.6
Try marijuana	31.8	29.9	30.9	38.9	25.0	30.9	41.2	22.6	31.1	45.5	25.0	34.1	45.3	22.5	32.2	40.9	20.5	29.2
Think it wrong																		
Smoke cigarettes	79.5	61.8	70.0	79.7	64.9	71.5	82.6	67.9	74.3	89.2	70.7	78.9	89.0	67.7	76.8	88.3	69.3	77.4
Drink regularly	77.7	56.8	66.4	71.4	50.8	60.0	72.5	45.9	57.9	80.6	52.0	64.7	81.2	51.1	64.0	82.3	52.2	65.1
Smoke marijuana	82.8	71.9	76.8	81.7	68.8	74.5	85.9	73.0	78.7	91.9	74.2	82.0	91.3	68.2	78.1	89.2	65.1	75.4
Use other illicit drugs	93.2	93.3	93.3	94.8	92.6	93.6	96.4	92.2	94.0	96.3	95.4	95.8	96.4	92.5	94.2	95.8	93.7	94.6
Seen as cool																		
Drink regularly	7.9	15.8	12.1	12.4	14.2	13.5	11.7	15.1	13.7	9.3	21.2	15.9	9.5	18.2	14.5	10.8	19.8	16.0
Smoke cigarettes	10.3	6.3	8.1	10.3	3.4	6.5	9.0	5.1	6.8	6.9	4.9	5.8	6.7	5.5	6.0	9.7	7.5	8.4
Smoke marijuana	12.3	13.7	13.0	15.8	11.4	13.5	11.6	10.8	11.2	8.5	11.0	9.9	9.8	16.1	13.4	13.3	19.1	16.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Clay County youth and Florida Statewide, 2010

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.5	2.0	12.6	--	5.9	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	2.2	2.2	2.3	--	2.7	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.3	0.6	0.0	--	0.5	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	29.2	29.8	28.2	--	28.1	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	34.4	37.7	29.7	--	37.4	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	9.1	9.5	8.9	--	9.1	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	18.3	18.2	18.3	--	16.4	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Clay County youth and Florida Statewide, 2010

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	24.2	25.3	23.9	--	23.2	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	56.6	58.7	53.1	--	56.3	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	1.5	0.9	2.3	--	0.9	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	1.9	3.6	0.0	--	2.9	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	2.9	1.4	4.9	--	2.4	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	0.4	0.7	0.0	--	0.5	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	0.5	0.0	1.1	--	0.7	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	12.0	9.4	14.8	--	12.9	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Clay County youth and Florida Statewide, 2010

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.3	26.4	17.4	--	25.6	--	--	23.5	26.8	20.0	--	24.0	--
2	--	19.9	23.6	16.3	--	18.1	--	--	21.2	23.5	18.9	--	21.8	--
3	--	12.1	13.5	9.6	--	9.3	--	--	16.8	18.0	15.5	--	17.0	--
4	--	8.7	8.3	9.4	--	10.4	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	37.0	28.2	47.3	--	36.6	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Clay County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Clay County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	5.0	4.9	2.3	7.4	5.1	4.5	5.0	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	3.4	12.3	6.3	10.4	3.7	11.6	8.5	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	0.7	2.9	1.1	2.7	0.6	3.2	2.0	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	4.4	7.0	4.5	7.0	3.7	7.5	5.9	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.9	1.5	0.5	1.6	0.8	0.9	1.2	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	17.1	15.5	13.1	18.7	15.9	17.0	16.2	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	10.3	10.8	9.2	12.0	9.9	11.2	10.6	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	7.1	20.2	16.3	12.6	7.3	19.9	14.6	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Clay County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.3	4.7	4.5	2.9	5.8	4.5	4.6	5.4	5.0	4.4	4.9	4.7	3.9	5.9	5.0	5.0	4.9	5.0
Selling drugs	5.5	7.4	6.5	5.8	9.6	8.0	2.4	10.3	6.9	2.8	8.3	5.9	2.9	9.4	6.6	3.4	12.3	8.5
Attempting to steal a vehicle	4.5	5.0	4.8	4.7	3.5	3.9	4.2	3.6	3.8	1.7	3.6	2.8	2.7	2.6	2.6	0.7	2.9	2.0
Being arrested	10.9	7.2	8.8	6.0	7.8	7.1	4.7	6.0	5.5	4.0	5.7	5.0	4.5	7.8	6.4	4.4	7.0	5.9
Taking a handgun to school	1.3	0.8	1.0	0.7	1.1	0.9	1.3	1.7	1.5	0.7	1.3	1.1	0.7	1.0	0.9	0.9	1.5	1.2
Getting suspended	17.5	11.7	14.3	11.8	9.6	10.7	11.1	10.9	10.9	11.9	17.3	14.9	11.7	13.9	13.0	17.1	15.5	16.2
Attacking someone with intent to harm	25.9	15.1	19.8	13.5	12.7	13.3	14.6	13.0	13.7	13.4	13.9	13.7	11.2	13.2	12.3	10.3	10.8	10.6
Being drunk or high at school	18.6	18.1	18.3	14.0	22.2	18.7	9.4	20.6	15.8	8.5	16.4	12.9	7.4	20.5	14.8	7.1	20.2	14.6

Table 13. Percentages of Clay County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Clay County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	56.1	51.6	44.7	62.0	55.2	54.3	53.5	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	14.4	10.2	9.2	14.4	13.8	10.9	12.0	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Clay County youth and Florida Statewide youth who reported involvement in bullying behavior

	Clay County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	29.4	16.0	26.6	16.8	28.6	16.7	21.7	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	4.6	4.1	4.7	3.6	4.1	4.2	4.3	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	18.2	8.1	10.9	13.7	17.5	9.2	12.4	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	38.6	21.3	30.9	26.4	37.6	22.8	28.6	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	9.1	9.9	12.3	6.7	8.8	9.5	9.6	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	13.9	9.4	10.3	12.4	13.3	10.3	11.3	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	25.8	17.8	21.3	20.7	24.4	19.4	21.2	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	7.0	6.6	8.7	4.6	6.9	6.5	6.8	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Clay County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	4.9	4.0	5.8	--	5.3	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	7.9	8.6	7.4	--	8.6	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	5.7	5.0	6.1	--	6.3	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	1.4	0.2	2.2	--	1.6	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	6.3	6.0	6.8	--	7.1	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	4.4	2.5	6.1	--	5.1	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.6	1.8	3.3	--	2.6	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	2.0	1.2	2.8	--	2.6	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.9	1.2	2.7	--	2.4	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.5	0.8	2.1	--	1.7	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.7	1.1	2.2	--	2.1	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	3.3	3.0	3.4	--	3.6	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	0.9	0.4	1.5	--	1.3	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.1	0.2	1.9	--	1.5	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.6	0.7	2.5	--	1.6	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	6.6	9.3	3.5	--	6.5	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	5.8	6.0	5.8	--	6.2	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Clay County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	35.2	36.9	34.3	--	37.0	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	21.0	20.9	21.2	--	22.4	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	27.0	27.2	26.7	--	29.0	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	30.7	29.2	32.5	--	31.6	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	18.6	16.9	20.2	--	18.6	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Clay County youth and Florida Statewide high school students

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	86.9	90.6	83.8	--	86.7	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	1.6	0.8	2.5	--	1.7	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	1.4	1.0	1.8	--	1.7	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.4	1.4	3.5	--	2.2	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	1.5	0.2	2.4	--	1.2	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	1.5	1.0	2.1	--	1.6	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.8	0.5	3.2	--	1.4	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	1.1	0.0	2.3	--	0.8	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	1.9	1.2	2.6	--	1.9	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Clay County youth and Florida Statewide youth who reported participation in extracurricular activities

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	38.1	40.8	35.1	44.1	38.4	41.0	39.6	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	43.6	25.2	31.0	35.3	42.1	26.7	33.0	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	8.5	6.6	8.8	6.2	8.6	6.6	7.4	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	22.2	34.1	36.5	22.0	24.3	33.7	29.0	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	11.6	14.4	17.4	9.1	11.2	14.5	13.2	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Clay County, Florida Statewide and the national normative database, 2010

Domain	Scale	Clay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	51	62	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	53	55	55	55	59	54
	Family Rewards for Prosocial Involvement	46	50	50	53	54	55
School	School Opportunities for Prosocial Involvement	49	62	46	60	57	60
	School Rewards for Prosocial Involvement	49	59	47	59	53	58
Peer and Individual	Religiosity	54	62	50	60	56	62
Average Prevalence Rate		50	58	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Clay County, Florida Statewide and the national normative database, 2010

Domain	Scale	Clay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	52	53	51	50	47	47
	Transitions and Mobility	64	68	61	63	47	46
	Laws and Norms Favorable to Drug Use	43	41	44	38	42	42
	Perceived Availability of Drugs	52	42	48	37	45	45
	Perceived Availability of Handguns	29	43	25	38	25	42
Family	Poor Family Management	45	46	48	46	44	45
	Family Conflict	46	35	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	21	43	22	38	23	41
School	Poor Academic Performance	44	48	43	46	45	48
	Lack of Commitment to School	53	51	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	49	54	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	49	45	47	41	40	46
	Favorable Attitudes toward ATOD Use	38	42	41	40	39	45
	Low Perceived Risks of Drug Use	40	49	44	49	40	46
	Early Initiation of Drug Use	37	37	35	33	41	46
Average Prevalence Rate		44	46	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Clay County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Clay County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	51	55	55	51	51	51
Family	Family Opportunities for Prosocial Involvement	51	55	56	52	58	53
	Family Rewards for Prosocial Involvement	52	52	53	50	51	46
School	School Opportunities for Prosocial Involvement	44	39	40	44	46	49
	School Rewards for Prosocial Involvement	43	36	40	39	47	49
Peer and Individual	Religiosity	58	64	60	58	54	54
Average Prevalence Rate		50	50	51	49	51	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Clay County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Clay County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	55	41	44	45	48	52
	Transitions and Mobility	66	63	61	64	62	64
	Laws and Norms Favorable to Drug Use	49	47	48	44	44	43
	Perceived Availability of Drugs	57	59	55	47	52	52
	Perceived Availability of Handguns	30	30	30	31	30	29
Family	Poor Family Management	53	47	48	47	44	45
	Family Conflict	46	42	38	45	44	46
	Parental Attitudes Favorable toward ATOD Use	28	26	26	23	21	21
School	Poor Academic Performance	68	50	47	49	42	44
	Lack of Commitment to School	59	66	63	55	57	53
Peer and Individual	Peer Rewards for Antisocial Behavior	48	48	46	44	45	49
	Favorable Attitudes toward Antisocial Behavior	56	53	55	52	48	49
	Favorable Attitudes toward ATOD Use	50	53	50	43	38	38
	Low Perceived Risks of Drug Use	51	48	42	37	37	40
	Early Initiation of Drug Use	61	53	54	43	36	37
Average Prevalence Rate		54	54	52	46	44	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Clay County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Clay County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	62	64	67	62	63	62
Family	Family Opportunities for Prosocial Involvement	50	56	52	57	55	55
	Family Rewards for Prosocial Involvement	55	55	56	53	53	50
School	School Opportunities for Prosocial Involvement	51	56	58	55	60	62
	School Rewards for Prosocial Involvement	51	45	50	54	54	59
Peer and Individual	Religiosity	70	70	67	72	67	62
Average Prevalence Rate		57	58	58	59	59	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Clay County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Clay County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	42	40	42	47	45	53
	Transitions and Mobility	59	66	73	67	67	68
	Laws and Norms Favorable to Drug Use	37	42	37	38	39	41
	Perceived Availability of Drugs	53	55	48	47	46	42
	Perceived Availability of Handguns	49	52	46	50	47	43
Family	Poor Family Management	48	47	44	47	48	46
	Family Conflict	37	38	36	38	39	35
	Parental Attitudes Favorable toward ATOD Use	38	43	41	39	38	43
School	Poor Academic Performance	51	49	40	47	48	48
	Lack of Commitment to School	50	56	58	53	50	51
Peer and Individual	Peer Rewards for Antisocial Behavior	42	46	41	51	48	54
	Favorable Attitudes toward Antisocial Behavior	46	45	50	48	49	45
	Favorable Attitudes toward ATOD Use	44	47	44	39	43	42
	Low Perceived Risks of Drug Use	39	45	44	40	46	49
	Early Initiation of Drug Use	48	47	46	40	37	37
Average Prevalence Rate		45	48	47	45	46	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.