

2010 Florida Youth Substance Abuse Survey

Columbia County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Columbia County youth and Florida Statewide 2010 youth

	Columbia County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	489	54.6		35,119	48.2
Male	397	44.4		36,540	50.2
Race/Ethnic group					
African American	191	21.3		12,829	17.7
American Indian	16	1.8		812	1.1
Asian	12	1.3		1,667	2.3
Hispanic/Latino	37	4.1		16,990	23.5
Native Hawaiian/Pacific Islander	3	0.3		314	0.4
Other/Multiple	90	10.1		10,689	14.8
White, non-Hispanic	543	60.7		29,034	40.1
Age					
10	0	0.0		102	0.1
11	28	3.1		2,655	3.6
12	133	14.9		8,828	12.1
13	161	18.0		10,495	14.4
14	170	19.0		10,640	14.6
15	133	14.9		11,346	15.6
16	104	11.6		11,220	15.4
17	98	10.9		10,069	13.8
18	62	6.9		6,339	8.7
19 or older	5	0.6		844	1.2
Grade					
6th	147	16.4		10,458	14.4
7th	196	21.9		10,655	14.6
8th	170	19.0		10,428	14.3
9th	130	14.5		11,566	15.9
10th	74	8.3		10,486	14.4
11th	109	12.2		10,131	13.9
12th	69	7.7		9,072	12.5
Overall Middle School	513	57.3		31,541	43.3
Overall High School	382	42.7		41,256	56.7
Total	895	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Columbia County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Columbia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	39.7	67.1	54.2	54.4	39.1	65.8	54.1	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	24.9	36.7	29.8	33.1	21.7	38.7	31.1	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	13.3	34.9	21.8	28.5	11.8	33.5	24.8	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	14.3	10.0	12.6	11.4	14.0	9.6	12.0	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.4	3.0	2.1	2.5	1.1	2.8	2.3	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	2.8	4.7	2.5	5.1	2.4	4.7	3.8	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.8	0.8	0.8	0.9	0.8	0.5	0.8	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.9	2.9	1.8	3.1	1.7	2.8	2.4	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.3	1.2	0.6	0.9	0.3	0.9	0.8	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.4	9.2	6.0	7.0	3.6	7.7	6.5	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	5.5	14.5	9.6	10.8	5.0	13.5	10.3	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.3	4.0	2.3	3.2	0.9	3.7	2.7	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	1.0	1.1	0.3	1.9	0.6	1.9	1.1	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	6.2	7.5	6.0	7.9	6.0	7.2	6.9	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	26.2	41.7	31.7	37.1	23.9	41.0	34.4	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	20.6	26.0	22.3	24.4	19.3	25.3	23.5	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	19.1	28.7	26.7	21.5	20.3	28.6	24.1	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	45.2	70.0	58.3	58.2	44.1	69.1	58.3	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	5.8	2.9	4.2	4.0	5.3	3.4	4.3	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Columbia County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Columbia County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	20.1	38.7	27.3	33.2	19.5	36.0	29.9	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	8.4	19.2	11.4	17.2	7.9	17.7	14.1	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	6.4	11.7	6.5	12.2	5.7	11.9	9.2	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	7.2	18.5	12.5	14.3	7.0	17.4	13.2	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	5.8	1.5	3.3	3.9	5.9	1.9	3.5	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	1.0	1.9	1.1	2.0	0.6	1.7	1.5	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	1.3	1.5	0.6	2.3	1.1	1.0	1.4	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.4	0.7	0.1	1.0	0.4	0.3	0.5	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.2	1.8	0.4	1.8	0.2	1.2	1.1	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.2	0.4	0.1	0.5	0.2	0.5	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.3	3.0	1.2	3.4	1.3	1.4	2.2	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	1.8	5.0	4.0	3.0	1.9	4.4	3.5	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.2	0.9	0.3	0.9	0.2	0.7	0.6	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.5	0.5	0.0	1.0	0.2	0.9	0.5	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	2.4	1.7	1.8	2.3	2.5	2.0	2.1	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	12.4	21.4	15.0	19.8	11.9	21.1	17.1	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	8.5	10.4	8.0	11.2	8.1	9.6	9.5	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	11.2	22.2	16.6	17.8	11.1	19.9	17.0	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	23.6	42.7	31.4	36.9	22.8	40.5	33.7	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	3.9	4.5	4.1	4.4	3.7	4.6	4.2	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Columbia County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.0	69.8	54.4	40.3	68.9	54.8	43.7	66.1	55.6	37.3	74.6	57.4	40.4	56.5	48.9	39.7	67.1	54.1
Cigarettes	34.3	57.7	46.2	35.6	50.0	42.9	33.1	50.7	42.3	27.3	45.0	37.2	26.2	35.0	30.8	24.9	36.7	31.1
Marijuana or Hashish	13.8	33.9	24.0	13.5	33.9	24.0	13.1	34.6	24.6	12.7	28.5	21.9	14.0	23.9	19.3	13.3	34.9	24.8
Inhalants	12.2	18.3	15.3	11.5	12.2	12.0	15.1	17.3	16.4	7.6	10.9	10.2	13.4	13.3	13.3	14.3	10.0	12.0
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.1	--	--	1.4	3.0	2.3
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.9	--	--	2.8	4.7	3.8
Methamphetamine	1.9	9.3	5.7	2.1	2.0	2.0	1.7	3.5	2.7	1.5	0.0	1.6	1.3	1.8		0.8	0.8	0.8
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.6	--	--	1.9	2.9	2.4
Heroin	1.9	2.6	2.3	1.1	0.8	0.9	0.6	0.9	0.8	0.8	0.6	0.7	1.0	0.5	0.7	0.3	1.2	0.8
Depressants	--	--	--	3.9	8.1	6.0	3.9	12.1	8.3	3.2	14.2	10.0	3.0	6.7	4.9	3.4	9.2	6.5
Prescription Pain Relievers	--	--	--	5.4	11.7	8.6	8.1	16.2	12.4	3.4	20.1	13.3	6.0	11.4	8.9	5.5	14.5	10.3
Prescription Amphetamines	--	--	--	3.3	4.2	3.8	3.3	4.7	4.1	3.0	2.2	3.5	1.8	1.4	1.6	1.3	4.0	2.7
Steroids (without a doctor's order)	3.5	3.1	3.3	2.7	0.8	1.7	2.2	1.4	1.7	1.3	0.6	1.8	1.2	1.5	1.4	1.0	1.1	1.1
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	5.7	--	--	6.2	7.5	6.9
Any illicit drug	--	--	--	24.1	40.2	32.4	25.0	43.1	34.6	19.2	35.2	28.3	24.0	31.6	28.0	26.2	41.7	34.4
Any illicit drug other than marijuana	--	--	--	19.0	23.4	21.3	20.3	30.6	25.8	12.9	30.2	22.8	18.8	22.9	21.0	20.6	26.0	23.5
Alcohol only	--	--	--	22.4	32.0	27.3	23.6	26.8	25.2	21.4	40.8	31.4	21.6	27.5	24.7	19.1	28.7	24.1
Alcohol or any illicit drug	--	--	--	46.1	72.0	59.3	47.7	69.8	59.3	40.7	75.7	59.5	45.4	58.6	52.4	45.2	70.0	58.3
Any illicit drug, but no alcohol	--	--	--	6.4	2.9	4.8	4.9	3.9	4.3	3.7	1.6	2.5	5.1	2.5	3.7	5.8	2.9	4.3

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Columbia County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	19.5	46.2	33.0	18.5	39.6	29.2	21.5	39.3	30.9	17.0	38.1	28.9	21.0	28.3	24.9	20.1	38.7	29.9
Binge Drinking	8.0	24.8	16.4	10.7	24.3	17.6	13.5	24.7	19.4	9.0	20.7	16.0	11.4	20.5	16.2	8.4	19.2	14.1
Cigarettes	10.0	25.7	18.0	12.3	17.4	14.8	11.4	22.1	17.0	8.5	10.7	10.6	8.8	14.0	11.6	6.4	11.7	9.2
Marijuana or Hashish	7.5	19.0	13.4	6.5	17.0	12.0	6.7	12.6	9.8	7.5	8.0	7.6	7.9	12.4	10.3	7.2	18.5	13.2
Inhalants	4.7	4.5	4.6	3.7	2.5	3.3	5.3	3.4	4.3	3.0	1.9	3.3	4.2	2.7	3.4	5.8	1.5	3.5
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.6	--	--	1.0	1.9	1.5
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	2.0	--	--	1.3	1.5	1.4
Methamphetamine	1.0	3.3	2.2	1.2	0.6	0.9	1.0	0.3	0.6	0.2	0.0	0.1	1.1	0.4	0.8	0.4	0.7	0.5
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--	--	0.2	1.8	1.1
Heroin	0.6	0.0	0.3	0.2	0.4	0.3	0.3	0.0	0.1	0.3	0.0	0.1	0.0	0.0	0.0	0.2	0.4	0.3
Depressants	--	--	--	2.2	2.6	2.5	1.4	3.6	2.6	0.8	3.7	3.3	1.6	2.7	2.2	1.3	3.0	2.2
Prescription Pain Relievers	--	--	--	2.3	5.2	3.9	2.7	4.1	3.4	1.0	2.5	2.8	3.7	3.8	3.8	1.8	5.0	3.5
Prescription Amphetamines	--	--	--	1.4	0.3	0.8	1.7	0.3	1.0	0.6	0.6	1.5	1.2	0.2	0.7	0.2	0.9	0.6
Steroids (without a doctor's order)	1.3	2.3	1.8	0.5	0.5	0.5	1.3	0.0	0.6	0.3	0.0	1.1	0.0	0.6	0.3	0.5	0.5	0.5
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	3.1	--	--	2.4	1.7	2.1
Any illicit drug	--	--	--	13.4	18.6	16.3	12.3	16.4	14.5	11.4	12.2	12.6	14.2	15.9	15.1	12.4	21.4	17.1
Any illicit drug other than marijuana	--	--	--	10.2	7.0	8.8	8.5	8.2	8.3	6.4	8.5	8.4	9.7	8.8	9.2	8.5	10.4	9.5
Alcohol only	--	--	--	12.0	25.5	18.8	13.2	26.6	20.3	10.6	27.4	19.5	12.9	17.4	15.3	11.2	22.2	17.0
Alcohol or any illicit drug	--	--	--	24.9	43.3	34.4	24.8	41.9	33.8	22.0	40.5	32.4	26.5	32.2	29.6	23.6	42.7	33.7
Any illicit drug, but no alcohol	--	--	--	6.9	3.7	5.5	3.6	2.9	3.2	5.2	2.7	3.8	5.8	4.3	5.0	3.9	4.5	4.2

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Columbia County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Columbia County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	28.0	24.6	33.0	--	28.3	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	4.8	2.8	7.4	--	4.7	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	21.7	19.4	25.0	--	22.5	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	14.1	11.1	18.0	--	13.2	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	41.4	42.5	49.0	33.6	41.7	43.5	42.0	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	62.9	64.8	70.8	56.5	63.1	66.1	63.9	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	67.0	49.1	64.4	50.1	67.7	52.7	57.5	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	40.3	25.6	34.5	30.2	41.2	28.1	32.5	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	87.7	73.5	81.6	78.3	89.3	75.8	80.2	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	80.4	56.9	68.3	67.1	82.4	58.9	68.0	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	87.7	69.6	80.4	75.7	89.6	71.6	78.2	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	97.9	93.8	96.5	94.8	97.7	94.6	95.8	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	11.5	20.4	16.8	15.9	11.7	18.7	16.1	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	6.5	5.9	5.9	6.6	7.8	3.8	6.2	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	11.9	20.2	16.1	16.4	12.9	18.0	16.3	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Columbia County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	44.3	--	--	32.9	--	--	33.8	--	--	43.9	--	--	32.5	--	--	28.0	--
Regular alcohol use	--	7.9	--	--	6.3	--	--	6.1	--	--	3.6	--	--	5.5	--	--	4.8	--
Cigarettes	--	39.7	--	--	33.0	--	--	41.7	--	--	26.0	--	--	25.7	--	--	21.7	--
Marijuana	--	17.8	--	--	14.0	--	--	19.1	--	--	4.9	--	--	11.6	--	--	14.1	--
Great risk of harm																		
Daily alcohol use	38.3	30.5	34.2	39.7	34.6	36.9	39.3	29.8	34.2	40.3	31.0	35.0	43.5	45.4	44.5	41.4	42.5	42.0
Daily cigarette use	64.6	60.2	62.4	59.8	64.8	62.4	62.0	59.7	60.7	59.9	74.1	66.5	60.2	59.5	59.8	62.9	64.8	63.9
Regular marijuana use	70.2	55.1	62.4	67.8	55.2	61.3	69.7	52.4	60.7	68.5	63.2	64.7	70.1	55.9	62.4	67.0	49.1	57.5
Try marijuana	41.2	33.2	37.2	39.3	29.5	34.2	41.0	26.5	33.4	43.2	33.6	37.4	48.7	31.9	39.6	40.3	25.6	32.5
Think it wrong																		
Smoke cigarettes	84.8	63.9	74.1	85.7	67.6	76.4	84.0	66.4	74.7	87.8	72.0	78.9	85.0	72.6	78.3	87.7	73.5	80.2
Drink regularly	79.1	48.0	63.3	78.4	53.7	65.7	76.2	49.5	62.2	79.3	55.0	66.3	78.9	59.8	68.6	80.4	56.9	68.0
Smoke marijuana	86.7	71.8	79.1	89.0	74.4	81.4	89.4	74.5	81.5	89.4	86.5	87.2	85.5	76.8	80.8	87.7	69.6	78.2
Use other illicit drugs	96.5	92.6	94.5	97.9	95.9	96.8	97.9	94.6	96.0	97.9	96.0	96.1	95.3	95.2	95.3	97.9	93.8	95.8
Seen as cool																		
Drink regularly	10.4	13.6	12.1	10.7	16.3	13.5	9.1	15.4	12.4	8.3	12.2	11.1	13.5	13.7	13.6	11.5	20.4	16.1
Smoke cigarettes	9.4	5.4	7.4	8.5	5.8	7.2	5.8	5.7	5.7	4.1	4.0	4.9	8.6	3.3	5.7	6.5	5.9	6.2
Smoke marijuana	14.4	12.3	13.5	11.3	10.1	10.7	8.1	11.6	9.9	8.1	7.0	8.3	11.1	9.7	10.4	11.9	20.2	16.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Columbia County youth and Florida Statewide, 2010

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	13.3	3.5	23.9	--	10.5	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	1.6	3.2	0.0	--	0.9	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	23.5	29.7	17.4	--	19.0	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	41.6	43.5	38.4	--	47.7	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.7	0.0	1.5	--	1.1	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	2.1	0.0	4.4	--	1.0	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	17.2	20.2	14.4	--	19.9	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Columbia County youth and Florida Statewide, 2010

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	21.7	19.7	24.2	--	20.9	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	47.8	50.2	46.3	--	49.4	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	3.3	0.0	6.7	--	3.4	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	1.8	2.1	1.5	--	0.0	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	3.1	3.7	2.5	--	1.5	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	3.3	0.0	4.6	--	3.3	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.7	1.2	2.3	--	2.5	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	17.4	23.1	12.0	--	19.0	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Columbia County youth and Florida Statewide, 2010

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	16.5	20.3	12.8	--	14.3	--	--	23.5	26.8	20.0	--	24.0	--
2	--	20.3	30.0	10.6	--	24.1	--	--	21.2	23.5	18.9	--	21.8	--
3	--	19.1	16.8	20.0	--	17.5	--	--	16.8	18.0	15.5	--	17.0	--
4	--	10.2	18.3	2.0	--	8.2	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	33.9	14.6	54.7	--	36.0	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Columbia County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Columbia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	4.7	6.0	2.2	8.7	4.5	5.8	5.4	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	4.1	8.3	2.9	10.1	3.3	7.7	6.3	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.5	2.4	1.8	3.2	2.5	2.4	2.4	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	4.4	5.7	4.2	6.1	4.1	6.7	5.1	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	1.6	1.3	0.4	2.5	1.1	1.5	1.4	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	22.0	17.2	13.1	26.3	19.6	17.2	19.4	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	11.9	9.8	9.0	12.8	11.2	9.7	10.8	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	9.4	20.3	13.9	16.9	7.8	20.7	15.2	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Columbia County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.9	9.9	6.9	2.7	3.9	3.3	3.4	3.2	3.3	5.3	3.7	4.3	6.1	6.0	6.0	4.7	6.0	5.4
Selling drugs	3.0	10.7	6.8	2.3	7.6	5.0	2.3	6.9	4.8	2.8	2.8	3.8	2.8	4.6	3.7	4.1	8.3	6.3
Attempting to steal a vehicle	2.5	4.2	3.3	2.5	3.4	2.9	1.5	1.8	1.6	2.5	2.5	2.4	2.8	1.7	2.3	2.5	2.4	2.4
Being arrested	5.3	7.2	6.2	3.9	6.1	5.0	4.9	6.8	5.9	4.0	0.4	3.0	5.4	4.9	5.2	4.4	5.7	5.1
Taking a handgun to school	0.8	1.3	1.1	0.7	1.8	1.2	0.8	1.0	0.9	1.2	0.0	0.5	1.2	0.7	0.9	1.6	1.3	1.4
Getting suspended	14.1	17.0	15.5	19.0	13.4	16.2	19.2	18.7	18.9	19.2	3.6	12.0	15.3	14.2	14.7	22.0	17.2	19.4
Attacking someone with intent to harm	11.4	18.4	14.9	11.3	12.2	11.9	13.6	13.2	13.4	9.8	5.9	8.5	11.1	10.3	10.6	11.9	9.8	10.8
Being drunk or high at school	8.3	23.7	15.9	5.8	18.8	12.5	10.1	18.3	14.6	8.5	21.6	16.6	9.0	15.8	12.6	9.4	20.3	15.2

Table 13. Percentages of Columbia County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Columbia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	57.6	48.1	39.3	66.7	55.7	49.4	52.6	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	18.8	8.1	8.9	17.9	18.1	8.9	13.2	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Columbia County youth and Florida Statewide youth who reported involvement in bullying behavior

	Columbia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	30.4	14.9	28.3	15.8	29.4	17.3	22.2	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	3.3	2.0	3.1	1.9	2.5	2.9	2.7	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	17.2	5.8	9.7	13.0	17.8	6.3	11.2	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	35.9	22.2	30.8	26.3	35.9	25.0	28.7	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	8.8	7.7	11.4	4.6	8.2	8.3	8.2	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	12.1	10.8	7.3	16.0	12.9	10.4	11.4	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	25.0	17.7	20.9	21.5	24.6	19.5	21.2	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	6.8	7.0	8.3	5.5	5.6	7.7	6.9	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Columbia County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	3.8	4.3	3.3	--	3.8	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	8.4	9.0	6.8	--	9.0	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	4.4	6.1	2.6	--	4.1	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	1.0	0.7	1.4	--	1.1	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	6.6	7.6	5.6	--	7.0	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	2.4	1.8	3.2	--	2.0	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.3	3.3	0.8	--	2.4	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.3	0.7	2.0	--	1.2	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	0.9	1.0	0.8	--	1.0	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.5	2.0	0.8	--	1.7	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	2.1	1.7	2.6	--	2.5	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	3.0	4.0	1.8	--	3.4	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	1.3	1.0	1.7	--	1.5	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.1	1.4	0.8	--	1.0	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.3	1.0	1.7	--	1.5	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	7.3	10.1	3.1	--	8.5	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	7.0	7.5	5.7	--	7.4	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Columbia County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	41.5	42.7	40.3	--	40.2	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	22.0	19.5	24.3	--	22.1	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	22.4	22.9	22.5	--	22.1	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	25.5	20.1	31.1	--	24.3	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	15.0	12.0	18.2	--	15.5	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Columbia County youth and Florida Statewide high school students

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	90.3	94.8	84.8	--	90.4	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	2.8	1.3	4.6	--	2.8	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	2.8	0.7	5.3	--	2.3	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	0.8	0.0	1.8	--	0.5	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.7	0.0	1.6	--	1.0	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	2.5	0.0	5.5	--	2.8	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.8	0.0	4.0	--	1.4	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	0.6	0.4	1.0	--	0.9	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Columbia County youth and Florida Statewide youth who reported participation in extracurricular activities

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	46.7	40.7	40.0	47.7	48.0	41.1	43.5	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	38.0	23.4	29.6	31.4	37.1	24.1	30.3	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	9.5	5.7	8.6	6.2	9.7	5.3	7.5	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	16.8	35.2	37.6	15.3	18.0	36.6	26.5	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	6.8	6.4	10.3	2.8	6.6	6.8	6.6	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Columbia County, Florida Statewide and the national normative database, 2010

Domain	Scale	Columbia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	51	65	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	57	54	55	55	59	54
	Family Rewards for Prosocial Involvement	47	57	50	53	54	55
School	School Opportunities for Prosocial Involvement	47	55	46	60	57	60
	School Rewards for Prosocial Involvement	47	53	47	59	53	58
Peer and Individual	Religiosity	52	65	50	60	56	62
Average Prevalence Rate		50	58	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Columbia County, Florida Statewide and the national normative database, 2010

Domain	Scale	Columbia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	47	45	51	50	47	47
	Transitions and Mobility	56	60	61	63	47	46
	Laws and Norms Favorable to Drug Use	54	41	44	38	42	42
	Perceived Availability of Drugs	50	35	48	37	45	45
	Perceived Availability of Handguns	32	46	25	38	25	42
Family	Poor Family Management	49	44	48	46	44	45
	Family Conflict	41	31	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	25	38	22	38	23	41
School	Poor Academic Performance	54	47	43	46	45	48
	Lack of Commitment to School	55	45	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	43	48	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	46	39	47	41	40	46
	Favorable Attitudes toward ATOD Use	46	39	41	40	39	45
	Low Perceived Risks of Drug Use	48	47	44	49	40	46
	Early Initiation of Drug Use	43	33	35	33	41	46
Average Prevalence Rate		46	43	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Columbia County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Columbia County					
		2001	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	58	53	54	50	55	51
Family	Family Opportunities for Prosocial Involvement	54	56	56	58	60	57
	Family Rewards for Prosocial Involvement	56	56	51	51	52	47
School	School Opportunities for Prosocial Involvement	53	42	48	54	48	47
	School Rewards for Prosocial Involvement	45	42	48	46	40	47
Peer and Individual	Religiosity	57	61	58	54	54	52
Average Prevalence Rate		54	52	53	52	52	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Columbia County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Columbia County					
		2001	2002	2004	2006	2008	2010
Community	Community Disorganization	43	43	43	41	38	47
	Transitions and Mobility	74	63	64	58	60	56
	Laws and Norms Favorable to Drug Use	50	49	48	48	52	54
	Perceived Availability of Drugs	51	45	49	38	52	50
	Perceived Availability of Handguns	37	31	32	26	35	32
Family	Poor Family Management	49	46	52	53	55	49
	Family Conflict	43	43	39	32	37	41
	Parental Attitudes Favorable toward ATOD Use	20	22	27	22	28	25
School	Poor Academic Performance	47	56	60	53	50	54
	Lack of Commitment to School	47	53	50	50	55	55
Peer and Individual	Peer Rewards for Antisocial Behavior	46	44	40	37	45	43
	Favorable Attitudes toward Antisocial Behavior	38	41	45	42	51	46
	Favorable Attitudes toward ATOD Use	46	49	47	40	43	46
	Low Perceived Risks of Drug Use	46	45	47	46	42	48
	Early Initiation of Drug Use	49	55	50	42	42	43
Average Prevalence Rate		45	48	47	43	46	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Columbia County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Columbia County					
		2001	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	68	68	60	64	64	65
Family	Family Opportunities for Prosocial Involvement	57	56	54	44	54	54
	Family Rewards for Prosocial Involvement	56	58	53	45	57	57
School	School Opportunities for Prosocial Involvement	49	56	52	52	58	55
	School Rewards for Prosocial Involvement	38	48	48	51	55	53
Peer and Individual	Religiosity	67	72	63	63	65	65
Average Prevalence Rate		56	60	55	53	59	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Columbia County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Columbia County					
		2001	2002	2004	2006	2008	2010
Community	Community Disorganization	38	41	45	31	41	45
	Transitions and Mobility	67	63	64	58	60	60
	Laws and Norms Favorable to Drug Use	40	40	43	33	34	41
	Perceived Availability of Drugs	49	48	44	50	38	35
	Perceived Availability of Handguns	59	50	49	62	47	46
Family	Poor Family Management	51	52	49	59	48	44
	Family Conflict	38	32	36	42	29	31
	Parental Attitudes Favorable toward ATOD Use	43	37	46	43	34	38
School	Poor Academic Performance	51	44	52	45	48	47
	Lack of Commitment to School	56	45	53	65	49	45
Peer and Individual	Peer Rewards for Antisocial Behavior	38	42	45	43	36	48
	Favorable Attitudes toward Antisocial Behavior	44	40	45	40	44	39
	Favorable Attitudes toward ATOD Use	42	43	45	36	38	39
	Low Perceived Risks of Drug Use	45	44	47	34	41	47
	Early Initiation of Drug Use	53	44	49	45	36	33
Average Prevalence Rate		46	43	47	44	41	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.