

2010 Florida Youth Substance Abuse Survey

DeSoto County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed DeSoto County youth and Florida Statewide 2010 youth

	DeSoto County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	403	51.2		35,119	48.2
Male	367	46.6		36,540	50.2
Race/Ethnic group					
African American	103	13.1		12,829	17.7
American Indian	3	0.4		812	1.1
Asian	2	0.3		1,667	2.3
Hispanic/Latino	274	34.8		16,990	23.5
Native Hawaiian/Pacific Islander	1	0.1		314	0.4
Other/Multiple	85	10.8		10,689	14.8
White, non-Hispanic	318	40.4		29,034	40.1
Age					
10	1	0.1		102	0.1
11	25	3.2		2,655	3.6
12	99	12.6		8,828	12.1
13	126	16.0		10,495	14.4
14	129	16.4		10,640	14.6
15	131	16.6		11,346	15.6
16	117	14.9		11,220	15.4
17	101	12.8		10,069	13.8
18	49	6.2		6,339	8.7
19 or older	9	1.1		844	1.2
Grade					
6th	144	18.3		10,458	14.4
7th	130	16.5		10,655	14.6
8th	119	15.1		10,428	14.3
9th	127	16.1		11,566	15.9
10th	95	12.1		10,486	14.4
11th	97	12.3		10,131	13.9
12th	75	9.5		9,072	12.5
Overall Middle School	393	49.9		31,541	43.3
Overall High School	394	50.1		41,256	56.7
Total	787	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of DeSoto County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	DeSoto County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	42.4	63.4	54.6	55.2	43.2	62.5	54.8	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	22.0	38.0	30.2	32.6	23.5	36.4	31.4	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	11.0	30.0	20.3	24.6	11.3	30.0	22.2	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	8.7	6.6	7.1	7.6	8.4	7.0	7.4	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.3	3.1	2.2	2.6	1.4	2.9	2.3	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	0.7	5.1	3.2	3.6	2.0	4.1	3.3	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.5	0.6	0.5	0.7	0.5	0.2	0.6	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.4	4.3	3.5	2.9	2.1	3.5	3.1	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.2	1.1	0.8	0.7	0.6	0.5	0.8	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	2.0	6.0	5.5	3.4	2.7	5.1	4.4	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.3	10.4	6.1	9.3	3.9	10.4	7.5	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	0.7	5.5	3.9	3.4	1.0	5.1	3.6	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.0	0.4	0.3	0.2	0.3	0.0	0.3	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	2.8	5.8	3.5	5.8	2.2	6.1	4.6	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	22.2	36.2	28.9	32.8	22.8	35.7	30.4	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	14.7	21.0	17.0	20.2	15.9	20.0	18.4	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	26.1	31.1	29.9	27.6	25.7	31.0	29.0	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	48.1	67.2	58.8	60.1	48.4	66.7	59.3	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	5.8	3.6	4.2	5.0	5.3	4.0	4.5	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of DeSoto County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	DeSoto County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	18.5	38.8	31.0	29.9	19.6	37.4	30.5	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	9.1	20.4	15.4	16.5	8.9	20.0	15.7	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	3.5	13.1	7.8	10.9	3.7	12.9	9.1	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	4.5	13.5	8.2	11.9	5.2	13.7	9.9	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	2.8	2.0	1.4	3.3	2.8	2.0	2.3	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.5	0.8	0.9	0.5	0.3	1.1	0.7	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.0	1.5	1.1	0.8	0.5	1.4	0.9	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.3	0.9	0.8	0.6	0.3	0.8	0.7	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.5	0.2	0.3	0.4	0.5	0.3	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.3	2.8	2.2	2.2	1.6	2.6	2.2	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	1.6	3.5	3.1	2.6	1.8	3.4	2.8	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.3	1.8	0.6	1.8	0.3	1.6	1.2	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.0	0.2	0.3	0.0	0.0	0.0	0.1	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	1.4	2.6	2.1	2.3	1.1	2.7	2.1	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	10.4	18.4	13.1	17.7	11.4	18.0	15.1	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	6.5	9.1	7.8	8.7	7.3	8.1	8.0	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	13.5	26.1	22.8	18.6	14.4	24.7	20.9	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	24.0	43.9	35.6	36.0	25.9	42.1	35.7	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	6.0	5.1	4.8	6.4	6.8	4.7	5.5	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for DeSoto County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	49.3	66.7	58.3	51.1	74.7	63.2	46.3	71.5	60.8	41.1	67.6	56.8	44.3	72.6	60.6	42.4	63.4	54.8
Cigarettes	48.2	53.9	51.1	42.1	53.9	48.1	29.1	50.7	41.6	27.0	47.8	39.1	22.8	42.6	34.3	22.0	38.0	31.4
Marijuana or Hashish	19.7	38.0	29.1	12.5	32.0	22.7	12.0	32.2	23.9	12.5	31.9	23.7	7.7	30.5	20.8	11.0	30.0	22.2
Inhalants	17.1	7.5	12.2	8.9	9.9	9.4	10.6	8.3	9.1	10.1	8.3	9.2	9.5	9.2	9.3	8.7	6.6	7.4
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	1.3	3.1	2.3
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	0.7	5.1	3.3
Methamphetamine	2.3	6.8	4.6	2.3	3.7	3.0	2.4	3.5	3.0	1.8	4.2	3.2	1.4	1.9	--	0.5	0.6	0.6
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	2.5	--	--	1.4	4.3	3.1
Heroin	1.0	2.5	1.8	1.5	1.1	1.3	2.7	1.3	1.9	0.6	0.4	0.5	0.3	1.8	1.1	0.2	1.1	0.8
Depressants	--	--	--	3.2	4.4	3.8	2.5	4.9	3.9	2.0	6.0	4.3	1.9	8.6	5.8	2.0	6.0	4.4
Prescription Pain Relievers	--	--	--	4.4	12.4	8.5	4.0	9.2	7.1	5.2	9.8	7.9	5.2	14.0	10.3	3.3	10.4	7.5
Prescription Amphetamines	--	--	--	1.3	2.5	1.9	0.8	2.5	1.8	1.2	2.6	2.0	0.7	4.5	2.9	0.7	5.5	3.6
Steroids (without a doctor's order)	2.4	0.5	1.4	2.9	1.1	1.9	1.8	1.5	1.7	1.0	0.0	0.4	0.5	1.3	0.9	0.0	0.4	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	4.7	--	--	2.8	5.8	4.6
Any illicit drug	--	--	--	19.9	38.6	29.5	22.1	37.5	31.1	20.4	38.5	31.2	18.7	37.1	29.3	22.2	36.2	30.4
Any illicit drug other than marijuana	--	--	--	14.4	23.8	19.2	18.5	20.8	19.9	15.3	24.2	20.8	15.0	24.8	20.7	14.7	21.0	18.4
Alcohol only	--	--	--	34.9	39.4	37.1	26.5	36.7	32.4	26.1	32.0	29.7	29.4	36.9	33.7	26.1	31.1	29.0
Alcohol or any illicit drug	--	--	--	54.4	77.1	65.9	48.4	74.1	63.2	45.4	70.0	60.0	47.5	73.9	62.7	48.1	67.2	59.3
Any illicit drug, but no alcohol	--	--	--	3.5	3.0	3.2	2.7	2.6	2.7	4.5	2.6	3.4	3.2	1.5	2.2	5.8	3.6	4.5

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for DeSoto County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	31.9	45.2	39.0	23.5	44.9	34.6	24.4	45.9	36.7	23.2	40.8	33.8	23.3	48.8	37.9	18.5	38.8	30.5
Binge Drinking	21.1	23.8	22.6	13.8	29.2	21.9	14.3	22.3	18.9	12.9	24.0	19.5	7.1	31.6	21.2	9.1	20.4	15.7
Cigarettes	26.7	21.2	23.7	11.5	19.8	15.9	11.4	16.1	14.1	6.8	15.2	11.6	4.7	14.8	10.5	3.5	13.1	9.1
Marijuana or Hashish	13.5	24.1	18.9	5.4	16.1	11.0	9.4	14.2	12.3	5.9	11.5	9.2	3.7	14.0	9.6	4.5	13.5	9.9
Inhalants	8.0	1.7	4.8	3.4	2.6	3.0	2.4	2.3	2.3	5.1	2.7	3.6	3.4	2.9	3.1	2.8	2.0	2.3
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.5	0.8	0.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.6	--	--	0.0	1.5	0.9
Methamphetamine	0.2	4.8	2.6	0.3	1.5	0.9	1.3	1.6	1.5	0.7	0.7	0.7	0.6	0.5	0.6	0.0	0.0	0.0
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.6	--	--	0.3	0.9	0.7
Heroin	0.7	1.6	1.2	0.9	0.3	0.6	0.3	0.8	0.6	0.3	0.4	0.4	0.0	0.0	0.0	0.5	0.2	0.3
Depressants	--	--	--	0.9	1.7	1.3	0.0	1.4	0.8	1.1	2.4	1.8	0.7	2.1	1.5	1.3	2.8	2.2
Prescription Pain Relievers	--	--	--	1.8	4.9	3.4	1.3	2.0	1.7	2.2	3.4	2.9	3.1	5.7	4.6	1.6	3.5	2.8
Prescription Amphetamines	--	--	--	0.3	0.3	0.3	0.0	0.5	0.3	0.6	1.3	1.0	0.7	1.3	1.1	0.3	1.8	1.2
Steroids (without a doctor's order)	1.2	0.5	0.8	1.9	0.3	1.1	0.3	0.2	0.2	0.3	0.0	0.1	0.5	0.6	0.6	0.0	0.2	0.1
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.3	--	--	1.4	2.6	2.1
Any illicit drug	--	--	--	9.7	19.5	14.8	11.9	16.9	14.8	11.8	16.1	14.3	9.1	18.6	14.6	10.4	18.4	15.1
Any illicit drug other than marijuana	--	--	--	6.9	8.6	7.7	7.0	6.8	6.8	8.8	10.7	9.9	7.0	9.9	8.6	6.5	9.1	8.0
Alcohol only	--	--	--	17.4	30.3	24.1	15.4	31.0	24.5	16.2	28.7	24.0	18.1	33.6	27.1	13.5	26.1	20.9
Alcohol or any illicit drug	--	--	--	26.1	48.8	37.8	26.6	47.6	38.7	26.9	44.0	37.1	27.3	51.2	41.1	24.0	43.9	35.7
Any illicit drug, but no alcohol	--	--	--	2.9	4.4	3.7	2.8	1.9	2.4	4.1	3.4	3.7	4.4	3.1	3.6	6.0	5.1	5.5

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of DeSoto County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	DeSoto County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	32.8	30.8	36.7	--	32.8	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	9.1	9.4	9.3	--	8.2	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	28.2	28.1	29.1	--	27.4	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	15.7	12.3	19.8	--	15.5	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	38.0	39.4	45.6	31.5	37.8	39.6	38.8	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	59.6	57.9	64.4	52.1	58.9	58.5	58.6	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	67.3	55.7	64.1	56.0	67.6	56.1	60.5	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	42.9	35.3	41.6	34.9	43.5	34.9	38.4	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	88.7	70.2	79.7	75.9	88.0	71.6	77.8	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	78.2	53.7	66.6	60.0	78.6	53.9	63.8	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	91.4	73.5	83.1	78.2	92.0	72.7	80.9	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.9	93.0	95.8	93.2	97.2	92.1	94.6	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	8.1	17.6	15.8	11.9	9.8	15.8	13.7	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	4.2	4.6	4.8	4.1	4.6	4.3	4.4	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	6.4	15.2	12.4	10.6	7.6	13.8	11.6	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for DeSoto County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	43.9	--	--	38.1	--	--	36.0	--	--	32.0	--	--	37.0	--	--	32.8	--
Regular alcohol use	--	17.1	--	--	8.9	--	--	6.9	--	--	6.7	--	--	10.7	--	--	9.1	--
Cigarettes	--	40.3	--	--	38.6	--	--	35.5	--	--	33.8	--	--	28.5	--	--	28.2	--
Marijuana	--	19.2	--	--	14.2	--	--	12.7	--	--	14.6	--	--	11.8	--	--	15.7	--
Great risk of harm																		
Daily alcohol use	35.4	34.5	34.8	31.9	35.0	33.3	28.8	35.1	32.7	33.3	34.5	34.0	32.9	36.4	34.9	38.0	39.4	38.8
Daily cigarette use	59.0	65.8	62.3	54.8	61.1	58.2	52.8	67.9	61.6	58.5	64.6	62.2	61.3	62.1	61.8	59.6	57.9	58.6
Regular marijuana use	67.5	59.9	63.7	65.8	55.5	60.5	62.9	62.4	62.6	71.6	59.0	64.1	71.2	53.5	60.9	67.3	55.7	60.5
Try marijuana	40.4	34.5	37.4	39.2	31.6	35.3	35.5	30.1	32.4	43.9	30.3	35.9	41.4	29.3	34.4	42.9	35.3	38.4
Think it wrong																		
Smoke cigarettes	76.9	67.2	72.0	83.4	64.5	73.8	84.5	67.2	74.6	86.0	70.2	76.9	90.9	70.4	79.0	88.7	70.2	77.8
Drink regularly	75.7	56.4	66.1	75.2	47.6	61.0	73.6	50.9	60.8	70.3	51.0	59.0	76.8	44.1	57.8	78.2	53.7	63.8
Smoke marijuana	83.0	72.7	77.9	90.5	72.1	81.0	90.3	79.0	83.7	89.4	77.8	82.7	93.5	77.8	84.4	91.4	73.5	80.9
Use other illicit drugs	97.1	89.3	93.0	96.2	92.6	94.4	97.3	92.0	94.3	95.9	93.0	94.2	97.9	93.9	95.5	96.9	93.0	94.6
Seen as cool																		
Drink regularly	8.2	16.5	12.6	10.2	15.5	12.9	10.9	13.9	12.6	9.4	18.5	14.8	8.9	20.5	15.6	8.1	17.6	13.7
Smoke cigarettes	9.4	8.7	9.1	6.3	8.0	7.2	7.9	2.9	5.0	3.9	5.0	4.5	6.5	3.4	4.7	4.2	4.6	4.4
Smoke marijuana	11.8	19.8	15.8	9.1	14.8	12.0	8.9	10.7	9.9	6.6	10.5	8.9	5.5	11.2	8.8	6.4	15.2	11.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, DeSoto County youth and Florida Statewide, 2010

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	5.3	5.4	4.4	--	4.4	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	0.7	0.0	1.4	--	0.9	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	33.4	26.3	40.2	--	35.5	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	40.0	50.7	31.2	--	39.7	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	1.0	0.0	2.0	--	1.3	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	5.3	4.6	6.3	--	4.7	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	14.3	13.1	14.6	--	13.5	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, DeSoto County youth and Florida Statewide, 2010

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	22.0	20.3	22.7	--	21.5	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	38.7	35.7	42.8	--	38.1	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	3.1	6.3	0.0	--	4.1	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.6	5.3	0.0	--	1.9	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	3.8	3.7	4.2	--	3.4	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.6	0.0	3.5	--	2.1	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	28.0	28.7	26.8	--	29.1	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, DeSoto County youth and Florida Statewide, 2010

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	23.5	34.9	10.6	--	19.4	--	--	23.5	26.8	20.0	--	24.0	--
2	--	17.5	16.4	18.1	--	20.8	--	--	21.2	23.5	18.9	--	21.8	--
3	--	19.2	16.9	22.6	--	17.4	--	--	16.8	18.0	15.5	--	17.0	--
4	--	9.2	10.5	8.2	--	10.1	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	30.7	21.3	40.5	--	32.3	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of DeSoto County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	DeSoto County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.7	8.1	2.7	13.4	5.8	10.1	8.0	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	2.8	7.3	3.5	7.7	2.7	7.7	5.5	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	1.6	2.0	1.1	2.7	1.6	2.3	1.9	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	3.5	3.6	1.5	5.1	2.6	4.6	3.6	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.6	1.1	0.2	1.7	0.3	1.4	0.9	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	13.9	9.8	7.7	15.6	12.1	12.0	11.5	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	10.9	11.3	8.5	14.0	11.5	11.1	11.1	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	5.8	13.9	9.7	11.5	6.6	13.7	10.5	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for DeSoto County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.1	8.6	7.0	6.2	7.8	7.1	3.3	6.8	5.4	4.5	7.4	6.2	7.6	7.7	7.7	7.7	8.1	8.0
Selling drugs	7.5	11.2	9.3	2.7	7.5	5.2	3.2	6.8	5.3	1.0	8.9	5.9	4.1	8.6	6.7	2.8	7.3	5.5
Attempting to steal a vehicle	2.6	6.1	4.3	4.0	3.6	3.8	1.6	3.7	2.8	1.1	2.7	2.1	2.3	4.0	3.3	1.6	2.0	1.9
Being arrested	6.1	7.5	6.7	5.9	4.8	5.3	2.3	6.2	4.6	2.5	5.0	4.0	4.2	6.0	5.2	3.5	3.6	3.6
Taking a handgun to school	0.2	3.1	1.7	1.0	0.8	0.9	0.3	1.4	0.9	0.3	1.6	1.1	0.8	1.7	1.3	0.6	1.1	0.9
Getting suspended	19.5	19.0	19.2	20.9	14.7	17.5	16.4	19.2	18.0	15.4	16.9	16.4	16.2	13.3	14.5	13.9	9.8	11.5
Attacking someone with intent to harm	17.3	16.5	16.8	8.6	14.1	11.5	10.6	14.5	12.8	9.8	14.6	12.8	10.1	14.3	12.5	10.9	11.3	11.1
Being drunk or high at school	14.7	21.3	17.9	8.8	17.2	13.2	5.5	16.4	12.1	7.5	14.9	11.9	7.5	18.7	14.0	5.8	13.9	10.5

Table 13. Percentages of DeSoto County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	DeSoto County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	55.3	45.7	40.1	59.2	54.0	47.5	49.7	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	15.5	11.8	10.2	16.8	15.2	11.9	13.3	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of DeSoto County youth and Florida Statewide youth who reported involvement in bullying behavior

	DeSoto County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	26.9	21.2	29.6	17.9	27.6	21.7	23.6	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	2.6	3.5	3.8	2.3	2.7	3.0	3.1	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	17.7	6.6	10.6	12.3	17.3	7.6	11.2	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	37.6	19.2	28.4	25.9	36.1	21.3	26.8	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	6.8	5.3	8.2	3.7	6.6	5.9	5.9	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	14.4	9.1	7.3	15.4	14.6	9.5	11.3	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	25.4	16.7	21.1	19.6	25.5	17.4	20.3	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	5.1	5.3	5.2	5.5	5.6	4.9	5.2	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of DeSoto County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	4.4	5.7	3.4	--	4.3	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	6.7	6.6	7.2	--	7.8	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	5.2	6.0	4.7	--	5.5	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	1.4	1.1	1.8	--	1.7	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	5.2	7.0	3.7	--	5.1	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	1.8	2.1	1.6	--	1.3	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.7	3.6	1.9	--	3.1	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.0	1.1	1.0	--	1.0	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.3	2.2	0.5	--	1.3	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.0	1.5	0.7	--	1.0	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.3	1.5	1.2	--	1.6	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	3.4	4.1	2.9	--	3.0	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	0.5	0.5	0.5	--	0.6	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	0.7	1.5	0.0	--	0.6	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	0.6	1.2	0.0	--	0.7	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	3.2	4.9	1.6	--	3.2	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	6.5	7.8	5.6	--	6.8	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of DeSoto County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	41.8	45.1	40.8	--	42.7	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	26.2	28.3	25.8	--	26.2	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	24.6	24.3	26.6	--	23.7	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	30.5	27.7	34.3	--	31.2	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	19.4	16.3	23.4	--	16.4	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among DeSoto County youth and Florida Statewide high school students

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	89.6	93.0	86.4	--	90.5	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	2.6	2.7	2.6	--	2.0	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	2.2	1.6	3.0	--	2.5	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	1.7	1.1	2.4	--	1.8	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.9	1.2	0.6	--	1.1	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	2.1	0.6	3.8	--	1.8	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.9	0.6	3.3	--	2.2	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	1.3	0.6	2.0	--	1.4	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	3.7	2.3	5.4	--	3.3	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of DeSoto County youth and Florida Statewide youth who reported participation in extracurricular activities

	DeSoto County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	31.9	45.7	38.4	41.5	33.8	45.2	40.0	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	39.7	23.2	26.5	33.6	39.6	22.5	30.0	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	7.0	5.4	5.1	6.5	7.8	4.8	6.0	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	25.6	23.0	32.1	15.9	26.4	22.4	24.1	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	6.9	14.4	16.9	5.7	9.6	12.4	11.3	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for DeSoto County, Florida Statewide and the national normative database, 2010

Domain	Scale	DeSoto County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	49	62	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	55	57	55	55	59	54
	Family Rewards for Prosocial Involvement	48	54	50	53	54	55
School	School Opportunities for Prosocial Involvement	40	51	46	60	57	60
	School Rewards for Prosocial Involvement	46	53	47	59	53	58
Peer and Individual	Religiosity	51	67	50	60	56	62
Average Prevalence Rate		48	57	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for DeSoto County, Florida Statewide and the national normative database, 2010

Domain	Scale	DeSoto County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	56	50	51	50	47	47
	Transitions and Mobility	57	49	61	63	47	46
	Laws and Norms Favorable to Drug Use	52	38	44	38	42	42
	Perceived Availability of Drugs	49	34	48	37	45	45
	Perceived Availability of Handguns	33	46	25	38	25	42
Family	Poor Family Management	49	47	48	46	44	45
	Family Conflict	42	31	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	27	37	22	38	23	41
School	Poor Academic Performance	47	49	43	46	45	48
	Lack of Commitment to School	53	48	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	44	40	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	48	42	47	41	40	46
	Favorable Attitudes toward ATOD Use	46	42	41	40	39	45
	Low Perceived Risks of Drug Use	45	43	44	49	40	46
	Early Initiation of Drug Use	42	38	35	33	41	46
Average Prevalence Rate		46	42	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for DeSoto County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	DeSoto County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	58	60	49	55	52	49
Family	Family Opportunities for Prosocial Involvement	59	47	49	50	54	55
	Family Rewards for Prosocial Involvement	59	43	48	51	47	48
School	School Opportunities for Prosocial Involvement	49	41	38	43	45	40
	School Rewards for Prosocial Involvement	46	51	41	44	45	46
Peer and Individual	Religiosity	54	54	52	51	57	51
Average Prevalence Rate		54	49	46	49	50	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for DeSoto County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	DeSoto County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	53	49	49	48	51	56
	Transitions and Mobility	49	61	61	57	55	57
	Laws and Norms Favorable to Drug Use	51	47	52	53	50	52
	Perceived Availability of Drugs	46	50	49	47	44	49
	Perceived Availability of Handguns	32	30	33	30	28	33
Family	Poor Family Management	55	58	58	55	48	49
	Family Conflict	29	44	37	37	47	42
	Parental Attitudes Favorable toward ATOD Use	22	26	29	28	29	27
School	Poor Academic Performance	54	41	45	45	45	47
	Lack of Commitment to School	48	47	57	48	50	53
Peer and Individual	Peer Rewards for Antisocial Behavior	44	46	41	39	49	44
	Favorable Attitudes toward Antisocial Behavior	49	46	55	51	50	48
	Favorable Attitudes toward ATOD Use	53	52	54	53	45	46
	Low Perceived Risks of Drug Use	48	47	54	47	47	45
	Early Initiation of Drug Use	62	60	51	57	44	42
Average Prevalence Rate		51	50	52	49	48	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for DeSoto County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	DeSoto County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	63	68	66	61	62	62
Family	Family Opportunities for Prosocial Involvement	58	55	55	49	50	57
	Family Rewards for Prosocial Involvement	61	56	53	51	56	54
School	School Opportunities for Prosocial Involvement	51	55	55	53	50	51
	School Rewards for Prosocial Involvement	50	55	55	50	51	53
Peer and Individual	Religiosity	68	65	66	63	67	67
Average Prevalence Rate		59	59	58	55	56	57

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for DeSoto County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain		DeSoto County					
Scale		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	42	52	46	53	51	50
	Transitions and Mobility	43	51	55	52	53	49
	Laws and Norms Favorable to Drug Use	38	40	39	44	40	38
	Perceived Availability of Drugs	46	48	44	46	44	34
	Perceived Availability of Handguns	53	52	49	52	52	46
Family	Poor Family Management	46	49	46	52	51	47
	Family Conflict	36	31	30	35	34	31
	Parental Attitudes Favorable toward ATOD Use	42	42	41	42	46	37
School	Poor Academic Performance	47	39	38	47	47	49
	Lack of Commitment to School	30	40	39	46	42	48
Peer and Individual	Peer Rewards for Antisocial Behavior	41	46	39	44	42	40
	Favorable Attitudes toward Antisocial Behavior	32	35	42	47	48	42
	Favorable Attitudes toward ATOD Use	39	49	42	42	45	42
	Low Perceived Risks of Drug Use	44	46	40	44	44	43
	Early Initiation of Drug Use	50	49	45	42	43	38
Average Prevalence Rate		39	44	41	44	44	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.