

2010 Florida Youth Substance Abuse Survey

Duval County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Duval County youth and Florida Statewide 2010 youth

	Duval County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	1,115	51.5		35,119	48.2
Male	1,020	47.1		36,540	50.2
Race/Ethnic group					
African American	807	37.3		12,829	17.7
American Indian	28	1.3		812	1.1
Asian	59	2.7		1,667	2.3
Hispanic/Latino	140	6.5		16,990	23.5
Native Hawaiian/Pacific Islander	18	0.8		314	0.4
Other/Multiple	363	16.8		10,689	14.8
White, non-Hispanic	739	34.1		29,034	40.1
Age					
10	4	0.2		102	0.1
11	86	4.0		2,655	3.6
12	263	12.1		8,828	12.1
13	338	15.6		10,495	14.4
14	352	16.3		10,640	14.6
15	354	16.4		11,346	15.6
16	329	15.2		11,220	15.4
17	282	13.0		10,069	13.8
18	136	6.3		6,339	8.7
19 or older	12	0.6		844	1.2
Grade					
6th	330	15.2		10,458	14.4
7th	364	16.8		10,655	14.6
8th	351	16.2		10,428	14.3
9th	354	16.4		11,566	15.9
10th	309	14.3		10,486	14.4
11th	284	13.1		10,131	13.9
12th	173	8.0		9,072	12.5
Overall Middle School	1,045	48.3		31,541	43.3
Overall High School	1,120	51.7		41,256	56.7
Total	2,165	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Duval County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Duval County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	32.7	61.4	51.5	45.4	33.0	60.5	48.6	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	16.3	30.7	24.0	24.5	14.9	31.8	24.2	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	12.2	36.4	23.7	27.6	11.4	36.7	25.6	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	11.6	10.8	12.7	9.2	12.8	10.1	11.1	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.5	4.8	3.7	3.1	1.1	4.9	3.3	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.5	5.3	3.1	4.1	1.5	5.2	3.6	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.7	0.9	0.8	0.8	0.8	0.8	0.8	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.2	3.0	2.3	2.1	1.2	2.9	2.2	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	1.1	0.6	0.7	1.0	0.9	0.8	0.8	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	1.9	6.6	5.4	3.5	2.2	5.8	4.5	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.9	9.0	7.0	6.3	4.1	8.7	6.7	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.5	4.8	4.6	2.1	1.4	5.2	3.4	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.7	0.5	0.6	0.5	0.5	0.8	0.6	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	4.7	9.5	8.5	6.0	4.8	9.3	7.4	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	22.6	44.7	34.6	34.7	22.8	44.7	34.8	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	16.6	23.8	22.8	18.0	17.3	23.5	20.6	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	17.3	22.2	22.6	17.5	17.0	21.7	20.0	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	39.7	66.9	57.1	52.1	39.7	66.2	54.7	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	7.2	5.8	5.7	7.2	7.1	6.0	6.4	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Duval County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Duval County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	13.9	36.7	26.5	26.2	14.0	36.0	26.4	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	5.9	19.4	12.3	14.2	5.9	18.5	13.4	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	3.9	11.0	6.5	9.2	3.2	11.9	7.8	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	5.9	20.5	11.1	17.1	5.5	21.1	14.0	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	4.8	2.9	4.6	2.6	5.1	2.9	3.7	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.9	1.2	1.0	1.1	0.7	1.5	1.0	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.6	1.4	0.7	1.4	0.8	1.3	1.0	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.3	0.3	0.2	0.4	0.4	0.2	0.3	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.5	1.0	0.7	0.8	0.5	1.1	0.8	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.7	0.2	0.1	0.7	0.7	0.2	0.4	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	0.9	2.3	2.5	0.9	1.0	2.6	1.7	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.3	4.0	3.7	2.8	2.4	4.1	3.2	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.3	1.4	1.1	0.8	0.3	1.6	0.9	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.3	0.3	0.1	0.5	0.1	0.6	0.3	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	2.0	3.7	3.9	1.8	2.4	3.6	2.9	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	12.1	24.7	18.6	19.5	12.3	25.2	19.1	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	8.3	10.4	11.9	6.8	9.2	10.3	9.5	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	8.1	18.6	15.1	12.6	8.0	17.8	13.9	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	19.9	43.0	33.3	31.7	20.0	42.7	32.6	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	6.6	6.8	7.3	6.0	6.5	7.2	6.7	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Duval County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	40.1	64.4	52.6	42.4	64.3	53.8	38.4	69.4	54.7	36.1	64.8	52.1	32.7	58.9	47.1	32.7	61.4	48.6
Cigarettes	34.7	53.8	44.4	29.5	41.3	35.5	22.9	41.3	32.5	19.4	31.2	25.8	16.5	28.3	23.0	16.3	30.7	24.2
Marijuana or Hashish	14.3	45.0	30.0	12.4	35.3	24.4	14.3	35.0	25.1	11.0	26.0	19.3	7.6	29.7	19.7	12.2	36.4	25.6
Inhalants	14.7	15.0	14.8	14.6	9.3	11.8	18.7	12.2	15.4	11.5	9.9	10.6	11.8	10.3	11.0	11.6	10.8	11.1
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.3	--	--	1.5	4.8	3.3
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.3	--	--	1.5	5.3	3.6
Methamphetamine	1.8	5.6	3.8	2.2	2.2	2.2	2.2	2.4	2.3	1.7	1.5	1.6	0.8	0.9	--	0.7	0.9	0.8
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.4	--	--	1.2	3.0	2.2
Heroin	1.4	2.8	2.2	1.0	1.6	1.3	1.6	0.7	1.1	0.8	1.1	1.0	0.4	0.8	0.6	1.1	0.6	0.8
Depressants	--	--	--	3.5	8.8	6.3	2.4	11.3	7.0	2.3	5.2	3.9	1.8	6.8	4.6	1.9	6.6	4.5
Prescription Pain Relievers	--	--	--	4.9	9.4	7.2	5.9	11.3	8.7	5.1	6.7	6.0	3.6	8.4	6.3	3.9	9.0	6.7
Prescription Amphetamines	--	--	--	2.6	6.2	4.5	2.3	7.8	5.2	3.1	4.2	3.7	1.7	4.3	3.1	1.5	4.8	3.4
Steroids (without a doctor's order)	2.4	1.8	2.1	1.4	1.1	1.3	1.3	1.6	1.5	1.3	1.0	1.1	0.5	0.9	0.7	0.7	0.5	0.6
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	3.7	--	--	4.7	9.5	7.4
Any illicit drug	--	--	--	24.9	39.5	32.5	29.4	42.2	36.1	23.1	33.9	29.0	19.9	37.1	29.4	22.6	44.7	34.8
Any illicit drug other than marijuana	--	--	--	19.8	21.6	20.7	22.5	25.4	24.0	17.7	20.7	19.3	15.9	20.9	18.6	16.6	23.8	20.6
Alcohol only	--	--	--	23.0	29.5	26.4	17.5	29.9	24.0	20.8	35.0	28.8	19.4	26.3	23.2	17.3	22.2	20.0
Alcohol or any illicit drug	--	--	--	47.5	68.6	58.4	46.7	72.1	60.0	43.3	68.2	57.2	39.4	63.0	52.4	39.7	66.9	54.7
Any illicit drug, but no alcohol	--	--	--	5.3	4.6	4.9	8.8	3.1	5.8	7.3	3.7	5.4	7.0	4.3	5.5	7.2	5.8	6.4

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Duval County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.4	38.8	30.9	18.6	37.6	28.6	18.5	39.9	29.7	14.8	34.1	25.6	13.2	34.4	24.9	13.9	36.7	26.4
Binge Drinking	11.3	21.6	16.6	8.1	19.0	13.9	7.8	21.8	15.2	8.8	16.5	13.0	5.7	18.9	13.0	5.9	19.4	13.4
Cigarettes	9.8	23.4	16.8	9.3	13.2	11.3	5.9	13.9	10.1	6.8	9.0	8.0	3.4	9.4	6.7	3.9	11.0	7.8
Marijuana or Hashish	8.5	23.6	16.3	5.9	20.2	13.4	8.0	18.7	13.6	6.1	11.9	9.3	3.0	13.9	9.0	5.9	20.5	14.0
Inhalants	6.2	4.9	5.6	6.8	3.0	4.8	8.8	2.0	5.2	4.7	2.5	3.4	5.0	2.7	3.7	4.8	2.9	3.7
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	0.9	1.2	1.0
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.3	--	--	0.6	1.4	1.0
Methamphetamine	1.0	1.4	1.2	0.6	0.6	0.6	1.2	0.8	1.0	1.1	0.2	0.6	0.3	0.2	0.3	0.3	0.3	0.3
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.4	--	--	0.5	1.0	0.8
Heroin	1.2	0.9	1.1	0.1	0.4	0.2	0.6	0.4	0.5	0.7	0.2	0.4	0.1	0.0	0.0	0.7	0.2	0.4
Depressants	--	--	--	1.1	4.4	2.8	1.0	5.1	3.2	1.2	1.2	1.2	0.8	2.0	1.5	0.9	2.3	1.7
Prescription Pain Relievers	--	--	--	2.4	3.7	3.1	2.9	3.6	3.3	2.9	1.9	2.3	1.7	4.1	3.1	2.3	4.0	3.2
Prescription Amphetamines	--	--	--	1.6	2.7	2.2	0.9	1.6	1.3	1.1	1.4	1.3	0.8	1.3	1.1	0.3	1.4	0.9
Steroids (without a doctor's order)	1.1	0.6	0.8	0.8	0.3	0.5	1.1	0.4	0.7	1.1	0.4	0.7	0.1	0.3	0.2	0.3	0.3	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.7	--	--	2.0	3.7	2.9
Any illicit drug	--	--	--	13.0	22.5	17.9	16.4	22.3	19.4	11.8	15.3	13.7	9.5	18.5	14.5	12.1	24.7	19.1
Any illicit drug other than marijuana	--	--	--	10.3	9.5	9.8	12.0	11.7	11.8	8.4	6.8	7.4	7.5	9.4	8.5	8.3	10.4	9.5
Alcohol only	--	--	--	11.9	20.8	16.6	10.1	21.8	16.3	9.1	23.9	17.5	8.5	20.8	15.4	8.1	18.6	13.9
Alcohol or any illicit drug	--	--	--	24.4	42.5	33.8	25.7	44.0	35.2	20.0	38.1	30.1	18.0	38.8	29.4	19.9	43.0	32.6
Any illicit drug, but no alcohol	--	--	--	5.9	4.9	5.3	7.4	4.3	5.8	5.2	4.2	4.6	5.4	4.7	5.0	6.6	6.8	6.7

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Duval County youth and Florida Statewide youth who reported a early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Duval County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	27.8	29.9	25.7	--	29.2	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	6.9	6.4	7.3	--	7.4	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	17.4	18.3	16.5	--	18.2	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	14.8	12.0	17.7	--	15.5	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	43.7	41.8	45.2	39.8	44.5	40.1	42.6	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	64.2	67.9	68.3	64.4	65.8	65.5	66.2	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	60.8	41.9	53.5	47.1	60.9	43.5	50.4	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	35.3	22.9	29.7	26.9	35.0	23.4	28.5	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	91.6	76.7	83.8	82.8	91.6	77.7	83.3	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	82.2	57.6	67.6	69.8	81.7	57.9	68.6	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	86.5	64.9	76.6	72.6	86.6	65.1	74.5	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.1	93.3	95.5	93.5	96.0	93.1	94.5	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	9.5	15.7	15.2	10.5	9.3	16.5	12.9	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	7.4	4.2	6.1	5.1	6.4	5.1	5.7	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	13.9	21.5	20.3	15.6	13.7	22.1	18.1	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Duval County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	43.6	--	--	35.7	--	--	36.9	--	--	34.6	--	--	34.1	--	--	27.8	--
Regular alcohol use	--	11.2	--	--	9.2	--	--	7.6	--	--	7.5	--	--	6.7	--	--	6.9	--
Cigarettes	--	45.5	--	--	32.1	--	--	32.7	--	--	22.5	--	--	19.9	--	--	17.4	--
Marijuana	--	23.8	--	--	15.5	--	--	13.5	--	--	9.8	--	--	13.1	--	--	14.8	--
Great risk of harm																		
Daily alcohol use	44.3	41.7	43.0	41.4	40.9	41.1	35.3	41.8	38.7	40.4	44.7	42.8	43.6	40.0	41.6	43.7	41.8	42.6
Daily cigarette use	64.1	66.4	65.1	61.9	66.7	64.4	60.5	68.3	64.6	61.6	70.4	66.5	63.6	65.8	64.8	64.2	67.9	66.2
Regular marijuana use	69.1	52.3	60.4	63.7	48.1	55.7	64.6	50.9	57.5	63.5	55.7	59.2	63.4	46.2	53.9	60.8	41.9	50.4
Try marijuana	41.0	24.7	32.6	38.5	27.0	32.6	36.5	26.8	31.6	40.5	27.4	33.2	39.5	24.1	30.9	35.3	22.9	28.5
Think it wrong																		
Smoke cigarettes	81.9	65.2	73.3	86.4	73.2	79.6	88.5	73.2	80.6	88.6	78.8	83.4	91.4	77.9	83.9	91.6	76.7	83.3
Drink regularly	79.3	56.6	67.6	79.8	60.2	69.6	77.2	53.0	64.6	79.1	58.1	67.9	82.9	56.5	68.2	82.2	57.6	68.6
Smoke marijuana	89.2	64.2	76.5	86.8	67.8	77.0	87.5	69.0	78.0	88.7	76.8	82.3	90.7	69.9	79.1	86.5	64.9	74.5
Use other illicit drugs	96.6	91.1	93.7	94.8	93.2	93.9	96.7	94.5	95.6	96.2	95.4	95.8	97.3	93.1	95.0	96.1	93.3	94.5
Seen as cool																		
Drink regularly	6.1	7.2	6.7	8.5	11.1	9.8	9.5	15.2	12.4	9.6	14.4	12.2	10.3	14.9	12.8	9.5	15.7	12.9
Smoke cigarettes	6.6	4.0	5.2	6.9	3.6	5.2	6.3	7.6	7.0	8.4	3.9	5.9	7.3	4.9	6.0	7.4	4.2	5.7
Smoke marijuana	9.0	11.4	10.3	12.4	14.3	13.4	12.3	14.7	13.5	12.9	13.9	13.5	12.7	15.0	14.0	13.9	21.5	18.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Duval County youth and Florida Statewide, 2010

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	7.2	4.7	9.8	--	6.9	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	1.0	0.0	2.0	--	0.8	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	21.3	16.3	25.3	--	21.2	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	41.0	51.3	31.8	--	40.1	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.7	0.0	1.3	--	0.9	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	7.8	9.4	6.3	--	9.2	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	21.0	18.2	23.5	--	20.9	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Duval County youth and Florida Statewide, 2010

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	28.3	33.9	23.6	--	30.4	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	46.9	47.3	45.5	--	48.2	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	1.9	1.9	2.0	--	2.0	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.2	1.7	2.7	--	1.2	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	3.4	3.4	3.6	--	3.3	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.4	0.5	2.2	--	1.1	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.0	1.3	0.7	--	0.8	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	14.9	10.0	19.8	--	12.9	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Duval County youth and Florida Statewide, 2010

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	24.5	28.3	21.6	--	27.4	--	--	23.5	26.8	20.0	--	24.0	--
2	--	20.3	20.5	20.5	--	21.3	--	--	21.2	23.5	18.9	--	21.8	--
3	--	19.5	25.4	12.8	--	18.5	--	--	16.8	18.0	15.5	--	17.0	--
4	--	7.0	4.1	9.0	--	6.8	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	28.8	21.6	36.2	--	26.0	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Duval County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Duval County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.8	6.9	2.8	11.3	5.9	7.8	6.9	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	4.7	10.8	3.8	12.8	3.5	11.8	8.1	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.5	3.4	2.0	4.0	2.2	4.0	3.0	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	5.5	9.4	6.2	9.2	5.1	9.5	7.7	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	2.0	1.6	0.7	2.9	1.7	2.1	1.8	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	26.1	22.4	20.2	27.7	24.1	24.8	24.0	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	14.5	18.6	15.6	18.2	14.2	19.2	16.8	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	8.9	20.4	13.6	17.2	8.3	20.7	15.3	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Duval County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.0	8.1	6.1	4.4	4.6	4.5	5.3	4.7	5.0	6.8	6.9	6.8	3.6	9.1	6.7	6.8	6.9	6.9
Selling drugs	3.9	15.7	10.0	4.8	9.0	7.0	4.4	7.3	5.9	3.2	6.7	5.1	3.1	7.5	5.5	4.7	10.8	8.1
Attempting to steal a vehicle	2.7	6.3	4.6	3.5	4.6	4.0	2.1	3.2	2.7	2.9	4.0	3.5	3.0	4.2	3.6	2.5	3.4	3.0
Being arrested	9.5	13.2	11.5	6.9	7.9	7.4	7.1	6.0	6.6	6.8	7.1	6.9	4.8	8.9	7.1	5.5	9.4	7.7
Taking a handgun to school	1.3	2.0	1.6	2.5	2.3	2.4	1.1	0.9	1.0	1.8	1.8	1.8	1.5	0.9	1.2	2.0	1.6	1.8
Getting suspended	25.0	34.3	29.8	23.4	30.1	26.9	27.9	25.7	26.7	32.5	27.8	29.9	24.6	28.0	26.5	26.1	22.4	24.0
Attacking someone with intent to harm	17.8	21.5	19.8	17.7	15.9	16.8	16.7	14.2	15.5	17.6	14.2	15.8	12.9	18.0	15.7	14.5	18.6	16.8
Being drunk or high at school	9.7	26.5	18.4	10.3	17.8	14.2	10.0	16.9	13.6	8.7	13.4	11.3	6.4	15.0	11.2	8.9	20.4	15.3

Table 13. Percentages of Duval County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Duval County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	59.2	53.3	46.3	65.9	59.2	53.8	56.0	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	17.9	14.0	11.7	19.9	17.8	14.9	15.7	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Duval County youth and Florida Statewide youth who reported involvement in bullying behavior

	Duval County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	24.1	15.0	22.6	15.5	25.0	15.1	19.0	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	2.4	4.5	4.2	2.8	3.0	3.4	3.5	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	17.5	9.9	10.7	15.9	17.9	10.0	13.3	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	34.1	22.3	27.8	27.7	34.1	22.3	27.6	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	7.9	10.0	12.7	5.5	8.1	9.4	9.1	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	14.7	9.6	10.5	13.4	13.8	10.7	11.9	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	25.5	19.8	20.8	24.0	25.5	20.8	22.3	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	6.1	7.8	8.4	5.8	5.9	8.8	7.0	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Duval County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	3.6	3.6	3.8	--	3.4	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	7.4	7.2	7.8	--	6.9	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	4.5	4.4	4.7	--	4.5	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	1.4	1.4	1.4	--	1.1	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	6.1	7.4	4.7	--	6.4	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	2.2	2.0	2.5	--	2.1	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.3	2.1	2.7	--	2.3	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.9	0.9	2.8	--	1.6	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.6	1.6	1.6	--	1.3	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	2.0	1.9	2.1	--	1.7	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.6	1.4	1.9	--	1.5	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	2.6	2.2	3.1	--	2.4	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	1.5	1.6	1.4	--	0.9	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	0.9	0.6	1.2	--	0.4	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.4	1.5	1.4	--	1.3	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	5.3	8.0	2.5	--	5.3	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	6.3	7.3	5.3	--	6.8	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Duval County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	58.9	60.9	56.5	--	59.6	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	37.5	36.0	38.7	--	37.5	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	36.9	35.0	38.3	--	38.1	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	43.2	42.1	44.2	--	43.9	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	32.4	33.3	31.3	--	32.4	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Duval County youth and Florida Statewide high school students

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	82.7	88.9	76.4	--	83.1	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	1.6	1.1	2.3	--	1.6	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	1.5	0.6	2.4	--	1.7	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.9	1.5	4.2	--	3.3	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.4	0.4	0.4	--	0.4	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	1.0	0.3	1.7	--	1.3	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.3	0.4	2.0	--	1.6	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.3	0.1	0.4	--	0.3	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	2.3	0.9	3.9	--	2.3	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Duval County youth and Florida Statewide youth who reported participation in extracurricular activities

	Duval County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	39.5	38.3	37.1	40.7	38.4	39.5	38.8	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	40.3	24.5	26.8	36.2	39.7	25.1	31.5	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	8.3	5.3	7.4	6.1	8.2	5.7	6.7	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	8.5	23.9	20.7	13.5	9.8	22.8	17.0	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	10.1	13.1	15.2	8.4	10.4	13.0	11.7	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Duval County, Florida Statewide and the national normative database, 2010

Domain	Scale	Duval County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	48	61	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	56	52	55	55	59	54
	Family Rewards for Prosocial Involvement	50	49	50	53	54	55
School	School Opportunities for Prosocial Involvement	41	50	46	60	57	60
	School Rewards for Prosocial Involvement	43	53	47	59	53	58
Peer and Individual	Religiosity	52	64	50	60	56	62
Average Prevalence Rate		48	55	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Duval County, Florida Statewide and the national normative database, 2010

Domain	Scale	Duval County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	56	54	51	50	47	47
	Transitions and Mobility	65	65	61	63	47	46
	Laws and Norms Favorable to Drug Use	48	38	44	38	42	42
	Perceived Availability of Drugs	46	38	48	37	45	45
	Perceived Availability of Handguns	27	44	25	38	25	42
Family	Poor Family Management	52	51	48	46	44	45
	Family Conflict	39	36	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	20	33	22	38	23	41
School	Poor Academic Performance	47	55	43	46	45	48
	Lack of Commitment to School	53	51	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	49	49	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	52	45	47	41	40	46
	Favorable Attitudes toward ATOD Use	39	41	41	40	39	45
	Low Perceived Risks of Drug Use	49	51	44	49	40	46
	Early Initiation of Drug Use	39	33	35	33	41	46
Average Prevalence Rate		45	46	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rate trends among middle school students for Duval County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Duval County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	57	53	52	47	46	48
Family	Family Opportunities for Prosocial Involvement	54	50	51	51	49	56
	Family Rewards for Prosocial Involvement	54	47	47	47	47	50
School	School Opportunities for Prosocial Involvement	44	38	41	43	39	41
	School Rewards for Prosocial Involvement	36	30	35	38	38	43
Peer and Individual	Religiosity	58	64	57	54	55	52
Average Prevalence Rate		51	47	47	47	46	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 22. Risk factor prevalence rate trends among middle school students for Duval County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Duval County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	48	50	53	58	54	56
	Transitions and Mobility	57	61	67	63	64	65
	Laws and Norms Favorable to Drug Use	45	49	49	51	49	48
	Perceived Availability of Drugs	49	45	47	44	47	46
	Perceived Availability of Handguns	27	26	27	25	28	27
Family	Poor Family Management	52	57	56	58	58	52
	Family Conflict	42	42	44	45	43	39
	Parental Attitudes Favorable toward ATOD Use	19	22	21	22	21	20
School	Poor Academic Performance	61	55	50	52	48	47
	Lack of Commitment to School	54	59	59	53	54	53
Peer and Individual	Peer Rewards for Antisocial Behavior	39	42	44	42	41	49
	Favorable Attitudes toward Antisocial Behavior	49	50	54	52	51	52
	Favorable Attitudes toward ATOD Use	48	47	47	47	39	39
	Low Perceived Risks of Drug Use	45	48	49	48	45	49
	Early Initiation of Drug Use	51	51	47	45	38	39
Average Prevalence Rate		48	50	50	48	45	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Duval County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Duval County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	64	64	66	60	60	61
Family	Family Opportunities for Prosocial Involvement	52	53	53	48	53	52
	Family Rewards for Prosocial Involvement	55	50	56	52	53	49
School	School Opportunities for Prosocial Involvement	54	50	58	56	57	50
	School Rewards for Prosocial Involvement	46	44	50	53	50	53
Peer and Individual	Religiosity	67	67	66	70	66	64
Average Prevalence Rate		56	55	58	57	57	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among high school students for Duval County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Duval County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	48	51	49	50	56	54
	Transitions and Mobility	64	68	68	69	70	65
	Laws and Norms Favorable to Drug Use	34	33	37	32	36	38
	Perceived Availability of Drugs	47	42	44	39	39	38
	Perceived Availability of Handguns	46	41	43	49	49	44
Family	Poor Family Management	50	54	49	54	55	51
	Family Conflict	34	35	38	37	39	36
	Parental Attitudes Favorable toward ATOD Use	35	35	39	29	35	33
School	Poor Academic Performance	65	54	49	51	50	55
	Lack of Commitment to School	52	50	51	50	48	51
Peer and Individual	Peer Rewards for Antisocial Behavior	40	39	48	46	44	49
	Favorable Attitudes toward Antisocial Behavior	46	42	49	45	51	45
	Favorable Attitudes toward ATOD Use	46	43	45	37	39	41
	Low Perceived Risks of Drug Use	46	47	44	36	48	51
	Early Initiation of Drug Use	54	45	44	35	34	33
Average Prevalence Rate		47	44	47	42	44	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.