

2010 Florida Youth Substance Abuse Survey

Escambia County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Escambia County youth and Florida Statewide 2010 youth

	Escambia County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	859	51.3		35,119	48.2
Male	786	46.9		36,540	50.2
Race/Ethnic group					
African American	474	28.3		12,829	17.7
American Indian	58	3.5		812	1.1
Asian	42	2.5		1,667	2.3
Hispanic/Latino	51	3.0		16,990	23.5
Native Hawaiian/Pacific Islander	16	1.0		314	0.4
Other/Multiple	222	13.2		10,689	14.8
White, non-Hispanic	803	47.9		29,034	40.1
Age					
10	2	0.1		102	0.1
11	74	4.4		2,655	3.6
12	259	15.5		8,828	12.1
13	308	18.4		10,495	14.4
14	283	16.9		10,640	14.6
15	239	14.3		11,346	15.6
16	199	11.9		11,220	15.4
17	192	11.5		10,069	13.8
18	107	6.4		6,339	8.7
19 or older	11	0.7		844	1.2
Grade					
6th	319	19.0		10,458	14.4
7th	262	15.6		10,655	14.6
8th	335	20.0		10,428	14.3
9th	231	13.8		11,566	15.9
10th	181	10.8		10,486	14.4
11th	192	11.5		10,131	13.9
12th	156	9.3		9,072	12.5
Overall Middle School	916	54.7		31,541	43.3
Overall High School	760	45.3		41,256	56.7
Total	1,676	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Escambia County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Escambia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	33.6	61.9	51.8	47.2	33.8	62.5	49.5	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	19.8	34.2	26.7	29.3	19.1	34.7	27.9	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	11.9	33.7	22.3	26.4	11.9	34.8	24.2	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	14.6	10.3	12.2	11.9	14.7	10.7	12.1	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	0.8	6.0	3.2	4.4	1.0	6.4	3.7	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.2	5.7	3.0	4.6	1.9	5.0	3.8	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	1.3	1.4	1.6	1.1	1.0	1.6	1.3	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.3	3.4	2.7	2.3	1.7	2.5	2.5	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.4	1.3	1.0	0.8	0.5	1.4	0.9	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.2	10.2	8.0	6.4	3.3	10.6	7.1	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	4.2	10.1	7.3	7.9	4.3	10.6	7.5	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	1.9	9.1	5.7	6.1	3.0	8.1	5.9	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.6	1.4	0.7	1.5	0.5	1.4	1.0	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	5.5	9.3	6.5	8.9	5.2	8.9	7.7	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	26.5	41.5	33.1	36.9	26.0	42.9	35.0	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	20.7	26.6	23.5	24.5	20.7	27.1	24.0	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	16.1	25.3	23.2	18.9	16.4	25.1	21.2	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	42.3	66.7	56.3	55.5	42.2	68.1	56.0	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	8.9	5.1	4.7	8.4	8.5	5.8	6.8	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Escambia County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Escambia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	15.3	36.4	27.2	27.1	15.8	34.6	27.1	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	7.2	17.8	12.1	14.3	7.1	17.3	13.2	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	4.9	13.0	8.4	10.4	5.4	11.8	9.4	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	6.6	18.2	11.8	14.6	7.0	18.0	13.2	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	6.5	3.1	4.7	4.6	6.9	2.8	4.5	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.3	1.9	0.6	1.8	0.3	2.1	1.2	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.2	1.5	0.6	1.3	0.3	1.7	0.9	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	1.0	0.6	0.8	0.8	0.7	1.0	0.8	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.2	0.9	0.6	0.6	0.6	0.7	0.6	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.2	0.7	0.5	0.5	0.2	0.9	0.5	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	1.6	4.6	3.6	3.0	1.7	4.7	3.3	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.2	5.7	3.6	4.9	2.5	5.9	4.2	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.7	3.6	2.7	2.1	0.8	3.7	2.4	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.3	0.7	0.2	0.9	0.2	1.0	0.5	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	2.6	4.2	2.9	4.2	2.3	4.1	3.5	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	14.8	24.1	19.6	20.7	14.7	25.1	20.1	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	10.6	13.6	12.6	12.3	10.8	14.0	12.3	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	8.7	20.0	14.5	15.5	8.8	18.2	15.1	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	23.1	43.5	33.7	35.5	22.9	42.9	34.6	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	8.2	7.7	6.7	9.0	7.6	8.7	7.9	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Escambia County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	36.1	70.8	55.5	42.6	72.0	58.8	42.5	73.1	59.0	39.8	65.3	54.0	37.7	63.0	51.8	33.6	61.9	49.5
Cigarettes	31.8	65.3	50.4	34.3	47.3	41.4	32.6	50.4	42.2	28.3	44.9	37.6	28.9	40.0	35.1	19.8	34.2	27.9
Marijuana or Hashish	12.4	42.7	29.7	14.5	39.9	28.4	14.2	43.6	30.1	12.0	34.1	24.4	13.7	33.9	24.9	11.9	33.7	24.2
Inhalants	10.8	13.4	12.3	13.2	10.2	11.7	19.9	14.8	17.2	17.6	16.2	16.8	13.7	10.8	12.1	14.6	10.3	12.1
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.4	--	--	0.8	6.0	3.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	2.0	--	--	1.2	5.7	3.8
Methamphetamine	0.6	6.7	4.1	2.1	3.9	3.1	2.7	4.0	3.4	2.6	3.5	3.1	1.0	1.4	--	1.3	1.4	1.3
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.6	--	--	1.3	3.4	2.5
Heroin	2.0	2.2	2.1	0.7	0.9	0.8	1.3	1.0	1.3	1.1	1.8	1.6	0.8	1.0	0.9	0.4	1.3	0.9
Depressants	--	--	--	2.5	14.3	9.1	4.8	13.3	9.5	3.3	13.2	8.9	3.2	10.4	7.2	3.2	10.2	7.1
Prescription Pain Relievers	--	--	--	5.5	14.3	10.3	6.5	17.0	12.3	6.0	13.7	10.4	7.0	11.6	9.5	4.2	10.1	7.5
Prescription Amphetamines	--	--	--	4.5	12.4	8.8	3.6	13.4	9.0	2.6	10.0	6.8	3.2	10.2	7.1	1.9	9.1	5.9
Steroids (without a doctor's order)	1.4	2.9	2.3	1.8	1.9	1.8	3.0	3.2	3.1	1.7	2.6	2.3	1.0	2.5	1.8	0.6	1.4	1.0
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	4.5	--	--	5.5	9.3	7.7
Any illicit drug	--	--	--	28.6	44.5	37.5	30.8	53.6	42.9	28.2	42.2	36.1	26.6	42.2	35.3	26.5	41.5	35.0
Any illicit drug other than marijuana	--	--	--	20.6	26.8	24.0	25.1	32.0	28.8	24.0	31.0	27.9	20.3	26.6	23.8	20.7	26.6	24.0
Alcohol only	--	--	--	20.3	30.5	25.9	21.3	25.8	23.8	19.4	26.5	23.2	20.0	26.2	23.5	16.1	25.3	21.2
Alcohol or any illicit drug	--	--	--	48.5	75.0	63.1	51.5	79.0	66.3	47.0	68.0	58.7	46.7	68.2	58.7	42.3	66.7	56.0
Any illicit drug, but no alcohol	--	--	--	6.1	3.4	4.8	8.9	6.1	7.4	8.0	3.2	5.4	9.2	5.2	7.0	8.9	5.1	6.8

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Escambia County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	16.9	50.5	35.7	16.9	45.1	32.6	19.8	48.4	35.3	18.3	38.9	29.8	16.2	38.7	28.7	15.3	36.4	27.1
Binge Drinking	7.0	31.5	21.1	6.5	25.9	17.2	9.7	29.0	20.2	9.5	20.0	15.4	6.9	20.2	14.3	7.2	17.8	13.2
Cigarettes	9.2	33.5	22.7	8.9	19.5	14.8	9.9	21.2	15.9	8.7	18.5	14.1	7.1	14.9	11.5	4.9	13.0	9.4
Marijuana or Hashish	6.8	21.9	15.5	6.4	21.9	15.0	6.8	20.3	14.2	6.5	17.9	13.0	7.2	19.4	14.0	6.6	18.2	13.2
Inhalants	3.6	5.0	4.4	3.7	3.0	3.4	9.4	3.2	5.9	7.4	5.0	6.1	6.0	2.8	4.2	6.5	3.1	4.5
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.5	--	--	0.3	1.9	1.2
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.2	--	--	0.2	1.5	0.9
Methamphetamine	0.2	2.4	1.4	1.0	1.5	1.3	0.8	1.1	1.0	1.2	0.6	0.8	0.6	0.6	0.6	1.0	0.6	0.8
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.6	--	--	0.2	0.9	0.6
Heroin	1.6	0.2	0.8	0.2	0.3	0.2	0.6	0.3	0.4	0.4	0.0	0.2	0.4	0.3	0.3	0.2	0.7	0.5
Depressants	--	--	--	0.8	6.1	3.8	2.3	6.2	4.4	2.1	5.6	4.1	1.2	4.9	3.3	1.6	4.6	3.3
Prescription Pain Relievers	--	--	--	1.2	4.5	3.0	1.8	9.5	6.0	2.2	5.1	4.0	2.5	4.0	3.3	2.2	5.7	4.2
Prescription Amphetamines	--	--	--	2.0	4.0	3.1	2.2	6.0	4.3	1.4	3.7	2.8	0.9	3.4	2.3	0.7	3.6	2.4
Steroids (without a doctor's order)	0.7	0.6	0.7	0.6	0.6	0.6	1.0	1.8	1.4	0.4	0.9	0.8	0.5	0.5	0.5	0.3	0.7	0.5
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.7	--	--	2.6	4.2	3.5
Any illicit drug	--	--	--	13.4	25.5	20.2	16.2	26.7	21.8	14.2	24.3	20.0	14.1	23.3	19.2	14.8	24.1	20.1
Any illicit drug other than marijuana	--	--	--	8.6	11.4	10.2	13.5	14.2	13.8	11.1	14.6	13.2	9.6	11.4	10.6	10.6	13.6	12.3
Alcohol only	--	--	--	10.6	25.4	18.9	13.6	27.9	21.7	11.1	19.9	16.0	9.4	21.5	16.1	8.7	20.0	15.1
Alcohol or any illicit drug	--	--	--	23.4	50.0	38.1	29.3	53.7	42.6	24.6	43.5	35.2	23.3	44.3	35.0	23.1	43.5	34.6
Any illicit drug, but no alcohol	--	--	--	7.0	5.5	6.1	10.1	6.2	7.9	7.0	5.0	6.0	7.3	5.8	6.5	8.2	7.7	7.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Escambia County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Escambia County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	27.6	27.4	27.0	--	28.3	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	5.5	5.7	5.0	--	6.3	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	20.5	19.4	22.0	--	20.8	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	13.5	12.0	15.2	--	12.7	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	40.7	39.4	41.5	38.9	41.3	38.2	40.0	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	67.1	66.3	68.1	64.9	67.9	66.1	66.7	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	66.5	43.5	56.7	50.1	66.2	44.0	53.5	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	40.5	22.3	30.6	30.0	40.5	21.1	30.3	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	90.3	71.1	79.9	79.6	90.0	72.7	79.6	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	80.6	52.9	62.6	67.7	79.3	53.6	65.0	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	88.6	65.2	75.5	75.1	88.2	65.9	75.4	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.7	90.8	93.9	92.8	96.4	91.0	93.4	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	8.3	16.3	13.5	12.0	9.1	14.9	12.8	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	6.9	7.6	7.0	7.1	6.9	8.4	7.3	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	12.1	19.1	16.5	15.7	12.4	19.7	16.1	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Escambia County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	45.3	--	--	38.8	--	--	41.5	--	--	35.6	--	--	32.9	--	--	27.6	--
Regular alcohol use	--	12.5	--	--	8.0	--	--	7.3	--	--	8.8	--	--	5.5	--	--	5.5	--
Cigarettes	--	49.5	--	--	30.3	--	--	37.7	--	--	30.7	--	--	25.9	--	--	20.5	--
Marijuana	--	20.7	--	--	18.4	--	--	17.1	--	--	16.4	--	--	12.1	--	--	13.5	--
Great risk of harm																		
Daily alcohol use	37.9	40.6	39.5	41.2	35.1	37.8	33.5	36.1	34.7	41.3	36.3	38.5	43.8	40.5	42.0	40.7	39.4	40.0
Daily cigarette use	62.0	66.8	64.7	64.6	66.7	65.7	54.9	61.9	58.7	61.9	61.9	61.9	63.8	70.0	67.3	67.1	66.3	66.7
Regular marijuana use	66.6	53.3	59.1	70.5	44.4	56.2	64.7	47.1	55.2	66.1	52.0	58.2	66.7	50.2	57.5	66.5	43.5	53.5
Try marijuana	38.2	24.8	30.5	36.3	19.3	27.0	36.2	22.8	29.1	44.4	25.2	33.8	39.7	24.8	31.4	40.5	22.3	30.3
Think it wrong																		
Smoke cigarettes	87.8	59.9	72.5	84.5	62.6	72.4	81.1	63.0	71.4	84.6	68.2	75.4	86.0	69.6	76.8	90.3	71.1	79.6
Drink regularly	83.2	52.8	66.6	80.6	46.6	62.0	71.9	43.3	56.7	76.9	55.6	65.2	78.5	55.0	65.3	80.6	52.9	65.0
Smoke marijuana	91.0	66.0	77.2	89.4	64.1	75.5	89.6	65.3	76.8	88.9	72.2	79.4	87.3	66.5	75.6	88.6	65.2	75.4
Use other illicit drugs	97.8	89.8	93.4	97.9	91.1	94.1	97.3	92.9	95.0	96.9	93.4	94.8	96.0	93.7	94.7	96.7	90.8	93.4
Seen as cool																		
Drink regularly	8.7	17.3	13.4	8.0	15.5	12.1	12.0	14.2	13.1	7.9	17.8	13.5	9.1	15.5	12.7	8.3	16.3	12.8
Smoke cigarettes	6.1	10.8	8.6	8.0	5.4	6.7	9.5	6.3	7.7	6.2	6.3	6.4	7.8	4.9	6.2	6.9	7.6	7.3
Smoke marijuana	9.5	18.4	14.4	11.5	15.8	14.0	11.7	16.1	14.0	10.0	15.7	13.4	14.5	14.8	14.7	12.1	19.1	16.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Escambia County youth and Florida Statewide, 2010

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.7	6.3	11.3	--	5.5	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	0.4	0.9	0.0	--	0.0	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.4	0.7	0.0	--	0.5	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	25.2	17.5	33.8	--	26.4	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	42.1	45.5	37.7	--	40.7	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	4.0	6.3	1.6	--	5.5	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	19.2	22.8	15.6	--	21.3	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Escambia County youth and Florida Statewide, 2010

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	26.4	28.4	24.6	--	26.2	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	48.0	48.4	47.7	--	48.1	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	3.5	2.2	4.8	--	3.5	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.0	3.2	0.8	--	1.0	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	7.1	2.9	11.6	--	6.9	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.2	1.5	1.0	--	1.7	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	2.1	2.3	2.0	--	2.9	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	9.7	11.1	7.5	--	9.7	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Escambia County youth and Florida Statewide, 2010

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	27.4	31.0	24.0	--	27.0	--	--	23.5	26.8	20.0	--	24.0	--
2	--	24.3	29.8	18.8	--	20.9	--	--	21.2	23.5	18.9	--	21.8	--
3	--	10.7	13.3	6.6	--	11.7	--	--	16.8	18.0	15.5	--	17.0	--
4	--	11.6	10.2	13.2	--	12.5	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	26.1	15.5	37.4	--	28.0	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Escambia County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Escambia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	4.4	6.4	1.5	9.6	3.7	7.3	5.5	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	3.3	9.1	4.3	9.0	2.8	9.9	6.6	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	1.6	2.0	1.2	2.5	1.5	2.2	1.9	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	4.5	6.5	4.1	7.2	3.7	6.8	5.6	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.4	1.2	0.3	1.3	0.3	1.4	0.9	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	16.6	16.2	12.9	20.2	15.6	17.6	16.4	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	11.4	12.8	9.7	14.9	10.7	13.2	12.2	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	8.6	17.5	13.2	14.0	8.2	18.2	13.7	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Escambia County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.7	10.1	7.2	3.6	3.1	3.3	5.0	3.7	4.2	4.9	7.1	6.3	7.0	5.4	6.1	4.4	6.4	5.5
Selling drugs	2.2	10.5	6.7	2.7	10.5	7.1	3.5	6.2	5.0	3.1	7.4	5.6	3.9	8.0	6.2	3.3	9.1	6.6
Attempting to steal a vehicle	3.6	6.2	5.0	2.0	2.7	2.4	2.6	3.9	3.3	2.6	4.5	3.8	3.6	3.3	3.4	1.6	2.0	1.9
Being arrested	6.8	11.3	9.3	4.9	5.3	5.1	7.3	5.5	6.2	4.5	8.6	7.0	5.7	5.7	5.7	4.5	6.5	5.6
Taking a handgun to school	1.3	1.7	1.5	0.6	0.4	0.5	0.9	1.3	1.1	0.5	2.5	1.8	1.1	0.5	0.7	0.4	1.2	0.9
Getting suspended	23.3	21.8	22.3	17.2	14.7	15.8	22.6	17.2	19.6	22.9	22.2	22.7	24.4	22.1	23.1	16.6	16.2	16.4
Attacking someone with intent to harm	16.5	19.4	18.1	9.5	14.2	12.2	16.0	14.4	15.1	12.3	16.0	14.5	13.1	14.0	13.6	11.4	12.8	12.2
Being drunk or high at school	6.7	19.9	13.9	7.4	17.9	13.3	9.8	22.1	16.6	8.4	17.8	13.9	8.0	16.2	12.6	8.6	17.5	13.7

Table 13. Percentages of Escambia County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Escambia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	53.5	50.5	45.4	57.7	53.3	50.7	51.8	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	16.0	10.4	11.0	14.5	15.4	9.9	12.8	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Escambia County youth and Florida Statewide youth who reported involvement in bullying behavior

	Escambia County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	28.2	15.3	25.5	16.8	28.3	14.5	20.9	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	2.8	3.4	3.8	2.6	2.7	3.5	3.1	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	19.3	9.0	11.3	15.6	18.9	9.0	13.5	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	36.9	22.5	29.5	27.9	36.0	23.1	28.7	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	7.5	8.4	10.3	5.9	8.0	8.4	8.0	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	14.1	10.9	11.4	13.0	13.3	12.0	12.3	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	22.9	19.0	20.4	20.8	21.8	19.4	20.6	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	6.2	8.1	8.9	5.6	6.2	7.8	7.2	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Escambia County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	4.5	3.3	5.9	--	4.4	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	6.2	5.3	7.2	--	6.1	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	4.3	4.4	4.4	--	3.9	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	1.5	1.1	2.0	--	1.3	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	6.5	7.4	5.7	--	6.1	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	2.5	1.5	3.6	--	2.1	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	2.2	1.8	2.8	--	1.9	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	1.2	1.4	1.0	--	0.9	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	2.4	1.8	3.0	--	2.2	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.2	1.3	1.2	--	0.8	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.0	0.6	1.5	--	0.7	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	2.8	2.6	3.1	--	2.4	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	1.0	0.2	1.9	--	0.7	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	0.4	0.2	0.5	--	0.0	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.1	0.8	1.4	--	0.7	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	5.1	7.6	2.9	--	5.1	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	6.0	6.2	5.9	--	5.4	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Escambia County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	52.8	59.8	46.2	--	52.2	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	27.1	24.6	29.0	--	25.6	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	30.9	30.0	31.8	--	30.0	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	32.5	32.2	32.4	--	32.4	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	20.1	19.3	20.2	--	19.0	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Escambia County youth and Florida Statewide high school students

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	82.2	88.4	76.4	--	83.1	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	2.8	1.7	3.8	--	2.8	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	2.5	0.0	5.0	--	3.0	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.7	1.7	3.7	--	2.7	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.5	0.0	1.1	--	0.4	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	2.4	0.8	3.7	--	2.6	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	2.5	0.4	4.3	--	2.3	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.2	0.2	0.2	--	0.0	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	2.6	1.3	3.7	--	2.4	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Escambia County youth and Florida Statewide youth who reported participation in extracurricular activities

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	37.8	44.1	39.3	43.5	38.9	43.6	41.4	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	47.9	22.1	30.2	36.0	45.1	22.9	33.3	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	18.1	7.9	12.1	12.7	17.3	8.5	12.3	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	19.6	28.8	33.8	16.3	20.0	28.5	24.8	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	10.1	12.8	15.8	7.8	10.0	12.9	11.7	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Escambia County, Florida Statewide and the national normative database, 2010

Domain	Scale	Escambia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	54	64	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	54	55	55	55	59	54
	Family Rewards for Prosocial Involvement	51	54	50	53	54	55
School	School Opportunities for Prosocial Involvement	49	56	46	60	57	60
	School Rewards for Prosocial Involvement	46	57	47	59	53	58
Peer and Individual	Religiosity	58	65	50	60	56	62
Average Prevalence Rate		52	59	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Escambia County, Florida Statewide and the national normative database, 2010

Domain	Scale	Escambia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	46	45	51	50	47	47
	Transitions and Mobility	60	64	61	63	47	46
	Laws and Norms Favorable to Drug Use	47	37	44	38	42	42
	Perceived Availability of Drugs	47	39	48	37	45	45
	Perceived Availability of Handguns	27	42	25	38	25	42
Family	Poor Family Management	51	48	48	46	44	45
	Family Conflict	40	38	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	25	39	22	38	23	41
School	Poor Academic Performance	46	48	43	46	45	48
	Lack of Commitment to School	52	49	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	43	48	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	48	44	47	41	40	46
	Favorable Attitudes toward ATOD Use	41	43	41	40	39	45
	Low Perceived Risks of Drug Use	46	50	44	49	40	46
	Early Initiation of Drug Use	38	36	35	33	41	46
Average Prevalence Rate		44	45	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Escambia County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Escambia County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	52	57	55	52	54	54
Family	Family Opportunities for Prosocial Involvement	57	60	60	52	56	54
	Family Rewards for Prosocial Involvement	52	55	54	49	52	51
School	School Opportunities for Prosocial Involvement	45	46	46	41	43	49
	School Rewards for Prosocial Involvement	47	48	41	37	41	46
Peer and Individual	Religiosity	57	60	64	57	56	58
Average Prevalence Rate		52	54	53	48	50	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Escambia County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Escambia County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	51	44	53	48	52	46
	Transitions and Mobility	57	62	61	63	63	60
	Laws and Norms Favorable to Drug Use	46	46	47	45	49	47
	Perceived Availability of Drugs	48	50	53	48	49	47
	Perceived Availability of Handguns	26	26	32	32	32	27
Family	Poor Family Management	50	49	48	54	50	51
	Family Conflict	46	45	43	46	44	40
	Parental Attitudes Favorable toward ATOD Use	18	24	22	24	21	25
School	Poor Academic Performance	56	44	54	49	45	46
	Lack of Commitment to School	50	51	55	60	56	52
Peer and Individual	Peer Rewards for Antisocial Behavior	35	49	47	43	49	43
	Favorable Attitudes toward Antisocial Behavior	37	51	52	54	45	48
	Favorable Attitudes toward ATOD Use	44	48	52	50	45	41
	Low Perceived Risks of Drug Use	48	43	51	43	44	46
	Early Initiation of Drug Use	48	52	52	49	45	38
Average Prevalence Rate		44	49	52	50	47	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Escambia County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Escambia County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	71	65	60	67	62	64
Family	Family Opportunities for Prosocial Involvement	57	57	52	51	54	55
	Family Rewards for Prosocial Involvement	59	58	53	50	54	54
School	School Opportunities for Prosocial Involvement	58	49	49	55	53	56
	School Rewards for Prosocial Involvement	52	49	46	55	50	57
Peer and Individual	Religiosity	67	71	67	68	70	65
Average Prevalence Rate		61	58	55	58	57	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Escambia County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Escambia County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	42	37	42	46	44	45
	Transitions and Mobility	57	61	72	64	67	64
	Laws and Norms Favorable to Drug Use	37	36	37	32	34	37
	Perceived Availability of Drugs	48	49	48	37	41	39
	Perceived Availability of Handguns	48	44	39	40	42	42
Family	Poor Family Management	45	46	52	51	50	48
	Family Conflict	37	37	39	37	41	38
	Parental Attitudes Favorable toward ATOD Use	41	40	43	38	35	39
School	Poor Academic Performance	53	40	46	49	43	48
	Lack of Commitment to School	43	57	54	48	52	49
Peer and Individual	Peer Rewards for Antisocial Behavior	50	50	50	48	42	48
	Favorable Attitudes toward Antisocial Behavior	45	46	46	46	47	44
	Favorable Attitudes toward ATOD Use	49	48	50	43	43	43
	Low Perceived Risks of Drug Use	48	49	49	48	44	50
	Early Initiation of Drug Use	58	45	52	44	38	36
Average Prevalence Rate		49	49	50	46	44	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.