

# **2010 Florida Youth Substance Abuse Survey**

**Glades County Report**



# Appendix A

## Detailed Tables

---

**Table 1. Major demographic characteristics of surveyed Glades County youth and Florida Statewide 2010 youth**

	Glades County			Florida Statewide 2010	
	N	%		N	%
<b>Sex</b>					
Female	99	47.4		35,119	48.2
Male	105	50.2		36,540	50.2
<b>Race/Ethnic group</b>					
African American	24	11.5		12,829	17.7
American Indian	3	1.4		812	1.1
Asian	0	0.0		1,667	2.3
Hispanic/Latino	70	33.5		16,990	23.5
Native Hawaiian/Pacific Islander	0	0.0		314	0.4
Other/Multiple	18	8.6		10,689	14.8
White, non-Hispanic	92	44.0		29,034	40.1
<b>Age</b>					
10	0	0.0		102	0.1
11	13	6.2		2,655	3.6
12	33	15.8		8,828	12.1
13	48	23.0		10,495	14.4
14	39	18.7		10,640	14.6
15	22	10.5		11,346	15.6
16	20	9.6		11,220	15.4
17	19	9.1		10,069	13.8
18	11	5.3		6,339	8.7
19 or older	4	1.9		844	1.2
<b>Grade</b>					
6th	51	24.4		10,458	14.4
7th	43	20.6		10,655	14.6
8th	43	20.6		10,428	14.3
9th	22	10.5		11,566	15.9
10th	19	9.1		10,486	14.4
11th	17	8.1		10,131	13.9
12th	14	6.7		9,072	12.5
Overall Middle School	137	65.6		31,541	43.3
Overall High School	72	34.4		41,256	56.7
<b>Total</b>	<b>209</b>	<b>100.0</b>		<b>72,797</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Glades County youth and Florida Statewide youth who reported having used various drugs in their lifetimes**

	Glades County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	44.1	70.9	56.3	54.4	44.0	67.6	56.0	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	24.1	51.8	33.9	37.9	24.5	48.9	36.3	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	10.5	25.1	13.6	18.4	10.6	24.1	17.0	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	11.4	8.8	13.5	7.8	11.0	9.5	10.3	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.2	5.0	3.7	2.3	1.2	4.0	2.9	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	1.4	3.3	3.1	1.6	1.5	1.9	2.3	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	2.8	2.8	3.7	2.1	2.8	3.5	2.8	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	1.7	0.0	1.2	0.7	1.7	0.0	0.9	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	0.7	6.6	3.9	3.0	0.7	6.0	3.3	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	5.0	4.8	4.1	6.0	5.0	3.8	4.9	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	0.8	0.0	0.0	0.9	0.9	0.0	0.5	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.7	1.9	0.0	2.4	0.7	0.0	1.2	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	5.5	4.2	7.4	2.2	6.1	2.6	4.9	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	25.1	36.9	29.9	28.8	25.3	34.9	30.3	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	20.7	19.2	25.6	15.2	20.8	17.9	20.0	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	26.2	35.4	31.6	30.0	26.0	34.5	30.3	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	51.4	72.3	61.5	58.8	51.3	69.4	60.6	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	7.2	1.4	5.2	4.4	7.3	1.7	4.6	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

**Table 3. Percentages of Glades County youth and Florida Statewide youth who reported having used various drugs in the past 30 days**

	Glades County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	14.8	47.4	21.2	35.6	14.7	45.3	29.3	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	9.2	26.8	13.1	20.2	9.0	26.2	17.0	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	3.0	10.8	3.3	7.0	3.0	12.2	6.5	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	4.3	10.7	1.4	11.6	4.4	12.0	7.2	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	5.1	1.4	3.2	3.8	4.5	2.6	3.4	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	1.3	0.0	0.7	0.8	1.3	0.0	0.7	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	0.0	1.5	1.4	0.0	0.0	1.9	0.7	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	2.3	0.0	1.9	0.8	2.4	0.0	1.3	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.7	0.0	0.0	0.8	0.7	0.0	0.4	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	3.7	1.8	2.7	3.2	3.8	0.0	2.8	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.0	1.9	0.0	1.7	0.0	0.0	0.9	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	3.5	1.5	3.1	2.3	2.9	1.0	2.6	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	11.2	18.6	10.6	17.6	10.2	17.4	14.6	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	9.0	8.0	9.9	7.7	7.9	5.4	8.5	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	9.1	33.4	17.4	22.5	9.5	32.4	20.1	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	20.8	52.0	28.2	39.8	20.2	49.8	34.6	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	6.4	4.6	7.1	4.5	5.9	4.5	5.6	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Glades County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	51.9	67.7	62.5	49.1	71.9	59.9	51.8	62.8	58.3	36.9	67.3	52.5	47.1	73.6	58.8	44.1	70.9	56.0
Cigarettes	40.8	45.7	44.1	30.6	57.6	42.6	37.0	38.4	38.0	29.6	48.6	39.4	30.3	46.4	37.3	24.1	51.8	36.3
Marijuana or Hashish	16.3	24.1	21.6	12.3	26.5	18.6	13.0	32.2	23.9	5.8	29.9	18.3	9.3	20.9	14.4	10.5	25.1	17.0
Inhalants	15.4	5.2	8.6	15.2	6.8	12.1	9.3	11.9	10.8	5.9	8.7	7.4	10.2	3.8	7.4	11.4	8.8	10.3
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.7	--	--	1.2	5.0	2.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.4	3.3	2.3
Methamphetamine	3.4	2.0	2.5	3.5	0.0	1.9	0.7	3.6	2.3	1.9	3.4	2.7	0.8	0.0	--	0.0	0.0	0.0
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	2.4	--	--	2.8	2.8	2.8
Heroin	2.6	0.7	1.4	2.6	0.0	1.4	1.3	2.6	2.0	0.9	0.0	0.4	3.0	0.0	1.6	1.7	0.0	0.9
Depressants	--	--	--	4.6	4.6	4.6	1.3	14.8	9.1	0.9	3.4	2.1	2.5	6.7	4.4	0.7	6.6	3.3
Prescription Pain Relievers	--	--	--	4.7	12.5	9.0	5.9	17.2	12.3	1.8	3.5	2.6	4.9	10.5	7.4	5.0	4.8	4.9
Prescription Amphetamines	--	--	--	2.9	0.0	1.6	3.3	5.8	4.7	1.0	2.1	1.6	4.2	1.1	2.9	0.8	0.0	0.5
Steroids (without a doctor's order)	4.0	0.3	1.6	4.6	0.0	2.5	2.1	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	1.2
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	7.2	--	--	5.5	4.2	4.9
Any illicit drug	--	--	--	29.2	30.3	30.3	23.0	37.0	31.0	13.5	33.8	23.9	19.3	28.3	23.3	25.1	36.9	30.3
Any illicit drug other than marijuana	--	--	--	26.8	16.5	22.7	17.3	22.3	20.1	9.7	11.4	10.6	17.6	19.2	18.3	20.7	19.2	20.0
Alcohol only	--	--	--	26.0	42.7	33.3	31.9	27.3	29.5	27.2	36.0	31.7	28.4	48.8	37.4	26.2	35.4	30.3
Alcohol or any illicit drug	--	--	--	55.0	73.8	63.9	54.5	64.5	60.4	40.6	69.8	55.6	47.4	76.2	60.1	51.4	72.3	60.6
Any illicit drug, but no alcohol	--	--	--	6.4	1.9	4.3	2.7	2.0	2.3	3.8	2.5	3.1	0.7	2.1	1.3	7.2	1.4	4.6

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Glades County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	37.5	50.6	46.3	27.4	46.7	35.8	28.2	35.6	32.4	18.5	40.0	29.5	18.4	39.6	27.6	14.8	47.4	29.3
Binge Drinking	24.1	33.8	30.6	12.2	29.4	19.9	18.5	22.8	21.0	7.4	26.2	17.1	7.7	25.2	15.3	9.2	26.8	17.0
Cigarettes	12.9	16.0	15.0	6.2	21.7	13.2	10.5	16.4	13.9	3.0	13.9	8.6	8.0	18.9	12.7	3.0	10.8	6.5
Marijuana or Hashish	12.1	9.9	10.6	8.0	18.3	12.7	4.8	16.3	11.4	3.0	18.3	10.9	7.9	8.1	8.0	4.3	10.7	7.2
Inhalants	8.1	2.0	4.0	4.6	4.6	4.6	3.5	2.4	2.8	3.1	4.1	3.6	2.6	0.0	1.5	5.1	1.4	3.4
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.3	0.0	0.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	0.0	1.5	0.7
Methamphetamine	2.0	0.0	0.7	0.0	0.0	0.0	0.0	0.8	0.5	0.0	1.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.6	--	--	2.3	0.0	1.3
Heroin	1.6	0.0	0.6	1.8	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.6	0.7	0.0	0.4
Depressants	--	--	--	3.5	4.7	4.0	1.4	11.2	7.1	0.0	2.3	1.1	1.6	4.6	2.9	0.0	0.0	0.0
Prescription Pain Relievers	--	--	--	3.5	4.9	4.9	4.8	12.1	9.0	0.9	2.3	1.6	4.5	4.8	4.6	3.7	1.8	2.8
Prescription Amphetamines	--	--	--	1.7	0.0	1.0	1.4	0.0	0.6	0.0	0.0	0.0	0.7	1.2	0.9	0.0	0.0	0.0
Steroids (without a doctor's order)	0.0	0.0	0.0	4.8	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.9
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	5.5	--	--	3.5	1.5	2.6
Any illicit drug	--	--	--	18.3	18.3	18.1	8.1	18.6	14.4	4.9	19.5	12.4	10.0	14.4	11.9	11.2	18.6	14.6
Any illicit drug other than marijuana	--	--	--	12.4	6.9	9.8	4.8	12.8	9.7	3.8	6.3	5.1	7.5	9.5	8.4	9.0	8.0	8.5
Alcohol only	--	--	--	18.2	32.3	24.3	22.1	21.8	21.8	16.2	22.1	19.2	12.9	30.1	20.3	9.1	33.4	20.1
Alcohol or any illicit drug	--	--	--	35.4	46.8	40.3	29.3	38.4	34.8	21.4	40.0	30.9	22.3	43.1	31.5	20.8	52.0	34.6
Any illicit drug, but no alcohol	--	--	--	8.6	2.4	5.8	2.2	2.6	2.8	3.0	0.0	1.4	3.5	1.4	2.6	6.4	4.6	5.6

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.



**Table 6. Percentages of Glades County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval**

	Glades County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	37.8	31.3	42.9	--	41.6	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	5.0	1.8	5.3	--	6.0	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	41.7	34.3	44.8	--	37.7	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	12.8	7.6	15.1	--	13.4	--	--	11.3	8.5	13.9	--	11.4	--
<b>Perceive great risk of harm if...</b>														
One or more drinks every day	41.0	38.8	41.9	39.9	39.4	36.9	40.0	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	71.4	56.7	72.0	59.7	69.6	59.5	65.0	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	75.1	60.7	75.2	64.5	75.8	63.0	68.9	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	46.7	30.8	46.3	35.6	47.6	27.3	39.8	39.1	21.2	30.8	27.2	38.3	21.5	28.9
<b>Think it would be wrong for someone their age to...</b>														
Smoke cigarettes	88.2	62.8	82.0	73.6	87.6	60.7	76.8	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	76.8	49.1	70.3	59.8	75.6	47.9	64.4	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	90.8	72.6	89.9	78.1	91.5	68.0	82.7	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	96.1	95.5	96.9	94.7	96.1	96.7	95.9	96.2	93.0	95.4	93.4	96.3	93.0	94.4
<b>Good chance of being seen as cool if...</b>														
Drink alcohol regularly	10.1	17.2	13.7	12.8	11.3	13.0	13.3	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	5.9	4.1	4.2	6.2	6.1	5.0	5.1	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	10.6	8.1	7.5	11.7	11.1	9.6	9.5	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 7. Trends in early ATOD use and attitudes toward substance use for Glades County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	25.6	--	--	41.9	--	--	37.6	--	--	38.6	--	--	35.2	--	--	37.8	--
Regular alcohol use	--	6.8	--	--	3.8	--	--	15.0	--	--	9.6	--	--	1.4	--	--	5.0	--
Cigarettes	--	24.9	--	--	50.4	--	--	32.8	--	--	42.7	--	--	25.1	--	--	41.7	--
Marijuana	--	7.7	--	--	7.4	--	--	16.7	--	--	22.8	--	--	10.2	--	--	12.8	--
<b>Great risk of harm</b>																		
Daily alcohol use	29.1	28.7	28.8	31.2	43.2	36.4	30.1	41.2	36.8	37.9	40.2	39.1	38.1	34.4	36.5	41.0	38.8	40.0
Daily cigarette use	52.8	57.2	55.7	51.8	61.3	56.5	55.9	60.4	58.3	60.1	68.3	64.1	56.9	61.0	58.7	71.4	56.7	65.0
Regular marijuana use	52.4	51.5	51.8	65.5	68.6	67.2	64.9	51.1	57.1	70.6	57.3	64.1	66.3	51.8	59.9	75.1	60.7	68.9
Try marijuana	37.1	32.9	34.3	45.8	50.2	48.2	44.9	33.5	38.1	48.9	36.2	42.6	36.6	39.6	37.9	46.7	30.8	39.8
<b>Think it wrong</b>																		
Smoke cigarettes	78.1	56.1	63.1	84.3	70.3	78.1	82.0	70.3	75.2	89.1	80.9	85.0	85.0	71.3	78.8	88.2	62.8	76.8
Drink regularly	64.4	41.9	49.2	73.3	59.5	67.2	70.5	55.6	61.6	81.3	49.1	65.3	72.0	60.8	67.0	76.8	49.1	64.4
Smoke marijuana	83.4	73.3	76.5	88.6	82.4	85.8	90.6	77.2	82.8	92.8	82.2	87.8	89.5	81.7	85.9	90.8	72.6	82.7
Use other illicit drugs	92.4	93.5	92.9	92.2	97.8	94.8	98.0	89.9	93.3	99.1	95.5	97.3	94.1	95.1	94.5	96.1	95.5	95.9
<b>Seen as cool</b>																		
Drink regularly	9.7	20.8	17.0	13.0	18.5	15.4	12.6	10.0	11.1	7.7	5.2	6.5	6.5	17.1	11.2	10.1	17.2	13.3
Smoke cigarettes	8.3	2.0	4.1	6.3	7.7	6.9	6.6	4.0	5.1	5.3	7.2	6.2	7.8	6.9	7.4	5.9	4.1	5.1
Smoke marijuana	9.4	10.3	10.0	9.2	8.0	9.3	6.6	6.4	6.5	9.6	20.3	15.0	9.4	7.2	8.4	10.6	8.1	9.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Glades County youth and Florida Statewide, 2010**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	13.3	0.0	13.1	--	16.6	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	15.0	0.0	22.5	--	5.0	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	50.6	72.2	43.1	--	59.5	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	6.9	27.8	0.0	--	8.7	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	14.2	0.0	21.3	--	10.2	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Glades County youth and Florida Statewide, 2010**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	14.2	24.6	11.5	--	17.6	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	23.5	12.1	25.6	--	23.2	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	6.2	22.2	0.0	--	7.6	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	3.3	11.9	0.0	--	4.1	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	11.4	15.6	11.0	--	14.1	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	7.3	13.7	5.5	--	9.1	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	34.1	0.0	46.4	--	24.2	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Glades County youth and Florida Statewide, 2010**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	14.5	45.8	5.2	--	18.0	--	--	23.5	26.8	20.0	--	24.0	--
2	--	11.5	18.0	10.6	--	14.3	--	--	21.2	23.5	18.9	--	21.8	--
3	--	15.3	13.8	11.2	--	18.9	--	--	16.8	18.0	15.5	--	17.0	--
4	--	15.2	0.0	16.9	--	15.2	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	43.5	22.3	56.1	--	33.6	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Glades County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months**

	Glades County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.5	9.0	3.4	14.8	9.6	6.0	9.2	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	1.4	3.5	0.0	4.4	1.4	2.0	2.3	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.7	7.5	2.2	6.0	2.7	9.5	4.8	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	1.5	4.5	0.0	5.4	1.5	5.7	2.8	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	0.7	1.7	0.0	2.1	0.7	2.1	1.1	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	14.5	18.0	10.6	18.9	13.3	17.7	16.0	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	15.1	17.8	17.0	13.7	14.7	20.2	16.3	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	3.1	11.4	6.2	7.6	3.1	12.1	6.8	7.4	17.0	11.8	14.0	7.3	17.0	12.9

**Table 12. Trends in delinquent behaviors for Glades County youth, 2001, 2002, 2004, 2006, 2008 and 2010**

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	13.5	4.6	7.6	3.9	5.2	4.4	5.5	5.9	5.7	0.9	16.9	9.2	6.7	10.1	8.2	9.5	9.0	9.2
Selling drugs	6.1	5.4	5.6	2.9	2.9	2.9	3.5	14.8	10.0	3.0	13.1	8.2	5.1	1.2	3.4	1.4	3.5	2.3
Attempting to steal a vehicle	7.6	0.3	2.8	5.2	0.0	3.1	1.4	4.9	3.4	2.1	10.6	6.5	3.7	0.0	2.0	2.7	7.5	4.8
Being arrested	8.7	1.8	4.2	6.7	0.0	4.0	6.9	8.5	7.8	8.0	14.6	11.4	4.5	8.4	6.3	1.5	4.5	2.8
Taking a handgun to school	4.1	1.4	2.4	2.9	0.0	1.7	2.0	1.7	1.8	0.0	10.3	5.3	0.0	3.2	1.4	0.7	1.7	1.1
Getting suspended	24.8	14.5	18.0	21.4	10.0	16.6	23.2	13.2	17.5	13.1	29.2	21.3	16.1	25.2	20.2	14.5	18.0	16.0
Attacking someone with intent to harm	14.3	13.2	13.6	10.5	2.5	8.2	21.0	14.9	17.5	9.6	15.7	12.8	12.6	11.6	12.1	15.1	17.8	16.3
Being drunk or high at school	13.9	14.8	14.5	8.0	13.9	10.3	6.8	22.6	15.8	4.9	21.6	13.5	7.9	15.2	11.2	3.1	11.4	6.8

**Table 13. Percentages of Glades County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months**

	Glades County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	55.8	52.6	40.1	68.0	56.9	54.2	54.3	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	18.6	12.2	11.7	20.3	17.4	14.6	15.7	15.9	12.1	9.8	17.5	15.5	12.6	13.7



**Table 14. Percentages of Glades County youth and Florida Statewide youth who reported involvement in bullying behavior**

	Glades County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	30.2	17.8	30.7	18.5	29.7	20.9	24.6	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	3.9	1.6	4.9	1.3	3.3	2.9	2.9	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	20.7	13.6	18.1	16.1	21.3	16.6	17.6	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	32.5	22.8	32.2	23.9	30.6	31.0	28.1	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	9.8	5.2	10.4	3.6	9.4	6.5	7.8	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	13.5	10.2	8.6	15.8	13.6	12.5	12.0	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	27.3	18.8	20.3	27.7	26.1	21.4	23.5	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	6.9	3.0	9.1	1.9	8.1	2.1	5.2	5.7	6.3	7.2	4.9	5.5	6.5	6.0

**Table 15. Percentages of Glades County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	6.5	6.2	7.3	--	9.0	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	5.9	8.4	2.0	--	3.7	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	2.6	3.1	2.4	--	3.6	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	0.0	0.0	0.0	--	0.0	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	3.9	3.1	4.9	--	5.4	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	1.3	3.1	0.0	--	1.8	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	0.0	0.0	0.0	--	0.0	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	2.5	0.0	2.0	--	1.9	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	1.7	4.1	0.0	--	2.3	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.3	3.1	0.0	--	1.7	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	2.5	3.5	2.0	--	0.0	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.3	3.1	0.0	--	1.8	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	0.0	0.0	0.0	--	0.0	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	2.9	3.6	0.0	--	3.9	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	5.8	7.6	2.4	--	6.1	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

**Table 16. Percentages of Glades County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	35.4	35.0	36.0	--	37.9	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	21.9	14.3	27.0	--	20.8	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	22.9	26.0	19.9	--	23.0	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	19.2	20.5	19.8	--	18.6	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	14.0	4.0	22.5	--	13.7	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

**Table 17. Reasons for joining a gang, among Glades County youth and Florida Statewide high school students**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	85.7	91.9	82.5	--	82.7	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	4.2	0.0	5.1	--	5.8	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	0.0	0.0	0.0	--	0.0	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	0.0	0.0	0.0	--	0.0	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	0.0	0.0	0.0	--	0.0	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	0.0	0.0	0.0	--	0.0	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	1.8	0.0	3.2	--	0.0	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

**Table 18. Percentages of Glades County youth and Florida Statewide youth who reported participation in extracurricular activities**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	51.7	61.5	51.2	59.6	52.8	62.5	56.1	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	38.1	14.9	24.3	30.8	38.6	17.8	27.7	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	23.1	6.9	17.0	15.0	24.3	3.3	15.9	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	18.6	27.6	26.4	18.3	19.7	21.8	22.6	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	13.2	10.7	16.2	6.7	11.5	15.3	12.1	10.9	14.0	16.4	9.1	11.2	13.8	12.7

**Table 19. Protective factor prevalence rates for Glades County, Florida Statewide and the national normative database, 2010**

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Rewards for Prosocial Involvement	57	75	50	61	56	63
<b>Family</b>	Family Opportunities for Prosocial Involvement	59	57	55	55	59	54
	Family Rewards for Prosocial Involvement	52	55	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	47	53	46	60	57	60
	School Rewards for Prosocial Involvement	54	51	47	59	53	58
<b>Peer and Individual</b>	Religiosity	61	64	50	60	56	62
<b>Average Prevalence Rate</b>		<b>55</b>	<b>59</b>	<b>50</b>	<b>58</b>	<b>56</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 20. Risk factor prevalence rates for Glades County, Florida Statewide and the national normative database, 2010**

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Disorganization	62	63	51	50	47	47
	Transitions and Mobility	46	37	61	63	47	46
	Laws and Norms Favorable to Drug Use	48	47	44	38	42	42
	Perceived Availability of Drugs	51	40	48	37	45	45
	Perceived Availability of Handguns	36	58	25	38	25	42
<b>Family</b>	Poor Family Management	51	57	48	46	44	45
	Family Conflict	36	33	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	24	47	22	38	23	41
<b>School</b>	Poor Academic Performance	46	44	43	46	45	48
	Lack of Commitment to School	39	59	54	51	47	46
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	43	57	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	50	52	47	41	40	46
	Favorable Attitudes toward ATOD Use	50	44	41	40	39	45
	Low Perceived Risks of Drug Use	40	46	44	49	40	46
	Early Initiation of Drug Use	47	52	35	33	41	46
<b>Average Prevalence Rate</b>		<b>45</b>	<b>49</b>	<b>43</b>	<b>44</b>	<b>40</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 21. Protective factor prevalence rate trends among middle school students for Glades County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Glades County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Rewards for Prosocial Involvement	60	58	57	62	51	57
<b>Family</b>	Family Opportunities for Prosocial Involvement	48	46	48	56	44	59
	Family Rewards for Prosocial Involvement	43	45	48	49	41	52
<b>School</b>	School Opportunities for Prosocial Involvement	42	50	31	36	34	47
	School Rewards for Prosocial Involvement	48	52	40	49	51	54
<b>Peer and Individual</b>	Religiosity	57	54	57	51	48	61
<b>Average Prevalence Rate</b>		<b>50</b>	<b>51</b>	<b>47</b>	<b>51</b>	<b>45</b>	<b>55</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 22. Risk factor prevalence rate trends among middle school students for Glades County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Glades County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Disorganization	65	58	61	62	58	62
	Transitions and Mobility	63	59	67	55	60	46
	Laws and Norms Favorable to Drug Use	63	62	54	37	62	48
	Perceived Availability of Drugs	58	51	53	44	53	51
	Perceived Availability of Handguns	42	32	41	20	35	36
<b>Family</b>	Poor Family Management	67	69	51	52	46	51
	Family Conflict	34	27	43	34	50	36
	Parental Attitudes Favorable toward ATOD Use	30	23	32	24	31	24
<b>School</b>	Poor Academic Performance	65	50	56	60	49	46
	Lack of Commitment to School	56	42	55	43	55	39
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	41	36	39	34	48	43
	Favorable Attitudes toward Antisocial Behavior	49	48	47	45	45	50
	Favorable Attitudes toward ATOD Use	59	53	57	52	47	50
	Low Perceived Risks of Drug Use	61	48	54	41	45	40
	Early Initiation of Drug Use	57	49	64	50	46	47
<b>Average Prevalence Rate</b>		<b>54</b>	<b>46</b>	<b>53</b>	<b>44</b>	<b>48</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 23. Protective factor prevalence rate trends among high school students for Glades County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Glades County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Rewards for Prosocial Involvement	77	81	61	63	66	75
<b>Family</b>	Family Opportunities for Prosocial Involvement	57	52	45	62	39	57
	Family Rewards for Prosocial Involvement	56	62	38	58	53	55
<b>School</b>	School Opportunities for Prosocial Involvement	43	67	43	39	33	53
	School Rewards for Prosocial Involvement	42	68	46	40	42	51
<b>Peer and Individual</b>	Religiosity	88	67	59	64	61	64
<b>Average Prevalence Rate</b>		<b>61</b>	<b>66</b>	<b>49</b>	<b>54</b>	<b>49</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rate trends among high school students for Glades County, 2001, 2002, 2004, 2006, 2008 and 2010**

Domain	Scale	Glades County					
		2001	2002	2004	2006	2008	2010
<b>Community</b>	Community Disorganization	57	58	65	82	59	63
	Transitions and Mobility	46	39	46	38	40	37
	Laws and Norms Favorable to Drug Use	43	43	40	31	48	47
	Perceived Availability of Drugs	60	56	54	54	47	40
	Perceived Availability of Handguns	68	43	53	55	64	58
<b>Family</b>	Poor Family Management	53	54	60	55	43	57
	Family Conflict	22	24	33	26	35	33
	Parental Attitudes Favorable toward ATOD Use	35	31	37	30	37	47
<b>School</b>	Poor Academic Performance	40	54	60	59	48	44
	Lack of Commitment to School	61	43	48	47	54	59
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	34	40	29	43	41	57
	Favorable Attitudes toward Antisocial Behavior	43	28	42	36	50	52
	Favorable Attitudes toward ATOD Use	43	33	42	28	43	44
	Low Perceived Risks of Drug Use	46	31	47	42	39	46
	Early Initiation of Drug Use	33	51	42	45	42	52
<b>Average Prevalence Rate</b>		<b>43</b>	<b>38</b>	<b>42</b>	<b>40</b>	<b>45</b>	<b>52</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.