

2010 Florida Youth Substance Abuse Survey

Hendry County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Hendry County youth and Florida Statewide 2010 youth

	Hendry County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	343	59.7		35,119	48.2
Male	226	39.3		36,540	50.2
Race/Ethnic group					
African American	98	17.0		12,829	17.7
American Indian	7	1.2		812	1.1
Asian	4	0.7		1,667	2.3
Hispanic/Latino	257	44.7		16,990	23.5
Native Hawaiian/Pacific Islander	0	0.0		314	0.4
Other/Multiple	69	12.0		10,689	14.8
White, non-Hispanic	137	23.8		29,034	40.1
Age					
10	0	0.0		102	0.1
11	6	1.0		2,655	3.6
12	49	8.5		8,828	12.1
13	66	11.5		10,495	14.4
14	78	13.6		10,640	14.6
15	146	25.4		11,346	15.6
16	102	17.7		11,220	15.4
17	57	9.9		10,069	13.8
18	61	10.6		6,339	8.7
19 or older	9	1.6		844	1.2
Grade					
6th	42	7.3		10,458	14.4
7th	79	13.7		10,655	14.6
8th	67	11.7		10,428	14.3
9th	175	30.4		11,566	15.9
10th	80	13.9		10,486	14.4
11th	59	10.3		10,131	13.9
12th	73	12.7		9,072	12.5
Overall Middle School	188	32.7		31,541	43.3
Overall High School	387	67.3		41,256	56.7
Total	575	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Hendry County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Hendry County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	39.2	62.2	59.3	45.1	36.4	63.0	52.8	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	25.5	37.0	35.0	29.0	22.1	35.7	32.2	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	9.9	27.2	19.8	20.2	7.3	27.0	20.1	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	11.6	8.8	10.0	10.0	9.5	10.0	9.9	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	2.1	4.9	4.1	3.3	1.4	6.3	3.8	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	2.5	3.8	4.0	2.4	1.4	3.9	3.2	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	1.8	0.6	1.3	0.9	1.1	1.4	1.1	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	2.5	4.7	3.4	4.4	1.7	5.8	3.8	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	1.8	2.3	1.5	2.9	0.4	2.5	2.1	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	1.9	7.9	7.7	2.8	1.7	9.3	5.5	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.8	9.8	8.3	5.9	3.4	11.9	7.4	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	0.8	2.9	2.7	1.3	0.4	3.7	2.1	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.8	1.0	0.5	1.6	0.8	0.9	0.9	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	4.3	8.1	6.6	6.5	2.6	7.9	6.5	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	17.9	36.0	28.2	29.0	15.0	36.3	28.6	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	14.5	21.9	19.2	18.4	11.9	24.5	18.9	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	24.9	30.5	33.5	21.9	25.0	31.0	28.2	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	42.4	66.6	61.6	50.7	39.7	67.4	56.7	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	3.6	4.7	2.9	5.8	3.6	4.4	4.2	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Hendry County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Hendry County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.0	33.3	33.9	21.6	17.1	32.8	28.3	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	9.3	15.8	14.3	12.1	7.3	14.5	13.2	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	6.0	10.1	9.3	7.2	4.6	9.5	8.4	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	7.2	14.1	10.4	12.3	4.4	14.3	11.3	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	3.0	2.8	4.1	1.3	3.1	3.4	2.9	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	1.4	0.9	1.0	1.3	0.7	1.8	1.1	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	1.8	0.6	0.6	1.6	0.7	0.7	1.1	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.0	0.4	0.5	0.0	0.0	0.6	0.3	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	1.1	1.3	1.1	1.4	0.0	2.1	1.2	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	1.4	0.3	0.3	1.4	0.0	0.7	0.8	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	0.8	3.0	3.2	0.9	0.6	3.6	2.2	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.6	4.8	4.6	3.0	2.2	5.9	3.9	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	0.4	0.8	0.8	0.4	0.4	0.3	0.6	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	2.3	3.8	3.2	3.2	0.4	4.2	3.2	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	11.1	18.9	15.8	15.6	8.0	19.8	15.7	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	8.3	10.0	10.6	7.9	5.8	12.0	9.4	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	12.5	20.9	21.8	12.3	12.3	19.3	17.5	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	23.8	39.2	37.0	27.9	20.4	38.3	32.9	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	3.2	6.2	3.6	6.5	3.6	5.8	5.0	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Hendry County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	44.4	66.8	57.2	--	--	--	46.4	73.3	61.3	43.0	70.5	58.4	41.4	61.5	53.0	39.2	62.2	52.8
Cigarettes	37.4	52.9	46.0	--	--	--	30.6	52.4	42.7	29.6	42.8	36.9	23.8	32.9	29.1	25.5	37.0	32.2
Marijuana or Hashish	13.7	38.5	27.8	--	--	--	11.1	33.0	23.5	11.6	30.2	22.1	13.2	26.5	20.8	9.9	27.2	20.1
Inhalants	15.0	11.0	12.7	--	--	--	11.3	10.4	10.9	13.2	8.3	10.4	12.2	7.7	9.6	11.6	8.8	9.9
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.8	--	--	2.1	4.9	3.8
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--	--	2.5	3.8	3.2
Methamphetamine	1.8	3.6	2.8	--	--	--	2.3	2.9	2.6	2.1	3.0	2.6	0.9	0.6	--	1.8	0.6	1.1
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	3.0	--	--	2.5	4.7	3.8
Heroin	2.4	2.9	2.6	--	--	--	1.0	1.3	1.2	0.6	1.5	1.1	0.5	0.6	0.6	1.8	2.3	2.1
Depressants	--	--	--	--	--	--	2.3	7.4	5.2	1.7	6.1	4.3	1.5	2.8	2.3	1.9	7.9	5.5
Prescription Pain Relievers	--	--	--	--	--	--	5.4	10.5	8.3	4.1	9.8	7.3	3.6	7.4	5.8	3.8	9.8	7.4
Prescription Amphetamines	--	--	--	--	--	--	1.7	2.9	2.4	1.4	4.0	2.9	2.3	1.2	1.7	0.8	2.9	2.1
Steroids (without a doctor's order)	2.8	3.7	3.3	--	--	--	0.4	1.5	1.0	1.2	1.4	1.3	0.9	1.3	1.1	0.8	1.0	0.9
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	4.1	--	--	4.3	8.1	6.5
Any illicit drug	--	--	--	--	--	--	22.3	41.3	33.0	23.0	35.1	29.7	24.6	31.7	28.6	17.9	36.0	28.6
Any illicit drug other than marijuana	--	--	--	--	--	--	17.4	24.2	21.3	18.8	19.1	18.9	17.2	19.7	18.6	14.5	21.9	18.9
Alcohol only	--	--	--	--	--	--	26.7	34.9	31.2	24.9	38.8	32.7	23.9	33.4	29.3	24.9	30.5	28.2
Alcohol or any illicit drug	--	--	--	--	--	--	49.0	75.9	63.9	47.8	73.4	62.0	48.5	64.9	57.9	42.4	66.6	56.7
Any illicit drug, but no alcohol	--	--	--	--	--	--	3.1	2.8	3.0	5.1	3.3	4.1	7.5	3.5	5.2	3.6	4.7	4.2

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Hendry County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	26.5	42.0	35.4	--	--	--	20.7	45.4	34.3	20.1	37.9	30.1	19.2	33.5	27.5	21.0	33.3	28.3
Binge Drinking	19.1	19.9	19.7	--	--	--	10.1	26.4	19.1	9.6	22.7	16.9	7.1	21.6	15.4	9.3	15.8	13.2
Cigarettes	14.5	18.9	16.9	--	--	--	9.8	15.1	12.7	3.4	11.1	7.7	5.8	10.2	8.3	6.0	10.1	8.4
Marijuana or Hashish	8.3	15.4	12.3	--	--	--	4.7	15.4	10.7	3.0	13.6	9.0	5.4	10.8	8.6	7.2	14.1	11.3
Inhalants	6.6	4.4	5.3	--	--	--	5.9	2.3	4.0	6.6	3.2	4.6	7.1	2.2	4.2	3.0	2.8	2.9
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	1.4	0.9	1.1
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.2	--	--	1.8	0.6	1.1
Methamphetamine	0.0	2.2	1.2	--	--	--	1.3	2.1	1.7	1.5	0.6	1.0	0.5	0.4	0.4	0.0	0.4	0.3
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.7	--	--	1.1	1.3	1.2
Heroin	1.6	0.0	0.7	--	--	--	0.7	0.1	0.4	0.0	0.0	0.0	0.0	0.2	0.1	1.4	0.3	0.8
Depressants	--	--	--	--	--	--	1.3	3.5	2.5	0.2	1.8	1.1	0.6	0.8	0.7	0.8	3.0	2.2
Prescription Pain Relievers	--	--	--	--	--	--	2.3	3.2	2.8	0.7	3.6	2.4	1.7	2.3	2.1	2.6	4.8	3.9
Prescription Amphetamines	--	--	--	--	--	--	1.3	0.6	0.9	0.5	0.7	0.6	0.3	0.2	0.2	0.4	0.8	0.6
Steroids (without a doctor's order)	2.6	2.2	2.4	--	--	--	0.6	0.5	0.6	0.7	1.1	0.9	0.5	0.7	0.6	0.0	0.0	0.0
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.6	--	--	2.3	3.8	3.2
Any illicit drug	--	--	--	--	--	--	11.8	19.0	15.9	9.6	17.3	14.0	12.6	13.9	13.4	11.1	18.9	15.7
Any illicit drug other than marijuana	--	--	--	--	--	--	10.3	9.2	9.8	8.9	10.3	9.7	9.4	8.8	9.0	8.3	10.0	9.4
Alcohol only	--	--	--	--	--	--	14.5	31.0	23.6	15.2	26.2	21.4	14.0	23.8	19.7	12.5	20.9	17.5
Alcohol or any illicit drug	--	--	--	--	--	--	25.7	49.3	38.9	24.0	43.0	34.6	25.1	37.3	32.1	23.8	39.2	32.9
Any illicit drug, but no alcohol	--	--	--	--	--	--	5.3	4.4	4.9	4.1	5.7	5.0	6.4	4.0	5.0	3.2	6.2	5.0

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Hendry County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Hendry County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	30.5	29.6	32.1	--	34.1	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	8.6	10.3	6.7	--	9.3	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	24.0	24.5	24.1	--	24.4	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	14.2	12.1	17.3	--	14.4	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	41.8	47.1	50.5	37.5	43.9	46.4	44.9	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	58.4	68.3	65.7	62.1	62.6	65.5	64.3	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	63.0	57.8	63.3	56.1	65.3	58.8	59.9	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	40.8	34.8	40.6	33.2	42.0	34.5	37.2	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	84.6	79.3	80.0	82.9	85.9	81.3	81.5	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	76.8	57.9	62.4	69.4	78.1	59.9	65.7	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	85.7	74.4	78.2	80.0	87.0	76.3	79.1	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	91.5	93.6	93.9	91.1	93.5	92.6	92.7	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	10.1	18.0	15.2	14.5	10.3	18.7	14.7	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	3.5	4.6	4.6	3.7	4.0	4.7	4.1	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	11.6	15.9	15.9	12.0	10.9	15.8	14.1	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Hendry County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	40.0	--	--	--	--	--	42.1	--	--	35.9	--	--	32.0	--	--	30.5	--
Regular alcohol use	--	7.9	--	--	--	--	--	8.1	--	--	6.3	--	--	8.0	--	--	8.6	--
Cigarettes	--	37.4	--	--	--	--	--	38.6	--	--	29.0	--	--	25.0	--	--	24.0	--
Marijuana	--	20.5	--	--	--	--	--	16.4	--	--	12.2	--	--	12.1	--	--	14.2	--
Great risk of harm																		
Daily alcohol use	31.3	37.1	34.5	--	--	--	37.8	35.6	36.6	40.4	39.1	39.6	45.6	45.2	45.4	41.8	47.1	44.9
Daily cigarette use	49.7	56.9	53.6	--	--	--	59.1	66.0	62.7	62.7	65.7	64.3	64.9	63.3	63.9	58.4	68.3	64.3
Regular marijuana use	55.7	57.7	56.7	--	--	--	69.8	60.7	64.7	72.1	57.7	63.8	69.9	62.5	65.7	63.0	57.8	59.9
Try marijuana	37.5	28.1	32.2	--	--	--	38.1	29.3	33.3	45.6	30.6	37.0	43.4	36.4	39.4	40.8	34.8	37.2
Think it wrong																		
Smoke cigarettes	78.7	67.6	72.8	--	--	--	82.6	69.5	75.5	89.1	73.3	80.2	91.8	80.5	85.3	84.6	79.3	81.5
Drink regularly	69.3	56.8	62.7	--	--	--	71.1	48.7	59.1	80.0	56.8	66.9	82.4	61.9	70.5	76.8	57.9	65.7
Smoke marijuana	85.7	76.6	80.8	--	--	--	89.4	74.2	81.3	92.5	79.2	85.0	91.3	81.2	85.5	85.7	74.4	79.1
Use other illicit drugs	94.0	92.5	93.2	--	--	--	95.1	93.6	94.3	98.0	94.2	95.9	96.2	93.3	94.5	91.5	93.6	92.7
Seen as cool																		
Drink regularly	11.8	9.0	10.2	--	--	--	11.0	17.0	14.3	7.7	13.2	10.7	8.2	15.3	12.3	10.1	18.0	14.7
Smoke cigarettes	9.4	5.4	7.2	--	--	--	7.8	7.2	7.4	5.7	3.7	4.6	5.9	7.8	7.0	3.5	4.6	4.1
Smoke marijuana	11.7	9.2	10.3	--	--	--	10.9	13.4	12.2	7.8	11.7	10.0	9.5	12.0	11.0	11.6	15.9	14.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Hendry County youth and Florida Statewide, 2010

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	13.3	11.5	17.8	--	13.7	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	18.6	21.3	11.7	--	13.7	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	43.9	46.3	37.8	--	49.1	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	6.8	5.4	10.1	--	7.3	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	17.5	15.5	22.6	--	16.1	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Hendry County youth and Florida Statewide, 2010

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	34.4	34.2	34.8	--	37.2	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	35.8	40.8	23.9	--	35.5	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	4.8	5.3	3.4	--	5.6	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.0	2.8	0.0	--	0.0	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	3.3	0.0	11.2	--	5.0	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	1.7	1.5	2.0	--	1.7	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.5	2.2	0.0	--	2.3	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	16.6	13.2	24.7	--	12.8	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Hendry County youth and Florida Statewide, 2010

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.2	22.6	21.3	--	13.7	--	--	23.5	26.8	20.0	--	24.0	--
2	--	22.6	24.6	17.8	--	26.7	--	--	21.2	23.5	18.9	--	21.8	--
3	--	14.9	15.1	14.3	--	16.1	--	--	16.8	18.0	15.5	--	17.0	--
4	--	7.1	10.0	0.0	--	10.2	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	33.2	27.7	46.5	--	33.3	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Hendry County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Hendry County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.9	8.7	4.5	12.9	4.9	9.5	8.0	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	5.3	7.8	5.2	9.1	3.6	7.9	6.8	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	3.9	2.2	2.7	3.1	2.0	3.3	2.8	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	5.1	2.6	4.0	3.1	2.4	4.3	3.6	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	2.2	1.4	0.5	3.4	0.4	2.1	1.7	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	28.4	12.4	19.7	18.0	26.7	14.0	18.8	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	20.1	8.8	12.1	15.3	18.0	10.7	13.3	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	8.8	14.3	12.9	11.3	7.1	13.8	12.1	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Hendry County youth, 2000, 2002, 2004, 2006, 2008 and 2010

	2000			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.1	7.7	6.5	--	--	--	5.9	6.6	6.4	4.8	9.4	7.6	8.8	7.5	8.0	6.9	8.7	8.0
Selling drugs	5.4	7.5	6.5	--	--	--	2.2	9.2	6.3	3.5	6.7	5.5	3.9	6.1	5.2	5.3	7.8	6.8
Attempting to steal a vehicle	4.5	4.9	4.7	--	--	--	3.6	3.1	3.3	2.9	2.9	2.9	2.7	3.3	3.1	3.9	2.2	2.8
Being arrested	4.5	10.0	7.5	--	--	--	5.5	7.6	6.7	5.8	8.2	7.3	7.2	6.6	6.9	5.1	2.6	3.6
Taking a handgun to school	3.1	2.3	2.7	--	--	--	1.5	0.9	1.1	0.9	0.6	0.7	0.9	1.7	1.3	2.2	1.4	1.7
Getting suspended	22.4	22.2	22.3	--	--	--	23.1	23.0	23.2	20.8	18.7	19.4	19.3	18.8	19.0	28.4	12.4	18.8
Attacking someone with intent to harm	19.4	18.9	19.1	--	--	--	14.2	13.2	13.6	11.4	11.2	11.2	12.3	11.9	12.1	20.1	8.8	13.3
Being drunk or high at school	11.0	20.8	16.4	--	--	--	8.2	15.4	12.5	9.6	13.3	11.9	5.5	12.2	9.4	8.8	14.3	12.1

Table 13. Percentages of Hendry County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Hendry County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	51.1	43.4	40.2	54.8	49.6	46.1	46.5	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	16.2	13.5	12.8	16.7	14.8	15.4	14.6	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Hendry County youth and Florida Statewide youth who reported involvement in bullying behavior

	Hendry County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	28.4	17.4	29.7	12.7	28.0	19.0	21.9	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	1.5	4.9	5.0	1.8	1.9	5.6	3.5	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	12.9	9.1	9.4	12.4	13.1	11.1	10.6	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	38.9	19.6	31.1	23.4	37.9	20.5	27.5	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	13.2	10.5	14.2	8.1	12.5	11.5	11.6	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	16.5	12.4	14.4	13.5	16.1	13.5	14.0	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	33.3	20.7	27.1	24.4	31.8	22.3	25.8	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	6.8	7.6	9.7	4.4	5.7	8.3	7.3	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Hendry County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	3.7	4.8	2.6	--	4.0	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	6.9	6.5	7.7	--	7.4	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	3.8	2.5	5.4	--	3.7	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	0.7	1.1	0.3	--	0.6	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	4.7	5.0	4.4	--	4.6	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	3.9	3.6	4.6	--	4.5	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	3.6	3.8	3.5	--	3.4	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	2.5	1.9	3.3	--	2.7	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.1	2.0	0.0	--	1.1	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	0.9	0.9	0.9	--	1.2	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	0.9	0.9	0.9	--	1.2	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	1.5	1.6	1.5	--	2.1	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	1.4	1.8	0.9	--	1.3	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	1.1	0.6	1.6	--	1.4	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	0.5	0.2	0.9	--	0.7	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	5.2	7.6	2.4	--	6.3	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	4.2	6.4	1.5	--	4.1	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Hendry County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	54.0	57.9	50.5	--	54.1	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	38.5	37.5	40.4	--	40.9	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	39.6	38.9	41.9	--	42.4	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	46.3	48.1	44.8	--	48.5	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	27.6	28.4	27.5	--	30.1	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Hendry County youth and Florida Statewide high school students

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	83.3	86.0	80.0	--	84.6	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	2.3	2.0	2.9	--	2.5	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	1.9	1.9	2.0	--	2.6	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	2.2	1.9	2.7	--	2.5	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.4	0.3	0.6	--	0.6	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	2.1	1.3	3.2	--	2.1	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	2.0	0.3	4.1	--	2.0	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	1.2	0.4	2.1	--	1.6	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	3.0	2.7	3.5	--	3.1	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Hendry County youth and Florida Statewide youth who reported participation in extracurricular activities

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	39.7	51.6	38.2	57.6	41.7	50.4	46.7	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	45.5	23.9	28.7	38.2	48.4	20.7	32.8	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	3.9	4.6	4.5	4.2	3.8	5.7	4.3	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	18.2	32.2	34.9	15.7	19.8	29.9	26.5	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	11.7	17.3	18.5	10.5	11.9	16.5	15.0	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Hendry County, Florida Statewide and the national normative database, 2010

Domain	Scale	Hendry County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	48	58	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	50	52	55	55	59	54
	Family Rewards for Prosocial Involvement	45	52	50	53	54	55
School	School Opportunities for Prosocial Involvement	30	46	46	60	57	60
	School Rewards for Prosocial Involvement	39	48	47	59	53	58
Peer and Individual	Religiosity	47	63	50	60	56	62
Average Prevalence Rate		43	53	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Hendry County, Florida Statewide and the national normative database, 2010

Domain	Scale	Hendry County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	76	63	51	50	47	47
	Transitions and Mobility	55	50	61	63	47	46
	Laws and Norms Favorable to Drug Use	52	41	44	38	42	42
	Perceived Availability of Drugs	51	42	48	37	45	45
	Perceived Availability of Handguns	32	50	25	38	25	42
Family	Poor Family Management	51	50	48	46	44	45
	Family Conflict	51	32	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	27	37	22	38	23	41
School	Poor Academic Performance	44	44	43	46	45	48
	Lack of Commitment to School	53	49	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	45	44	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	49	35	47	41	40	46
	Favorable Attitudes toward ATOD Use	43	35	41	40	39	45
	Low Perceived Risks of Drug Use	50	40	44	49	40	46
	Early Initiation of Drug Use	43	37	35	33	41	46
Average Prevalence Rate		48	43	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Hendry County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Hendry County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	51	--	46	45	43	48
Family	Family Opportunities for Prosocial Involvement	51	--	58	54	50	50
	Family Rewards for Prosocial Involvement	44	--	50	44	43	45
School	School Opportunities for Prosocial Involvement	37	--	39	31	41	30
	School Rewards for Prosocial Involvement	44	--	45	31	39	39
Peer and Individual	Religiosity	56	--	49	53	42	47
Average Prevalence Rate		47	--	48	43	43	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Hendry County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Hendry County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	49	--	55	59	64	76
	Transitions and Mobility	47	--	59	59	52	55
	Laws and Norms Favorable to Drug Use	55	--	48	53	51	52
	Perceived Availability of Drugs	46	--	48	49	52	51
	Perceived Availability of Handguns	28	--	25	33	37	32
Family	Poor Family Management	58	--	52	55	58	51
	Family Conflict	33	--	37	45	43	51
	Parental Attitudes Favorable toward ATOD Use	27	--	22	25	20	27
School	Poor Academic Performance	65	--	56	54	54	44
	Lack of Commitment to School	53	--	53	56	53	53
Peer and Individual	Peer Rewards for Antisocial Behavior	41	--	41	33	42	45
	Favorable Attitudes toward Antisocial Behavior	46	--	53	50	48	49
	Favorable Attitudes toward ATOD Use	52	--	55	45	44	43
	Low Perceived Risks of Drug Use	59	--	46	43	42	50
	Early Initiation of Drug Use	58	--	53	50	46	43
Average Prevalence Rate		52	--	50	46	46	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Hendry County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Hendry County					
		2000	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	61	--	61	59	58	58
Family	Family Opportunities for Prosocial Involvement	48	--	47	51	49	52
	Family Rewards for Prosocial Involvement	49	--	46	50	50	52
School	School Opportunities for Prosocial Involvement	43	--	49	42	55	46
	School Rewards for Prosocial Involvement	47	--	48	44	46	48
Peer and Individual	Religiosity	60	--	56	64	60	63
Average Prevalence Rate		51	--	51	52	53	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Hendry County, 2000, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Hendry County					
		2000	2002	2004	2006	2008	2010
Community	Community Disorganization	61	--	58	60	57	63
	Transitions and Mobility	51	--	55	57	59	50
	Laws and Norms Favorable to Drug Use	36	--	37	35	33	41
	Perceived Availability of Drugs	45	--	51	42	40	42
	Perceived Availability of Handguns	52	--	50	56	50	50
Family	Poor Family Management	50	--	53	53	51	50
	Family Conflict	27	--	33	32	34	32
	Parental Attitudes Favorable toward ATOD Use	34	--	39	40	36	37
School	Poor Academic Performance	60	--	45	39	45	44
	Lack of Commitment to School	47	--	44	41	36	49
Peer and Individual	Peer Rewards for Antisocial Behavior	32	--	41	40	34	44
	Favorable Attitudes toward Antisocial Behavior	41	--	41	45	36	35
	Favorable Attitudes toward ATOD Use	46	--	43	35	28	35
	Low Perceived Risks of Drug Use	43	--	41	39	37	40
	Early Initiation of Drug Use	51	--	51	41	36	37
Average Prevalence Rate		43	--	44	40	35	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.