

2010 Florida Youth Substance Abuse Survey

Holmes County Report

Appendix A

Detailed Tables

Table 1. Major demographic characteristics of surveyed Holmes County youth and Florida Statewide 2010 youth

	Holmes County			Florida Statewide 2010	
	N	%		N	%
Sex					
Female	304	51.5		35,119	48.2
Male	279	47.3		36,540	50.2
Race/Ethnic group					
African American	11	1.9		12,829	17.7
American Indian	6	1.0		812	1.1
Asian	1	0.2		1,667	2.3
Hispanic/Latino	12	2.0		16,990	23.5
Native Hawaiian/Pacific Islander	6	1.0		314	0.4
Other/Multiple	46	7.8		10,689	14.8
White, non-Hispanic	504	85.4		29,034	40.1
Age					
10	1	0.2		102	0.1
11	14	2.4		2,655	3.6
12	74	12.5		8,828	12.1
13	88	14.9		10,495	14.4
14	97	16.4		10,640	14.6
15	106	18.0		11,346	15.6
16	86	14.6		11,220	15.4
17	78	13.2		10,069	13.8
18	39	6.6		6,339	8.7
19 or older	7	1.2		844	1.2
Grade					
6th	76	12.9		10,458	14.4
7th	104	17.6		10,655	14.6
8th	92	15.6		10,428	14.3
9th	103	17.5		11,566	15.9
10th	93	15.8		10,486	14.4
11th	74	12.5		10,131	13.9
12th	48	8.1		9,072	12.5
Overall Middle School	272	46.1		31,541	43.3
Overall High School	318	53.9		41,256	56.7
Total	590	100.0		72,797	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Holmes County youth and Florida Statewide youth who reported having used various drugs in their lifetimes

	Holmes County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	36.6	59.2	48.1	50.3	35.9	59.1	49.2	35.3	63.9	53.0	50.2	35.9	63.4	51.5
Cigarettes	24.5	43.8	31.9	38.4	22.6	45.2	35.3	16.6	33.0	25.4	26.5	16.0	32.6	25.9
Marijuana or Hashish	7.1	29.6	16.4	23.1	6.3	29.3	19.7	10.5	33.8	22.0	25.5	10.5	33.5	23.8
Inhalants	10.6	8.8	8.9	10.4	9.5	10.7	9.6	12.5	8.0	11.0	8.9	12.4	8.3	10.0
Club Drugs	1.6	2.8	1.7	2.9	0.8	3.8	2.3	1.7	5.2	3.5	3.9	1.7	5.0	3.7
LSD, PCP or Mushrooms	2.4	3.9	1.8	4.6	2.0	5.3	3.2	1.9	5.4	3.2	4.7	1.9	5.2	3.9
Methamphetamine	1.2	3.3	2.0	2.7	0.8	4.1	2.3	1.3	1.3	1.2	1.3	1.2	1.3	1.3
Cocaine or Crack Cocaine	1.9	3.5	2.6	3.0	1.2	5.1	2.8	1.8	3.8	2.7	3.1	1.7	3.6	2.9
Heroin	0.4	1.7	1.0	1.2	0.4	2.1	1.1	0.9	1.1	1.0	1.1	0.9	1.1	1.0
Depressants	3.8	8.8	8.3	5.2	3.1	11.6	6.6	2.8	8.2	6.5	5.2	2.8	7.9	5.8
Prescription Pain Relievers	3.4	12.3	8.3	8.7	3.3	13.0	8.4	4.4	9.7	8.0	6.9	4.3	9.7	7.4
Prescription Amphetamines	3.3	6.8	4.1	6.3	2.5	7.5	5.2	1.6	5.2	3.9	3.3	1.6	4.9	3.6
Steroids (without a doctor's order)	0.4	0.8	0.7	0.7	0.0	1.5	0.7	0.7	0.8	0.4	1.2	0.7	0.8	0.8
Over-the-Counter Drugs	3.7	9.5	5.4	8.4	3.5	10.4	6.9	4.8	8.0	6.9	6.2	4.7	8.0	6.6
Any illicit drug	18.7	34.5	24.9	30.3	18.3	34.4	27.5	22.8	40.7	32.7	33.2	22.7	40.6	33.0
Any illicit drug other than marijuana	16.4	22.7	18.7	21.5	15.6	24.5	19.9	18.3	23.1	22.0	20.0	18.1	23.2	21.0
Alcohol only	21.2	26.9	26.0	22.6	21.8	25.9	24.4	18.7	27.0	24.8	22.2	19.3	27.0	23.4
Alcohol or any illicit drug	39.9	61.6	51.4	52.9	40.3	60.4	52.1	41.5	67.5	57.4	55.3	41.9	67.4	56.3
Any illicit drug, but no alcohol	3.4	2.9	3.3	3.0	4.4	1.7	3.1	6.3	3.8	4.5	5.3	6.1	4.1	4.9

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 3. Percentages of Holmes County youth and Florida Statewide youth who reported having used various drugs in the past 30 days

	Holmes County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	19.2	32.8	24.9	28.4	17.8	32.6	26.8	16.8	38.0	29.4	28.3	16.9	37.0	28.8
Binge Drinking	9.3	20.2	13.4	17.5	7.9	20.2	15.4	6.9	19.6	13.0	15.2	6.8	18.3	14.1
Cigarettes	6.0	20.8	11.4	17.2	4.4	20.4	14.3	4.5	12.1	8.1	9.5	4.3	11.5	8.8
Marijuana or Hashish	5.9	16.1	10.8	12.6	5.1	17.6	11.6	5.7	18.6	11.4	14.6	5.6	18.3	13.0
Inhalants	3.5	2.3	2.3	3.2	2.2	3.6	2.8	4.8	2.0	3.6	2.8	4.7	2.2	3.2
Club Drugs	0.9	1.9	0.7	2.2	0.4	2.8	1.4	0.6	1.7	1.1	1.4	0.6	1.7	1.3
LSD, PCP or Mushrooms	1.3	1.5	0.4	2.3	0.8	2.3	1.4	0.7	1.4	0.9	1.3	0.7	1.3	1.1
Methamphetamine	0.9	1.8	0.7	2.0	0.4	2.3	1.4	0.6	0.5	0.4	0.6	0.5	0.5	0.5
Cocaine or Crack Cocaine	1.2	2.3	1.7	2.0	0.7	3.4	1.8	0.7	0.9	0.8	0.9	0.6	0.9	0.8
Heroin	0.0	0.6	0.0	0.7	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.3	0.4	0.4
Depressants	2.3	4.0	3.0	3.5	2.3	4.9	3.2	1.1	2.7	2.3	1.7	1.1	2.7	2.0
Prescription Pain Relievers	2.0	6.3	2.9	5.8	1.5	7.8	4.4	2.2	3.4	3.1	2.7	2.1	3.6	2.9
Prescription Amphetamines	1.6	3.2	1.9	3.1	1.1	4.4	2.5	0.6	1.4	1.1	1.1	0.6	1.4	1.1
Steroids (without a doctor's order)	0.4	0.3	0.0	0.7	0.0	0.8	0.4	0.3	0.4	0.1	0.6	0.2	0.4	0.3
Over-the-Counter Drugs	2.6	2.4	1.5	3.4	1.7	3.8	2.5	2.2	2.9	2.8	2.3	2.2	2.9	2.6
Any illicit drug	9.7	18.4	14.2	15.2	8.6	20.3	14.6	11.7	22.7	17.3	18.6	11.6	22.6	18.0
Any illicit drug other than marijuana	6.8	10.7	8.0	10.0	6.0	13.2	9.0	8.5	10.0	9.8	8.8	8.5	10.0	9.3
Alcohol only	11.4	17.8	14.0	15.6	11.6	15.4	15.0	10.3	21.3	17.5	15.6	10.6	20.6	16.5
Alcohol or any illicit drug	20.8	35.8	28.0	30.3	19.9	35.4	29.2	21.8	43.6	34.4	33.7	21.9	42.8	34.1
Any illicit drug, but no alcohol	1.9	2.9	2.5	2.6	2.3	3.2	2.5	5.3	5.9	5.4	5.8	5.3	6.1	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Holmes County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	38.4	72.2	57.2	39.6	63.1	53.3	43.0	64.8	54.8	37.5	64.5	53.0	43.7	58.9	51.9	36.6	59.2	49.2
Cigarettes	41.2	51.3	46.8	35.2	50.0	43.7	34.4	49.0	42.2	33.0	51.9	43.7	32.1	39.7	36.2	24.5	43.8	35.3
Marijuana or Hashish	13.4	37.7	27.0	14.0	36.2	26.8	8.5	28.3	19.6	13.2	30.2	23.0	10.7	23.0	17.3	7.1	29.6	19.7
Inhalants	15.9	13.4	14.5	14.1	10.8	12.3	16.3	9.3	12.1	16.9	14.7	15.6	17.6	12.1	14.7	10.6	8.8	9.6
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	1.2	--	--	1.6	2.8	2.3
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.7	--	--	2.4	3.9	3.2
Methamphetamine	4.2	7.3	5.9	4.6	11.1	8.2	2.2	2.7	2.5	1.7	4.2	3.1	0.3	0.3	--	1.2	3.3	2.3
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.9	3.5	2.8
Heroin	2.4	1.1	1.7	0.8	0.8	0.8	0.6	1.7	1.2	0.7	0.8	0.7	0.3	0.3	0.3	0.4	1.7	1.1
Depressants	--	--	--	3.4	13.1	8.8	1.9	7.7	5.1	6.3	12.4	9.8	4.2	9.1	6.8	3.8	8.8	6.6
Prescription Pain Relievers	--	--	--	6.1	17.2	12.5	5.1	10.3	8.0	9.0	16.8	13.5	5.7	10.6	8.3	3.4	12.3	8.4
Prescription Amphetamines	--	--	--	2.0	7.3	5.1	2.8	1.3	1.9	5.6	6.6	6.2	1.2	6.5	4.0	3.3	6.8	5.2
Steroids (without a doctor's order)	2.3	1.1	1.6	2.0	2.7	2.6	1.5	3.7	2.7	1.6	1.5	1.6	1.2	1.8	1.5	0.4	0.8	0.7
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	5.8	--	--	3.7	9.5	6.9
Any illicit drug	--	--	--	25.8	40.9	34.6	21.7	37.1	30.0	26.2	37.9	32.8	24.5	29.4	27.1	18.7	34.5	27.5
Any illicit drug other than marijuana	--	--	--	21.8	27.4	25.2	18.4	23.2	20.9	23.6	28.0	26.1	20.6	21.8	21.2	16.4	22.7	19.9
Alcohol only	--	--	--	19.6	26.1	23.3	25.8	30.7	28.4	17.2	29.7	24.5	23.9	30.8	27.6	21.2	26.9	24.4
Alcohol or any illicit drug	--	--	--	44.9	66.8	57.6	47.3	67.3	58.1	43.4	67.4	57.1	48.3	60.3	54.8	39.9	61.6	52.1
Any illicit drug, but no alcohol	--	--	--	5.6	4.5	4.9	4.8	3.3	3.9	6.3	3.3	4.5	4.8	1.2	2.9	3.4	2.9	3.1

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Holmes County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	21.6	41.6	32.8	19.9	38.5	30.8	19.1	42.1	31.8	23.9	38.6	32.2	15.5	35.1	26.1	19.2	32.8	26.8
Binge Drinking	10.9	25.3	19.1	10.5	24.8	18.7	8.0	26.2	18.0	14.1	27.3	21.6	8.0	21.5	15.2	9.3	20.2	15.4
Cigarettes	11.2	24.5	18.6	9.2	22.6	16.8	9.1	16.6	13.2	12.7	22.0	18.0	10.2	18.3	14.6	6.0	20.8	14.3
Marijuana or Hashish	5.0	16.9	11.7	7.3	19.1	14.1	4.1	11.2	8.1	7.3	17.0	12.9	4.5	12.7	8.9	5.9	16.1	11.6
Inhalants	4.6	2.4	3.4	4.9	2.0	3.2	5.1	1.7	3.1	9.7	3.6	6.2	5.6	6.3	6.0	3.5	2.3	2.8
Club Drugs	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.9	1.9	1.4
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	1.3	1.5	1.4
Methamphetamine	2.5	1.8	2.1	1.4	4.9	3.3	0.6	0.0	0.3	0.5	0.9	0.7	0.0	0.0	0.0	0.9	1.8	1.4
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	1.2	2.3	1.8
Heroin	0.6	0.5	0.5	0.0	0.0	0.0	0.3	1.0	0.7	0.5	0.4	0.4	0.0	0.0	0.0	0.0	0.6	0.4
Depressants	--	--	--	1.8	4.7	3.5	0.6	1.7	1.3	2.7	6.1	4.6	2.6	5.1	3.9	2.3	4.0	3.2
Prescription Pain Relievers	--	--	--	3.9	8.4	6.4	3.1	3.3	3.2	4.0	5.4	4.8	3.9	5.5	4.7	2.0	6.3	4.4
Prescription Amphetamines	--	--	--	0.4	2.9	1.8	1.0	0.4	0.6	2.2	2.4	2.3	0.8	4.0	2.5	1.6	3.2	2.5
Steroids (without a doctor's order)	1.1	0.2	0.6	0.5	0.7	0.6	0.6	0.0	0.3	0.8	0.0	0.3	0.6	1.0	0.8	0.4	0.3	0.4
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	--	--	--	2.5	--	--	2.6	2.4	2.5
Any illicit drug	--	--	--	14.8	21.9	18.9	9.0	13.7	11.6	18.4	21.7	20.3	10.3	17.6	14.2	9.7	18.4	14.6
Any illicit drug other than marijuana	--	--	--	10.0	12.1	11.1	6.6	4.9	5.6	15.4	13.4	14.2	8.1	12.7	10.6	6.8	10.7	9.0
Alcohol only	--	--	--	10.4	20.0	16.1	12.9	30.1	22.5	12.8	21.8	17.9	9.0	21.3	15.6	11.4	17.8	15.0
Alcohol or any illicit drug	--	--	--	25.3	41.9	35.0	21.4	43.7	33.5	30.7	42.6	37.4	19.1	39.0	29.9	20.8	35.8	29.2
Any illicit drug, but no alcohol	--	--	--	5.2	4.1	4.6	2.8	1.7	2.1	5.8	5.1	5.4	3.8	4.0	3.9	1.9	2.9	2.5

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. Results for combinations of drugs are not presented for 2000 because new ATOD items were added between 2000 and 2002. The symbol "--" indicates that data are not available.

Table 6. Percentages of Holmes County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval

	Holmes County							Florida Statewide 2010						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	26.4	27.4	25.8	--	26.4	--	--	27.1	25.3	29.0	--	27.6	--
Drinking at least once a month	--	6.4	7.8	5.2	--	5.7	--	--	5.8	5.3	6.4	--	5.9	--
Cigarettes	--	25.8	26.3	25.7	--	28.3	--	--	17.1	15.9	18.3	--	17.5	--
Marijuana	--	13.2	11.4	15.0	--	12.1	--	--	11.3	8.5	13.9	--	11.4	--
Perceive great risk of harm if...														
One or more drinks every day	49.2	38.0	49.0	37.3	50.8	34.9	42.9	43.2	42.1	46.9	38.4	44.0	41.6	42.6
Smoke a pack or more every day	68.0	58.1	68.0	57.4	69.7	55.7	62.4	66.6	66.5	69.2	64.0	67.5	66.4	66.5
Smoke marijuana regularly	78.2	53.2	72.0	56.6	80.0	53.6	64.1	66.7	44.5	59.0	49.4	66.7	44.8	54.1
Try marijuana once or twice	53.0	36.2	48.5	38.8	53.6	35.4	43.5	39.1	21.2	30.8	27.2	38.3	21.5	28.9
Think it would be wrong for someone their age to...														
Smoke cigarettes	86.9	66.6	77.5	73.2	88.3	68.6	75.5	90.1	75.0	82.1	80.9	90.1	77.1	81.5
Drink alcohol regularly	79.0	58.1	68.4	65.5	79.9	58.8	67.2	81.4	55.5	67.1	66.4	80.8	56.3	66.7
Smoke marijuana	88.5	72.6	83.8	75.5	89.3	72.6	79.6	88.5	67.8	79.4	74.2	88.4	68.2	76.8
Use other illicit drugs	93.7	91.6	93.6	91.4	93.3	91.8	92.5	96.2	93.0	95.4	93.4	96.3	93.0	94.4
Good chance of being seen as cool if...														
Drink alcohol regularly	8.6	16.5	14.8	11.2	8.6	17.4	13.0	9.1	16.0	14.3	11.8	9.3	15.8	13.0
Smoke cigarettes	4.5	7.3	8.1	3.8	5.2	7.4	6.1	7.0	6.2	6.8	6.2	7.0	6.1	6.5
Smoke marijuana	7.5	13.1	10.9	10.4	7.2	13.7	10.7	11.9	18.0	15.6	15.0	12.1	18.3	15.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Holmes County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	42.2	--	--	38.1	--	--	23.7	--	--	32.7	--	--	29.4	--	--	26.4	--
Regular alcohol use	--	9.3	--	--	11.1	--	--	4.3	--	--	10.2	--	--	6.6	--	--	6.4	--
Cigarettes	--	41.6	--	--	40.2	--	--	34.3	--	--	36.8	--	--	28.2	--	--	25.8	--
Marijuana	--	13.8	--	--	14.5	--	--	8.9	--	--	16.4	--	--	10.1	--	--	13.2	--
Great risk of harm																		
Daily alcohol use	44.3	37.0	40.1	44.9	35.3	39.6	40.5	35.5	38.1	43.6	36.7	39.6	45.3	39.7	42.3	49.2	38.0	42.9
Daily cigarette use	64.6	61.5	63.0	67.3	62.1	64.4	65.9	65.9	65.9	68.5	59.0	63.2	71.3	62.2	66.3	68.0	58.1	62.4
Regular marijuana use	74.7	59.9	66.5	74.3	53.4	62.3	78.7	65.1	71.3	73.1	60.2	65.7	75.5	60.9	67.5	78.2	53.2	64.1
Try marijuana	50.0	25.4	36.2	47.0	24.2	34.0	51.8	33.0	41.8	57.2	35.7	45.0	53.4	36.0	43.8	53.0	36.2	43.5
Think it wrong																		
Smoke cigarettes	81.1	63.2	71.3	84.2	66.7	74.3	87.5	69.5	77.8	85.9	63.2	73.3	87.4	70.9	78.3	86.9	66.6	75.5
Drink regularly	74.3	54.3	63.4	76.5	54.9	64.2	76.4	53.3	64.0	79.3	52.0	64.1	78.9	58.5	67.7	79.0	58.1	67.2
Smoke marijuana	88.2	72.5	79.6	87.6	75.2	80.5	94.5	80.7	87.0	88.9	77.0	82.3	92.4	81.8	86.5	88.5	72.6	79.6
Use other illicit drugs	95.7	93.5	94.5	99.2	91.5	94.9	98.0	97.2	97.6	95.7	93.6	94.5	96.6	94.7	95.6	93.7	91.6	92.5
Seen as cool																		
Drink regularly	11.1	16.8	14.2	11.4	19.6	15.9	9.9	14.1	12.3	14.7	18.6	16.9	9.5	17.2	13.6	8.6	16.5	13.0
Smoke cigarettes	7.7	7.5	7.6	9.7	6.1	7.6	7.8	2.9	5.2	10.3	5.5	7.6	5.9	8.3	7.2	4.5	7.3	6.1
Smoke marijuana	9.3	17.4	13.8	12.2	13.4	12.8	7.3	10.9	9.4	13.9	10.5	12.0	6.4	14.6	10.9	7.5	13.1	10.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Holmes County youth and Florida Statewide, 2010

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	3.3	0.0	5.6	--	1.9	--	--	9.2	6.3	12.5	--	8.3	--
Bought in a restaurant, bar, or club	--	1.9	2.1	1.7	--	2.4	--	--	2.4	2.3	2.4	--	2.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.6	--	0.3	--
Someone bought it for me	--	35.1	32.8	36.6	--	38.5	--	--	19.3	16.5	22.1	--	18.3	--
Someone gave it to me	--	34.9	41.0	30.7	--	33.1	--	--	41.5	47.8	35.1	--	42.8	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.9	--	0.6	--
Took it from a family member	--	2.7	4.4	1.6	--	2.2	--	--	7.5	7.8	7.2	--	8.5	--
Some other way	--	22.1	19.7	23.8	--	22.0	--	--	19.1	18.7	19.2	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Holmes County youth and Florida Statewide, 2010

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	25.9	24.9	26.5	--	26.9	--	--	24.6	25.1	24.3	--	25.1	--
Another person's home	--	39.5	45.3	36.1	--	42.7	--	--	48.9	50.8	47.3	--	48.9	--
Car or other vehicle	--	0.9	2.5	0.0	--	1.2	--	--	1.9	1.8	2.1	--	1.9	--
Restaurant, bar, or club	--	2.5	0.0	4.0	--	1.3	--	--	4.0	4.1	3.8	--	3.6	--
Public place	--	4.5	6.3	3.4	--	4.4	--	--	5.1	4.4	5.7	--	5.3	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.2	1.0	--	1.3	--
School property	--	1.1	2.9	0.0	--	1.3	--	--	1.1	0.6	1.7	--	1.2	--
Some other place	--	25.5	18.2	29.9	--	22.1	--	--	13.2	12.1	14.1	--	12.8	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Holmes County youth and Florida Statewide, 2010

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	15.6	6.8	22.2	--	14.3	--	--	23.5	26.8	20.0	--	24.0	--
2	--	14.3	21.5	8.9	--	16.7	--	--	21.2	23.5	18.9	--	21.8	--
3	--	15.3	16.5	14.5	--	14.2	--	--	16.8	18.0	15.5	--	17.0	--
4	--	13.2	25.4	3.9	--	15.3	--	--	9.9	10.8	8.9	--	9.7	--
5 or more	--	41.6	29.8	50.5	--	39.5	--	--	28.6	20.9	36.8	--	27.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Holmes County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months

	Holmes County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	11.1	5.8	2.6	12.9	11.3	7.0	8.1	4.6	5.1	1.9	7.8	4.2	5.2	4.9
Selling drugs	3.0	8.3	2.9	8.9	3.0	10.2	6.0	3.3	8.5	3.8	8.7	3.1	8.8	6.3
Attempting to steal a vehicle	2.5	1.3	0.3	3.2	2.0	1.2	1.8	2.1	2.4	1.4	3.1	1.9	2.5	2.2
Being arrested	3.9	4.1	1.8	6.1	3.1	5.0	4.0	4.1	5.3	3.4	6.2	3.5	5.8	4.8
Taking a handgun to school	1.2	0.9	0.6	1.4	1.2	1.2	1.0	0.8	1.1	0.4	1.6	0.7	1.2	1.0
Getting suspended	9.8	13.2	6.2	16.9	9.3	14.1	11.7	16.2	13.6	10.7	18.7	14.7	15.0	14.7
Attacking someone with intent to harm	11.2	8.0	6.2	12.1	9.7	10.5	9.4	10.8	10.5	8.9	12.3	10.2	11.1	10.6
Being drunk or high at school	5.0	13.8	7.7	12.1	5.0	16.2	9.9	7.4	17.0	11.8	14.0	7.3	17.0	12.9

Table 12. Trends in delinquent behaviors for Holmes County youth, 2001, 2002, 2004, 2006, 2008 and 2010

	2001			2002			2004			2006			2008			2010		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	2.1	5.5	4.1	5.7	6.7	6.4	4.4	6.0	5.5	4.7	5.9	5.4	4.6	7.0	5.9	11.1	5.8	8.1
Selling drugs	1.4	7.6	5.0	2.7	11.8	8.0	1.6	4.4	3.2	2.6	8.1	5.8	1.7	7.7	4.9	3.0	8.3	6.0
Attempting to steal a vehicle	1.3	2.8	2.1	2.6	3.9	3.3	2.0	2.8	2.4	4.3	6.1	5.3	2.1	2.9	2.5	2.5	1.3	1.8
Being arrested	2.2	7.1	5.0	3.2	5.6	4.7	1.6	2.4	2.0	3.2	5.9	4.7	3.0	4.6	3.8	3.9	4.1	4.0
Taking a handgun to school	0.8	3.4	2.3	1.4	1.7	1.5	0.3	1.4	0.9	0.0	2.7	1.5	0.3	1.1	0.7	1.2	0.9	1.0
Getting suspended	8.2	11.1	9.9	7.8	10.3	9.2	7.6	8.0	7.7	13.2	10.0	11.3	11.4	13.1	12.3	9.8	13.2	11.7
Attacking someone with intent to harm	10.5	13.2	12.0	12.0	15.7	14.2	10.6	12.7	11.7	16.5	12.6	14.2	9.2	12.5	10.9	11.2	8.0	9.4
Being drunk or high at school	7.4	19.4	14.3	8.6	23.4	16.9	9.3	16.9	13.5	11.2	21.0	16.9	7.3	15.2	11.4	5.0	13.8	9.9

Table 13. Percentages of Holmes County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months

	Holmes County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	46.8	39.0	32.2	50.7	45.2	41.4	42.4	54.8	50.5	42.1	62.2	54.5	51.4	52.4
Arguing about gambling	14.1	6.7	6.9	12.9	13.6	7.3	9.9	15.9	12.1	9.8	17.5	15.5	12.6	13.7

Table 14. Percentages of Holmes County youth and Florida Statewide youth who reported involvement in bullying behavior

	Holmes County							Florida Statewide 2010						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	30.9	18.5	31.2	17.5	32.1	19.1	23.9	29.8	17.8	28.0	18.2	29.6	18.1	23.0
Skipped school because of bullying	5.2	4.0	5.8	3.5	5.5	3.3	4.5	3.7	3.9	4.9	2.8	3.7	3.7	3.8
Was kicked or shoved in past 30 days	23.6	8.8	11.8	18.2	22.8	10.9	15.2	18.4	8.2	10.8	14.3	18.1	8.6	12.6
Was taunted or teased in past 30 days	43.7	23.2	34.0	30.0	43.9	26.5	32.0	36.6	21.4	28.5	27.4	36.1	22.4	28.0
Was victim of cyber bullying in past 30 days	12.1	5.4	12.2	5.0	10.5	6.4	8.3	8.6	9.3	12.3	5.8	8.5	9.5	9.0
Physically bullied others in past 30 days	13.5	8.1	7.7	12.5	13.4	9.3	10.5	13.6	8.5	8.7	12.6	12.9	9.2	10.7
Verbally bullied others in past 30 days	23.0	17.7	17.3	21.9	24.3	18.6	20.0	23.2	16.6	18.1	20.7	22.4	17.8	19.5
Cyber bullied others in past 30 days	4.4	3.8	5.8	2.5	3.9	3.5	4.0	5.7	6.3	7.2	4.9	5.5	6.5	6.0

Table 15. Percentages of Holmes County youth and Florida Statewide high school students who reported being physically or verbally bullied in the past year, by location

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Classroom (while teacher was out)	--	6.8	6.5	7.2	--	5.7	--	--	3.6	3.6	3.6	--	3.7	--
Classroom (while teacher was in)	--	7.7	8.8	6.7	--	8.2	--	--	6.6	7.2	6.0	--	6.8	--
Cafeteria	--	5.2	4.2	5.6	--	5.1	--	--	4.2	4.8	3.7	--	4.3	--
Restroom	--	2.9	1.2	4.4	--	2.1	--	--	1.4	1.3	1.5	--	1.3	--
Hallways or stairwells	--	7.2	6.5	7.3	--	7.2	--	--	5.4	6.7	4.2	--	5.6	--
Gym or locker room	--	5.9	5.9	5.4	--	5.3	--	--	2.5	1.8	3.2	--	2.4	--
Somewhere else in school	--	5.0	5.7	4.4	--	4.1	--	--	2.5	2.7	2.2	--	2.6	--
Playground or athletic field	--	2.1	0.6	3.5	--	2.1	--	--	1.5	1.2	1.7	--	1.4	--
Parking lot or car pick-up area	--	1.6	1.2	2.0	--	0.7	--	--	1.2	1.3	1.1	--	1.2	--
Bus stop	--	2.2	1.7	2.6	--	1.6	--	--	1.4	1.5	1.3	--	1.4	--
On school property outside of building	--	1.6	1.5	1.8	--	1.4	--	--	1.2	1.2	1.2	--	1.1	--
School bus	--	4.6	2.9	6.2	--	3.7	--	--	2.2	2.4	2.0	--	2.3	--
After-school activities	--	2.8	1.4	4.1	--	2.6	--	--	1.6	1.6	1.6	--	1.7	--
Field trips or off-campus events	--	3.0	1.8	4.1	--	1.7	--	--	0.6	0.6	0.7	--	0.6	--
On the way to or from school	--	1.3	0.6	2.0	--	0.3	--	--	1.3	1.4	1.1	--	1.3	--
Online, phone, or text message	--	2.9	4.4	1.6	--	2.1	--	--	5.8	9.3	2.2	--	6.1	--
Other non-school locations	--	5.8	4.5	7.0	--	6.4	--	--	5.9	7.6	4.2	--	6.2	--

Note: The symbol "--" indicates that data are not available.

Table 16. Percentages of Holmes County youth and Florida Statewide high school students who reported having seen delinquent behavior among gang members at school this school year

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	22.1	25.2	19.2	--	20.5	--	--	44.6	46.6	42.6	--	45.8	--
Stealing or robbing	--	10.9	8.6	13.0	--	9.4	--	--	28.0	26.2	29.7	--	28.5	--
Vandalism (including graffiti)	--	14.4	12.2	16.4	--	15.4	--	--	30.0	28.6	31.2	--	30.4	--
Selling drugs	--	16.0	16.6	15.6	--	16.1	--	--	33.6	31.5	35.6	--	34.1	--
Carrying weapons	--	15.5	15.6	15.5	--	16.8	--	--	19.5	18.1	20.7	--	19.5	--

Note: The symbol "--" indicates that data are not available.

Table 17. Reasons for joining a gang, among Holmes County youth and Florida Statewide high school students

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Never belonged to a gang	--	87.7	88.1	87.2	--	88.4	--	--	84.7	89.4	80.0	--	85.0	--
Fun and excitement	--	2.6	2.4	2.8	--	2.7	--	--	2.0	1.3	2.7	--	2.1	--
Protection	--	0.8	0.6	1.0	--	0.7	--	--	1.4	0.9	1.9	--	1.4	--
Friend or relative in a gang	--	1.9	2.3	1.6	--	2.2	--	--	1.8	1.3	2.3	--	1.8	--
Forced to join	--	0.6	0.6	0.6	--	0.4	--	--	0.4	0.3	0.6	--	0.4	--
To get respect	--	1.1	0.6	1.6	--	1.1	--	--	1.4	0.7	2.1	--	1.4	--
Money	--	1.5	1.2	1.7	--	1.6	--	--	1.3	0.6	2.1	--	1.4	--
To fit in better	--	0.6	0.6	0.6	--	0.3	--	--	0.4	0.2	0.6	--	0.4	--
Other reasons	--	4.1	4.4	4.0	--	3.9	--	--	2.2	1.3	3.2	--	2.3	--

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Holmes County youth and Florida Statewide youth who reported participation in extracurricular activities

	Holmes County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	56.2	47.1	51.1	50.7	56.0	49.0	51.1	35.8	39.8	34.2	41.8	35.7	40.8	38.1
Organized Sports Outside of School	35.8	22.4	27.9	28.6	32.9	26.0	28.2	44.6	25.9	29.8	38.0	43.7	26.8	34.0
School Band	7.6	4.2	5.3	5.7	8.3	4.0	5.6	15.5	6.9	10.6	10.8	15.5	7.0	10.7
School Club(s)	39.5	41.9	59.1	25.2	39.6	40.0	40.8	18.1	31.0	33.6	17.7	19.3	30.1	25.4
Community Club(s)	7.9	11.4	12.4	7.7	9.0	9.9	9.9	10.9	14.0	16.4	9.1	11.2	13.8	12.7

Table 19. Protective factor prevalence rates for Holmes County, Florida Statewide and the national normative database, 2010

Domain	Scale	Holmes County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	59	70	50	61	56	63
Family	Family Opportunities for Prosocial Involvement	61	62	55	55	59	54
	Family Rewards for Prosocial Involvement	56	62	50	53	54	55
School	School Opportunities for Prosocial Involvement	45	54	46	60	57	60
	School Rewards for Prosocial Involvement	50	60	47	59	53	58
Peer and Individual	Religiosity	58	70	50	60	56	62
Average Prevalence Rate		55	63	50	58	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 20. Risk factor prevalence rates for Holmes County, Florida Statewide and the national normative database, 2010

Domain	Scale	Holmes County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	51	51	51	50	47	47
	Transitions and Mobility	43	44	61	63	47	46
	Laws and Norms Favorable to Drug Use	52	39	44	38	42	42
	Perceived Availability of Drugs	47	39	48	37	45	45
	Perceived Availability of Handguns	45	54	25	38	25	42
Family	Poor Family Management	45	40	48	46	44	45
	Family Conflict	35	27	42	37	42	37
	Parental Attitudes Favorable toward ATOD Use	25	34	22	38	23	41
School	Poor Academic Performance	45	45	43	46	45	48
	Lack of Commitment to School	59	56	54	51	47	46
Peer and Individual	Peer Rewards for Antisocial Behavior	39	41	46	47	40	46
	Favorable Attitudes toward Antisocial Behavior	45	37	47	41	40	46
	Favorable Attitudes toward ATOD Use	41	41	41	40	39	45
	Low Perceived Risks of Drug Use	37	41	44	49	40	46
	Early Initiation of Drug Use	37	37	35	33	41	46
Average Prevalence Rate		43	42	43	44	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 21. Protective factor prevalence rate trends among middle school students for Holmes County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Holmes County					
		2001	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	59	60	61	59	63	59
Family	Family Opportunities for Prosocial Involvement	58	56	51	52	61	61
	Family Rewards for Prosocial Involvement	52	56	48	53	57	56
School	School Opportunities for Prosocial Involvement	44	43	38	44	45	45
	School Rewards for Prosocial Involvement	36	46	36	48	52	50
Peer and Individual	Religiosity	66	63	63	68	65	58
Average Prevalence Rate		53	54	50	54	57	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rate trends among middle school students for Holmes County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Holmes County					
		2001	2002	2004	2006	2008	2010
Community	Community Disorganization	47	46	46	51	49	51
	Transitions and Mobility	53	50	48	50	52	43
	Laws and Norms Favorable to Drug Use	49	49	46	48	52	52
	Perceived Availability of Drugs	53	50	45	48	45	47
	Perceived Availability of Handguns	36	38	36	46	40	45
Family	Poor Family Management	39	46	48	49	42	45
	Family Conflict	38	37	35	48	38	35
	Parental Attitudes Favorable toward ATOD Use	26	20	22	24	22	25
School	Poor Academic Performance	52	47	54	42	44	45
	Lack of Commitment to School	56	62	64	64	56	59
Peer and Individual	Peer Rewards for Antisocial Behavior	40	41	35	45	39	39
	Favorable Attitudes toward Antisocial Behavior	42	41	42	44	41	45
	Favorable Attitudes toward ATOD Use	53	45	47	43	39	41
	Low Perceived Risks of Drug Use	38	38	39	37	35	37
	Early Initiation of Drug Use	52	48	49	47	48	37
Average Prevalence Rate		47	46	46	47	43	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among high school students for Holmes County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain	Scale	Holmes County					
		2001	2002	2004	2006	2008	2010
Community	Community Rewards for Prosocial Involvement	72	68	75	71	70	70
Family	Family Opportunities for Prosocial Involvement	53	50	60	52	51	62
	Family Rewards for Prosocial Involvement	60	52	60	53	50	62
School	School Opportunities for Prosocial Involvement	58	47	38	50	52	54
	School Rewards for Prosocial Involvement	60	51	52	57	62	60
Peer and Individual	Religiosity	72	71	85	78	77	70
Average Prevalence Rate		63	57	62	60	60	63

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among high school students for Holmes County, 2001, 2002, 2004, 2006, 2008 and 2010

Domain		Holmes County					
Scale		2001	2002	2004	2006	2008	2010
Community	Community Disorganization	50	47	47	44	38	51
	Transitions and Mobility	56	53	47	57	48	44
	Laws and Norms Favorable to Drug Use	48	41	42	36	35	39
	Perceived Availability of Drugs	59	54	50	42	36	39
	Perceived Availability of Handguns	67	55	61	54	50	54
Family	Poor Family Management	45	52	36	45	48	40
	Family Conflict	38	33	29	31	33	27
	Parental Attitudes Favorable toward ATOD Use	36	33	32	35	36	34
School	Poor Academic Performance	43	44	42	47	40	45
	Lack of Commitment to School	47	51	52	51	52	56
Peer and Individual	Peer Rewards for Antisocial Behavior	48	46	42	43	39	41
	Favorable Attitudes toward Antisocial Behavior	39	38	40	44	37	37
	Favorable Attitudes toward ATOD Use	39	40	37	46	39	41
	Low Perceived Risks of Drug Use	41	48	35	44	41	41
	Early Initiation of Drug Use	48	46	43	43	36	37
Average Prevalence Rate		44	45	42	45	41	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.