

# **2012 Florida Youth Substance Abuse Survey**

**Lafayette County Data Tables**



**Table 1. Major demographic characteristics of surveyed Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	83	46.9		34,179	48.2
Male	94	53.1		35,544	50.2
<b>Race/Ethnic group</b>					
African American	8	4.5		12,176	17.2
American Indian	4	2.3		850	1.2
Asian	2	1.1		1,732	2.4
Hispanic/Latino	27	15.3		16,088	22.7
Native Hawaiian/Pacific Islander	2	1.1		238	0.3
Other/Multiple	13	7.3		11,450	16.2
White, non-Hispanic	118	66.7		27,787	39.2
<b>Age</b>					
10	0	0.0		130	0.2
11	14	7.9		4,037	5.7
12	25	14.1		9,151	12.9
13	32	18.1		10,289	14.5
14	23	13.0		10,537	14.9
15	30	16.9		10,727	15.1
16	30	16.9		10,384	14.7
17	16	9.0		9,533	13.5
18	4	2.3		5,217	7.4
19 or older	2	1.1		627	0.9
<b>Grade</b>					
6th	39	22.0		10,330	14.6
7th	27	15.3		10,332	14.6
8th	38	21.5		10,134	14.3
9th	22	12.4		11,051	15.6
10th	30	16.9		10,314	14.6
11th	17	9.6		9,879	13.9
12th	4	2.3		8,819	12.4
Overall Middle School	104	58.8		30,796	43.5
Overall High School	73	41.2		40,063	56.5
<b>Total</b>	<b>177</b>	<b>100.0</b>		<b>70,859</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Lafayette County youth and Florida Statewide youth who reported having used various drugs in their lifetimes, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	35.8	63.8	47.5	54.5	35.2	60.5	51.3	28.9	61.3	48.8	45.8	30.8	61.6	47.3
Cigarettes	22.2	37.0	19.7	39.0	16.6	41.3	30.3	11.8	28.5	21.1	21.5	12.1	28.6	21.3
Marijuana or Hashish	7.5	33.8	14.4	28.6	4.7	34.9	22.1	8.3	34.4	21.9	24.5	9.2	34.7	23.2
Synthetic Marijuana	--	20.9	13.5	26.2	--	17.0	20.9	--	13.0	10.9	15.1	--	13.0	13.0
Inhalants	15.3	11.1	16.6	9.9	14.5	15.8	13.0	9.9	6.4	8.9	6.8	9.5	6.5	7.9
Club Drugs	1.0	7.3	4.9	4.2	1.0	9.6	4.5	1.1	5.1	3.2	3.5	1.2	5.0	3.4
LSD, PCP or Mushrooms	2.0	5.0	4.1	3.2	2.0	6.5	3.6	1.4	5.1	2.8	4.3	1.5	5.1	3.5
Methamphetamine	2.4	3.8	1.8	4.3	1.4	6.0	3.2	1.0	1.1	0.9	1.1	1.0	1.1	1.0
Cocaine or Crack Cocaine	0.0	4.6	1.6	3.4	0.0	6.1	2.6	1.1	3.1	1.9	2.6	1.2	3.0	2.3
Heroin	0.0	2.8	1.7	1.5	0.0	3.6	1.6	0.5	0.8	0.5	0.8	0.6	0.8	0.7
Depressants	3.5	4.7	3.7	4.5	3.5	6.3	4.1	1.8	6.8	5.2	4.1	1.9	6.9	4.6
Prescription Pain Relievers	3.2	6.7	6.2	4.3	2.2	9.9	5.2	3.6	8.5	7.0	5.9	3.8	8.7	6.4
Prescription Amphetamines	1.0	2.2	2.6	0.9	1.0	2.9	1.7	1.1	4.8	3.4	3.1	1.2	4.7	3.2
Steroids (without a doctor's order)	0.9	0.0	0.9	0.0	0.9	0.0	0.4	0.7	0.9	0.5	1.2	0.7	0.9	0.8
Over-the-Counter Drugs	3.1	3.6	4.6	2.4	3.2	4.8	3.4	3.7	6.9	5.9	5.2	3.8	7.0	5.5
Any illicit drug	23.4	37.5	23.3	38.0	21.8	38.9	31.3	19.4	41.0	31.6	31.8	20.0	41.3	31.7
Any illicit drug other than marijuana	19.8	16.2	19.2	16.6	19.1	22.2	17.8	15.3	21.5	19.7	17.8	15.2	21.7	18.8
Alcohol only	18.7	29.3	29.2	20.8	19.1	26.8	24.6	16.0	24.7	22.1	19.9	17.2	24.8	21.0
Alcohol or any illicit drug	41.3	66.8	51.9	58.4	40.9	64.4	55.4	35.3	65.6	53.6	51.4	37.0	66.0	52.5
Any illicit drug, but no alcohol	5.6	3.0	4.5	3.8	5.7	3.9	4.1	6.5	4.6	5.0	5.8	6.3	4.6	5.4

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Lafayette County youth and Florida Statewide youth who reported having used various drugs in the past 30 days, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	15.4	37.4	19.9	34.2	16.6	34.2	27.6	12.3	33.9	25.3	23.8	13.2	34.0	24.6
Binge Drinking	5.8	24.4	6.9	23.7	6.6	18.6	16.1	4.7	16.4	10.6	11.9	4.9	16.4	11.3
Cigarettes	2.8	20.6	8.8	15.8	2.0	18.0	12.6	2.7	9.6	6.0	7.1	2.6	9.5	6.6
Marijuana or Hashish	4.0	14.1	6.1	12.6	2.1	19.6	9.7	4.2	18.5	10.6	14.1	4.5	18.9	12.4
Synthetic Marijuana	--	5.9	10.3	2.9	--	8.9	5.9	--	4.3	3.3	5.3	--	4.5	4.3
Inhalants	10.6	3.1	10.2	3.4	9.7	5.3	6.4	3.8	1.6	3.0	2.0	3.7	1.6	2.5
Club Drugs	1.1	2.2	1.7	1.8	1.1	3.0	1.7	0.4	1.5	0.9	1.2	0.4	1.5	1.1
LSD, PCP or Mushrooms	2.1	0.0	1.0	0.8	2.1	0.0	0.9	0.5	1.3	0.7	1.2	0.5	1.3	1.0
Methamphetamine	2.5	0.0	0.0	2.0	1.5	1.1	1.1	0.5	0.5	0.4	0.5	0.5	0.5	0.5
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.5	0.8	0.4	0.8	0.7
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.4	0.2	0.4	0.3
Depressants	1.1	3.6	4.5	0.9	1.1	4.9	2.5	0.8	2.1	1.6	1.5	0.7	2.3	1.6
Prescription Pain Relievers	2.3	5.9	5.5	3.4	2.3	7.9	4.3	1.7	2.8	2.6	2.0	1.7	2.9	2.3
Prescription Amphetamines	1.1	2.2	2.7	0.9	1.1	2.9	1.7	0.4	1.5	1.0	1.0	0.5	1.5	1.0
Steroids (without a doctor's order)	1.0	0.0	0.9	0.0	1.0	0.0	0.4	0.3	0.5	0.2	0.6	0.3	0.4	0.4
Over-the-Counter Drugs	2.0	1.3	3.6	0.0	2.0	1.8	1.6	1.7	2.6	2.5	2.0	1.7	2.7	2.2
Any illicit drug	14.7	15.5	14.4	15.8	13.0	21.2	15.2	9.6	22.9	16.3	18.0	9.8	23.3	17.2
Any illicit drug other than marijuana	13.8	6.7	12.7	7.5	13.0	9.9	9.8	6.9	9.1	8.6	7.7	6.8	9.2	8.2
Alcohol only	10.8	23.1	10.7	23.4	13.7	15.3	17.7	7.9	18.1	14.7	12.7	8.4	18.2	13.7
Alcohol or any illicit drug	24.4	39.3	25.8	38.5	26.0	36.8	32.7	17.4	40.4	30.7	30.2	18.1	40.9	30.5
Any illicit drug, but no alcohol	9.7	2.3	6.2	5.0	9.9	3.1	5.6	5.3	6.8	5.7	6.7	5.1	7.2	6.2

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

	2002			2004			2006			2008			2010			2012		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	34.9	71.9	54.5	41.0	70.5	56.7	35.9	68.7	54.8	46.4	64.6	56.2	33.2	52.7	43.2	35.8	63.8	51.3
Cigarettes	35.0	64.0	50.3	31.1	56.6	44.3	24.3	52.8	40.6	28.1	42.7	36.0	23.9	44.2	34.4	22.2	37.0	30.3
Marijuana or Hashish	11.6	22.9	17.6	5.8	19.4	12.7	7.4	21.3	15.5	6.4	18.5	12.9	11.3	22.6	17.2	7.5	33.8	22.1
Inhalants	7.6	14.1	11.1	14.1	9.7	12.5	6.4	9.2	8.0	10.4	3.1	6.4	6.7	7.7	7.2	15.3	11.1	13.0
Club Drugs	--	--	--	--	--	--	--	--	--	0.0	--	0.0	0.9	6.8	4.0	1.0	7.3	4.5
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	2.0	--	2.0	0.0	4.4	2.3	2.0	5.0	3.6
Methamphetamine	2.3	0.9	1.5	0.6	2.7	1.7	1.0	0.0	0.4	0.0	0.0	0.0	0.0	4.4	2.3	2.4	3.8	3.2
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	0.9	--	0.9	1.0	2.4	1.7	0.0	4.6	2.6
Heroin	0.0	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.8	0.9	2.5	1.7	0.0	2.8	1.6
Depressants	0.0	6.7	3.6	4.1	8.3	6.6	3.6	3.2	3.4	0.0	3.1	1.7	1.9	4.1	3.0	3.5	4.7	4.1
Prescription Pain Relievers	3.3	11.9	8.0	5.2	11.3	8.3	4.8	11.1	8.5	15.5	1.9	8.0	4.9	12.7	8.9	3.2	6.7	5.2
Prescription Amphetamines	1.0	3.0	2.1	2.0	1.2	1.6	0.0	3.0	1.8	1.2	4.3	2.9	1.9	0.0	0.9	1.0	2.2	1.7
Steroids (without a doctor's order)	1.2	1.0	1.1	2.1	1.7	1.9	0.0	1.1	0.6	0.0	2.4	1.3	0.0	0.0	0.0	0.9	0.0	0.4
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	7.8	--	7.8	3.4	3.2	3.3	3.1	3.6	3.4
Any illicit drug	19.1	30.2	25.0	18.9	26.8	23.6	12.3	31.0	23.1	27.6	18.6	22.7	17.5	27.0	22.4	23.4	37.5	31.3
Any illicit drug other than marijuana	10.7	20.6	16.0	16.6	21.4	19.7	9.9	18.3	14.7	24.5	9.1	16.1	12.2	21.4	17.0	19.8	16.2	17.8
Alcohol only	21.0	41.8	32.1	24.2	46.9	35.8	27.0	40.1	34.6	25.1	46.4	36.6	20.2	31.6	26.0	18.7	29.3	24.6
Alcohol or any illicit drug	39.8	70.8	56.4	43.2	73.2	59.1	39.0	71.1	57.5	52.7	64.1	58.9	37.5	57.4	47.8	41.3	66.8	55.4
Any illicit drug, but no alcohol	5.4	1.1	3.1	2.8	2.4	2.6	3.1	2.4	2.7	6.3	0.0	2.9	4.6	5.4	5.0	5.6	3.0	4.1

Note: The first 14 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

	2002			2004			2006			2008			2010			2012		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	6.2	35.3	21.7	21.8	39.9	31.3	16.1	40.6	30.3	25.9	41.3	34.2	21.7	38.7	30.2	15.4	37.4	27.6
Binge Drinking	3.1	15.6	9.7	10.3	18.3	14.4	6.1	24.5	16.6	5.4	19.2	12.9	8.2	25.6	17.3	5.8	24.4	16.1
Cigarettes	3.2	27.4	16.0	8.7	21.8	15.4	7.2	19.7	14.4	3.0	19.5	12.0	8.3	17.4	13.0	2.8	20.6	12.6
Marijuana or Hashish	5.4	10.2	8.0	3.7	7.2	5.5	2.7	4.0	3.4	2.0	10.7	6.7	3.7	7.3	5.6	4.0	14.1	9.7
Inhalants	4.5	1.9	3.1	6.9	0.7	4.0	3.5	2.9	3.2	6.0	1.2	3.4	3.7	6.0	4.9	10.6	3.1	6.4
Club Drugs	--	--	--	--	--	--	--	--	--	0.0	--	0.0	1.0	4.4	2.7	1.1	2.2	1.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	--	--	--	0.0	--	0.0	0.0	2.5	1.3	2.1	0.0	0.9
Methamphetamine	0.0	0.9	0.5	0.0	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.3	2.5	0.0	1.1
Cocaine or Crack Cocaine	--	--	--	--	--	--	--	--	--	0.0	--	0.0	1.0	2.6	1.8	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
Depressants	0.0	2.7	1.5	2.2	1.7	1.9	0.0	0.0	0.0	0.0	2.0	1.1	2.0	4.3	3.2	1.1	3.6	2.5
Prescription Pain Relievers	0.0	5.2	2.8	2.9	0.6	1.7	1.0	4.8	3.3	8.7	1.9	4.9	1.9	2.6	2.2	2.3	5.9	4.3
Prescription Amphetamines	0.0	1.0	0.5	0.0	1.0	0.5	0.0	1.0	0.6	1.2	2.3	1.8	1.0	0.0	0.5	1.1	2.2	1.7
Steroids (without a doctor's order)	0.0	1.0	0.6	1.4	0.6	1.0	0.0	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4
Over-the-Counter Drugs	--	--	--	--	--	--	--	--	--	3.3	--	3.3	1.8	1.5	1.7	2.0	1.3	1.6
Any illicit drug	11.0	13.9	12.6	9.7	9.2	9.8	6.9	10.9	9.2	15.0	11.0	12.8	8.1	10.5	9.3	14.7	15.5	15.2
Any illicit drug other than marijuana	6.7	6.7	6.7	8.2	9.2	9.0	5.5	8.1	7.0	13.1	5.3	8.8	6.3	7.1	6.7	13.8	6.7	9.8
Alcohol only	3.3	23.4	14.2	13.3	33.0	23.9	11.7	34.3	24.8	16.2	31.2	24.3	16.1	29.9	23.1	10.8	23.1	17.7
Alcohol or any illicit drug	13.7	37.3	26.3	22.9	42.5	33.6	18.0	43.8	32.9	31.2	41.6	36.9	23.3	37.5	30.6	24.4	39.3	32.7
Any illicit drug, but no alcohol	7.9	3.2	5.4	1.3	2.5	2.3	1.9	3.2	2.7	5.3	1.2	3.1	1.9	1.8	1.9	9.7	2.3	5.6

Note: The first 15 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Lafayette County youth and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval and peer approval, 2012**

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	25.6	13.9	33.4	--	36.4	25.6	--	25.4	23.9	26.8	--	25.2	25.4
Drinking at least once a month	--	9.4	6.4	11.4	--	13.8	9.4	--	5.0	4.6	5.4	--	4.9	5.0
Cigarettes	--	29.5	14.9	39.1	--	29.9	29.5	--	14.5	13.7	15.3	--	14.4	14.5
Marijuana	--	11.1	6.4	14.2	--	16.3	11.1	--	11.7	9.5	13.8	--	11.7	11.7
<b>Perceive great risk of harm if...</b>														
One or more drinks every day	50.9	26.0	42.8	32.5	51.0	35.5	37.1	45.2	38.8	46.0	37.4	44.7	38.8	41.6
Smoke a pack or more every day	76.3	61.0	79.6	58.3	80.8	58.4	67.8	67.6	68.7	69.7	67.0	68.4	68.5	68.3
Smoke marijuana regularly	83.8	55.6	79.8	58.4	88.2	50.2	68.1	65.6	39.6	55.4	46.5	64.6	38.7	50.9
Try marijuana once or twice	49.4	24.9	41.7	31.0	50.1	29.1	35.8	38.4	19.4	29.1	26.0	36.8	19.3	27.6
Prescription drug use without a doctor's order	--	75.5	88.3	66.9	--	72.1	75.5	--	68.6	71.9	65.5	--	68.7	68.6
<b>Think it would be wrong for someone their age to...</b>														
Smoke cigarettes	93.3	67.7	88.5	72.1	95.9	72.0	79.3	93.6	79.5	86.1	85.1	93.2	80.7	85.6
Drink alcohol regularly	82.0	59.0	76.7	63.4	83.5	54.7	69.3	86.1	58.3	70.5	70.3	84.6	58.5	70.4
Smoke marijuana	92.7	67.5	90.4	69.5	97.3	70.2	78.8	90.3	66.1	78.9	74.3	89.2	66.0	76.6
Use other illicit drugs	99.1	95.6	98.4	96.2	99.0	94.5	97.2	97.1	93.6	96.0	94.4	97.1	93.6	95.2
<b>Good chance of being seen as cool if...</b>														
Drink alcohol regularly	8.3	9.6	8.8	9.3	6.6	14.3	9.1	7.6	14.3	13.3	9.6	8.1	14.4	11.4
Smoke cigarettes	2.5	4.8	4.7	3.0	2.7	6.1	3.8	5.7	5.2	5.9	4.9	5.7	5.3	5.4
Smoke marijuana	5.4	12.8	10.2	8.9	2.7	19.3	9.5	10.8	18.4	16.4	13.8	11.3	19.1	15.1
Belong to a gang	--	2.6	2.2	2.9	--	3.9	2.6	--	5.6	5.4	5.9	--	5.6	5.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 7. Trends in early ATOD use and attitudes toward substance use for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

	2002			2004			2006			2008			2010			2012		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	25.8	25.8	--	32.7	32.7	--	32.8	32.8	--	30.7	30.7	--	24.3	24.3	--	25.6	25.6
Regular alcohol use	--	2.7	2.7	--	9.6	9.6	--	6.8	6.8	--	5.6	5.6	--	12.2	12.2	--	9.4	9.4
Cigarettes	--	41.6	41.6	--	38.3	38.3	--	33.6	33.6	--	21.9	21.9	--	28.5	28.5	--	29.5	29.5
Marijuana	--	9.6	9.6	--	6.1	6.1	--	6.6	6.6	--	5.9	5.9	--	9.3	9.3	--	11.1	11.1
<b>Great risk of harm</b>																		
Daily alcohol use	49.0	42.1	45.2	44.6	43.9	44.1	36.3	41.8	39.4	40.7	40.0	40.3	48.6	43.4	45.9	50.9	26.0	37.1
Daily cigarette use	66.8	57.9	61.9	65.9	63.8	64.8	68.2	69.3	68.8	58.7	55.9	57.1	73.7	57.5	65.3	76.3	61.0	67.8
Regular marijuana use	74.2	70.9	72.4	82.6	74.4	77.8	74.3	78.0	76.4	66.2	59.5	62.5	72.9	61.1	66.7	83.8	55.6	68.1
Try marijuana	53.6	34.1	42.9	65.0	44.2	54.0	53.4	45.6	49.0	47.8	41.5	44.3	54.1	41.9	47.8	49.4	24.9	35.8
<b>Think it wrong</b>																		
Smoke cigarettes	92.6	61.7	75.9	86.2	63.3	74.1	88.2	72.4	79.2	83.4	73.3	77.8	91.8	71.1	81.0	93.3	67.7	79.3
Drink regularly	85.0	63.5	73.3	75.7	58.2	66.4	76.0	57.7	65.6	70.7	67.4	68.9	86.4	55.2	70.3	82.0	59.0	69.3
Smoke marijuana	92.4	76.5	83.7	93.6	88.3	90.9	90.8	95.3	93.4	89.4	88.9	89.1	95.6	83.6	89.5	92.7	67.5	78.8
Use other illicit drugs	97.9	97.2	97.5	96.2	95.5	95.5	97.0	99.3	98.3	92.1	94.9	93.6	98.2	95.9	97.0	99.1	95.6	97.2
<b>Seen as cool</b>																		
Drink regularly	5.3	12.7	9.3	7.0	22.1	14.8	13.5	23.1	18.9	8.7	13.6	11.4	4.5	16.2	10.6	8.3	9.6	9.1
Smoke cigarettes	5.4	5.7	5.6	6.2	5.6	5.8	5.8	6.4	6.1	1.8	3.4	2.7	3.5	3.4	3.5	2.5	4.8	3.8
Smoke marijuana	5.4	7.4	6.5	6.4	5.5	5.9	7.9	6.8	7.3	1.9	4.3	3.2	3.3	9.4	6.4	5.4	12.8	9.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	4.0	13.0	0.0	--	6.0	4.0	--	10.7	7.4	14.3	--	9.8	10.7
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	2.0	1.5	2.5	--	1.4	2.0
Bought at a public event	--	0.0	0.0	0.0	--	0.0	0.0	--	0.7	0.6	0.8	--	0.6	0.7
Someone bought it for me	--	22.8	13.0	27.2	--	23.5	22.8	--	17.8	15.7	20.1	--	17.6	17.8
Someone gave it to me	--	66.4	74.0	63.0	--	60.4	66.4	--	43.7	51.0	36.0	--	44.8	43.7
Took it from a store	--	0.0	0.0	0.0	--	0.0	0.0	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	0.0	0.0	0.0	--	0.0	0.0	--	9.1	9.8	8.5	--	9.8	9.1
Some other way	--	6.7	0.0	9.8	--	10.1	6.7	--	15.6	13.8	17.4	--	15.7	15.6

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	22.1	18.5	23.8	--	29.4	22.1	--	27.8	28.5	26.8	--	27.5	27.8
Another person's home	--	52.0	49.4	53.2	--	37.9	52.0	--	48.7	51.0	46.8	--	49.7	48.7
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	0.0	--	1.8	1.6	2.0	--	1.6	1.8
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	3.5	3.6	3.3	--	3.1	3.5
Public place	--	7.8	12.3	5.7	--	11.6	7.8	--	3.9	3.6	4.1	--	4.2	3.9
Public event	--	0.0	0.0	0.0	--	0.0	0.0	--	2.1	2.2	2.0	--	1.8	2.1
School property	--	0.0	0.0	0.0	--	0.0	0.0	--	1.0	0.9	1.2	--	1.0	1.0
Some other place	--	18.1	19.8	17.3	--	21.1	18.1	--	11.2	8.5	13.9	--	11.2	11.2

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	14.8	8.1	17.8	--	22.7	14.8	--	24.8	27.7	21.5	--	24.5	24.8
2	--	17.6	33.3	10.5	--	27.0	17.6	--	22.3	24.2	20.2	--	23.0	22.3
3	--	2.5	0.0	3.6	--	3.9	2.5	--	17.3	18.0	16.5	--	17.8	17.3
4	--	6.2	12.0	3.6	--	3.9	6.2	--	10.4	10.8	10.1	--	10.5	10.4
5 or more	--	58.9	46.6	64.4	--	42.6	58.9	--	25.2	19.2	31.7	--	24.2	25.2

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Lafayette County youth and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	10.5	3.2	3.1	9.3	11.7	3.3	6.4	4.3	4.5	1.8	6.9	4.0	4.6	4.4
Selling drugs	1.0	6.2	3.2	4.6	0.0	8.0	3.9	2.2	7.1	2.8	7.1	2.3	7.5	5.0
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.2	2.3	1.3	2.3	1.8
Being arrested	4.0	2.2	3.5	2.6	2.1	4.9	3.0	2.5	4.0	2.4	4.2	2.4	4.3	3.4
Taking a handgun to school	0.0	1.5	0.0	1.5	1.9	0.0	0.8	0.7	0.8	0.4	1.1	0.6	0.9	0.8
Getting suspended	5.0	14.3	1.9	17.4	2.1	11.1	10.2	13.1	11.1	8.6	15.2	12.2	11.9	11.9
Attacking someone with intent to harm	5.3	5.5	4.9	5.8	3.3	9.4	5.4	8.0	7.8	6.6	9.2	7.6	8.3	7.9
Being drunk or high at school	5.6	10.0	7.7	8.4	4.8	12.9	8.0	5.4	15.5	10.2	12.1	5.7	16.1	11.2

**Table 12. Trends in delinquent behaviors for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

	2002			2004			2006			2008			2010			2012		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.6	2.1	3.7	9.1	1.0	5.2	4.8	3.6	4.1	3.3	9.4	6.7	4.5	13.1	8.8	10.5	3.2	6.4
Selling drugs	1.2	6.0	3.8	0.6	2.5	1.6	1.4	0.8	1.0	0.0	6.1	3.4	1.0	5.3	3.2	1.0	6.2	3.9
Attempting to steal a vehicle	1.2	0.0	0.5	0.7	2.0	1.4	0.0	0.0	0.0	1.9	3.9	3.0	1.8	0.9	1.4	0.0	0.0	0.0
Being arrested	4.4	1.0	2.6	1.5	1.1	1.3	0.0	0.8	0.4	3.2	4.1	3.7	1.7	5.6	3.7	4.0	2.2	3.0
Taking a handgun to school	3.5	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.9	0.0	0.9	0.4	0.0	1.5	0.8
Getting suspended	15.6	4.9	9.8	10.2	4.3	7.1	20.3	16.6	18.1	11.4	9.4	10.3	13.2	16.5	14.8	5.0	14.3	10.2
Attacking someone with intent to harm	6.7	6.7	6.7	9.5	5.6	7.4	9.7	16.1	13.4	9.3	9.9	9.6	8.0	10.1	9.1	5.3	5.5	5.4
Being drunk or high at school	5.5	19.2	12.9	5.7	10.1	8.3	2.6	8.3	5.9	7.0	11.5	9.5	3.9	15.2	9.6	5.6	10.0	8.0

**Table 13. Percentages of Lafayette County youth and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	54.7	38.0	34.0	54.8	54.1	39.9	45.6	51.7	46.4	38.0	59.0	51.5	46.9	48.7
Arguing about gambling	13.8	9.2	9.7	12.5	11.8	14.2	11.2	14.0	10.2	8.7	14.9	13.7	10.3	11.8

**Table 14. Percentages of Lafayette County youth and Florida Statewide youth who reported involvement in bullying behavior, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	34.3	12.8	33.4	13.7	34.8	17.6	22.4	36.6	22.9	36.8	21.1	36.1	22.6	28.8
Skipped school because of bullying	6.9	4.7	11.7	0.8	7.9	5.3	5.7	4.4	4.5	6.2	2.8	4.3	4.6	4.5
Was kicked or shoved in past 30 days	26.0	11.3	18.3	17.6	25.4	16.2	17.9	18.7	8.2	11.3	14.0	17.9	8.2	12.8
Was taunted or teased in past 30 days	41.3	19.4	30.2	28.4	35.9	23.0	29.2	35.5	21.5	29.2	25.9	34.6	21.9	27.6
Was victim of cyber bullying in past 30 days	10.9	3.9	11.6	3.3	8.1	8.1	7.0	7.4	7.7	10.5	4.6	7.2	8.0	7.5
Physically bullied others in past 30 days	17.4	2.2	7.5	10.2	14.0	6.9	9.0	10.1	6.1	6.4	9.2	9.5	6.4	7.9
Verbally bullied others in past 30 days	19.8	10.8	11.3	17.7	19.7	14.7	14.8	18.3	13.3	14.7	16.2	17.7	13.8	15.5
Cyber bullied others in past 30 days	6.3	2.2	5.8	2.6	3.0	6.3	4.0	4.2	4.6	5.1	3.7	4.0	4.7	4.4

**Table 15. Percentages of high school students who reported having seen delinquent behavior among gang members at school this school year, among Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fighting	--	13.6	15.1	12.5	--	16.0	13.6	--	36.7	38.2	35.2	--	37.4	36.7
Stealing or robbing	--	7.1	12.0	3.8	--	8.4	7.1	--	23.3	21.6	24.8	--	23.6	23.3
Vandalism (including graffiti)	--	18.2	25.7	13.0	--	22.4	18.2	--	24.8	23.8	25.7	--	25.3	24.8
Selling drugs	--	12.8	12.0	13.4	--	16.7	12.8	--	30.5	29.1	31.8	--	31.3	30.5
Carrying weapons	--	13.6	12.0	14.6	--	17.8	13.6	--	15.8	14.0	17.5	--	16.0	15.8

Note: The symbol "--" indicates that data are not available.

**Table 16. Percentages of Lafayette County youth and Florida Statewide youth who reported gang membership, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	6.2	7.8	2.9	10.7	2.2	14.3	7.1	4.3	4.2	2.8	5.7	3.9	4.4	4.3
Did that gang have a name?	52.7	45.0	27.1	59.0	13.2	71.0	47.4	30.6	18.4	17.8	25.4	27.1	19.4	22.2
Are you a gang member now?	--	1.8	0.0	3.1	--	2.7	1.8	--	2.1	1.4	2.8	--	2.1	2.1

Note: The symbol "--" indicates that data are not available.

**Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	19.2	0.0	22.5	--	23.8	19.2	--	9.8	8.7	10.5	--	9.4	9.8
Protection	--	33.7	37.8	33.1	--	41.9	33.7	--	7.2	6.1	7.8	--	6.6	7.2
Friend or relative in a gang	--	19.2	0.0	22.5	--	23.8	19.2	--	8.8	6.7	9.9	--	8.7	8.8
Forced to join	--	0.0	0.0	0.0	--	0.0	0.0	--	2.0	2.1	1.9	--	1.8	2.0
To get respect	--	25.6	0.0	30.0	--	31.8	25.6	--	7.0	4.5	8.4	--	6.6	7.0
Money	--	14.6	0.0	17.0	--	18.1	14.6	--	6.8	3.5	8.8	--	6.5	6.8
To fit in better	--	13.7	0.0	16.0	--	17.0	13.7	--	2.7	2.0	3.2	--	2.4	2.7
Other reasons	--	30.9	0.0	36.2	--	38.3	30.9	--	11.7	11.1	12.2	--	12.1	11.7

Note: The symbol "--" indicates that data are not available.

**Table 18. Percentages of Lafayette County youth and Florida Statewide youth who reported participation in extracurricular activities, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	64.8	50.1	48.2	63.6	60.8	58.8	56.7	36.2	40.5	35.0	42.2	36.7	41.2	38.7
Organized Sports Outside of School	37.2	14.9	20.5	28.4	38.2	18.8	24.9	45.1	26.6	31.0	38.1	43.9	26.8	34.6
School Band	8.7	7.4	9.5	6.8	9.9	7.6	8.0	15.9	8.0	11.6	11.4	15.2	8.1	11.5
School Club(s)	39.7	32.4	42.1	30.4	43.5	30.5	35.7	21.1	33.1	36.6	19.6	22.2	32.5	27.9
Community Club(s)	9.4	9.9	16.3	4.4	10.0	2.8	9.7	10.6	14.4	16.7	8.9	10.8	14.1	12.7

**Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lafayette County youth and Florida Statewide youth, 2012**

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	26.5	29.8	24.2	--	31.2	26.5	--	21.4	22.8	19.9	--	21.2	21.4
Marijuana	--	20.4	16.3	23.3	--	28.6	20.4	--	25.4	25.5	25.3	--	26.0	25.4
<b><i>Driving a vehicle</i></b>														
Alcohol	--	6.9	5.7	7.7	--	8.1	6.9	--	8.1	7.4	8.8	--	7.9	8.1
Marijuana	--	8.6	3.2	12.2	--	11.4	8.6	--	11.2	8.8	13.4	--	11.1	11.2

Note: The symbol "--" indicates that data are not available.

**Table 20. Protective factor prevalence rates for Lafayette County youth, Florida Statewide youth and the national normative database, 2012**

Domain	Scale	Lafayette County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Rewards for Prosocial Involvement	75	89	52	61	56	63
<b>Family</b>	Family Opportunities for Prosocial Involvement	64	58	59	56	59	54
	Family Rewards for Prosocial Involvement	59	65	55	54	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	64	70	50	61	57	60
	School Rewards for Prosocial Involvement	58	79	52	61	53	58
<b>Peer and Individual</b>	Religiosity	70	80	50	59	56	62
<b>Average Prevalence Rate</b>		<b>65</b>	<b>74</b>	<b>53</b>	<b>59</b>	<b>56</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 21. Risk factor prevalence rates for Lafayette County youth, Florida Statewide youth and the national normative database, 2012**

Domain	Scale	Lafayette County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Disorganization	41	30	47	48	47	47
	Transitions and Mobility	45	44	59	62	47	46
	Laws and Norms Favorable to Drug Use	35	31	38	35	42	42
	Perceived Availability of Drugs	44	29	40	32	45	45
	Perceived Availability of Handguns	41	52	23	34	25	42
<b>Family</b>	Poor Family Management	29	37	43	41	44	45
	Family Conflict	40	17	38	35	42	37
	Parental Attitudes Favorable toward ATOD Use	25	43	19	37	23	41
<b>School</b>	Poor Academic Performance	48	57	41	44	45	48
	Lack of Commitment to School	47	40	48	46	47	46
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	36	36	41	43	40	46
	Favorable Attitudes toward Antisocial Behavior	31	35	41	38	40	46
	Favorable Attitudes toward ATOD Use	34	37	34	39	39	45
	Low Perceived Risks of Drug Use	32	49	43	53	40	46
	Early Initiation of Drug Use	37	33	29	30	41	46
<b>Average Prevalence Rate</b>		<b>38</b>	<b>38</b>	<b>39</b>	<b>41</b>	<b>40</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rate trends among middle school students for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

Domain	Scale	Lafayette County					
		2002	2004	2006	2008	2010	2012
<b>Community</b>	Community Rewards for Prosocial Involvement	58	70	60	71	69	75
<b>Family</b>	Family Opportunities for Prosocial Involvement	58	56	64	56	62	64
	Family Rewards for Prosocial Involvement	46	56	59	51	57	59
<b>School</b>	School Opportunities for Prosocial Involvement	56	64	60	48	56	64
	School Rewards for Prosocial Involvement	44	59	40	50	51	58
<b>Peer and Individual</b>	Religiosity	73	80	62	64	72	70
<b>Average Prevalence Rate</b>		<b>56</b>	<b>64</b>	<b>58</b>	<b>57</b>	<b>61</b>	<b>65</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 23. Risk factor prevalence rate trends among middle school students for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

Domain	Scale	Lafayette County					
		2002	2004	2006	2008	2010	2012
<b>Community</b>	Community Disorganization	45	47	35	42	42	41
	Transitions and Mobility	54	47	55	53	45	45
	Laws and Norms Favorable to Drug Use	41	41	41	52	51	35
	Perceived Availability of Drugs	48	46	51	35	45	44
	Perceived Availability of Handguns	39	46	32	43	37	41
<b>Family</b>	Poor Family Management	53	39	49	55	39	29
	Family Conflict	37	43	41	45	35	40
	Parental Attitudes Favorable toward ATOD Use	23	26	22	33	23	25
<b>School</b>	Poor Academic Performance	58	49	54	53	41	48
	Lack of Commitment to School	58	63	59	57	53	47
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	40	36	41	38	28	36
	Favorable Attitudes toward Antisocial Behavior	28	37	38	48	41	31
	Favorable Attitudes toward ATOD Use	35	44	42	45	36	34
	Low Perceived Risks of Drug Use	31	33	42	43	32	32
	Early Initiation of Drug Use	48	45	42	51	38	37
<b>Average Prevalence Rate</b>		<b>40</b>	<b>43</b>	<b>44</b>	<b>47</b>	<b>38</b>	<b>36</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Protective factor prevalence rate trends among high school students for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

Domain	Scale	Lafayette County					
		2002	2004	2006	2008	2010	2012
<b>Community</b>	Community Rewards for Prosocial Involvement	83	86	81	72	69	89
<b>Family</b>	Family Opportunities for Prosocial Involvement	65	58	53	57	58	58
	Family Rewards for Prosocial Involvement	70	62	57	61	52	65
<b>School</b>	School Opportunities for Prosocial Involvement	73	64	63	69	59	70
	School Rewards for Prosocial Involvement	72	76	64	73	66	79
<b>Peer and Individual</b>	Religiosity	83	87	78	76	76	80
<b>Average Prevalence Rate</b>		<b>74</b>	<b>72</b>	<b>66</b>	<b>68</b>	<b>63</b>	<b>74</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 25. Risk factor prevalence rate trends among high school students for Lafayette County youth, 2002, 2004, 2006, 2008, 2010 and 2012**

Domain	Scale	Lafayette County					
		2002	2004	2006	2008	2010	2012
<b>Community</b>	Community Disorganization	45	34	55	34	49	30
	Transitions and Mobility	48	34	50	50	52	44
	Laws and Norms Favorable to Drug Use	34	32	29	33	41	31
	Perceived Availability of Drugs	43	30	31	40	20	29
	Perceived Availability of Handguns	56	59	54	54	35	52
<b>Family</b>	Poor Family Management	37	41	49	47	53	37
	Family Conflict	24	31	30	33	28	17
	Parental Attitudes Favorable toward ATOD Use	42	34	39	37	31	43
<b>School</b>	Poor Academic Performance	41	31	51	54	44	57
	Lack of Commitment to School	38	48	47	45	49	40
<b>Peer and Individual</b>	Peer Rewards for Antisocial Behavior	40	44	49	28	46	36
	Favorable Attitudes toward Antisocial Behavior	32	24	40	37	32	35
	Favorable Attitudes toward ATOD Use	39	32	25	24	34	37
	Low Perceived Risks of Drug Use	37	24	25	45	38	49
	Early Initiation of Drug Use	37	45	44	31	33	33
<b>Average Prevalence Rate</b>		<b>37</b>	<b>36</b>	<b>38</b>	<b>35</b>	<b>39</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.