

2013 Florida Youth Substance Abuse Survey

Confidence Interval Tables

These confidence interval tables correspond to the data tables included in the 2013 Florida Youth Substance Abuse Survey (FYSAS) statewide report. The variance estimates used for these confidence interval calculations include a design effect of 2.0 to adjust for the complex design of the 2013 FYSAS sample. A finite population adjustment was not included in the confidence interval formula. Detailed information about survey methodology and sample design is also presented in the statewide report.

Please note that because Tables 1 and 3 present a description of the sample and Tables 55 and 56 show normative data, no confidence intervals are calculated for those tables.

Table 3. Lifetime prevalence of ATOD use, 2013

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	±2.2	±2.7	±3.1	±3.4	±3.4	±3.6	±3.4
Cigarettes	±1.5	±1.9	±2.2	±2.8	±2.8	±3.2	±3.5
Marijuana or Hashish	±0.9	±1.8	±2.3	±2.9	±3.2	±3.6	±3.7
Synthetic Marijuana	--	--	--	±1.8	±2.0	±2.3	±2.7
Inhalants	±1.6	±1.8	±1.8	±1.7	±1.6	±1.5	±1.4
Club Drugs	±0.3	±0.7	±0.9	±1.1	±1.4	±1.7	±1.7
LSD, PCP or Mushrooms	±0.4	±0.7	±1.0	±1.2	±1.4	±1.7	±1.9
Methamphetamine	±0.5	±0.5	±0.6	±0.6	±0.9	±0.8	±0.7
Cocaine or Crack Cocaine	±0.3	±0.7	±0.7	±0.9	±1.2	±1.1	±1.2
Heroin	±0.3	±0.6	±0.5	±0.6	±0.7	±0.4	±0.7
Depressants	±0.5	±0.8	±1.0	±1.5	±1.7	±1.8	±1.9
Prescription Pain Relievers	±0.6	±1.0	±1.4	±1.7	±1.9	±2.1	±2.2
Prescription Amphetamines	±0.4	±0.6	±0.7	±1.3	±1.4	±1.7	±2.0
Steroids (without a doctor's order)	±0.4	±0.5	±0.5	±0.6	±0.5	±0.8	±0.7
Over-the-Counter Drugs	±0.8	±1.3	±1.4	±1.8	±1.6	±2.0	±2.0

Table 4. Past-30-day prevalence of ATOD use, 2013

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	±1.4	±2.0	±2.4	±2.9	±3.2	±3.4	±3.7
Binge Drinking	±0.9	±1.2	±1.5	±2.1	±2.3	±2.5	±2.9
Cigarettes	±0.6	±1.0	±1.2	±1.5	±1.7	±2.0	±2.4
Marijuana or Hashish	±0.6	±1.3	±1.7	±2.4	±2.6	±2.8	±3.2
Synthetic Marijuana	--	--	--	±0.9	±0.9	±0.9	±1.0
Inhalants	±1.1	±1.1	±1.0	±1.0	±0.6	±0.7	±0.7
Club Drugs	±0.2	±0.3	±0.3	±0.6	±0.7	±1.0	±1.0
LSD, PCP or Mushrooms	±0.3	±0.4	±0.6	±0.6	±0.8	±0.6	±0.8
Methamphetamine	±0.4	±0.3	±0.4	±0.5	±0.6	±0.6	±0.3
Cocaine or Crack Cocaine	±0.2	±0.4	±0.3	±0.6	±0.7	±0.5	±0.5
Heroin	±0.3	±0.3	±0.2	±0.4	±0.3	±0.3	±0.4
Depressants	±0.3	±0.6	±0.7	±0.9	±1.1	±1.1	±0.9
Prescription Pain Relievers	±0.4	±0.7	±1.0	±1.1	±1.2	±1.2	±1.1
Prescription Amphetamines	±0.0	±0.4	±0.4	±0.9	±0.8	±1.1	±1.2
Steroids (without a doctor's order)	±0.3	±0.0	±0.3	±0.4	±0.4	±0.5	±0.7
Over-the-Counter Drugs	±0.5	±1.0	±1.0	±1.4	±1.2	±1.3	±1.3

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2004 to 2013

		Alcohol Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.7	±0.8	±0.7	±0.7	±0.6	±1.5
	Male	±0.8	±0.9	±0.8	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.6	±1.5
Race/Ethnic group													
	African American	±1.4	±1.5	±1.3	±1.3	±1.3	±3.0	±1.1	±1.2	±1.0	±1.1	±1.0	±2.4
	Hispanic/Latino	±1.5	±1.5	±1.3	±1.3	±1.3	±2.5	±1.5	±1.4	±1.2	±1.2	±1.2	±2.1
	White, non-Hispanic	±0.7	±0.8	±0.7	±0.7	±0.7	±2.1	±0.7	±0.8	±0.7	±0.7	±0.7	±1.8
Age													
	11	±2.3	±2.3	±2.0	±1.8	±1.4	±3.0	±1.6	±1.5	±1.3	±1.2	±0.9	±1.8
	12	±1.4	±1.4	±1.3	±1.2	±1.1	±2.6	±0.9	±1.0	±0.9	±0.8	±0.7	±1.7
	13	±1.4	±1.4	±1.3	±1.2	±1.2	±2.8	±1.1	±1.1	±1.0	±0.9	±0.9	±2.1
	14	±1.3	±1.4	±1.3	±1.3	±1.3	±3.2	±1.2	±1.3	±1.1	±1.1	±1.0	±2.7
	15	±1.3	±1.4	±1.3	±1.3	±1.4	±3.3	±1.3	±1.4	±1.3	±1.2	±1.2	±2.9
	16	±1.4	±1.4	±1.3	±1.3	±1.4	±3.4	±1.5	±1.5	±1.3	±1.3	±1.4	±3.3
	17	±1.6	±1.6	±1.4	±1.4	±1.5	±3.5	±1.8	±1.8	±1.5	±1.5	±1.6	±3.5
	18	±2.1	±2.1	±1.8	±1.8	±2.1	±4.5	±2.4	±2.5	±2.0	±2.0	±2.2	±4.9
Grade													
	6th	±1.2	±1.2	±1.1	±1.0	±0.9	±2.2	±0.8	±0.9	±0.8	±0.7	±0.6	±1.4
	7th	±1.4	±1.3	±1.3	±1.2	±1.1	±2.7	±1.1	±1.0	±1.0	±0.9	±0.8	±2.0
	8th	±1.4	±1.4	±1.3	±1.2	±1.2	±3.1	±1.2	±1.2	±1.1	±1.1	±1.0	±2.4
	9th	±1.3	±1.5	±1.3	±1.3	±1.4	±3.4	±1.3	±1.5	±1.2	±1.2	±1.2	±2.9
	10th	±1.4	±1.5	±1.3	±1.4	±1.4	±3.4	±1.5	±1.6	±1.3	±1.4	±1.3	±3.2
	11th	±1.6	±1.6	±1.4	±1.4	±1.5	±3.6	±1.8	±1.7	±1.5	±1.5	±1.5	±3.4
	12th	±1.8	±1.8	±1.5	±1.6	±1.6	±3.4	±2.0	±2.1	±1.7	±1.7	±1.7	±3.7
Middle School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.6	±0.6	±0.6	±0.6	±0.5	±0.5	±1.1
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Total		±0.6	±0.6	±0.5	±0.5	±0.5	±1.3	±0.5	±0.5	±0.5	±0.5	±0.4	±1.1

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2013

		2013 Alcohol						
		Number of Occasions in Past 30 Days						
		0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex								
	Female	±1.5	±1.3	±0.8	±0.6	±0.4	±0.2	±0.2
	Male	±1.5	±1.2	±0.7	±0.5	±0.4	±0.3	±0.3
Race/Ethnic group								
	African American	±2.4	±2.0	±1.0	±0.8	±0.4	±0.3	±0.5
	Hispanic/Latino	±2.1	±1.8	±1.1	±0.7	±0.6	±0.3	±0.3
	White, non-Hispanic	±1.8	±1.5	±1.0	±0.7	±0.5	±0.3	±0.4
Age								
	11	±1.8	±1.5	±0.7	±0.6	±0.0	±0.0	±0.0
	12	±1.7	±1.5	±0.7	±0.2	±0.2	±0.2	±0.0
	13	±2.1	±1.8	±0.9	±0.6	±0.3	±0.3	±0.3
	14	±2.7	±2.3	±1.2	±0.8	±0.6	±0.3	±0.5
	15	±2.9	±2.4	±1.3	±1.2	±0.8	±0.4	±0.6
	16	±3.3	±2.7	±1.8	±1.2	±0.9	±0.6	±0.7
	17	±3.5	±2.9	±2.0	±1.6	±1.1	±0.7	±0.7
	18	±4.9	±4.1	±3.1	±2.0	±1.7	±0.9	±0.9
Grade								
	6th	±1.4	±1.2	±0.5	±0.3	±0.2	±0.2	±0.0
	7th	±2.0	±1.7	±0.8	±0.4	±0.0	±0.2	±0.3
	8th	±2.4	±2.0	±1.1	±0.7	±0.4	±0.4	±0.5
	9th	±2.9	±2.4	±1.3	±1.2	±0.9	±0.5	±0.6
	10th	±3.2	±2.6	±1.7	±1.3	±0.9	±0.4	±0.5
	11th	±3.4	±2.8	±2.0	±1.4	±0.9	±0.4	±0.7
	12th	±3.7	±3.1	±2.3	±1.6	±1.2	±0.9	±0.6
Middle School		±1.1	±1.0	±0.5	±0.3	±0.2	±0.2	±0.2
High School		±1.7	±1.4	±0.9	±0.7	±0.5	±0.3	±0.3
Total		±1.1	±0.9	±0.5	±0.4	±0.3	±0.2	±0.2

Table 7. Percentage of surveyed Florida youth who reported binge drinking—2004 to 2013

		Binge Drinking					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex							
	Female	±0.6	±0.6	±0.5	±0.5	±0.5	±1.1
	Male	±0.6	±0.7	±0.6	±0.5	±0.5	±1.1
Race/Ethnic group							
	African American	±0.8	±0.8	±0.7	±0.8	±0.7	±1.6
	Hispanic/Latino	±1.2	±1.1	±1.0	±0.9	±0.9	±1.5
	White, non-Hispanic	±0.6	±0.6	±0.6	±0.5	±0.5	±1.3
Age							
	11	±0.9	±0.8	±0.7	±0.6	±0.5	±0.9
	12	±0.6	±0.6	±0.5	±0.5	±0.4	±1.0
	13	±0.7	±0.7	±0.6	±0.6	±0.5	±1.3
	14	±0.9	±0.9	±0.8	±0.8	±0.7	±1.7
	15	±1.1	±1.1	±1.0	±0.9	±0.9	±2.0
	16	±1.3	±1.3	±1.1	±1.1	±1.1	±2.4
	17	±1.5	±1.6	±1.3	±1.3	±1.3	±2.7
	18	±2.3	±2.3	±1.8	±1.8	±1.8	±3.9
Grade							
	6th	±0.6	±0.6	±0.5	±0.5	±0.4	±0.9
	7th	±0.8	±0.7	±0.6	±0.6	±0.5	±1.2
	8th	±0.9	±0.9	±0.8	±0.7	±0.7	±1.5
	9th	±1.0	±1.2	±1.0	±0.9	±0.9	±2.1
	10th	±1.3	±1.3	±1.1	±1.1	±1.0	±2.3
	11th	±1.5	±1.5	±1.3	±1.2	±1.2	±2.5
	12th	±1.8	±1.9	±1.5	±1.5	±1.4	±2.9
Middle School		±0.4	±0.4	±0.4	±0.4	±0.3	±0.7
High School		±0.7	±0.7	±0.6	±0.6	±0.6	±1.2
Total		±0.4	±0.4	±0.4	±0.4	±0.3	±0.7

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2004 to 2013

		Cigarette Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.8	±0.8	±0.7	±0.6	±0.6	±1.4	±0.5	±0.5	±0.4	±0.4	±0.3	±0.8
	Male	±0.8	±0.8	±0.7	±0.7	±0.6	±1.4	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8
Race/Ethnic group													
	African American	±1.2	±1.2	±1.0	±1.0	±0.9	±2.0	±0.5	±0.6	±0.5	±0.5	±0.5	±0.9
	Hispanic/Latino	±1.5	±1.4	±1.2	±1.1	±1.1	±2.0	±0.9	±0.8	±0.7	±0.7	±0.6	±1.0
	White, non-Hispanic	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.6	±0.6	±0.5	±0.5	±0.4	±1.1
Age													
	11	±1.5	±1.4	±1.2	±1.1	±0.8	±1.6	±0.7	±0.6	±0.5	±0.4	±0.4	±0.7
	12	±1.1	±1.0	±0.9	±0.8	±0.7	±1.7	±0.6	±0.5	±0.4	±0.4	±0.3	±0.7
	13	±1.2	±1.1	±1.0	±0.9	±0.8	±2.0	±0.7	±0.6	±0.5	±0.5	±0.4	±1.0
	14	±1.3	±1.3	±1.1	±1.1	±1.0	±2.5	±0.8	±0.8	±0.7	±0.6	±0.5	±1.3
	15	±1.4	±1.4	±1.2	±1.2	±1.2	±2.6	±0.9	±0.9	±0.8	±0.8	±0.7	±1.4
	16	±1.5	±1.5	±1.3	±1.3	±1.3	±3.0	±1.2	±1.1	±0.9	±0.9	±0.8	±1.9
	17	±1.8	±1.8	±1.5	±1.5	±1.5	±3.3	±1.4	±1.3	±1.0	±1.1	±1.1	±2.0
	18	±2.4	±2.5	±2.0	±2.0	±2.1	±4.8	±1.9	±2.0	±1.5	±1.5	±1.6	±3.3
Grade													
	6th	±0.9	±0.9	±0.8	±0.7	±0.6	±1.5	±0.5	±0.5	±0.4	±0.4	±0.3	±0.6
	7th	±1.2	±1.1	±1.0	±0.9	±0.8	±1.9	±0.7	±0.6	±0.5	±0.5	±0.4	±1.0
	8th	±1.3	±1.2	±1.1	±1.0	±1.0	±2.2	±0.8	±0.8	±0.7	±0.6	±0.5	±1.2
	9th	±1.3	±1.4	±1.2	±1.2	±1.2	±2.8	±0.9	±1.0	±0.8	±0.8	±0.7	±1.5
	10th	±1.5	±1.5	±1.3	±1.3	±1.3	±2.8	±1.1	±1.1	±0.9	±0.9	±0.8	±1.7
	11th	±1.8	±1.7	±1.4	±1.4	±1.4	±3.2	±1.3	±1.2	±1.0	±1.0	±1.0	±2.0
	12th	±2.0	±2.1	±1.7	±1.7	±1.7	±3.5	±1.6	±1.7	±1.2	±1.3	±1.2	±2.4
Middle School		±0.7	±0.6	±0.6	±0.5	±0.5	±1.1	±0.4	±0.4	±0.3	±0.3	±0.2	±0.6
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.5	±0.6	±0.6	±0.5	±0.5	±0.4	±0.9
Total		±0.5	±0.5	±0.5	±0.5	±0.4	±1.0	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6

Table 9. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2004 to 2013

		Marijuana or Hashish Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.7	±0.7	±0.6	±0.6	±0.6	±1.5	±0.5	±0.5	±0.4	±0.5	±0.5	±1.1
	Male	±0.7	±0.7	±0.6	±0.6	±0.6	±1.5	±0.6	±0.6	±0.5	±0.5	±0.5	±1.2
Race/Ethnic group													
	African American	±1.1	±1.1	±0.9	±1.0	±1.1	±2.6	±0.8	±0.8	±0.7	±0.8	±0.8	±2.0
	Hispanic/Latino	±1.3	±1.2	±1.0	±1.1	±1.1	±2.1	±0.9	±0.8	±0.8	±0.8	±0.8	±1.7
	White, non-Hispanic	±0.7	±0.7	±0.6	±0.6	±0.7	±1.8	±0.5	±0.6	±0.5	±0.5	±0.5	±1.4
Age													
	11	±0.7	±0.7	±0.6	±0.5	±0.4	±1.0	±0.5	±0.5	±0.4	±0.4	±0.3	±0.5
	12	±0.6	±0.6	±0.5	±0.6	±0.5	±1.1	±0.4	±0.4	±0.3	±0.4	±0.3	±0.6
	13	±0.8	±0.8	±0.7	±0.7	±0.7	±2.0	±0.6	±0.6	±0.5	±0.5	±0.5	±1.4
	14	±1.1	±1.1	±0.9	±1.0	±1.0	±2.7	±0.8	±0.8	±0.7	±0.8	±0.7	±2.0
	15	±1.2	±1.3	±1.1	±1.2	±1.2	±2.9	±1.0	±1.0	±0.9	±0.9	±1.0	±2.3
	16	±1.5	±1.5	±1.3	±1.3	±1.4	±3.3	±1.2	±1.2	±1.0	±1.1	±1.2	±2.7
	17	±1.7	±1.7	±1.4	±1.5	±1.6	±3.6	±1.4	±1.4	±1.2	±1.2	±1.3	±3.0
	18	±2.4	±2.4	±2.0	±2.0	±2.2	±5.0	±1.9	±2.0	±1.6	±1.7	±1.9	±4.3
Grade													
	6th	±0.5	±0.5	±0.4	±0.5	±0.4	±0.9	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6
	7th	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.6	±0.6	±0.5	±0.5	±0.5	±1.3
	8th	±1.1	±1.0	±0.9	±1.0	±0.9	±2.3	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
	9th	±1.2	±1.3	±1.1	±1.2	±1.2	±2.9	±0.9	±1.0	±0.9	±1.0	±0.9	±2.4
	10th	±1.5	±1.5	±1.3	±1.4	±1.3	±3.2	±1.2	±1.1	±1.0	±1.1	±1.1	±2.6
	11th	±1.7	±1.7	±1.4	±1.5	±1.5	±3.6	±1.4	±1.3	±1.2	±1.2	±1.3	±2.8
	12th	±2.0	±2.0	±1.6	±1.7	±1.7	±3.7	±1.6	±1.7	±1.3	±1.4	±1.5	±3.2
Middle School		±0.5	±0.5	±0.4	±0.4	±0.4	±1.0	±0.4	±0.4	±0.3	±0.3	±0.3	±0.7
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.6	±0.6	±0.5	±0.6	±0.6	±1.4
Total		±0.5	±0.5	±0.4	±0.4	±0.4	±1.1	±0.4	±0.4	±0.3	±0.3	±0.3	±0.8

Table 10. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2013

		2013 Marijuana or Hashish						
		Number of Occasions in Past 30 Days						
		0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex								
	Female	±1.1	±0.7	±0.5	±0.4	±0.4	±0.3	±0.3
	Male	±1.2	±0.7	±0.5	±0.5	±0.5	±0.4	±0.6
Race/Ethnic group								
	African American	±2.0	±1.2	±0.8	±0.8	±0.6	±0.6	±0.8
	Hispanic/Latino	±1.7	±1.0	±0.7	±0.7	±0.7	±0.5	±0.6
	White, non-Hispanic	±1.4	±0.9	±0.6	±0.5	±0.5	±0.5	±0.6
Age								
	11	±0.5	±0.5	±0.0	±0.0	±0.0	±0.0	±0.0
	12	±0.6	±0.4	±0.0	±0.4	±0.0	±0.0	±0.0
	13	±1.4	±1.0	±0.6	±0.5	±0.5	±0.3	±0.4
	14	±2.0	±1.3	±0.9	±0.9	±0.7	±0.5	±0.7
	15	±2.3	±1.5	±1.1	±0.9	±0.7	±0.7	±0.9
	16	±2.7	±1.7	±1.2	±1.2	±1.0	±0.9	±1.0
	17	±3.0	±1.8	±1.2	±1.3	±1.2	±1.0	±1.4
	18	±4.3	±2.9	±1.5	±1.5	±1.6	±1.7	±2.1
Grade								
	6th	±0.6	±0.4	±0.2	±0.3	±0.0	±0.0	±0.2
	7th	±1.3	±0.9	±0.4	±0.6	±0.4	±0.4	±0.3
	8th	±1.7	±1.0	±0.8	±0.7	±0.6	±0.5	±0.5
	9th	±2.4	±1.5	±1.0	±1.1	±0.9	±0.6	±0.9
	10th	±2.6	±1.7	±1.2	±1.1	±0.9	±0.7	±1.0
	11th	±2.8	±1.7	±1.3	±1.1	±1.0	±0.9	±1.4
	12th	±3.2	±2.0	±1.2	±1.3	±1.3	±1.3	±1.5
Middle School		±0.7	±0.5	±0.3	±0.3	±0.2	±0.2	±0.2
High School		±1.4	±0.8	±0.6	±0.6	±0.5	±0.4	±0.6
Total		±0.8	±0.5	±0.3	±0.3	±0.3	±0.3	±0.3

Table 11. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2011 to 2013

		Synthetic Marijuana Use					
		Lifetime			Past 30 Days		
		2011 %	2012 %	2013 %	2011 %	2012 %	2013 %
Sex							
	Female	±1.1	±0.5	±1.0	±0.5	±0.3	±0.4
	Male	±1.3	±0.5	±1.2	±0.8	±0.3	±0.5
Race/Ethnic group							
	African American	±1.4	±0.6	±1.5	±0.8	±0.4	±0.6
	Hispanic/Latino	±1.6	±0.8	±1.5	±0.8	±0.5	±0.7
	White, non-Hispanic	±1.5	±0.6	±1.4	±0.9	±0.3	±0.6
Age							
	11	--	--	--	--	--	--
	12	--	--	--	--	--	--
	13	--	--	--	--	--	--
	14	±1.4	±0.7	±1.7	±0.9	±0.4	±1.0
	15	±2.1	±0.8	±1.7	±1.0	±0.5	±0.7
	16	±2.2	±1.0	±2.1	±1.3	±0.6	±0.9
	17	±2.5	±1.2	±2.5	±1.3	±0.7	±1.1
	18	±4.1	±1.7	±3.6	±2.5	±0.9	±1.4
Grade							
	6th	--	--	--	--	--	--
	7th	--	--	--	--	--	--
	8th	--	--	--	--	--	--
	9th	±1.9	±0.8	±1.8	±1.0	±0.5	±0.9
	10th	±2.2	±0.9	±2.0	±1.2	±0.6	±0.9
	11th	±2.5	±1.1	±2.3	±1.3	±0.7	±0.9
	12th	±3.0	±1.3	±2.7	±1.7	±0.7	±1.0
Middle School		--	--	--	--	--	--
High School		±1.2	±0.5	±1.1	±0.7	±0.3	±0.5
Total		--	--	--	--	--	--

Table 12. Usual source for synthetic marijuana, among Florida high school students who have smoked synthetic marijuana, 2013

		Convenience Store or Gas Station	Tobacco Store or Head Shop	Bought On-Line	Bought from an Individual	Someone Gave It to Me
		%	%	%	%	%
Sex						
	Female	±1.7	±0.9	±0.6	±1.3	±1.8
	Male	±1.8	±0.9	±0.8	±1.2	±1.6
Race/Ethnic group						
	African American	±3.1	±1.6	±0.8	±2.0	±2.9
	Hispanic/Latino	±2.5	±1.1	±1.0	±1.8	±2.4
	White, non-Hispanic	±2.0	±1.2	±0.9	±1.4	±2.0
Age						
	11	--	--	--	--	--
	12	--	--	--	--	--
	13	--	--	--	--	--
	14	±3.1	±1.7	±0.8	±1.8	±3.3
	15	±3.2	±1.4	±1.5	±2.4	±3.2
	16	±3.3	±1.7	±1.5	±2.6	±3.4
	17	±3.7	±1.7	±1.5	±2.3	±3.4
	18	±4.9	±3.4	±1.6	±2.8	±4.7
Grade						
	6th	--	--	--	--	--
	7th	--	--	--	--	--
	8th	--	--	--	--	--
	9th	±3.2	±1.7	±1.3	±2.2	±3.3
	10th	±3.3	±1.6	±1.5	±2.6	±3.2
	11th	±3.7	±1.6	±1.3	±2.5	±3.4
	12th	±3.7	±2.4	±1.6	±2.0	±3.5
Middle School		--	--	--	--	--
High School		±1.7	±0.9	±0.7	±1.2	±1.7
Total		--	--	--	--	--

Table 13. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2004 to 2013

		Inhalant Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.5	±0.6	±0.5	±0.5	±0.4	±0.9	±0.3	±0.3	±0.3	±0.3	±0.3	±0.6
	Male	±0.5	±0.5	±0.5	±0.4	±0.4	±0.9	±0.3	±0.3	±0.3	±0.2	±0.2	±0.5
Race/Ethnic group													
	African American	±0.8	±0.8	±0.7	±0.7	±0.6	±1.4	±0.5	±0.5	±0.5	±0.5	±0.4	±0.9
	Hispanic/Latino	±1.0	±0.9	±0.9	±0.8	±0.7	±1.3	±0.6	±0.6	±0.5	±0.5	±0.4	±0.8
	White, non-Hispanic	±0.5	±0.6	±0.5	±0.4	±0.4	±1.1	±0.3	±0.3	±0.3	±0.2	±0.2	±0.5
Age													
	11	±1.8	±1.7	±1.6	±1.5	±1.1	±2.4	±1.2	±1.2	±1.1	±1.1	±0.7	±1.5
	12	±1.0	±1.0	±0.9	±0.9	±0.8	±1.8	±0.7	±0.7	±0.6	±0.6	±0.5	±1.2
	13	±1.0	±1.0	±0.9	±0.8	±0.8	±1.8	±0.7	±0.7	±0.6	±0.6	±0.5	±1.2
	14	±1.0	±1.0	±0.9	±0.9	±0.8	±1.8	±0.6	±0.6	±0.6	±0.5	±0.5	±1.0
	15	±0.9	±1.0	±0.8	±0.8	±0.7	±1.7	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8
	16	±1.0	±1.0	±0.8	±0.8	±0.7	±1.6	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8
	17	±1.0	±1.1	±0.9	±0.8	±0.7	±1.3	±0.4	±0.5	±0.4	±0.4	±0.4	±0.6
	18	±1.4	±1.3	±1.1	±1.0	±1.0	±2.1	±0.6	±0.6	±0.5	±0.4	±0.5	±1.0
Grade													
	6th	±0.9	±0.9	±0.8	±0.8	±0.7	±1.6	±0.6	±0.6	±0.6	±0.5	±0.5	±1.1
	7th	±1.0	±1.0	±0.9	±0.9	±0.8	±1.8	±0.7	±0.7	±0.6	±0.5	±0.5	±1.1
	8th	±1.0	±1.0	±0.9	±0.8	±0.8	±1.8	±0.7	±0.6	±0.6	±0.5	±0.5	±1.0
	9th	±0.9	±1.0	±0.9	±0.8	±0.7	±1.7	±0.5	±0.6	±0.5	±0.5	±0.4	±1.0
	10th	±1.0	±1.0	±0.9	±0.8	±0.7	±1.6	±0.5	±0.5	±0.4	±0.4	±0.4	±0.6
	11th	±1.0	±1.1	±0.9	±0.8	±0.7	±1.5	±0.5	±0.5	±0.4	±0.3	±0.3	±0.7
	12th	±1.1	±1.2	±0.9	±0.8	±0.8	±1.4	±0.5	±0.5	±0.5	±0.4	±0.4	±0.7
Middle School		±0.6	±0.5	±0.5	±0.5	±0.4	±1.0	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6
High School		±0.5	±0.5	±0.4	±0.4	±0.4	±0.8	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4
Total		±0.4	±0.4	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4

Table 14. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2008 to 2013

		Club Drug Use									
		Lifetime				Past 30 Days					
		2008 %	2010 %	2012 %	2013 %	2008 %	2010 %	2012 %	2013 %		
Sex											
	Female	±0.2	±0.3	±0.3	±0.6	±0.1	±0.2	±0.1	±0.3		
	Male	±0.2	±0.3	±0.3	±0.6	±0.1	±0.2	±0.2	±0.4		
Race/Ethnic group											
	African American	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.4		
	Hispanic/Latino	±0.4	±0.5	±0.5	±0.9	±0.2	±0.3	±0.3	±0.6		
	White, non-Hispanic	±0.2	±0.3	±0.3	±0.8	±0.1	±0.2	±0.2	±0.4		
Age											
	11	±0.2	±0.3	±0.2	±0.0	±0.2	±0.2	±0.1	±0.0		
	12	±0.2	±0.2	±0.2	±0.3	±0.2	±0.1	±0.1	±0.0		
	13	±0.3	±0.3	±0.2	±0.8	±0.2	±0.2	±0.1	±0.2		
	14	±0.4	±0.4	±0.4	±0.9	±0.3	±0.2	±0.2	±0.5		
	15	--	±0.5	±0.5	±1.2	--	±0.3	±0.3	±0.6		
	16	--	±0.7	±0.6	±1.5	--	±0.4	±0.4	±0.9		
	17	--	±0.7	±0.8	±1.6	--	±0.4	±0.4	±1.0		
	18	--	±1.0	±1.2	±2.3	--	±0.6	±0.7	±1.4		
Grade											
	6th	±0.2	±0.2	±0.2	±0.3	±0.1	±0.1	±0.1	±0.2		
	7th	±0.3	±0.3	±0.2	±0.7	±0.2	±0.2	±0.2	±0.3		
	8th	±0.4	±0.4	±0.3	±0.9	±0.2	±0.2	±0.2	±0.3		
	9th	--	±0.5	±0.5	±1.1	--	±0.3	±0.3	±0.6		
	10th	--	±0.6	±0.6	±1.4	--	±0.4	±0.3	±0.7		
	11th	--	±0.7	±0.7	±1.7	--	±0.4	±0.4	±1.0		
	12th	--	±0.8	±0.9	±1.7	--	±0.5	±0.5	±1.0		
Middle School		±0.2	±0.2	±0.2	±0.4	±0.1	±0.1	±0.1	±0.2		
High School		--	±0.3	±0.3	±0.7	--	±0.2	±0.2	±0.4		
Total		--	±0.2	±0.2	±0.4	--	±0.1	±0.1	±0.2		

Note: Prior to 2008, individual survey questions were used to ask about the use of Ecstasy, Rohypnol, GHB, and ketamine. These multiple items were replaced with a combined “club drugs” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 *FYSAS* for results from the Ecstasy, Rohypnol, GHB, and ketamine questions.

Table 15. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2008 to 2013

		LSD, PCP or Hallucinogenic Mushroom Use									
		Lifetime				Past 30 Days					
		2008	2010	2012	2013	2008	2010	2012	2013		
		%	%	%	%	%	%	%	%		
Sex											
	Female	±0.2	±0.3	±0.2	±0.6	±0.1	±0.1	±0.1	±0.3		
	Male	±0.2	±0.3	±0.3	±0.7	±0.1	±0.2	±0.2	±0.4		
Race/Ethnic group											
	African American	±0.2	±0.3	±0.3	±0.7	±0.2	±0.2	±0.2	±0.3		
	Hispanic/Latino	±0.3	±0.5	±0.4	±0.9	±0.2	±0.3	±0.3	±0.5		
	White, non-Hispanic	±0.2	±0.3	±0.3	±0.9	±0.1	±0.2	±0.2	±0.4		
Age											
	11	±0.2	±0.3	±0.3	±0.3	±0.0	±0.0	±0.2	±0.0		
	12	±0.2	±0.3	±0.2	±0.4	±0.1	±0.2	±0.1	±0.2		
	13	±0.3	±0.3	±0.3	±0.9	±0.2	±0.2	±0.2	±0.4		
	14	±0.4	±0.4	±0.4	±1.1	±0.2	±0.3	±0.2	±0.6		
	15	--	±0.5	±0.5	±1.2	--	±0.3	±0.3	±0.5		
	16	--	±0.6	±0.6	±1.6	--	±0.3	±0.3	±0.8		
	17	--	±0.7	±0.8	±1.8	--	±0.3	±0.4	±0.7		
	18	--	±1.0	±1.2	±2.6	--	±0.5	±0.6	±1.1		
Grade											
	6th	±0.2	±0.2	±0.2	±0.4	±0.1	±0.2	±0.1	±0.3		
	7th	±0.3	±0.3	±0.3	±0.7	±0.2	±0.2	±0.2	±0.4		
	8th	±0.4	±0.4	±0.4	±1.0	±0.3	±0.2	±0.2	±0.6		
	9th	--	±0.5	±0.5	±1.2	--	±0.3	±0.3	±0.6		
	10th	--	±0.6	±0.6	±1.4	--	±0.3	±0.3	±0.8		
	11th	--	±0.7	±0.7	±1.7	--	±0.3	±0.4	±0.6		
	12th	--	±0.9	±0.9	±1.9	--	±0.5	±0.4	±0.8		
Middle School		±0.2	±0.2	±0.2	±0.4	±0.1	±0.1	±0.1	±0.3		
High School		--	±0.3	±0.3	±0.8	--	±0.2	±0.2	±0.4		
Total		--	±0.2	±0.2	±0.5	--	±0.1	±0.1	±0.2		

Note: Prior to 2008, individual survey questions were used to ask about the use of LSD or PCP, and the use of hallucinogenic mushrooms. These multiple items were replaced with the combined “LSD, PCP or hallucinogenic mushroom” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 *FYSAS* for results from the LSD or PCP question and the hallucinogenic mushrooms question.

Table 16. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2008 to 2013

		Cocaine or Crack Cocaine Use									
		Lifetime				Past 30 Days					
		2008	2010	2012	2013	2008	2010	2012	2013		
		%	%	%	%	%	%	%	%		
Sex											
	Female	±0.2	±0.2	±0.2	±0.4	±0.1	±0.1	±0.1	±0.2		
	Male	±0.2	±0.3	±0.2	±0.5	±0.1	±0.1	±0.1	±0.3		
Race/Ethnic group											
	African American	±0.3	±0.3	±0.2	±0.5	±0.2	±0.2	±0.1	±0.3		
	Hispanic/Latino	±0.4	±0.5	±0.4	±0.8	±0.2	±0.3	±0.2	±0.4		
	White, non-Hispanic	±0.2	±0.3	±0.2	±0.6	±0.1	±0.1	±0.1	±0.3		
Age											
	11	±0.3	±0.4	±0.3	±0.0	±0.0	±0.3	±0.1	±0.0		
	12	±0.3	±0.3	±0.2	±0.4	±0.2	±0.2	±0.1	±0.2		
	13	±0.4	±0.3	±0.3	±0.7	±0.2	±0.2	±0.1	±0.4		
	14	±0.4	±0.4	±0.3	±0.7	±0.2	±0.2	±0.2	±0.3		
	15	--	±0.4	±0.4	±1.1	--	±0.2	±0.2	±0.6		
	16	--	±0.5	±0.5	±1.0	--	±0.3	±0.3	±0.5		
	17	--	±0.6	±0.6	±1.3	--	±0.3	±0.3	±0.7		
	18	--	±0.9	±0.9	±1.8	--	±0.4	±0.5	±0.6		
Grade											
	6th	±0.3	±0.3	±0.2	±0.3	±0.1	±0.2	±0.1	±0.2		
	7th	±0.3	±0.3	±0.2	±0.7	±0.2	±0.2	±0.1	±0.4		
	8th	±0.4	±0.4	±0.3	±0.7	±0.2	±0.2	±0.2	±0.3		
	9th	--	±0.4	±0.4	±0.9	--	±0.2	±0.2	±0.6		
	10th	--	±0.5	±0.4	±1.2	--	±0.3	±0.2	±0.7		
	11th	--	±0.6	±0.6	±1.1	--	±0.3	±0.3	±0.5		
	12th	--	±0.7	±0.7	±1.2	--	±0.3	±0.4	±0.5		
Middle School		±0.2	±0.2	±0.2	±0.3	±0.1	±0.1	±0.1	±0.2		
High School		--	±0.3	±0.3	±0.6	--	±0.1	±0.1	±0.3		
Total		--	±0.2	±0.2	±0.3	--	±0.1	±0.1	±0.2		

Note: Prior to 2008, individual survey questions were used to ask about the use of cocaine and crack cocaine. These multiple items were replaced with a combined “cocaine or crack cocaine” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYSAS for results from the cocaine question and the crack cocaine question.

Table 17. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2004 to 2013

		Methamphetamine Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.3	±0.2	±0.2	±0.2	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2
	Male	±0.3	±0.2	±0.2	±0.2	±0.2	±0.4	±0.2	±0.1	±0.1	±0.1	±0.1	±0.3
Race/Ethnic group													
	African American	±0.3	±0.3	±0.2	±0.3	±0.2	±0.6	±0.3	±0.2	±0.2	±0.2	±0.2	±0.4
	Hispanic/Latino	±0.5	±0.4	±0.3	±0.3	±0.3	±0.5	±0.3	±0.2	±0.2	±0.2	±0.2	±0.4
	White, non-Hispanic	±0.2	±0.3	±0.2	±0.2	±0.1	±0.4	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3
Age													
	11	±0.4	±0.5	±0.4	±0.4	±0.3	±0.7	±0.2	±0.4	±0.3	±0.2	±0.3	±0.6
	12	±0.4	±0.3	±0.3	±0.3	±0.3	±0.4	±0.3	±0.2	±0.2	±0.2	±0.2	±0.4
	13	±0.4	±0.4	±0.3	±0.3	±0.2	±0.6	±0.3	±0.3	±0.2	±0.2	±0.1	±0.4
	14	±0.4	±0.4	±0.3	±0.3	±0.3	±0.5	±0.3	±0.3	±0.2	±0.2	±0.2	±0.3
	15	±0.5	±0.4	±0.3	±0.3	±0.3	±0.7	±0.3	±0.2	±0.2	±0.2	±0.2	±0.5
	16	±0.5	±0.5	±0.3	±0.3	±0.3	±0.8	±0.3	±0.2	±0.2	±0.2	±0.2	±0.6
	17	±0.6	±0.5	±0.4	±0.3	±0.3	±0.8	±0.3	±0.3	±0.2	±0.2	±0.2	±0.6
	18	±0.8	±0.7	±0.5	±0.5	±0.5	±1.1	±0.4	±0.3	±0.3	±0.4	±0.3	±0.5
Grade													
	6th	±0.3	±0.3	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	7th	±0.5	±0.4	±0.3	±0.3	±0.2	±0.5	±0.3	±0.3	±0.2	±0.2	±0.2	±0.3
	8th	±0.5	±0.4	±0.3	±0.3	±0.3	±0.6	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4
	9th	±0.4	±0.5	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.5
	10th	±0.5	±0.5	±0.3	±0.3	±0.3	±0.9	±0.3	±0.2	±0.2	±0.2	±0.2	±0.6
	11th	±0.6	±0.5	±0.3	±0.3	±0.3	±0.8	±0.3	±0.2	±0.2	±0.2	±0.3	±0.6
	12th	±0.6	±0.6	±0.4	±0.4	±0.4	±0.7	±0.3	±0.3	±0.2	±0.3	±0.2	±0.3
Middle School		±0.2	±0.2	±0.2	±0.2	±0.1	±0.3	±0.2	±0.2	±0.1	±0.1	±0.1	±0.2
High School		±0.3	±0.2	±0.2	±0.2	±0.2	±0.4	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3
Total		±0.2	±0.2	±0.1	±0.1	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2

Table 18. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2004 to 2013

		Depressant Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.4	±0.4	±0.4	±0.4	±0.3	±0.8	±0.3	±0.3	±0.2	±0.2	±0.2	±0.5
	Male	±0.4	±0.4	±0.3	±0.3	±0.3	±0.7	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
Race/Ethnic group													
	African American	±0.3	±0.3	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	Hispanic/Latino	±0.7	±0.6	±0.5	±0.6	±0.5	±1.0	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6
	White, non-Hispanic	±0.5	±0.5	±0.4	±0.4	±0.4	±1.0	±0.3	±0.3	±0.3	±0.2	±0.2	±0.6
Age													
	11	±0.3	±0.5	±0.4	±0.4	±0.3	±0.3	±0.2	±0.3	±0.2	±0.2	±0.2	±0.3
	12	±0.3	±0.3	±0.3	±0.3	±0.3	±0.7	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	13	±0.4	±0.4	±0.4	±0.4	±0.3	±0.9	±0.3	±0.3	±0.2	±0.3	±0.2	±0.7
	14	±0.6	±0.6	±0.5	±0.5	±0.5	±1.2	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6
	15	±0.8	±0.7	±0.7	±0.6	±0.6	±1.6	±0.5	±0.5	±0.4	±0.4	±0.4	±1.1
	16	±1.0	±0.9	±0.8	±0.8	±0.8	±1.8	±0.6	±0.6	±0.5	±0.5	±0.4	±1.1
	17	±1.2	±1.1	±0.9	±0.9	±0.9	±1.8	±0.7	±0.7	±0.5	±0.5	±0.5	±1.0
	18	±1.7	±1.6	±1.3	±1.2	±1.2	±2.7	±1.0	±1.0	±0.8	±0.7	±0.7	±1.3
Grade													
	6th	±0.3	±0.3	±0.3	±0.3	±0.2	±0.5	±0.2	±0.2	±0.2	±0.2	±0.2	±0.3
	7th	±0.5	±0.4	±0.4	±0.4	±0.3	±0.8	±0.3	±0.3	±0.2	±0.3	±0.2	±0.6
	8th	±0.6	±0.6	±0.5	±0.5	±0.4	±1.0	±0.4	±0.4	±0.4	±0.3	±0.3	±0.7
	9th	±0.8	±0.8	±0.7	±0.6	±0.6	±1.5	±0.5	±0.5	±0.4	±0.4	±0.3	±0.9
	10th	±0.9	±0.9	±0.8	±0.8	±0.7	±1.7	±0.6	±0.6	±0.5	±0.5	±0.4	±1.1
	11th	±1.2	±1.1	±0.9	±0.9	±0.8	±1.8	±0.7	±0.6	±0.5	±0.5	±0.5	±1.1
	12th	±1.4	±1.3	±1.1	±1.0	±1.0	±1.9	±0.8	±0.8	±0.6	±0.6	±0.5	±0.9
Middle School		±0.3	±0.3	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.1	±0.1	±0.1	±0.3
High School		±0.5	±0.5	±0.4	±0.4	±0.4	±0.9	±0.3	±0.3	±0.2	±0.2	±0.2	±0.5
Total		±0.3	±0.3	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.2	±0.1	±0.1	±0.3

Table 19. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2004 to 2013

		Heroin Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.2	±0.2	±0.1	±0.1	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.0
	Male	±0.2	±0.2	±0.2	±0.2	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2
Race/Ethnic group													
	African American	±0.2	±0.2	±0.1	±0.2	±0.2	±0.4	±0.2	±0.2	±0.1	±0.1	±0.1	±0.3
	Hispanic/Latino	±0.4	±0.3	±0.3	±0.3	±0.2	±0.4	±0.2	±0.2	±0.1	±0.2	±0.1	±0.2
	White, non-Hispanic	±0.2	±0.2	±0.2	±0.2	±0.1	±0.4	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2
Age													
	11	±0.4	±0.3	±0.2	±0.4	±0.2	±0.3	±0.3	±0.3	±0.2	±0.2	±0.1	±0.0
	12	±0.2	±0.2	±0.2	±0.2	±0.1	±0.4	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3
	13	±0.3	±0.3	±0.3	±0.2	±0.2	±0.6	±0.1	±0.2	±0.2	±0.2	±0.1	±0.3
	14	±0.3	±0.3	±0.3	±0.3	±0.2	±0.5	±0.2	±0.2	±0.2	±0.1	±0.1	±0.2
	15	±0.3	±0.3	±0.3	±0.2	±0.2	±0.6	±0.2	±0.2	±0.1	±0.1	±0.2	±0.4
	16	±0.3	±0.4	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.2
	17	±0.4	±0.4	±0.3	±0.3	±0.3	±0.5	±0.2	±0.2	±0.1	±0.2	±0.2	±0.4
	18	±0.4	±0.5	±0.4	±0.5	±0.4	±1.0	±0.3	±0.3	±0.2	±0.3	±0.3	±0.3
Grade													
	6th	±0.2	±0.2	±0.2	±0.2	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3
	7th	±0.3	±0.3	±0.2	±0.2	±0.2	±0.6	±0.2	±0.1	±0.2	±0.2	±0.1	±0.3
	8th	±0.3	±0.3	±0.3	±0.3	±0.2	±0.5	±0.2	±0.2	±0.2	±0.1	±0.1	±0.2
	9th	±0.3	±0.3	±0.3	±0.3	±0.2	±0.6	±0.2	±0.2	±0.2	±0.1	±0.2	±0.4
	10th	±0.3	±0.3	±0.3	±0.3	±0.3	±0.7	±0.2	±0.2	±0.1	±0.2	±0.2	±0.3
	11th	±0.3	±0.4	±0.3	±0.3	±0.3	±0.4	±0.1	±0.2	±0.2	±0.2	±0.2	±0.3
	12th	±0.4	±0.4	±0.3	±0.4	±0.3	±0.7	±0.2	±0.3	±0.2	±0.2	±0.2	±0.4
Middle School		±0.2	±0.2	±0.1	±0.1	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1
High School		±0.2	±0.2	±0.1	±0.2	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2
Total		±0.1	±0.1	±0.1	±0.1	±0.1	±0.2	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1

Table 20. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2004 to 2013

		Prescription Pain Reliever Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.5	±0.5	±0.4	±0.4	±0.4	±0.9	±0.3	±0.3	±0.3	±0.2	±0.2	±0.6
	Male	±0.4	±0.4	±0.4	±0.4	±0.4	±0.8	±0.3	±0.3	±0.3	±0.2	±0.2	±0.5
Race/Ethnic group													
	African American	±0.5	±0.5	±0.5	±0.5	±0.5	±1.1	±0.3	±0.3	±0.4	±0.4	±0.4	±0.8
	Hispanic/Latino	±0.7	±0.7	±0.6	±0.6	±0.6	±1.2	±0.5	±0.4	±0.4	±0.4	±0.4	±0.8
	White, non-Hispanic	±0.5	±0.5	±0.5	±0.4	±0.4	±1.1	±0.3	±0.3	±0.3	±0.3	±0.2	±0.6
Age													
	11	±0.8	±0.7	±0.7	±0.8	±0.6	±0.7	±0.5	±0.4	±0.4	±0.4	±0.5	±0.3
	12	±0.5	±0.5	±0.5	±0.4	±0.4	±0.9	±0.4	±0.3	±0.4	±0.3	±0.3	±0.6
	13	±0.6	±0.6	±0.6	±0.5	±0.5	±1.2	±0.4	±0.4	±0.4	±0.3	±0.3	±0.7
	14	±0.7	±0.7	±0.7	±0.6	±0.6	±1.6	±0.4	±0.5	±0.5	±0.4	±0.4	±0.9
	15	±0.8	±0.8	±0.8	±0.7	±0.7	±1.7	±0.6	±0.5	±0.5	±0.5	±0.5	±1.2
	16	±1.0	±1.0	±0.8	±0.9	±0.8	±1.9	±0.7	±0.7	±0.5	±0.5	±0.5	±1.1
	17	±1.2	±1.2	±1.0	±1.0	±1.0	±2.0	±0.8	±0.7	±0.6	±0.6	±0.5	±1.2
	18	±1.7	±1.7	±1.3	±1.3	±1.3	±3.0	±0.9	±1.0	±0.9	±0.7	±0.7	±1.7
Grade													
	6th	±0.5	±0.5	±0.4	±0.4	±0.4	±0.6	±0.3	±0.3	±0.3	±0.3	±0.3	±0.4
	7th	±0.6	±0.6	±0.5	±0.5	±0.5	±1.0	±0.4	±0.4	±0.4	±0.4	±0.3	±0.7
	8th	±0.7	±0.7	±0.7	±0.6	±0.5	±1.4	±0.5	±0.5	±0.5	±0.4	±0.4	±1.0
	9th	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.5	±0.5	±0.5	±0.5	±0.4	±1.1
	10th	±1.0	±1.0	±0.8	±0.9	±0.8	±1.9	±0.6	±0.6	±0.5	±0.6	±0.5	±1.2
	11th	±1.2	±1.1	±1.0	±0.9	±0.9	±2.1	±0.8	±0.7	±0.6	±0.5	±0.5	±1.2
	12th	±1.4	±1.4	±1.1	±1.1	±1.1	±2.2	±0.8	±0.9	±0.7	±0.6	±0.6	±1.1
Middle School		±0.3	±0.3	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
High School		±0.5	±0.5	±0.4	±0.4	±0.4	±1.0	±0.3	±0.3	±0.3	±0.3	±0.2	±0.6
Total		±0.3	±0.3	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4

Note: The results from 2004 represent the combination of two different survey items covering the use of OxyContin[®] and “Other Prescription Pain Relievers.” Starting in 2006, these were combined into a single survey item.

Table 21. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2008 to 2013

		Over-the-Counter Drug Use									
		Lifetime				Past 30 Days					
		2008	2010	2012	2013	2008	2010	2012	2013		
		%	%	%	%	%	%	%	%		
Sex											
	Female	±0.3	±0.4	±0.3	±0.8	±0.2	±0.2	±0.2	±0.6		
	Male	±0.3	±0.4	±0.3	±0.8	±0.2	±0.2	±0.2	±0.6		
Race/Ethnic group											
	African American	±0.5	±0.6	±0.6	±1.3	±0.4	±0.4	±0.4	±1.1		
	Hispanic/Latino	±0.6	±0.6	±0.6	±1.2	±0.4	±0.4	±0.4	±0.9		
	White, non-Hispanic	±0.3	±0.4	±0.3	±1.0	±0.2	±0.2	±0.2	±0.7		
Age											
	11	±0.8	±0.7	±0.6	±0.9	±0.5	±0.3	±0.4	±0.5		
	12	±0.5	±0.5	±0.4	±1.0	±0.3	±0.3	±0.3	±0.8		
	13	±0.6	±0.5	±0.5	±1.3	±0.4	±0.4	±0.3	±0.9		
	14	±0.7	±0.6	±0.6	±1.6	±0.5	±0.4	±0.4	±1.2		
	15	--	±0.7	±0.7	±1.6	--	±0.5	±0.4	±1.3		
	16	--	±0.8	±0.8	±1.8	--	±0.5	±0.5	±1.2		
	17	--	±0.8	±0.8	±2.0	--	±0.5	±0.5	±1.3		
	18	--	±1.1	±1.2	±2.7	--	±0.7	±0.7	±1.7		
Grade											
	6th	±0.5	±0.4	±0.4	±0.8	±0.3	±0.3	±0.3	±0.5		
	7th	±0.5	±0.5	±0.5	±1.3	±0.4	±0.4	±0.3	±1.0		
	8th	±0.7	±0.6	±0.5	±1.4	±0.5	±0.4	±0.4	±1.0		
	9th	--	±0.7	±0.6	±1.8	--	±0.5	±0.5	±1.4		
	10th	--	±0.8	±0.7	±1.6	--	±0.5	±0.4	±1.2		
	11th	--	±0.8	±0.8	±2.0	--	±0.5	±0.5	±1.3		
	12th	--	±0.9	±0.9	±2.0	--	±0.5	±0.5	±1.3		
Middle School		±0.3	±0.3	±0.3	±0.7	±0.2	±0.2	±0.2	±0.5		
High School		--	±0.4	±0.4	±0.9	--	±0.2	±0.2	±0.7		
Total		--	±0.3	±0.2	±0.6	--	±0.2	±0.2	±0.4		

Table 22. Percentage of surveyed Florida youth who used steroids without a doctor’s order in lifetime and past 30 days—2004 to 2013

		Steroid Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.2	±0.1	±0.1	±0.1	±0.1	±0.2	±0.1	±0.1	±0.1	±0.0	±0.1	±0.1
	Male	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4	±0.1	±0.2	±0.1	±0.1	±0.1	±0.3
Race/Ethnic group													
	African American	±0.3	±0.2	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.2	±0.2	±0.1	±0.3
	Hispanic/Latino	±0.4	±0.3	±0.2	±0.2	±0.2	±0.4	±0.3	±0.2	±0.1	±0.1	±0.2	±0.3
	White, non-Hispanic	±0.2	±0.2	±0.2	±0.1	±0.1	±0.4	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3
Age													
	11	±0.4	±0.5	±0.2	±0.4	±0.3	±0.3	±0.3	±0.4	±0.2	±0.2	±0.1	±0.0
	12	±0.3	±0.2	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.2	±0.1	±0.1	±0.4
	13	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4	±0.2	±0.2	±0.1	±0.1	±0.1	±0.2
	14	±0.3	±0.2	±0.2	±0.2	±0.2	±0.4	±0.2	±0.2	±0.1	±0.1	±0.1	±0.2
	15	±0.3	±0.3	±0.3	±0.2	±0.2	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	16	±0.3	±0.4	±0.3	±0.2	±0.3	±0.6	±0.2	±0.3	±0.2	±0.1	±0.2	±0.5
	17	±0.5	±0.4	±0.3	±0.3	±0.3	±0.9	±0.3	±0.3	±0.2	±0.2	±0.2	±0.6
	18	±0.6	±0.5	±0.5	±0.4	±0.6	±0.8	±0.5	±0.4	±0.4	±0.3	±0.4	±0.7
Grade													
	6th	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4	±0.1	±0.2	±0.2	±0.1	±0.1	±0.3
	7th	±0.3	±0.3	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.1	±0.1	±0.1	±0.0
	8th	±0.3	±0.3	±0.2	±0.2	±0.2	±0.5	±0.2	±0.2	±0.2	±0.2	±0.2	±0.3
	9th	±0.3	±0.3	±0.3	±0.2	±0.2	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	10th	±0.4	±0.4	±0.3	±0.2	±0.3	±0.5	±0.2	±0.3	±0.2	±0.2	±0.2	±0.4
	11th	±0.4	±0.3	±0.3	±0.3	±0.3	±0.8	±0.3	±0.3	±0.2	±0.2	±0.2	±0.5
	12th	±0.5	±0.5	±0.4	±0.3	±0.4	±0.7	±0.3	±0.3	±0.3	±0.2	±0.3	±0.7
Middle School		±0.2	±0.2	±0.1	±0.1	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2
High School		±0.2	±0.2	±0.2	±0.1	±0.1	±0.3	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2
Total		±0.1	±0.1	±0.1	±0.1	±0.1	±0.2	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1

Table 23. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2004 to 2013

		Prescription Amphetamine Use											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.3	±0.3	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.1	±0.2	±0.1	±0.4
	Male	±0.3	±0.3	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.1	±0.4
Race/Ethnic group													
	African American	±0.3	±0.3	±0.3	±0.3	±0.3	±0.7	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	Hispanic/Latino	±0.5	±0.4	±0.4	±0.4	±0.4	±0.8	±0.3	±0.2	±0.2	±0.2	±0.2	±0.5
	White, non-Hispanic	±0.4	±0.4	±0.3	±0.3	±0.3	±0.9	±0.2	±0.2	±0.2	±0.2	±0.2	±0.6
Age													
	11	±0.4	±0.4	±0.4	±0.4	±0.3	±0.4	±0.2	±0.2	±0.2	±0.2	±0.2	±0.0
	12	±0.3	±0.3	±0.3	±0.3	±0.2	±0.4	±0.2	±0.2	±0.2	±0.2	±0.2	±0.2
	13	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6	±0.2	±0.3	±0.2	±0.2	±0.2	±0.4
	14	±0.5	±0.5	±0.4	±0.4	±0.4	±1.0	±0.3	±0.3	±0.3	±0.3	±0.2	±0.6
	15	±0.6	±0.6	±0.5	±0.5	±0.5	±1.3	±0.3	±0.4	±0.3	±0.3	±0.3	±0.9
	16	±0.8	±0.8	±0.6	±0.6	±0.6	±1.5	±0.4	±0.5	±0.3	±0.3	±0.4	±0.8
	17	±0.8	±0.9	±0.7	±0.7	±0.8	±1.8	±0.4	±0.5	±0.4	±0.4	±0.4	±1.1
	18	±1.2	±1.2	±1.1	±1.0	±1.1	±2.6	±0.6	±0.6	±0.6	±0.5	±0.6	±1.8
Grade													
	6th	±0.3	±0.3	±0.3	±0.2	±0.2	±0.4	±0.2	±0.2	±0.2	±0.2	±0.1	±0.0
	7th	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4
	8th	±0.5	±0.5	±0.4	±0.4	±0.3	±0.7	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4
	9th	±0.6	±0.6	±0.5	±0.5	±0.4	±1.3	±0.3	±0.4	±0.3	±0.3	±0.3	±0.9
	10th	±0.7	±0.8	±0.6	±0.6	±0.6	±1.4	±0.4	±0.4	±0.3	±0.3	±0.3	±0.8
	11th	±0.8	±0.9	±0.7	±0.7	±0.7	±1.7	±0.4	±0.5	±0.4	±0.4	±0.4	±1.1
	12th	±1.0	±1.0	±0.9	±0.9	±0.9	±2.0	±0.5	±0.5	±0.5	±0.4	±0.5	±1.2
Middle School		±0.2	±0.2	±0.2	±0.2	±0.2	±0.3	±0.1	±0.2	±0.1	±0.1	±0.1	±0.2
High School		±0.4	±0.4	±0.3	±0.3	±0.3	±0.8	±0.2	±0.2	±0.2	±0.2	±0.2	±0.5
Total		±0.2	±0.2	±0.2	±0.2	±0.2	±0.5	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3

Table 24. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2004 to 2013

		Any Illicit Drug											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.7	±0.8	±0.7	±0.7	±0.7	±1.7	±0.6	±0.6	±0.5	±0.5	±0.5	±1.3
	Male	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.6	±0.6	±0.6	±0.6	±0.6	±1.4
Race/Ethnic group													
	African American	±1.2	±1.3	±1.1	±1.2	±1.2	±2.8	±0.9	±1.0	±0.9	±0.9	±1.0	±2.3
	Hispanic/Latino	±1.5	±1.4	±1.2	±1.2	±1.2	±2.3	±1.1	±1.0	±0.9	±1.0	±1.0	±1.9
	White, non-Hispanic	±0.8	±0.8	±0.7	±0.7	±0.7	±2.0	±0.6	±0.6	±0.6	±0.6	±0.6	±1.6
Age													
	11	±2.0	±1.9	±1.8	±1.7	±1.3	±2.7	±1.5	±1.4	±1.3	±1.2	±0.9	±1.7
	12	±1.1	±1.1	±1.1	±1.0	±0.9	±2.3	±0.9	±0.8	±0.8	±0.7	±0.7	±1.6
	13	±1.2	±1.1	±1.1	±1.0	±1.0	±2.5	±0.9	±0.9	±0.8	±0.8	±0.7	±1.9
	14	±1.3	±1.3	±1.2	±1.2	±1.2	±3.0	±1.0	±1.0	±0.9	±0.9	±0.9	±2.4
	15	±1.3	±1.4	±1.3	±1.3	±1.3	±3.1	±1.1	±1.1	±1.0	±1.1	±1.1	±2.6
	16	±1.5	±1.5	±1.3	±1.4	±1.4	±3.4	±1.3	±1.3	±1.1	±1.2	±1.2	±2.9
	17	±1.8	±1.8	±1.5	±1.5	±1.6	±3.6	±1.5	±1.5	±1.2	±1.3	±1.4	±3.2
	18	±2.4	±2.5	±2.0	±2.0	±2.2	±5.0	±2.0	±2.1	±1.7	±1.7	±2.0	±4.5
Grade													
	6th	±1.0	±1.0	±0.9	±0.9	±0.8	±1.9	±0.8	±0.7	±0.7	±0.7	±0.6	±1.4
	7th	±1.2	±1.1	±1.1	±1.0	±1.0	±2.5	±1.0	±0.9	±0.8	±0.8	±0.7	±1.8
	8th	±1.3	±1.2	±1.2	±1.1	±1.1	±2.8	±1.0	±1.0	±0.9	±0.9	±0.9	±2.1
	9th	±1.3	±1.5	±1.2	±1.3	±1.3	±3.2	±1.1	±1.2	±1.0	±1.1	±1.1	±2.6
	10th	±1.5	±1.5	±1.3	±1.4	±1.4	±3.3	±1.3	±1.3	±1.1	±1.2	±1.2	±2.8
	11th	±1.8	±1.7	±1.5	±1.5	±1.6	±3.6	±1.5	±1.4	±1.2	±1.3	±1.4	±3.1
	12th	±2.0	±2.1	±1.7	±1.7	±1.7	±3.7	±1.7	±1.8	±1.4	±1.5	±1.5	±3.4
Middle School		±0.7	±0.7	±0.6	±0.6	±0.6	±1.4	±0.5	±0.5	±0.5	±0.5	±0.4	±1.0
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.7	±0.7	±0.6	±0.6	±0.6	±1.5
Total		±0.5	±0.5	±0.5	±0.5	±0.5	±1.2	±0.4	±0.4	±0.4	±0.4	±0.4	±0.9

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 25. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2004 to 2013

		Any Illicit Drug Other Than Marijuana											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.7	±0.7	±0.6	±0.6	±0.6	±1.4	±0.5	±0.5	±0.4	±0.4	±0.4	±1.0
	Male	±0.7	±0.7	±0.6	±0.6	±0.6	±1.4	±0.5	±0.5	±0.4	±0.4	±0.4	±1.0
Race/Ethnic group													
	African American	±1.0	±1.0	±0.9	±0.9	±0.9	±2.1	±0.7	±0.7	±0.7	±0.7	±0.7	±1.6
	Hispanic/Latino	±1.3	±1.2	±1.1	±1.1	±1.0	±1.9	±0.9	±0.8	±0.7	±0.8	±0.7	±1.4
	White, non-Hispanic	±0.7	±0.7	±0.6	±0.6	±0.6	±1.7	±0.5	±0.5	±0.5	±0.4	±0.4	±1.2
Age													
	11	±2.0	±1.9	±1.7	±1.7	±1.3	±2.6	±1.4	±1.3	±1.2	±1.2	±0.9	±1.7
	12	±1.1	±1.1	±1.0	±1.0	±0.9	±2.1	±0.8	±0.8	±0.7	±0.7	±0.6	±1.5
	13	±1.1	±1.1	±1.0	±1.0	±0.9	±2.2	±0.9	±0.8	±0.7	±0.7	±0.6	±1.6
	14	±1.2	±1.2	±1.1	±1.0	±1.0	±2.5	±0.8	±0.8	±0.8	±0.8	±0.7	±1.8
	15	±1.2	±1.2	±1.1	±1.1	±1.1	±2.6	±0.9	±0.9	±0.8	±0.8	±0.8	±2.0
	16	±1.4	±1.4	±1.2	±1.2	±1.2	±2.8	±1.0	±1.0	±0.8	±0.9	±0.9	±2.0
	17	±1.6	±1.6	±1.3	±1.3	±1.4	±3.0	±1.1	±1.1	±0.9	±0.9	±0.9	±2.1
	18	±2.2	±2.2	±1.8	±1.7	±1.9	±4.2	±1.4	±1.6	±1.3	±1.2	±1.3	±3.1
Grade													
	6th	±1.0	±1.0	±0.9	±0.9	±0.8	±1.9	±0.8	±0.7	±0.7	±0.6	±0.6	±1.3
	7th	±1.1	±1.1	±1.0	±1.0	±0.9	±2.2	±0.9	±0.8	±0.7	±0.7	±0.6	±1.6
	8th	±1.2	±1.1	±1.1	±1.0	±1.0	±2.4	±0.9	±0.8	±0.8	±0.7	±0.7	±1.7
	9th	±1.2	±1.3	±1.1	±1.1	±1.1	±2.6	±0.8	±0.9	±0.8	±0.8	±0.8	±2.0
	10th	±1.4	±1.4	±1.2	±1.2	±1.1	±2.8	±1.0	±1.0	±0.8	±0.9	±0.8	±2.0
	11th	±1.6	±1.5	±1.3	±1.3	±1.3	±3.0	±1.1	±1.1	±0.9	±0.9	±0.9	±2.1
	12th	±1.8	±1.8	±1.5	±1.5	±1.5	±3.1	±1.2	±1.3	±1.1	±1.0	±1.0	±2.2
Middle School		±0.6	±0.6	±0.6	±0.6	±0.5	±1.3	±0.5	±0.5	±0.4	±0.4	±0.4	±0.9
High School		±0.7	±0.7	±0.6	±0.6	±0.6	±1.4	±0.5	±0.5	±0.4	±0.4	±0.4	±1.0
Total		±0.5	±0.5	±0.4	±0.4	±0.4	±1.0	±0.3	±0.3	±0.3	±0.3	±0.3	±0.7

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. Also, in 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. As a result of these changes, please exercise caution when comparing results from different years.

Table 26. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2004 to 2013

		Alcohol Only											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.7	±0.7	±0.7	±0.6	±0.6	±1.4	±0.6	±0.7	±0.6	±0.5	±0.5	±1.2
	Male	±0.7	±0.8	±0.7	±0.6	±0.6	±1.4	±0.7	±0.7	±0.6	±0.5	±0.5	±1.1
Race/Ethnic group													
	African American	±1.2	±1.3	±1.1	±1.1	±1.1	±2.4	±1.0	±1.0	±0.9	±0.9	±0.8	±1.9
	Hispanic/Latino	±1.5	±1.4	±1.2	±1.1	±1.1	±2.1	±1.3	±1.2	±1.1	±1.0	±1.0	±1.7
	White, non-Hispanic	±0.7	±0.7	±0.7	±0.6	±0.6	±1.7	±0.6	±0.7	±0.6	±0.5	±0.5	±1.4
Age													
	11	±1.9	±1.9	±1.7	±1.4	±1.2	±2.7	±1.4	±1.2	±1.1	±1.0	±0.8	±1.6
	12	±1.2	±1.2	±1.1	±1.0	±0.9	±2.1	±0.8	±0.8	±0.7	±0.7	±0.6	±1.5
	13	±1.2	±1.2	±1.1	±1.0	±0.9	±2.2	±0.9	±0.9	±0.8	±0.8	±0.7	±1.6
	14	±1.2	±1.3	±1.1	±1.1	±1.1	±2.7	±1.1	±1.1	±1.0	±0.9	±0.8	±2.1
	15	±1.3	±1.4	±1.2	±1.2	±1.2	±2.8	±1.2	±1.2	±1.1	±1.0	±1.0	±2.3
	16	±1.4	±1.5	±1.3	±1.2	±1.3	±3.0	±1.3	±1.4	±1.2	±1.1	±1.1	±2.6
	17	±1.6	±1.7	±1.4	±1.4	±1.4	±3.2	±1.6	±1.6	±1.3	±1.3	±1.3	±2.8
	18	±2.3	±2.3	±1.9	±1.8	±1.9	±4.4	±2.3	±2.3	±1.8	±1.7	±1.8	±4.1
Grade													
	6th	±1.0	±1.0	±0.9	±0.8	±0.8	±1.8	±0.7	±0.7	±0.7	±0.6	±0.5	±1.2
	7th	±1.2	±1.1	±1.1	±1.0	±0.9	±2.1	±0.9	±0.9	±0.8	±0.8	±0.7	±1.5
	8th	±1.2	±1.2	±1.1	±1.1	±1.0	±2.5	±1.1	±1.1	±0.9	±0.9	±0.8	±1.9
	9th	±1.3	±1.4	±1.2	±1.2	±1.2	±2.8	±1.2	±1.3	±1.1	±1.0	±1.0	±2.3
	10th	±1.4	±1.5	±1.3	±1.3	±1.3	±2.9	±1.3	±1.4	±1.2	±1.2	±1.1	±2.6
	11th	±1.7	±1.7	±1.4	±1.3	±1.4	±3.2	±1.6	±1.6	±1.3	±1.2	±1.2	±2.8
	12th	±1.9	±1.9	±1.6	±1.5	±1.5	±3.3	±1.9	±1.9	±1.5	±1.5	±1.4	±3.1
Middle School		±0.7	±0.7	±0.6	±0.6	±0.5	±1.3	±0.5	±0.5	±0.5	±0.4	±0.4	±0.9
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.5	±0.7	±0.7	±0.6	±0.6	±0.6	±1.3
Total		±0.5	±0.5	±0.5	±0.4	±0.4	±1.0	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 27. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2004 to 2013

		Alcohol Or Any Illicit Drug											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
	Male	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
Race/Ethnic group													
	African American	±1.4	±1.5	±1.3	±1.3	±1.4	±3.1	±1.2	±1.3	±1.1	±1.2	±1.2	±2.7
	Hispanic/Latino	±1.5	±1.5	±1.3	±1.3	±1.3	±2.5	±1.5	±1.4	±1.3	±1.2	±1.2	±2.3
	White, non-Hispanic	±0.7	±0.8	±0.7	±0.7	±0.7	±2.1	±0.8	±0.8	±0.7	±0.7	±0.7	±1.9
Age													
	11	±2.5	±2.5	±2.3	±2.1	±1.6	±3.6	±1.9	±1.8	±1.6	±1.5	±1.2	±2.3
	12	±1.4	±1.4	±1.3	±1.3	±1.2	±2.9	±1.1	±1.1	±1.0	±1.0	±0.8	±2.1
	13	±1.4	±1.4	±1.3	±1.2	±1.2	±3.0	±1.2	±1.2	±1.1	±1.0	±1.0	±2.4
	14	±1.3	±1.4	±1.3	±1.3	±1.3	±3.3	±1.3	±1.3	±1.2	±1.2	±1.1	±2.9
	15	±1.3	±1.4	±1.3	±1.3	±1.3	±3.3	±1.4	±1.4	±1.3	±1.3	±1.3	±3.1
	16	±1.4	±1.4	±1.3	±1.3	±1.4	±3.3	±1.6	±1.6	±1.4	±1.4	±1.4	±3.4
	17	±1.5	±1.5	±1.3	±1.4	±1.4	±3.4	±1.8	±1.8	±1.5	±1.5	±1.6	±3.6
	18	±2.0	±2.1	±1.7	±1.8	±2.0	±4.4	±2.4	±2.5	±2.0	±2.0	±2.2	±5.0
Grade													
	6th	±1.3	±1.3	±1.2	±1.1	±1.1	±2.5	±1.0	±1.0	±0.9	±0.9	±0.8	±1.8
	7th	±1.4	±1.4	±1.3	±1.2	±1.2	±3.0	±1.2	±1.1	±1.1	±1.0	±0.9	±2.3
	8th	±1.3	±1.4	±1.3	±1.2	±1.3	±3.1	±1.3	±1.3	±1.2	±1.1	±1.1	±2.6
	9th	±1.3	±1.5	±1.3	±1.3	±1.4	±3.4	±1.4	±1.5	±1.3	±1.3	±1.3	±3.1
	10th	±1.4	±1.4	±1.3	±1.3	±1.4	±3.3	±1.5	±1.6	±1.4	±1.4	±1.4	±3.3
	11th	±1.5	±1.5	±1.3	±1.4	±1.4	±3.5	±1.8	±1.8	±1.5	±1.5	±1.5	±3.6
	12th	±1.7	±1.7	±1.4	±1.5	±1.5	±3.3	±2.0	±2.1	±1.7	±1.7	±1.7	±3.8
Middle School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.7	±0.7	±0.6	±0.6	±0.5	±1.3
High School		±0.7	±0.8	±0.7	±0.7	±0.7	±1.7	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Total		±0.5	±0.6	±0.5	±0.5	±0.5	±1.3	±0.5	±0.6	±0.5	±0.5	±0.5	±1.1

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 28. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2004 to 2013

		Any Illicit Drug, but No Alcohol											
		Lifetime						Past 30 Days					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.3	±0.3	±0.3	±0.3	±0.3	±0.8	±0.3	±0.3	±0.3	±0.3	±0.3	±0.8
	Male	±0.4	±0.4	±0.3	±0.3	±0.3	±0.9	±0.4	±0.4	±0.3	±0.3	±0.4	±0.9
Race/Ethnic group													
	African American	±0.7	±0.7	±0.6	±0.6	±0.7	±1.7	±0.7	±0.7	±0.6	±0.6	±0.7	±1.7
	Hispanic/Latino	±0.6	±0.6	±0.5	±0.5	±0.6	±1.1	±0.7	±0.6	±0.5	±0.6	±0.6	±1.3
	White, non-Hispanic	±0.3	±0.3	±0.3	±0.3	±0.3	±0.9	±0.3	±0.3	±0.3	±0.3	±0.3	±0.9
Age													
	11	±1.4	±1.3	±1.3	±1.3	±1.0	±2.3	±1.2	±1.0	±1.0	±1.0	±0.8	±1.6
	12	±0.7	±0.7	±0.7	±0.7	±0.6	±1.6	±0.7	±0.6	±0.6	±0.6	±0.6	±1.3
	13	±0.7	±0.6	±0.6	±0.6	±0.6	±1.5	±0.6	±0.6	±0.6	±0.5	±0.5	±1.4
	14	±0.6	±0.6	±0.6	±0.6	±0.6	±1.6	±0.6	±0.6	±0.5	±0.6	±0.6	±1.6
	15	±0.6	±0.6	±0.5	±0.5	±0.6	±1.4	±0.6	±0.6	±0.6	±0.7	±0.7	±1.8
	16	±0.6	±0.6	±0.5	±0.5	±0.6	±1.6	±0.6	±0.7	±0.5	±0.7	±0.8	±1.8
	17	±0.6	±0.6	±0.5	±0.6	±0.6	±1.6	±0.7	±0.7	±0.6	±0.7	±0.8	±1.8
	18	±0.8	±0.7	±0.6	±0.6	±0.9	±1.9	±0.9	±0.8	±0.8	±0.9	±1.1	±2.8
Grade													
	6th	±0.7	±0.7	±0.7	±0.6	±0.6	±1.5	±0.6	±0.6	±0.6	±0.5	±0.5	±1.2
	7th	±0.7	±0.6	±0.6	±0.6	±0.6	±1.6	±0.7	±0.6	±0.6	±0.5	±0.6	±1.3
	8th	±0.6	±0.6	±0.6	±0.6	±0.6	±1.5	±0.6	±0.6	±0.6	±0.6	±0.6	±1.5
	9th	±0.6	±0.6	±0.5	±0.6	±0.6	±1.5	±0.6	±0.6	±0.6	±0.7	±0.7	±1.7
	10th	±0.6	±0.6	±0.5	±0.6	±0.6	±1.6	±0.6	±0.6	±0.6	±0.7	±0.7	±1.9
	11th	±0.6	±0.6	±0.5	±0.6	±0.6	±1.6	±0.7	±0.7	±0.6	±0.7	±0.8	±1.9
	12th	±0.7	±0.6	±0.5	±0.6	±0.6	±1.5	±0.8	±0.7	±0.6	±0.7	±0.8	±2.0
Middle School		±0.4	±0.4	±0.4	±0.3	±0.4	±0.9	±0.4	±0.3	±0.3	±0.3	±0.3	±0.8
High School		±0.3	±0.3	±0.2	±0.3	±0.3	±0.8	±0.3	±0.3	±0.3	±0.3	±0.4	±0.9
Total		±0.2	±0.2	±0.2	±0.2	±0.2	±0.6	±0.2	±0.2	±0.2	±0.2	±0.3	±0.6

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 29. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2004 to 2013

		Delinquent Behavior											
		Carrying a Handgun						Selling Drugs					
		2004	2006	2008	2010	2012	2013	2004	2006	2008	2010	2012	2013
		%	%	%	%	%	%	%	%	%	%	%	%
Sex													
	Female	±0.2	±0.2	±0.2	±0.2	±0.2	±0.6	±0.3	±0.3	±0.3	±0.3	±0.2	±0.6
	Male	±0.4	±0.5	±0.4	±0.4	±0.4	±1.0	±0.5	±0.5	±0.4	±0.4	±0.4	±0.9
Race/Ethnic group													
	African American	±0.6	±0.7	±0.6	±0.6	±0.6	±1.4	±0.6	±0.7	±0.6	±0.6	±0.6	±1.3
	Hispanic/Latino	±0.6	±0.7	±0.6	±0.6	±0.5	±1.0	±0.7	±0.6	±0.6	±0.6	±0.6	±1.0
	White, non-Hispanic	±0.3	±0.3	±0.3	±0.3	±0.3	±1.0	±0.4	±0.4	±0.4	±0.4	±0.3	±1.0
Age													
	11	±0.7	±0.9	±0.7	±0.8	±0.6	±1.8	±0.4	±0.4	±0.2	±0.2	±0.2	±0.5
	12	±0.4	±0.5	±0.4	±0.5	±0.5	±1.2	±0.3	±0.3	±0.2	±0.3	±0.3	±0.4
	13	±0.5	±0.6	±0.5	±0.5	±0.5	±1.5	±0.4	±0.4	±0.4	±0.4	±0.4	±1.0
	14	±0.5	±0.6	±0.6	±0.6	±0.6	±1.5	±0.6	±0.6	±0.5	±0.6	±0.5	±1.4
	15	±0.6	±0.7	±0.6	±0.6	±0.6	±1.6	±0.7	±0.7	±0.7	±0.7	±0.7	±1.7
	16	±0.7	±0.8	±0.6	±0.7	±0.6	±1.7	±0.9	±0.9	±0.8	±0.8	±0.8	±1.9
	17	±0.8	±0.8	±0.7	±0.6	±0.7	±1.6	±1.0	±1.0	±0.8	±0.9	±0.9	±1.9
	18	±0.9	±1.2	±1.0	±1.0	±0.9	±2.6	±1.3	±1.4	±1.1	±1.1	±1.2	±2.6
Grade													
	6th	±0.4	±0.5	±0.4	±0.4	±0.4	±1.2	±0.3	±0.3	±0.2	±0.3	±0.2	±0.5
	7th	±0.5	±0.6	±0.5	±0.5	±0.5	±1.4	±0.4	±0.4	±0.4	±0.4	±0.3	±0.9
	8th	±0.6	±0.6	±0.6	±0.6	±0.6	±1.5	±0.6	±0.6	±0.6	±0.6	±0.5	±1.1
	9th	±0.5	±0.7	±0.6	±0.6	±0.6	±1.6	±0.7	±0.8	±0.7	±0.7	±0.6	±1.8
	10th	±0.7	±0.7	±0.6	±0.6	±0.6	±1.7	±0.9	±0.8	±0.7	±0.8	±0.7	±1.9
	11th	±0.7	±0.8	±0.7	±0.7	±0.6	±1.7	±1.0	±1.0	±0.8	±0.9	±0.8	±1.9
	12th	±0.8	±1.0	±0.8	±0.8	±0.7	±1.7	±1.1	±1.2	±0.9	±0.9	±1.0	±1.9
Middle School		±0.3	±0.3	±0.3	±0.3	±0.3	±0.8	±0.3	±0.3	±0.2	±0.3	±0.2	±0.5
High School		±0.3	±0.4	±0.3	±0.3	±0.3	±0.8	±0.4	±0.5	±0.4	±0.4	±0.4	±0.9
Total		±0.2	±0.3	±0.2	±0.2	±0.2	±0.6	±0.3	±0.3	±0.2	±0.2	±0.2	±0.6

Table 30. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2004 to 2013

		Delinquent Behavior											
		Attempting to Steal a Vehicle					Being Arrested						
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.2	±0.2	±0.2	±0.2	±0.2	±0.4	±0.3	±0.3	±0.3	±0.3	±0.2	±0.5
	Male	±0.3	±0.3	±0.3	±0.3	±0.2	±0.5	±0.5	±0.4	±0.4	±0.4	±0.3	±0.7
Race/Ethnic group													
	African American	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8	±0.7	±0.8	±0.7	±0.7	±0.6	±1.3
	Hispanic/Latino	±0.6	±0.5	±0.4	±0.4	±0.3	±0.7	±0.7	±0.6	±0.5	±0.6	±0.5	±0.9
	White, non-Hispanic	±0.2	±0.3	±0.2	±0.2	±0.2	±0.5	±0.3	±0.4	±0.3	±0.3	±0.2	±0.7
Age													
	11	±0.5	±0.6	±0.3	±0.4	±0.3	±1.0	±0.6	±0.5	±0.4	±0.4	±0.3	±0.7
	12	±0.4	±0.3	±0.3	±0.3	±0.3	±0.6	±0.5	±0.4	±0.4	±0.3	±0.3	±0.6
	13	±0.4	±0.4	±0.4	±0.3	±0.3	±0.7	±0.6	±0.5	±0.5	±0.5	±0.4	±1.0
	14	±0.5	±0.5	±0.5	±0.4	±0.3	±0.7	±0.7	±0.7	±0.6	±0.6	±0.5	±1.3
	15	±0.5	±0.6	±0.4	±0.4	±0.4	±1.2	±0.8	±0.7	±0.7	±0.6	±0.6	±1.2
	16	±0.6	±0.6	±0.5	±0.4	±0.4	±1.0	±0.9	±0.8	±0.7	±0.7	±0.6	±1.5
	17	±0.7	±0.6	±0.4	±0.4	±0.5	±0.9	±0.8	±0.8	±0.7	±0.7	±0.6	±1.5
	18	±0.6	±0.8	±0.6	±0.6	±0.5	±1.0	±1.0	±1.2	±0.9	±0.9	±0.8	±1.8
Grade													
	6th	±0.4	±0.3	±0.3	±0.3	±0.2	±0.6	±0.5	±0.5	±0.4	±0.4	±0.3	±0.7
	7th	±0.4	±0.4	±0.4	±0.4	±0.3	±0.7	±0.6	±0.6	±0.5	±0.5	±0.4	±0.8
	8th	±0.5	±0.5	±0.5	±0.4	±0.4	±0.7	±0.7	±0.7	±0.6	±0.6	±0.5	±1.2
	9th	±0.6	±0.6	±0.5	±0.4	±0.4	±1.1	±0.7	±0.8	±0.7	±0.6	±0.6	±1.4
	10th	±0.6	±0.6	±0.4	±0.4	±0.4	±1.0	±0.8	±0.8	±0.6	±0.7	±0.6	±1.5
	11th	±0.6	±0.6	±0.4	±0.4	±0.5	±0.9	±0.8	±0.8	±0.7	±0.7	±0.6	±1.4
	12th	±0.6	±0.7	±0.5	±0.5	±0.5	±0.9	±0.8	±1.0	±0.7	±0.7	±0.6	±1.3
Middle School		±0.3	±0.3	±0.2	±0.2	±0.2	±0.4	±0.3	±0.3	±0.3	±0.3	±0.2	±0.5
High School		±0.3	±0.3	±0.2	±0.2	±0.2	±0.5	±0.4	±0.4	±0.3	±0.3	±0.3	±0.7
Total		±0.2	±0.2	±0.2	±0.2	±0.1	±0.3	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4

Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2004 to 2013

		Delinquent Behavior											
		Taking A Handgun To School					Getting Suspended						
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.1	±0.1	±0.1	±0.1	±0.1	±0.2	±0.5	±0.5	±0.5	±0.4	±0.4	±1.0
	Male	±0.2	±0.2	±0.2	±0.2	±0.2	±0.3	±0.7	±0.7	±0.6	±0.6	±0.5	±1.3
Race/Ethnic group													
	African American	±0.3	±0.4	±0.3	±0.3	±0.3	±0.7	±1.2	±1.3	±1.1	±1.1	±1.1	±2.4
	Hispanic/Latino	±0.3	±0.3	±0.2	±0.3	±0.2	±0.3	±1.1	±1.1	±0.9	±0.9	±0.8	±1.6
	White, non-Hispanic	±0.1	±0.1	±0.1	±0.1	±0.1	±0.3	±0.5	±0.5	±0.5	±0.5	±0.4	±1.2
Age													
	11	±0.4	±0.5	±0.2	±0.2	±0.2	±0.5	±1.5	±1.5	±1.5	±1.4	±1.1	±2.3
	12	±0.2	±0.2	±0.2	±0.2	±0.1	±0.2	±0.9	±1.0	±0.9	±0.9	±0.8	±2.0
	13	±0.3	±0.3	±0.2	±0.2	±0.2	±0.4	±1.0	±1.0	±1.0	±0.9	±0.9	±2.2
	14	±0.2	±0.3	±0.3	±0.3	±0.2	±0.4	±1.0	±1.1	±1.0	±1.0	±0.9	±2.3
	15	±0.3	±0.3	±0.3	±0.3	±0.2	±0.7	±1.1	±1.1	±1.0	±1.0	±0.9	±2.3
	16	±0.3	±0.4	±0.3	±0.3	±0.3	±0.7	±1.2	±1.2	±1.0	±1.0	±0.9	±2.2
	17	±0.4	±0.4	±0.3	±0.4	±0.3	±0.6	±1.2	±1.2	±1.0	±1.0	±1.0	±2.2
	18	±0.3	±0.6	±0.4	±0.5	±0.4	±0.8	±1.5	±1.7	±1.3	±1.3	±1.3	±2.4
Grade													
	6th	±0.2	±0.2	±0.2	±0.2	±0.1	±0.3	±0.9	±1.0	±0.9	±0.8	±0.8	±1.8
	7th	±0.2	±0.3	±0.3	±0.2	±0.2	±0.4	±1.1	±1.1	±1.0	±0.9	±0.9	±2.2
	8th	±0.3	±0.3	±0.3	±0.2	±0.3	±0.5	±1.1	±1.1	±1.0	±1.0	±0.9	±2.3
	9th	±0.3	±0.3	±0.3	±0.3	±0.2	±0.7	±1.0	±1.2	±1.0	±1.0	±1.0	±2.3
	10th	±0.3	±0.3	±0.2	±0.3	±0.3	±0.6	±1.1	±1.1	±1.0	±1.0	±0.9	±2.3
	11th	±0.4	±0.4	±0.3	±0.3	±0.3	±0.6	±1.2	±1.2	±1.0	±1.0	±1.0	±1.9
	12th	±0.3	±0.5	±0.4	±0.4	±0.3	±0.6	±1.2	±1.4	±1.0	±1.1	±1.0	±1.9
Middle School		±0.1	±0.2	±0.1	±0.1	±0.1	±0.2	±0.6	±0.6	±0.6	±0.5	±0.5	±1.2
High School		±0.2	±0.2	±0.2	±0.2	±0.1	±0.3	±0.6	±0.6	±0.5	±0.5	±0.5	±1.1
Total		±0.1	±0.1	±0.1	±0.1	±0.1	±0.2	±0.4	±0.4	±0.4	±0.4	±0.3	±0.8

Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2004 to 2013

		Delinquent Behavior					
		Attacking Someone With Intent to Harm					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex							
	Female	±0.5	±0.5	±0.4	±0.4	±0.4	±0.9
	Male	±0.6	±0.6	±0.5	±0.5	±0.4	±1.0
Race/Ethnic group							
	African American	±1.0	±1.1	±1.0	±1.0	±0.9	±2.0
	Hispanic/Latino	±1.0	±1.0	±0.8	±0.8	±0.7	±1.2
	White, non-Hispanic	±0.5	±0.5	±0.4	±0.4	±0.4	±1.0
Age							
	11	±1.3	±1.5	±1.3	±1.2	±0.8	±1.7
	12	±0.9	±0.9	±0.8	±0.8	±0.7	±1.4
	13	±0.9	±0.9	±0.8	±0.8	±0.7	±1.6
	14	±0.9	±1.0	±0.9	±0.8	±0.7	±1.8
	15	±1.0	±1.0	±0.9	±0.9	±0.8	±1.8
	16	±1.1	±1.1	±0.9	±0.9	±0.8	±2.0
	17	±1.2	±1.2	±0.9	±0.9	±0.8	±1.9
	18	±1.4	±1.6	±1.2	±1.2	±1.2	±2.5
Grade							
	6th	±0.8	±0.8	±0.7	±0.7	±0.6	±1.3
	7th	±0.9	±0.9	±0.8	±0.8	±0.7	±1.5
	8th	±1.0	±1.0	±0.9	±0.8	±0.7	±1.8
	9th	±1.0	±1.1	±0.9	±0.9	±0.8	±1.8
	10th	±1.1	±1.1	±0.9	±0.9	±0.8	±1.9
	11th	±1.1	±1.2	±0.9	±0.9	±0.8	±1.9
	12th	±1.2	±1.3	±1.0	±1.0	±0.9	±1.8
Middle School		±0.5	±0.5	±0.5	±0.4	±0.4	±0.9
High School		±0.5	±0.6	±0.5	±0.5	±0.4	±0.9
Total		±0.4	±0.4	±0.3	±0.3	±0.3	±0.6

Table 33. Percentage of surveyed Florida youth who reported gambling and arguing about gambling in past 12 months—2004 to 2013

	Gambling						Arguing about Gambling					
	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex												
Female	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.5	±0.5	±0.5	±0.4	±0.4	±1.0
Male	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.7	±0.7	±0.6	±0.6	±0.5	±1.3
Race/Ethnic group												
African American	±1.4	±1.5	±1.3	±1.3	±1.4	±3.1	±1.1	±1.2	±1.1	±1.0	±1.0	±2.2
Hispanic/Latino	±1.6	±1.5	±1.3	±1.3	±1.3	±2.5	±1.1	±1.1	±0.9	±0.9	±0.8	±1.6
White, non-Hispanic	±0.8	±0.8	±0.7	±0.7	±0.7	±2.1	±0.5	±0.6	±0.5	±0.5	±0.5	±1.3
Age												
11	±2.7	±2.8	±2.6	±2.5	±2.0	±4.7	±1.9	±2.0	±1.9	±1.7	±1.3	±2.8
12	±1.5	±1.5	±1.4	±1.4	±1.3	±3.3	±1.1	±1.1	±1.0	±1.0	±0.9	±2.2
13	±1.3	±1.4	±1.3	±1.2	±1.2	±3.1	±1.1	±1.0	±1.0	±0.9	±0.9	±2.2
14	±1.3	±1.4	±1.3	±1.3	±1.3	±3.3	±1.0	±1.1	±1.0	±0.9	±0.9	±2.2
15	±1.4	±1.4	±1.3	±1.3	±1.4	±3.3	±1.0	±1.1	±1.0	±0.9	±0.9	±2.3
16	±1.5	±1.6	±1.4	±1.4	±1.5	±3.5	±1.1	±1.1	±1.0	±0.9	±0.9	±2.1
17	±1.8	±1.8	±1.5	±1.5	±1.6	±3.6	±1.2	±1.2	±1.0	±1.0	±0.9	±2.2
18	±2.4	±2.5	±2.0	±2.0	±2.2	±5.0	±1.6	±1.6	±1.3	±1.2	±1.2	±2.9
Grade												
6th	±1.3	±1.4	±1.3	±1.2	±1.2	±3.0	±1.0	±1.0	±0.9	±0.9	±0.8	±2.0
7th	±1.4	±1.3	±1.3	±1.2	±1.2	±3.2	±1.1	±1.0	±1.0	±0.9	±0.9	±2.2
8th	±1.3	±1.4	±1.3	±1.2	±1.3	±3.1	±1.0	±1.1	±1.0	±0.9	±0.9	±2.2
9th	±1.4	±1.5	±1.3	±1.3	±1.4	±3.4	±1.0	±1.2	±1.0	±0.9	±0.9	±2.3
10th	±1.5	±1.6	±1.4	±1.4	±1.4	±3.4	±1.1	±1.2	±1.0	±0.9	±0.9	±2.1
11th	±1.8	±1.8	±1.5	±1.5	±1.6	±3.7	±1.2	±1.2	±1.0	±1.0	±0.9	±2.3
12th	±2.0	±2.1	±1.7	±1.7	±1.7	±3.7	±1.3	±1.4	±1.1	±1.0	±0.9	±2.0
Middle School	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.6	±0.6	±0.6	±0.5	±0.5	±1.2
High School	±0.8	±0.8	±0.7	±0.7	±0.8	±1.8	±0.6	±0.6	±0.5	±0.5	±0.5	±1.1
Total	±0.6	±0.6	±0.5	±0.5	±0.5	±1.3	±0.4	±0.4	±0.4	±0.4	±0.3	±0.8

Note: Questions about gambling were not included in the 2000 and 2002 surveys.

Table 34. Percentage of surveyed Florida high school students who started using alcohol at age 13 or younger—2004 to 2013

		Early ATOD Use											
		More Than A Sip Of Alcohol						Drinking At Least Once A Month					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.7	±0.8	±0.7	±0.6	±0.6	±1.5	±0.4	±0.4	±0.3	±0.3	±0.3	±0.8
	Male	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6	±0.4	±0.4	±0.4	±0.4	±0.3	±0.8
Race/Ethnic group													
	African American	±1.3	±1.4	±1.2	±1.1	±1.2	±2.6	±0.7	±0.7	±0.6	±0.6	±0.6	±1.6
	Hispanic/Latino	±1.5	±1.4	±1.3	±1.2	±1.2	±2.2	±0.8	±0.8	±0.6	±0.7	±0.6	±1.0
	White, non-Hispanic	±0.7	±0.8	±0.7	±0.6	±0.6	±1.8	±0.4	±0.4	±0.3	±0.3	±0.3	±0.9
Age													
	11	--	--	--	--	--	--	--	--	--	--	--	--
	12	--	--	--	--	--	--	--	--	--	--	--	--
	13	--	--	--	--	--	--	--	--	--	--	--	--
	14	±1.4	±1.4	±1.3	±1.2	±1.2	±3.1	±0.8	±0.8	±0.8	±0.7	±0.7	±1.6
	15	±1.4	±1.4	±1.3	±1.2	±1.3	±3.0	±0.8	±0.8	±0.7	±0.7	±0.6	±1.6
	16	±1.5	±1.5	±1.3	±1.2	±1.3	±2.9	±0.8	±0.8	±0.6	±0.7	±0.6	±1.5
	17	±1.7	±1.6	±1.3	±1.3	±1.3	±2.9	±0.8	±0.8	±0.6	±0.7	±0.6	±1.3
	18	±2.1	±2.2	±1.7	±1.6	±1.7	±3.9	±0.9	±1.0	±0.8	±0.8	±0.9	±1.9
Grade													
	6th	--	--	--	--	--	--	--	--	--	--	--	--
	7th	--	--	--	--	--	--	--	--	--	--	--	--
	8th	--	--	--	--	--	--	--	--	--	--	--	--
	9th	±1.4	±1.5	±1.3	±1.3	±1.3	±3.1	±0.8	±0.9	±0.7	±0.7	±0.7	±1.7
	10th	±1.5	±1.5	±1.3	±1.3	±1.2	±2.9	±0.8	±0.8	±0.6	±0.7	±0.6	±1.5
	11th	±1.7	±1.6	±1.4	±1.3	±1.3	±2.9	±0.8	±0.8	±0.6	±0.6	±0.6	±1.4
	12th	±1.8	±1.9	±1.5	±1.4	±1.4	±2.9	±0.8	±0.9	±0.7	±0.7	±0.7	±1.5
Middle School		--	--	--	--	--	--	--	--	--	--	--	--
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.5	±0.4	±0.4	±0.3	±0.3	±0.3	±0.8
Total		--	--	--	--	--	--	--	--	--	--	--	--

Table 35. Percentage of surveyed Florida high school students who started using cigarettes or marijuana at age 13 or younger—2004 to 2013

		Early ATOD Use											
		Cigarettes						Marijuana					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.7	±0.7	±0.6	±0.5	±0.5	±1.2	±0.5	±0.5	±0.4	±0.4	±0.4	±1.1
	Male	±0.8	±0.7	±0.6	±0.6	±0.5	±1.2	±0.6	±0.6	±0.5	±0.5	±0.5	±1.3
Race/Ethnic group													
	African American	±1.1	±1.1	±0.9	±0.9	±0.8	±1.9	±0.9	±0.9	±0.7	±0.8	±0.8	±2.1
	Hispanic/Latino	±1.4	±1.3	±1.0	±1.0	±0.9	±1.6	±1.0	±0.9	±0.7	±0.8	±0.8	±1.6
	White, non-Hispanic	±0.7	±0.7	±0.6	±0.6	±0.6	±1.5	±0.6	±0.6	±0.5	±0.5	±0.5	±1.4
Age													
	11	--	--	--	--	--	--	--	--	--	--	--	--
	12	--	--	--	--	--	--	--	--	--	--	--	--
	13	--	--	--	--	--	--	--	--	--	--	--	--
	14	±1.2	±1.2	±1.1	±0.9	±0.9	±2.4	±0.9	±0.9	±0.8	±0.8	±0.8	±2.3
	15	±1.3	±1.3	±1.1	±1.0	±1.0	±2.2	±1.0	±1.0	±0.8	±0.9	±0.9	±2.2
	16	±1.4	±1.4	±1.1	±1.1	±1.0	±2.3	±1.1	±1.1	±0.8	±0.9	±0.9	±2.3
	17	±1.6	±1.5	±1.2	±1.1	±1.1	±2.4	±1.2	±1.2	±0.9	±0.9	±1.0	±2.3
	18	±2.1	±2.1	±1.5	±1.4	±1.6	±3.4	±1.6	±1.6	±1.2	±1.2	±1.4	±3.3
Grade													
	6th	--	--	--	--	--	--	--	--	--	--	--	--
	7th	--	--	--	--	--	--	--	--	--	--	--	--
	8th	--	--	--	--	--	--	--	--	--	--	--	--
	9th	±1.3	±1.3	±1.1	±1.0	±1.0	±2.4	±1.0	±1.1	±0.9	±0.9	±0.9	±2.4
	10th	±1.4	±1.4	±1.1	±1.1	±1.0	±2.2	±1.1	±1.1	±0.9	±0.9	±0.9	±2.3
	11th	±1.6	±1.5	±1.2	±1.1	±1.1	±2.5	±1.2	±1.1	±0.9	±0.9	±1.0	±2.2
	12th	±1.8	±1.8	±1.3	±1.2	±1.2	±2.4	±1.3	±1.4	±1.0	±1.0	±1.1	±2.5
Middle School		--	--	--	--	--	--	--	--	--	--	--	--
High School		±0.7	±0.7	±0.6	±0.6	±0.5	±1.2	±0.6	±0.6	±0.5	±0.5	±0.5	±1.2
Total		--	--	--	--	--	--	--	--	--	--	--	--

Table 36. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2004 to 2013

		Perceive Great Risk Of Harm If:											
		Drink One Or More Alcoholic Drinks Nearly Every Day						Smoke A Pack Or More Of Cigarettes Per Day					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.7	±0.8	±0.7	±0.7	±0.7	±1.6
	Male	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Race/Ethnic group													
	African American	±1.4	±1.5	±1.3	±1.3	±1.3	±3.1	±1.4	±1.4	±1.2	±1.3	±1.3	±2.9
	Hispanic/Latino	±1.5	±1.5	±1.3	±1.3	±1.3	±2.5	±1.5	±1.4	±1.3	±1.3	±1.3	±2.4
	White, non-Hispanic	±0.7	±0.8	±0.7	±0.7	±0.7	±2.1	±0.7	±0.8	±0.7	±0.7	±0.7	±1.9
Age													
	11	±2.7	±2.8	±2.6	±2.5	±2.0	±4.8	±2.5	±2.5	±2.3	±2.2	±1.8	±4.3
	12	±1.4	±1.5	±1.4	±1.3	±1.3	±3.3	±1.4	±1.4	±1.3	±1.3	±1.2	±3.1
	13	±1.3	±1.3	±1.3	±1.2	±1.2	±3.1	±1.3	±1.3	±1.2	±1.2	±1.2	±2.9
	14	±1.3	±1.4	±1.3	±1.2	±1.3	±3.2	±1.3	±1.3	±1.2	±1.2	±1.2	±3.1
	15	±1.3	±1.4	±1.3	±1.3	±1.3	±3.3	±1.3	±1.4	±1.3	±1.2	±1.3	±3.1
	16	±1.5	±1.5	±1.3	±1.4	±1.4	±3.4	±1.5	±1.5	±1.3	±1.3	±1.4	±3.2
	17	±1.7	±1.7	±1.5	±1.5	±1.6	±3.6	±1.7	±1.7	±1.4	±1.4	±1.5	±3.3
	18	±2.4	±2.4	±2.0	±2.0	±2.1	±4.8	±2.3	±2.3	±1.9	±1.9	±2.1	±4.6
Grade													
	6th	±1.3	±1.4	±1.3	±1.2	±1.2	±3.1	±1.3	±1.3	±1.2	±1.2	±1.2	±2.9
	7th	±1.3	±1.3	±1.3	±1.2	±1.2	±3.2	±1.3	±1.3	±1.2	±1.2	±1.2	±3.0
	8th	±1.3	±1.3	±1.3	±1.2	±1.3	±3.1	±1.3	±1.3	±1.2	±1.2	±1.2	±2.9
	9th	±1.3	±1.5	±1.3	±1.3	±1.3	±3.3	±1.3	±1.5	±1.3	±1.3	±1.3	±3.1
	10th	±1.5	±1.5	±1.4	±1.4	±1.4	±3.4	±1.5	±1.5	±1.3	±1.3	±1.3	±3.1
	11th	±1.7	±1.7	±1.5	±1.5	±1.5	±3.7	±1.7	±1.6	±1.4	±1.4	±1.4	±3.3
	12th	±2.0	±2.0	±1.7	±1.7	±1.7	±3.6	±1.9	±1.9	±1.6	±1.6	±1.6	±3.4
Middle School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
High School		±0.8	±0.8	±0.7	±0.7	±0.7	±1.7	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
Total		±0.5	±0.6	±0.5	±0.5	±0.5	±1.3	±0.5	±0.5	±0.5	±0.5	±0.5	±1.2

Table 37. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2004 to 2013

		Perceive Great Risk Of Harm If:											
		Smoke Marijuana Once or Twice a Week						Try Marijuana Once Or Twice					
		2004	2006	2008	2010	2012	2013	2004	2006	2008	2010	2012	2013
		%	%	%	%	%	%	%	%	%	%	%	%
Sex													
	Female	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8	±0.7	±0.8	±0.7	±0.7	±0.7	±1.6
	Male	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
Race/Ethnic group													
	African American	±1.4	±1.5	±1.3	±1.3	±1.4	±3.0	±1.3	±1.4	±1.2	±1.2	±1.2	±2.8
	Hispanic/Latino	±1.5	±1.4	±1.3	±1.3	±1.3	±2.5	±1.5	±1.4	±1.3	±1.2	±1.2	±2.3
	White, non-Hispanic	±0.8	±0.8	±0.7	±0.7	±0.7	±2.1	±0.7	±0.7	±0.7	±0.6	±0.7	±1.9
Age													
	11	±2.2	±2.3	±2.0	±2.0	±1.7	±4.4	±2.7	±2.8	±2.6	±2.5	±2.0	±4.8
	12	±1.2	±1.2	±1.2	±1.2	±1.2	±3.2	±1.5	±1.5	±1.4	±1.3	±1.3	±3.3
	13	±1.2	±1.2	±1.2	±1.2	±1.2	±3.1	±1.3	±1.4	±1.3	±1.2	±1.2	±3.0
	14	±1.3	±1.4	±1.2	±1.3	±1.3	±3.2	±1.3	±1.3	±1.2	±1.2	±1.2	±2.9
	15	±1.4	±1.5	±1.3	±1.3	±1.4	±3.1	±1.2	±1.3	±1.2	±1.1	±1.1	±2.7
	16	±1.6	±1.6	±1.4	±1.4	±1.4	±3.2	±1.3	±1.4	±1.2	±1.1	±1.2	±2.7
	17	±1.8	±1.8	±1.5	±1.5	±1.5	±3.2	±1.5	±1.5	±1.3	±1.2	±1.2	±2.8
	18	±2.4	±2.5	±2.0	±1.9	±2.1	±4.1	±2.0	±2.1	±1.7	±1.6	±1.7	±3.6
Grade													
	6th	±1.2	±1.2	±1.1	±1.1	±1.1	±2.9	±1.3	±1.4	±1.3	±1.2	±1.2	±3.1
	7th	±1.2	±1.2	±1.2	±1.2	±1.2	±3.1	±1.4	±1.3	±1.3	±1.2	±1.2	±3.1
	8th	±1.3	±1.3	±1.3	±1.2	±1.2	±3.1	±1.3	±1.3	±1.3	±1.2	±1.2	±2.9
	9th	±1.4	±1.5	±1.3	±1.3	±1.4	±3.2	±1.2	±1.4	±1.2	±1.2	±1.1	±2.9
	10th	±1.6	±1.6	±1.4	±1.4	±1.4	±3.1	±1.3	±1.3	±1.2	±1.2	±1.2	±2.7
	11th	±1.8	±1.8	±1.5	±1.5	±1.5	±3.3	±1.5	±1.5	±1.3	±1.2	±1.2	±2.8
	12th	±2.0	±2.1	±1.7	±1.7	±1.6	±3.2	±1.7	±1.7	±1.4	±1.4	±1.3	±2.8
Middle School		±0.7	±0.7	±0.7	±0.7	±0.7	±1.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
High School		±0.8	±0.9	±0.7	±0.7	±0.7	±1.6	±0.7	±0.7	±0.6	±0.6	±0.6	±1.4
Total		±0.6	±0.6	±0.5	±0.5	±0.5	±1.2	±0.5	±0.5	±0.5	±0.5	±0.5	±1.1

Note: In 2013, the description of marijuana use was changed from “regularly” to “once or twice a week.” As a result, care should be exercised when comparing 2013 data to previous years.

Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor's orders or having five or more alcoholic drinks once or twice a week, 2012 and 2013

		Perceive Great Risk Of Harm If:		
		Take a Prescription Drug without a Doctor's Orders		Five or More Alcoholic Drinks Once or Twice a Week
		2012 %	2013 %	2013 %
Sex				
	Female	±0.7	±1.6	±1.8
	Male	±0.7	±1.7	±1.8
Race/Ethnic group				
	African American	±1.3	±2.9	±3.1
	Hispanic/Latino	±1.2	±2.3	±2.5
	White, non-Hispanic	±0.7	±1.9	±2.1
Age				
	11	--	±4.2	±4.5
	12	--	±3.0	±3.3
	13	--	±2.8	±3.1
	14	±1.2	±3.0	±3.2
	15	±1.3	±3.1	±3.3
	16	±1.4	±3.1	±3.5
	17	±1.5	±3.3	±3.7
	18	±2.1	±4.5	±5.0
Grade				
	6th	--	±2.8	±3.0
	7th	--	±2.9	±3.1
	8th	--	±2.8	±3.1
	9th	±1.3	±3.1	±3.4
	10th	±1.3	±3.1	±3.4
	11th	±1.5	±3.2	±3.7
	12th	±1.6	±3.3	±3.8
Middle School		--	±1.6	±1.8
High School		±0.7	±1.6	±1.8
Total		--	±1.1	±1.3

Note: The prescription drug question was added in 2012 and the five or more drinks question was added in 2013.

Table 39. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2004 to 2013

		Think It Would Be Wrong For Someone Their Age To:											
		Drink Alcohol Regularly						Smoke Cigarettes					
		2004	2006	2008	2010	2012	2013	2004	2006	2008	2010	2012	2013
		%	%	%	%	%	%	%	%	%	%	%	%
Sex													
	Female	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6	±0.7	±0.7	±0.6	±0.6	±0.5	±1.1
	Male	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6	±0.7	±0.7	±0.6	±0.6	±0.5	±1.2
Race/Ethnic group													
	African American	±1.3	±1.3	±1.2	±1.2	±1.2	±2.7	±0.9	±1.0	±0.8	±0.9	±0.8	±1.7
	Hispanic/Latino	±1.5	±1.4	±1.3	±1.2	±1.2	±2.3	±1.3	±1.2	±1.0	±1.0	±0.9	±1.6
	White, non-Hispanic	±0.8	±0.8	±0.7	±0.7	±0.7	±1.9	±0.7	±0.7	±0.6	±0.6	±0.6	±1.5
Age													
	11	±1.5	±1.4	±1.3	±1.2	±0.9	±1.6	±1.0	±0.9	±0.9	±0.8	±0.6	±1.2
	12	±1.0	±1.0	±0.9	±0.8	±0.7	±1.7	±0.8	±0.7	±0.6	±0.6	±0.5	±1.1
	13	±1.1	±1.1	±1.0	±1.0	±0.9	±2.1	±0.9	±0.9	±0.8	±0.8	±0.6	±1.5
	14	±1.3	±1.3	±1.2	±1.2	±1.1	±2.8	±1.1	±1.1	±0.9	±0.9	±0.8	±2.0
	15	±1.4	±1.5	±1.3	±1.3	±1.3	±3.1	±1.2	±1.2	±1.1	±1.0	±1.0	±2.2
	16	±1.6	±1.6	±1.4	±1.4	±1.4	±3.4	±1.4	±1.4	±1.2	±1.2	±1.1	±2.4
	17	±1.8	±1.8	±1.5	±1.5	±1.6	±3.7	±1.7	±1.7	±1.4	±1.4	±1.4	±2.9
	18	±2.4	±2.5	±2.0	±2.0	±2.2	±5.0	±2.4	±2.5	±2.0	±1.9	±2.1	±4.6
Grade													
	6th	±0.9	±0.9	±0.8	±0.7	±0.6	±1.4	±0.7	±0.7	±0.6	±0.5	±0.4	±0.9
	7th	±1.1	±1.1	±1.0	±1.0	±0.8	±2.0	±0.9	±0.9	±0.8	±0.8	±0.6	±1.5
	8th	±1.3	±1.3	±1.2	±1.1	±1.1	±2.5	±1.1	±1.0	±0.9	±0.9	±0.8	±1.8
	9th	±1.4	±1.5	±1.3	±1.3	±1.3	±3.1	±1.2	±1.3	±1.1	±1.0	±1.0	±2.2
	10th	±1.6	±1.6	±1.4	±1.4	±1.4	±3.3	±1.4	±1.4	±1.2	±1.2	±1.1	±2.3
	11th	±1.8	±1.8	±1.5	±1.5	±1.6	±3.6	±1.7	±1.6	±1.4	±1.3	±1.3	±2.7
	12th	±2.0	±2.1	±1.7	±1.7	±1.7	±3.8	±2.0	±2.0	±1.7	±1.6	±1.6	±3.3
Middle School		±0.7	±0.6	±0.6	±0.6	±0.5	±1.2	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8
High School		±0.8	±0.9	±0.7	±0.7	±0.7	±1.7	±0.8	±0.8	±0.7	±0.6	±0.6	±1.3
Total		±0.5	±0.6	±0.5	±0.5	±0.5	±1.1	±0.5	±0.5	±0.4	±0.4	±0.4	±0.8

Table 40. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2004 to 2013

		Think It Would Be Wrong For Someone Their Age To:											
		Smoke Marijuana						Use Other Illicit Drugs					
		2004	2006	2008	2010	2012	2013	2004	2006	2008	2010	2012	2013
		%	%	%	%	%	%	%	%	%	%	%	%
Sex													
	Female	±0.6	±0.6	±0.6	±0.6	±0.6	±1.5	±0.3	±0.3	±0.3	±0.3	±0.3	±0.7
	Male	±0.7	±0.7	±0.6	±0.7	±0.7	±1.6	±0.4	±0.4	±0.4	±0.4	±0.3	±0.8
Race/Ethnic group													
	African American	±1.1	±1.1	±1.0	±1.1	±1.1	±2.7	±0.5	±0.6	±0.5	±0.5	±0.5	±1.1
	Hispanic/Latino	±1.1	±1.1	±1.0	±1.1	±1.1	±2.1	±0.7	±0.6	±0.6	±0.6	±0.6	±1.0
	White, non-Hispanic	±0.7	±0.7	±0.6	±0.6	±0.7	±1.8	±0.4	±0.4	±0.3	±0.3	±0.3	±1.0
Age													
	11	±0.6	±0.6	±0.6	±0.6	±0.6	±1.1	±0.5	±0.4	±0.5	±0.4	±0.4	±0.8
	12	±0.6	±0.6	±0.5	±0.6	±0.5	±1.2	±0.4	±0.4	±0.3	±0.4	±0.3	±0.6
	13	±0.8	±0.8	±0.7	±0.8	±0.8	±2.0	±0.5	±0.5	±0.5	±0.5	±0.4	±1.0
	14	±1.0	±1.0	±1.0	±1.0	±1.0	±2.8	±0.6	±0.6	±0.6	±0.6	±0.5	±1.4
	15	±1.2	±1.3	±1.1	±1.2	±1.2	±3.1	±0.6	±0.7	±0.6	±0.7	±0.6	±1.6
	16	±1.4	±1.4	±1.2	±1.3	±1.4	±3.3	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
	17	±1.7	±1.6	±1.4	±1.5	±1.6	±3.6	±0.9	±0.9	±0.8	±0.8	±0.8	±1.7
	18	±2.3	±2.3	±1.9	±1.9	±2.2	±5.0	±1.3	±1.3	±1.0	±1.0	±1.2	±2.5
Grade													
	6th	±0.5	±0.5	±0.5	±0.5	±0.4	±1.0	±0.4	±0.4	±0.3	±0.4	±0.3	±0.7
	7th	±0.8	±0.8	±0.7	±0.8	±0.7	±1.9	±0.5	±0.5	±0.4	±0.5	±0.4	±1.0
	8th	±1.0	±1.0	±1.0	±1.0	±0.9	±2.4	±0.6	±0.6	±0.6	±0.6	±0.5	±1.2
	9th	±1.2	±1.3	±1.1	±1.2	±1.2	±3.1	±0.6	±0.7	±0.6	±0.7	±0.6	±1.5
	10th	±1.4	±1.4	±1.2	±1.3	±1.3	±3.2	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
	11th	±1.7	±1.6	±1.4	±1.4	±1.5	±3.5	±0.9	±0.8	±0.8	±0.8	±0.8	±1.7
	12th	±1.9	±2.0	±1.6	±1.6	±1.7	±3.7	±1.1	±1.1	±0.9	±0.9	±0.9	±2.0
Middle School		±0.5	±0.5	±0.4	±0.5	±0.4	±1.1	±0.3	±0.3	±0.3	±0.3	±0.2	±0.6
High School		±0.7	±0.8	±0.7	±0.7	±0.7	±1.7	±0.4	±0.4	±0.4	±0.4	±0.4	±0.8
Total		±0.4	±0.5	±0.4	±0.4	±0.4	±1.1	±0.2	±0.3	±0.2	±0.2	±0.2	±0.5

Table 41. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco, drink alcohol regularly, smoke marijuana, or use prescription drugs not prescribed to you, 2013

		Friends Feel It Would Be Wrong For You To:			
		Smoke Tobacco	Drink Alcohol Regularly	Smoke Marijuana	Use Prescription Drugs Not Prescribed to You
		%	%	%	%
Sex					
	Female	±1.2	±1.3	±1.6	±0.9
	Male	±1.2	±1.4	±1.6	±1.0
Race/Ethnic group					
	African American	±1.8	±2.3	±2.8	±1.5
	Hispanic/Latino	±1.6	±2.0	±2.2	±1.2
	White, non-Hispanic	±1.5	±1.7	±1.9	±1.1
Age					
	11	±1.3	±1.4	±1.5	±1.0
	12	±1.3	±1.5	±1.4	±1.1
	13	±1.5	±2.0	±2.1	±1.2
	14	±2.1	±2.5	±2.9	±1.7
	15	±2.3	±2.8	±3.1	±1.9
	16	±2.6	±3.0	±3.4	±2.1
	17	±3.0	±3.2	±3.6	±2.1
	18	±4.3	±4.4	±5.0	±3.0
Grade					
	6th	±1.1	±1.3	±1.2	±0.9
	7th	±1.5	±1.9	±2.0	±1.1
	8th	±1.9	±2.3	±2.6	±1.6
	9th	±2.3	±2.8	±3.1	±1.9
	10th	±2.5	±2.9	±3.3	±2.0
	11th	±2.9	±3.2	±3.6	±2.1
	12th	±3.2	±3.4	±3.7	±2.3
Middle School		±0.9	±1.1	±1.2	±0.7
High School		±1.3	±1.5	±1.7	±1.0
Total		±0.8	±1.0	±1.1	±0.6

Note: These questions were modified in the 2013 questionnaire. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between 2013 data and previous survey results is not possible.

Table 42. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2013

		School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
		%	%	%	%	%
Sex						
	Female	±1.7	±1.7	±1.2	±1.7	±1.3
	Male	±1.8	±1.8	±1.1	±1.5	±1.0
Race/Ethnic group						
	African American	±3.1	±2.8	±1.7	±2.7	±2.0
	Hispanic/Latino	±2.4	±2.4	±1.4	±2.2	±1.6
	White, non-Hispanic	±2.0	±2.0	±1.4	±1.9	±1.4
Age						
	11	±4.5	±4.8	±3.9	±4.1	±3.0
	12	±3.2	±3.3	±2.5	±2.7	±2.0
	13	±3.0	±3.1	±2.2	±2.5	±1.9
	14	±3.2	±3.2	±2.0	±2.7	±2.1
	15	±3.3	±3.0	±1.9	±3.0	±2.2
	16	±3.4	±3.0	±1.8	±3.3	±2.3
	17	±3.6	±3.1	±1.9	±3.6	±2.6
	18	±4.8	±4.1	±2.6	±4.9	±4.0
Grade						
	6th	±2.9	±3.1	±2.4	±2.5	±1.8
	7th	±3.0	±3.1	±2.3	±2.6	±1.9
	8th	±3.0	±3.1	±2.0	±2.5	±1.9
	9th	±3.3	±3.1	±1.9	±2.9	±2.2
	10th	±3.4	±3.0	±1.9	±3.2	±2.2
	11th	±3.6	±3.2	±2.0	±3.6	±2.6
	12th	±3.7	±3.1	±1.9	±3.7	±2.9
Middle School		±1.7	±1.8	±1.3	±1.5	±1.1
High School		±1.7	±1.6	±1.0	±1.7	±1.2
Total		±1.2	±1.2	±0.8	±1.1	±0.8

Table 43. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2013

		Bullying Caused to Worry	Skipped School Because of Bullying	Was Kicked or Shoved in Past 30 Days	Was Taunted or Teased in Past 30 Days	Victim of Cyber Bullying in Past 30 Days	Physically Bullied Others in Past 30 Days	Verbally Bullied Others in Past 30 Days	Cyber Bullied Others in Past 30 Days
		%	%	%	%	%	%	%	%
Sex									
	Female	±1.8	±0.9	±1.1	±1.6	±1.1	±0.8	±1.2	±0.7
	Male	±1.5	±0.6	±1.2	±1.6	±0.8	±1.0	±1.3	±0.7
Race/Ethnic group									
	African American	±2.7	±1.0	±1.9	±2.6	±1.4	±1.8	±2.4	±1.3
	Hispanic/Latino	±2.4	±1.0	±1.5	±2.2	±1.2	±1.2	±1.7	±1.0
	White, non-Hispanic	±2.0	±1.0	±1.4	±1.9	±1.2	±0.9	±1.4	±0.8
Age									
	11	±4.8	±1.8	±4.0	±4.6	±2.0	±2.4	±3.3	±1.3
	12	±3.3	±1.4	±2.7	±3.3	±1.7	±1.7	±2.4	±1.2
	13	±3.0	±1.3	±2.3	±2.9	±1.7	±1.7	±2.2	±1.1
	14	±3.1	±1.4	±2.3	±3.0	±1.8	±1.8	±2.4	±1.4
	15	±3.0	±1.6	±2.0	±2.8	±1.8	±1.6	±2.3	±1.5
	16	±3.0	±1.7	±1.9	±2.9	±1.9	±1.5	±2.2	±1.4
	17	±3.1	±1.7	±1.6	±2.8	±1.8	±1.4	±2.3	±1.3
	18	±4.1	±1.9	±2.1	±3.7	±2.5	±2.0	±3.2	±1.9
Grade									
	6th	±3.0	±1.3	±2.5	±3.0	±1.6	±1.7	±2.2	±1.0
	7th	±3.1	±1.3	±2.4	±3.0	±1.6	±1.7	±2.3	±1.2
	8th	±3.0	±1.3	±2.3	±2.9	±1.7	±1.7	±2.3	±1.3
	9th	±3.1	±1.7	±2.2	±3.0	±1.9	±1.7	±2.4	±1.5
	10th	±3.0	±1.6	±1.9	±2.8	±1.9	±1.5	±2.2	±1.4
	11th	±3.2	±1.8	±1.8	±2.9	±1.8	±1.4	±2.3	±1.4
	12th	±3.0	±1.6	±1.6	±2.8	±1.9	±1.5	±2.3	±1.4
Middle School		±1.7	±0.8	±1.4	±1.7	±0.9	±1.0	±1.3	±0.7
High School		±1.6	±0.8	±1.0	±1.5	±0.9	±0.8	±1.2	±0.7
Total		±1.2	±0.6	±0.8	±1.1	±0.7	±0.6	±0.9	±0.5

Table 44. Usual source of alcohol within the past 30 days among surveyed Florida high school students who drank, 2013

		Bought in a Store	Bought in a Restaurant, Bar or Club	Bought at a Public Event	Someone Bought it for Me	Someone Gave it to Me	Took it from a Store	Took it from a Family Member	Some Other Way
		%	%	%	%	%	%	%	%
Sex									
	Female	±0.8	±0.3	±0.2	±1.4	±1.8	±0.3	±1.1	±1.3
	Male	±1.1	±0.3	±0.3	±1.5	±1.8	±0.4	±1.0	±1.4
Race/Ethnic group									
	African American	±1.6	±0.0	±0.6	±1.8	±3.1	±0.6	±1.9	±2.5
	Hispanic/Latino	±1.2	±0.7	±0.5	±1.8	±2.5	±0.3	±1.4	±2.1
	White, non-Hispanic	±1.2	±0.0	±0.3	±1.8	±2.1	±0.4	±1.2	±1.5
Age									
	11	--	--	--	--	--	--	--	--
	12	--	--	--	--	--	--	--	--
	13	--	--	--	--	--	--	--	--
	14	±1.1	±0.0	±0.5	±1.7	±3.3	±0.7	±2.9	±2.4
	15	±1.4	±0.0	±0.6	±2.3	±3.3	±0.4	±2.4	±2.7
	16	±1.7	±0.7	±0.0	±2.7	±3.4	±0.8	±2.2	±2.8
	17	±2.2	±0.6	±0.7	±3.2	±3.6	±0.7	±1.4	±2.7
	18	±3.4	±1.2	±0.7	±4.3	±4.9	±0.7	±1.5	±3.8
Grade									
	6th	--	--	--	--	--	--	--	--
	7th	--	--	--	--	--	--	--	--
	8th	--	--	--	--	--	--	--	--
	9th	±1.3	±0.4	±0.5	±2.3	±3.3	±0.7	±2.6	±2.7
	10th	±1.6	±0.5	±0.6	±2.5	±3.4	±0.6	±2.3	±2.7
	11th	±1.9	±0.6	±0.6	±3.1	±3.7	±0.9	±1.9	±2.7
	12th	±2.5	±0.7	±0.4	±3.3	±3.7	±0.4	±1.2	±2.8
Middle School		--	--	--	--	--	--	--	--
High School		±1.0	±0.3	±0.3	±1.4	±1.8	±0.3	±1.1	±1.4
Total		--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 45. Usual drinking location within the past 30 days among surveyed Florida high school students who drank, 2013

		My Home	Another Person's Home	Car or Other Vehicle	Restaurant, Bar or Club	Public Place	Public Event	School Property	Some Other Place
		%	%	%	%	%	%	%	%
Sex									
	Female	±1.7	±1.8	±0.5	±0.6	±0.6	±0.5	±0.3	±1.2
	Male	±1.7	±1.8	±0.5	±0.6	±0.7	±0.6	±0.4	±1.3
Race/Ethnic group									
	African American	±2.9	±2.9	±1.1	±1.2	±1.2	±0.8	±1.0	±2.4
	Hispanic/Latino	±2.3	±2.5	±0.7	±1.1	±1.0	±0.7	±0.5	±1.8
	White, non-Hispanic	±1.9	±2.1	±0.5	±0.5	±0.7	±0.7	±0.2	±1.4
Age									
	11	--	--	--	--	--	--	--	--
	12	--	--	--	--	--	--	--	--
	13	--	--	--	--	--	--	--	--
	14	±3.2	±3.1	±0.8	±1.1	±1.1	±0.8	±0.5	±2.4
	15	±3.2	±3.3	±1.2	±0.9	±1.1	±1.0	±1.0	±2.2
	16	±3.3	±3.4	±1.2	±1.1	±1.1	±1.1	±0.5	±2.4
	17	±3.2	±3.7	±0.8	±1.3	±1.4	±1.2	±0.7	±2.5
	18	±4.2	±5.0	±0.9	±2.0	±2.2	±1.3	±0.8	±3.4
Grade									
	6th	--	--	--	--	--	--	--	--
	7th	--	--	--	--	--	--	--	--
	8th	--	--	--	--	--	--	--	--
	9th	±3.3	±3.2	±1.0	±1.0	±1.1	±0.8	±1.0	±2.4
	10th	±3.3	±3.4	±1.1	±1.0	±1.3	±1.2	±0.6	±2.2
	11th	±3.3	±3.7	±0.9	±1.2	±1.4	±1.2	±0.7	±2.5
	12th	±3.2	±3.8	±1.0	±1.5	±1.3	±1.0	±0.5	±2.5
Middle School		--	--	--	--	--	--	--	--
High School		±1.6	±1.8	±0.5	±0.6	±0.6	±0.5	±0.4	±1.2
Total		--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 46. Number of drinks consumed, per day, on the days students drank in the past 30 days, among

		1	2	3	4	5 or More
		%	%	%	%	%
Sex						
	Female	±1.6	±1.6	±1.4	±1.0	±1.4
	Male	±1.5	±1.5	±1.3	±1.0	±1.7
Race/Ethnic group						
	African American	±3.0	±2.8	±2.3	±1.3	±2.0
	Hispanic/Latino	±2.2	±2.2	±2.0	±1.4	±2.1
	White, non-Hispanic	±1.8	±1.7	±1.6	±1.2	±1.9
Age						
	11	--	--	--	--	--
	12	--	--	--	--	--
	13	--	--	--	--	--
	14	±3.2	±2.9	±2.0	±1.7	±2.5
	15	±3.1	±2.9	±2.5	±1.8	±2.6
	16	±3.0	±3.0	±2.6	±2.0	±3.0
	17	±3.1	±3.0	±2.7	±2.1	±3.4
	18	±4.2	±4.2	±3.9	±2.7	±4.5
Grade						
	6th	--	--	--	--	--
	7th	--	--	--	--	--
	8th	--	--	--	--	--
	9th	±3.2	±2.9	±2.4	±1.8	±2.7
	10th	±3.1	±3.0	±2.4	±2.0	±2.9
	11th	±3.2	±3.2	±2.5	±1.9	±3.3
	12th	±3.1	±3.1	±3.1	±2.2	±3.3
Middle School		--	--	--	--	--
High School		±1.6	±1.5	±1.3	±1.0	±1.5
Total		--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 47. Percentage of surveyed Florida youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, 2012 and 2013

		Riding in a Vehicle Driven by Someone Who Had Been:									
		Drinking Alcohol					Using Marijuana				
					2012 %	2013 %				2012 %	2013 %
Sex											
	Female				±0.6	±1.4				±0.6	±1.5
	Male				±0.6	±1.4				±0.7	±1.5
Race/Ethnic group											
	African American				±1.1	±2.2				±1.2	±2.7
	Hispanic/Latino				±1.1	±2.1				±1.1	±2.1
	White, non-Hispanic				±0.6	±1.7				±0.6	±1.8
Age											
	11				--	--				--	--
	12				--	--				--	--
	13				--	--				--	--
	14				±1.0	±2.5				±0.9	±2.4
	15				±1.1	±2.6				±1.1	±2.7
	16				±1.2	±2.7				±1.3	±3.0
	17				±1.3	±2.9				±1.5	±3.2
	18				±1.9	±4.0				±2.1	±4.7
Grade											
	6th				--	--				--	--
	7th				--	--				--	--
	8th				--	--				--	--
	9th				±1.1	±2.7				±1.1	±2.6
	10th				±1.2	±2.7				±1.2	±3.0
	11th				±1.3	±2.8				±1.4	±3.1
	12th				±1.5	±2.9				±1.6	±3.4
Middle School					--	--				--	--
High School					±0.6	±1.4				±0.7	±1.5
Total					--	--				--	--

Note: Both questions were first included on the survey in 2012.

Table 48. Percentage of surveyed Florida youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana, 2012 and 2013

		Driving a Vehicle After:									
		Drinking Alcohol					Using Marijuana				
					2012 %	2013 %				2012 %	2013 %
Sex											
	Female				±0.4	±0.8				±0.4	±1.0
	Male				±0.4	±0.9				±0.5	±1.2
Race/Ethnic group											
	African American				±0.7	±1.3				±0.9	±1.9
	Hispanic/Latino				±0.7	±1.2				±0.8	±1.6
	White, non-Hispanic				±0.4	±1.1				±0.5	±1.3
Age											
	11				--	--				--	--
	12				--	--				--	--
	13				--	--				--	--
	14				±0.5	±1.2				±0.4	±1.5
	15				±0.6	±1.4				±0.7	±1.7
	16				±0.8	±1.6				±0.9	±2.1
	17				±1.0	±2.0				±1.1	±2.5
	18				±1.5	±3.0				±1.7	±3.8
Grade											
	6th				--	--				--	--
	7th				--	--				--	--
	8th				--	--				--	--
	9th				±0.6	±1.4				±0.7	±1.7
	10th				±0.7	±1.5				±0.8	±2.0
	11th				±0.9	±1.8				±1.1	±2.3
	12th				±1.1	±2.3				±1.3	±2.8
Middle School					--	--				--	--
High School					±0.4	±0.9				±0.5	±1.1
Total					--	--				--	--

Note: Both questions were first included on the survey in 2012.

Table 49. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2013

		Drinking Alcohol	Smoking Marijuana	Using Another Drug
		%	%	%
Sex				
	Female	±0.9	±1.0	±0.6
	Male	±0.9	±1.1	±0.7
Race/Ethnic group				
	African American	±1.6	±1.9	±1.0
	Hispanic/Latino	±1.3	±1.5	±0.9
	White, non-Hispanic	±1.0	±1.3	±0.8
Age				
	11	±0.7	±0.8	±0.6
	12	±0.7	±0.7	±0.7
	13	±1.4	±1.4	±1.0
	14	±1.6	±1.8	±1.2
	15	±1.8	±2.1	±1.4
	16	±2.1	±2.5	±1.4
	17	±2.1	±2.7	±1.5
	18	±2.3	±3.8	±1.9
Grade				
	6th	±0.7	±0.7	±0.6
	7th	±1.1	±1.3	±0.9
	8th	±1.7	±1.7	±1.1
	9th	±1.8	±2.1	±1.4
	10th	±2.0	±2.4	±1.5
	11th	±2.0	±2.5	±1.4
	12th	±1.9	±2.8	±1.4
Middle School		±0.7	±0.7	±0.5
High School		±1.0	±1.2	±0.7
Total		±0.6	±0.8	±0.5

Table 50. Percentage of surveyed Florida youth who reported gang membership—2004 to 2013

		Gang Membership											
		Have you ever belonged to a gang?						Did that gang have name?					
		2004 %	2006 %	2008 %	2010 %	2012 %	2013 %	2004 %	2006 %	2008 %	2010 %	2012 %	2013 %
Sex													
	Female	±0.3	±0.4	±0.3	±0.3	±0.2	±0.6	±0.7	±0.7	±0.7	±0.6	±0.6	±1.4
	Male	±0.5	±0.5	±0.4	±0.4	±0.3	±0.8	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
Race/Ethnic group													
	African American	±0.8	±0.9	±0.8	±0.8	±0.7	±1.6	±1.3	±1.4	±1.2	±1.3	±1.2	±2.8
	Hispanic/Latino	±0.9	±0.9	±0.7	±0.6	±0.5	±1.1	±1.5	±1.5	±1.3	±1.2	±1.1	±2.1
	White, non-Hispanic	±0.3	±0.4	±0.3	±0.2	±0.2	±0.7	±0.7	±0.7	±0.7	±0.6	±0.6	±1.6
Age													
	11	±1.2	±1.1	±1.0	±0.8	±0.6	±1.3	±2.5	±2.4	±2.6	±2.2	±1.6	±3.7
	12	±0.7	±0.7	±0.6	±0.5	±0.4	±1.0	±1.3	±1.4	±1.4	±1.3	±1.1	±2.6
	13	±0.7	±0.8	±0.7	±0.6	±0.5	±1.3	±1.3	±1.3	±1.3	±1.2	±1.2	±2.8
	14	±0.7	±0.8	±0.7	±0.7	±0.6	±1.3	±1.3	±1.4	±1.3	±1.3	±1.2	±2.8
	15	±0.7	±0.8	±0.7	±0.6	±0.6	±1.5	±1.4	±1.4	±1.3	±1.2	±1.1	±2.8
	16	±0.8	±0.9	±0.7	±0.7	±0.6	±1.4	±1.5	±1.5	±1.3	±1.2	±1.2	±3.1
	17	±0.8	±0.9	±0.7	±0.7	±0.7	±1.5	±1.6	±1.6	±1.3	±1.3	±1.2	±2.9
	18	±0.9	±1.2	±0.9	±0.8	±1.0	±1.9	±1.8	±2.0	±1.7	±1.5	±1.7	±3.6
Grade													
	6th	±0.7	±0.7	±0.6	±0.5	±0.4	±1.0	±1.2	±1.3	±1.3	±1.2	±1.1	±2.5
	7th	±0.8	±0.8	±0.7	±0.6	±0.5	±1.3	±1.3	±1.3	±1.3	±1.2	±1.1	±2.9
	8th	±0.8	±0.8	±0.7	±0.6	±0.6	±1.3	±1.3	±1.3	±1.3	±1.2	±1.2	±2.8
	9th	±0.7	±0.9	±0.8	±0.7	±0.5	±1.4	±1.3	±1.5	±1.3	±1.2	±1.1	±2.8
	10th	±0.8	±0.9	±0.7	±0.6	±0.6	±1.4	±1.5	±1.5	±1.3	±1.3	±1.2	±2.9
	11th	±0.8	±0.8	±0.7	±0.7	±0.6	±1.4	±1.6	±1.5	±1.3	±1.3	±1.2	±3.0
	12th	±0.9	±1.0	±0.7	±0.7	±0.7	±1.5	±1.7	±1.8	±1.4	±1.2	±1.3	±2.8
Middle School		±0.4	±0.4	±0.4	±0.3	±0.3	±0.7	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
High School		±0.4	±0.4	±0.4	±0.3	±0.3	±0.7	±0.8	±0.8	±0.7	±0.6	±0.6	±1.4
Total		±0.3	±0.3	±0.3	±0.2	±0.2	±0.5	±0.5	±0.5	±0.5	±0.5	±0.4	±1.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang.

Table 51. Percentage of surveyed Florida youth who reported gang

		Gang Membership		
		Are you a gang member now?		
		2011 %	2012 %	2013 %
Sex				
	Female	±0.4	±0.2	±0.4
	Male	±0.7	±0.2	±0.7
Race/Ethnic group				
	African American	±1.4	±0.5	±1.2
	Hispanic/Latino	±0.9	±0.3	±0.7
	White, non-Hispanic	±0.5	±0.2	±0.6
Age				
	11	--	--	--
	12	--	--	--
	13	--	--	--
	14	±1.0	±0.3	±0.7
	15	±1.0	±0.4	±1.1
	16	±1.2	±0.4	±1.1
	17	±1.2	±0.5	±1.1
	18	±1.7	±0.7	±1.3
Grade				
	6th	--	--	--
	7th	--	--	--
	8th	--	--	--
	9th	±1.1	±0.4	±1.0
	10th	±1.2	±0.4	±1.1
	11th	±1.2	±0.5	±1.0
	12th	±1.3	±0.5	±1.1
Middle School		--	--	--
High School		±0.6	±0.2	±0.5
Total		--	--	--

Table 52. Reasons for joining a gang, among Florida high school students who have belonged to a gang, 2013

		Fun and Excitement	Protection	Friend or Relative in Gang	Forced to Join	To Get Respect	Money	To Fit in Better	Other Reasons
		%	%	%	%	%	%	%	%
Sex									
	Female	±0.8	±0.6	±0.7	±0.3	±0.5	±0.5	±0.3	±0.7
	Male	±1.0	±0.8	±1.0	±0.4	±0.8	±0.9	±0.6	±1.1
Race/Ethnic group									
	African American	±1.7	±1.3	±1.8	±0.4	±1.2	±1.3	±0.8	±1.8
	Hispanic/Latino	±1.3	±1.2	±1.3	±0.8	±1.1	±1.2	±1.0	±1.2
	White, non-Hispanic	±1.0	±0.7	±0.8	±0.3	±0.8	±0.8	±0.6	±1.1
Age									
	11	--	--	--	--	--	--	--	--
	12	--	--	--	--	--	--	--	--
	13	--	--	--	--	--	--	--	--
	14	±1.3	±1.1	±1.0	±0.8	±1.0	±1.0	±0.5	±0.9
	15	±1.8	±1.4	±1.9	±0.8	±1.4	±1.7	±1.0	±1.8
	16	±1.9	±1.6	±1.6	±0.3	±1.4	±1.6	±1.0	±2.1
	17	±1.8	±1.4	±1.8	±0.9	±1.5	±1.4	±1.3	±2.0
	18	±2.2	±2.2	±2.6	±0.6	±2.4	±2.1	±1.6	±2.3
Grade									
	6th	--	--	--	--	--	--	--	--
	7th	--	--	--	--	--	--	--	--
	8th	--	--	--	--	--	--	--	--
	9th	±1.7	±1.4	±1.6	±0.7	±1.4	±1.6	±0.9	±1.7
	10th	±1.7	±1.4	±1.7	±0.6	±1.4	±1.5	±0.9	±2.0
	11th	±2.0	±1.5	±2.0	±0.5	±1.4	±1.6	±1.4	±1.9
	12th	±1.7	±1.6	±1.7	±0.9	±1.7	±1.4	±0.9	±1.8
Middle School		--	--	--	--	--	--	--	--
High School		±0.9	±0.7	±0.9	±0.4	±0.7	±0.8	±0.5	±0.9
Total		--	--	--	--	--	--	--	--

Table 53. Percentage of Florida youth with elevated protective factor scale scores, 2013

	Middle School	High School	Overall
Community Domain			
Community Rewards for Prosocial Involvement	±1.8	±1.7	±1.2
Family Domain			
Family Opportunities for Prosocial Involvement	±1.8	±1.8	±1.2
Family Rewards for Prosocial Involvement	±1.8	±1.8	±1.3
School Domain			
School Opportunities for Prosocial Involvement	±1.8	±1.7	±1.2
School Rewards for Prosocial Involvement	±1.8	±1.7	±1.3
Peer and Individual Domain			
Religiosity	±1.8	±1.7	±1.3
Protective Factor Average	±1.8	±1.7	±1.3

Table 54. Percentage of Florida youth with elevated risk factor scale scores, 2013

	Middle School	High School	Overall
Community Domain			
Community Disorganization	±1.8	±1.8	±1.3
Transitions and Mobility	±1.8	±1.7	±1.2
Laws and Norms Favorable to Drug Use	±1.7	±1.7	±1.2
Perceived Availability of Drugs	±1.8	±1.7	±1.2
Perceived Availability of Handguns	±1.5	±1.7	±1.2
Family Domain			
Poor Family Management	±1.8	±1.7	±1.2
Family Conflict	±1.7	±1.7	±1.2
School Domain			
Poor Academic Performance	±1.8	±1.8	±1.2
Lack of Commitment to School	±1.8	±1.8	±1.3
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	±1.7	±1.7	±1.2
Favorable Attitudes toward ATOD Use	±1.7	±1.7	±1.2
Early Initiation of Drug Use	±1.6	±1.6	±1.1
Risk Factor Average	±1.8	±1.7	±1.2

Table 57. Percentage of Florida middle school students with elevated protective factor scale scores—2004 to 2013

	2004	2006	2008	2010	2012	2013
Community Domain						
Community Rewards for Prosocial Involvement	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8
Family Domain						
Family Opportunities for Prosocial Involvement	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
Family Rewards for Prosocial Involvement	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8
School Domain						
School Opportunities for Prosocial Involvement	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
School Rewards for Prosocial Involvement	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
Peer and Individual Domain						
Religiosity	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8
Protective Factor Average	±0.8	±0.9	±0.7	±0.7	±0.8	±1.8

Table 58. Percentage of Florida high school students with elevated protective factor scale scores—2004 to 2013

	2004	2006	2008	2010	2012	2013
Community Domain						
Community Rewards for Prosocial Involvement	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Family Domain						
Family Opportunities for Prosocial Involvement	±0.8	±0.9	±0.7	±0.7	±0.7	±1.8
Family Rewards for Prosocial Involvement	±0.8	±0.9	±0.7	±0.7	±0.8	±1.8
School Domain						
School Opportunities for Prosocial Involvement	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
School Rewards for Prosocial Involvement	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Peer and Individual Domain						
Religiosity	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Protective Factor Average	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7

Table 59. Percentage of Florida middle school students with elevated risk factor scale scores—2004 to 2013

	2004	2006	2008	2010	2012	2013
Community Domain						
Community Disorganization	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8
Transitions and Mobility	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
Laws and Norms Favorable to Drug Use	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Perceived Availability of Drugs	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8
Perceived Availability of Handguns	±0.7	±0.7	±0.7	±0.6	±0.6	±1.5
Family Domain						
Poor Family Management	±0.8	±0.8	±0.8	±0.7	±0.7	±1.8
Family Conflict	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
School Domain						
Poor Academic Performance	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
Lack of Commitment to School	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
Peer and Individual Domain						
Favorable Attitudes toward Antisocial Behavior	±0.8	±0.8	±0.8	±0.7	±0.7	±1.7
Favorable Attitudes toward ATOD Use	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Early Initiation of Drug Use	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
Risk Factor Average	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7

Table 60. Percentage of Florida high school students with elevated risk factor scale scores—2004 to 2013

	2004	2006	2008	2010	2012	2013
Community Domain						
Community Disorganization	±0.8	±0.8	±0.7	±0.7	±0.8	±1.8
Transitions and Mobility	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Laws and Norms Favorable to Drug Use	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Perceived Availability of Drugs	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Perceived Availability of Handguns	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Family Domain						
Poor Family Management	±0.8	±0.9	±0.7	±0.7	±0.7	±1.7
Family Conflict	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
School Domain						
Poor Academic Performance	±0.8	±0.8	±0.7	±0.7	±0.7	±1.8
Lack of Commitment to School	±0.8	±0.9	±0.7	±0.7	±0.8	±1.8
Peer and Individual Domain						
Favorable Attitudes toward Antisocial Behavior	±0.8	±0.9	±0.7	±0.7	±0.7	±1.7
Favorable Attitudes toward ATOD Use	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7
Early Initiation of Drug Use	±0.8	±0.8	±0.7	±0.7	±0.7	±1.6
Risk Factor Average	±0.8	±0.8	±0.7	±0.7	±0.7	±1.7