

2020 Florida Youth Substance Abuse Survey

Baker County Data Tables

Table 1. Major demographic characteristics of surveyed Baker County and Florida Statewide youth, 2020

	Baker County			Florida Statewide	
	N	%		N	%
Sex					
Female	233	52.6		25,191	48.4
Male	209	47.2		26,328	50.5
Race/Ethnic group					
African American	40	9.0		11,284	21.7
American Indian	9	2.0		491	0.9
Asian	4	0.9		671	1.3
Hispanic/Latino	11	2.5		11,091	21.3
Native Hawaiian/Pacific Islander	1	0.2		68	0.1
Other/Multiple	66	14.9		7,227	13.9
White, non-Hispanic	312	70.4		20,904	40.1
Age					
10	0	0.0		44	0.1
11	1	0.2		3,151	6.0
12	7	1.6		7,124	13.7
13	8	1.8		7,698	14.8
14	66	14.9		7,616	14.6
15	111	25.1		7,582	14.6
16	106	23.9		7,502	14.4
17	89	20.1		7,073	13.6
18	49	11.1		3,807	7.3
19 or older	6	1.4		394	0.8
Grade					
6th	7	1.6		7,718	14.8
7th	3	0.7		7,555	14.5
8th	18	4.1		7,632	14.6
9th	135	30.5		7,668	14.7
10th	119	26.9		7,481	14.4
11th	96	21.7		7,117	13.7
12th	65	14.7		6,923	13.3
Overall Middle School	28	6.3		22,904	44.0
Overall High School	415	93.7		29,189	56.0
Total	443	100.0		52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Baker County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	--	52.2	57.6	46.1	--	52.5	--	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	22.8	25.5	19.9	--	20.3	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	--	20.5	20.1	20.4	--	19.8	--	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	--	49.4	58.7	38.7	--	49.5	--	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	--	30.1	33.5	25.9	--	29.9	--	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	--	37.0	40.0	33.0	--	36.3	--	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	3.5	4.4	2.7	--	3.4	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	--	6.0	7.4	4.3	--	6.8	--	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	--	2.7	2.5	2.9	--	2.7	--	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	--	3.7	3.0	4.4	--	4.2	--	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	--	0.5	0.3	0.8	--	0.6	--	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	--	2.3	1.8	2.9	--	3.0	--	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	--	0.8	0.1	1.4	--	0.9	--	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	--	6.3	6.6	5.9	--	6.5	--	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	--	5.4	4.7	6.1	--	5.5	--	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	--	3.8	4.2	3.2	--	4.5	--	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	--	4.4	3.5	5.3	--	4.8	--	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.7	0.0	1.5	--	0.9	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	--	43.7	47.8	38.2	--	42.7	--	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	--	18.0	19.7	15.7	--	17.7	--	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	--	15.6	16.1	15.5	--	16.3	--	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	--	58.7	63.5	53.0	--	58.9	--	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	--	7.2	6.8	7.4	--	7.1	--	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Baker County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	--	28.6	33.3	23.1	--	27.6	--	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	--	15.4	12.6	18.0	--	13.3	--	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	--	4.5	3.4	5.7	--	4.5	--	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	--	28.1	31.2	24.2	--	25.6	--	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	--	16.2	14.5	17.7	--	15.9	--	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	--	21.9	22.4	21.0	--	20.7	--	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.9	0.7	1.1	--	1.2	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	--	2.1	1.5	2.8	--	2.8	--	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	--	0.8	0.4	1.2	--	1.1	--	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	--	0.9	0.6	1.2	--	1.2	--	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	--	0.1	0.0	0.2	--	0.0	--	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	--	0.8	0.0	1.6	--	1.0	--	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	--	0.1	0.0	0.2	--	0.0	--	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	--	2.4	1.6	3.2	--	2.6	--	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	--	2.1	1.0	3.2	--	2.6	--	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	--	1.8	1.2	2.3	--	2.4	--	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	--	2.2	0.5	4.0	--	2.7	--	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	--	28.6	29.1	27.5	--	27.7	--	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	--	7.7	5.5	9.9	--	9.2	--	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	--	10.9	14.2	7.2	--	11.2	--	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	--	39.1	43.0	34.2	--	38.8	--	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	--	10.4	9.7	10.9	--	11.6	--	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Baker County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	32.0	67.6	52.0	29.0	49.6	39.9	33.7	54.0	44.5	31.9	48.9	41.4	33.0	53.5	44.2	--	52.2	--
Blacking Out	--	--	--	--	--	--	--	23.2	--	--	19.0	--	--	20.9	--	--	22.8	--
Cigarettes	24.9	42.4	34.7	19.7	36.0	28.4	19.6	27.4	23.7	20.5	27.0	24.1	16.4	28.5	22.9	--	20.5	--
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	49.4	--
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	30.1	--
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	23.1	35.3	29.8	27.2	46.7	37.7	--	--	--
Marijuana or Hashish	9.9	32.7	22.6	8.5	28.3	19.0	8.1	26.7	18.1	13.9	28.2	21.8	12.6	32.3	23.3	--	37.0	--
Synthetic Marijuana	--	--	--	--	13.6	--	--	8.0	--	--	2.8	--	--	2.0	--	--	3.5	--
Inhalants	9.6	8.2	8.8	8.8	6.7	7.7	8.9	5.5	7.1	8.6	3.7	5.9	10.1	3.8	6.7	--	6.0	--
Club Drugs	1.1	3.0	2.1	1.0	3.4	2.3	1.2	4.5	3.0	1.9	1.9	1.9	0.5	2.6	1.6	--	2.7	--
LSD, PCP or Mushrooms	1.8	4.0	3.1	1.3	4.2	2.9	1.4	5.5	3.6	2.5	3.4	3.0	0.2	3.5	2.0	--	3.7	--
Methamphetamine	1.7	1.4	1.5	0.8	0.9	0.9	0.6	2.5	1.6	1.4	1.3	1.3	0.2	1.4	0.8	--	0.5	--
Cocaine or Crack	1.3	4.0	2.8	0.9	3.0	2.0	1.9	3.4	2.7	2.1	3.6	3.0	1.1	3.3	2.3	--	2.3	--
Heroin	0.7	1.7	1.3	0.5	1.0	0.7	0.0	2.5	1.3	0.9	0.6	0.7	0.0	0.9	0.5	--	0.8	--
Prescription Depressants	3.0	9.7	6.8	2.0	7.7	5.0	3.0	4.9	4.0	2.6	4.3	3.6	3.6	5.3	4.5	--	6.3	--
Prescription Pain Relievers	3.8	13.4	9.2	3.4	11.1	7.5	3.6	5.7	4.7	3.5	4.9	4.3	2.6	5.2	4.0	--	5.4	--
Prescription Amphetamines	1.1	5.0	3.3	2.3	5.5	4.0	1.9	3.7	2.8	2.1	4.1	3.2	0.9	3.8	2.5	--	3.8	--
Over-the-Counter Drugs	3.0	8.2	5.9	4.3	8.3	6.5	3.2	3.7	3.5	3.2	6.8	5.2	4.0	3.6	3.8	--	4.4	--
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.1	--	--	1.1	--	--	0.7	--
Any illicit drug	18.2	39.9	30.4	20.8	36.6	29.2	18.1	32.9	26.0	21.9	34.0	28.6	23.3	35.7	30.0	--	43.7	--
Any illicit drug other than marijuana	12.1	24.2	18.9	15.7	19.9	17.9	14.0	15.2	14.7	13.6	14.8	14.3	15.1	14.3	14.7	--	18.0	--
Alcohol only	19.6	30.3	25.6	15.1	17.8	16.5	20.7	23.6	22.3	16.3	20.2	18.5	17.3	23.8	20.9	--	15.6	--
Alcohol or any illicit drug	37.6	70.4	56.0	35.9	54.6	45.8	38.7	56.2	48.0	37.7	53.9	46.6	40.1	59.6	50.7	--	58.7	--
Any illicit drug, but no alcohol	5.7	3.0	4.2	7.2	5.3	6.2	5.5	2.6	3.9	6.0	5.5	5.7	8.0	6.1	7.0	--	7.2	--

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Baker County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	20.7	42.1	32.7	15.4	25.8	20.9	14.9	29.2	22.5	17.0	24.4	21.2	14.7	29.6	22.8	--	28.6	--
Binge Drinking	11.1	25.7	19.3	7.1	13.5	10.5	7.5	16.8	12.4	7.7	16.3	12.5	6.6	15.4	11.4	--	15.4	--
Cigarettes	10.2	21.5	16.6	5.4	12.8	9.3	5.2	12.9	9.3	4.3	6.9	5.7	3.8	7.7	5.9	--	4.5	--
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	28.1	--
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16.2	--
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	8.2	11.5	10.0	16.5	27.9	22.6	--	--	--
Marijuana or Hashish	5.9	18.3	12.8	5.0	11.0	8.2	4.6	13.0	9.1	5.7	15.8	11.3	8.7	20.1	14.9	--	21.9	--
Synthetic Marijuana	--	--	--	--	3.6	--	--	1.9	--	--	1.1	--	--	1.2	--	--	0.9	--
Inhalants	5.0	1.1	2.8	5.0	1.1	2.9	3.3	2.6	2.9	3.9	2.2	3.0	3.3	1.5	2.3	--	2.1	--
Club Drugs	0.8	0.6	0.7	0.1	1.4	0.8	0.5	1.4	1.0	1.0	1.0	1.0	0.1	1.0	0.6	--	0.8	--
LSD, PCP or Mushrooms	0.9	1.0	1.0	0.9	2.0	1.5	0.7	2.7	1.8	1.1	1.5	1.3	0.1	2.2	1.2	--	0.9	--
Methamphetamine	0.6	0.5	0.5	0.4	0.4	0.4	0.2	1.8	1.1	1.4	1.3	1.4	0.1	1.5	0.9	--	0.1	--
Cocaine or Crack	0.8	0.2	0.5	0.2	0.6	0.4	0.4	1.4	0.9	1.5	2.2	1.9	0.1	1.7	1.0	--	0.8	--
Heroin	0.0	0.6	0.3	0.1	0.4	0.3	0.0	0.4	0.2	1.0	0.0	0.4	0.0	0.4	0.2	--	0.1	--
Prescription Depressants	1.4	3.8	2.8	0.3	3.2	1.8	1.0	2.4	1.8	1.7	2.0	1.9	1.1	2.2	1.7	--	2.4	--
Prescription Pain Relievers	1.1	4.5	3.0	1.4	2.8	2.1	0.9	1.6	1.3	1.6	2.1	1.9	0.7	3.3	2.1	--	2.1	--
Prescription Amphetamines	0.2	1.2	0.8	0.7	1.4	1.1	1.0	1.3	1.2	1.5	1.3	1.4	0.6	1.2	0.9	--	1.8	--
Over-the-Counter Drugs	1.2	2.8	2.1	1.8	3.4	2.6	1.8	1.9	1.9	1.3	3.6	2.6	2.2	1.3	1.7	--	2.2	--
Any illicit drug	10.6	21.4	16.7	10.4	15.3	13.0	10.3	16.6	13.7	11.2	20.7	16.4	13.3	22.2	18.1	--	28.6	--
Any illicit drug other than marijuana	7.4	10.6	9.2	7.6	7.5	7.5	6.3	7.3	6.8	7.8	8.6	8.3	6.5	8.1	7.4	--	7.7	--
Alcohol only	14.5	26.1	21.0	8.4	15.1	12.0	10.7	17.7	14.5	9.6	13.3	11.6	5.7	16.9	11.8	--	10.9	--
Alcohol or any illicit drug	24.9	47.7	37.7	18.7	30.5	25.0	20.3	33.7	27.4	20.3	32.7	27.1	18.7	38.9	29.6	--	39.1	--
Any illicit drug, but no alcohol	4.5	5.9	5.2	3.6	4.8	4.3	6.1	4.8	5.4	3.3	8.2	6.0	3.9	9.5	7.0	--	10.4	--

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Baker County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	21.9	18.0	26.0	--	22.3	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	4.6	3.8	5.5	--	4.0	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	11.8	8.0	15.8	--	11.5	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	10.5	8.5	12.6	--	10.6	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	--	37.3	39.8	35.3	--	37.2	--	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	--	46.0	52.0	40.2	--	47.0	--	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	--	68.7	71.3	66.2	--	68.8	--	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	--	40.7	43.2	38.8	--	41.4	--	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	--	36.3	39.1	33.9	--	36.4	--	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	--	23.7	24.5	23.8	--	23.1	--	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	--	17.3	16.2	19.3	--	15.9	--	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	--	70.4	71.8	69.2	--	71.0	--	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	--	85.5	86.6	84.9	--	87.6	--	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	--	58.7	60.4	58.0	--	59.0	--	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	--	58.3	57.1	60.7	--	58.8	--	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	--	67.4	66.0	69.5	--	69.1	--	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	--	64.4	63.7	66.3	--	66.4	--	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	--	93.4	95.7	91.1	--	93.1	--	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	--	73.3	75.7	71.2	--	72.5	--	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	--	79.2	80.8	77.8	--	78.9	--	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	--	56.8	54.6	60.2	--	58.0	--	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	--	60.1	59.9	61.3	--	61.2	--	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	--	61.3	62.0	61.4	--	62.2	--	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	--	90.7	92.4	89.1	--	89.4	--	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Baker County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	29.4	--	--	23.2	--	--	24.8	--	--	19.7	--	--	18.5	--	--	21.9	--
Drink monthly	--	4.5	--	--	4.8	--	--	6.8	--	--	4.5	--	--	4.1	--	--	4.6	--
Smoke cigarettes	--	26.2	--	--	19.4	--	--	15.4	--	--	12.0	--	--	14.6	--	--	11.8	--
Smoke marijuana	--	12.7	--	--	10.9	--	--	9.4	--	--	9.4	--	--	10.3	--	--	10.5	--
Great risk of harm																		
Daily alcohol use	52.7	35.6	43.1	42.3	45.6	44.0	37.2	36.2	36.7	43.2	29.5	35.6	45.4	32.3	38.4	--	37.3	--
5+ drinks daily	--	--	--	--	--	--	50.1	45.6	47.7	58.5	47.8	52.6	58.0	40.3	48.5	--	46.0	--
Daily cigarette use	68.2	63.6	65.6	60.8	66.7	64.0	62.7	66.9	64.9	69.6	62.6	65.8	66.1	59.5	62.6	--	68.7	--
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	40.7	--
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	36.3	--
Marijuana weekly*	--	--	--	--	--	--	51.8	36.0	43.5	51.0	27.1	37.9	43.6	20.7	31.3	--	23.7	--
Try marijuana	55.6	28.0	40.1	42.2	30.3	35.9	35.9	25.8	30.5	35.4	21.8	27.9	34.9	18.2	25.8	--	17.3	--
Prescription drugs	--	--	--	--	70.4	70.4	73.0	74.0	73.6	73.1	65.8	69.1	66.4	66.8	66.6	--	70.4	--
Think it wrong																--	--	--
Smoke cigarettes	86.3	70.2	77.3	91.0	79.4	84.8	92.9	79.1	85.6	93.2	82.9	87.5	93.0	79.2	85.6	--	85.5	--
Drink regularly	78.8	54.3	65.0	80.7	67.3	73.5	84.3	62.8	72.9	78.6	66.2	71.7	80.7	57.0	68.0	--	58.7	--
Smoke marijuana	89.5	71.4	79.3	91.4	77.1	83.8	91.3	71.3	80.8	86.0	70.8	77.6	84.3	57.1	69.8	--	58.3	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	67.4	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	64.4	--
Other illicit drugs	97.2	93.2	94.9	96.4	93.9	95.1	98.7	93.9	96.2	97.7	94.4	95.8	99.5	91.0	95.0	--	93.4	--
Friends think it wrong																--	--	--
Daily alcohol use	--	--	--	--	--	--	85.0	66.9	75.4	82.8	74.7	78.3	86.5	73.1	79.2	--	73.3	--
Smoke tobacco	--	--	--	--	--	--	88.1	72.9	80.0	90.3	82.9	86.2	90.4	77.9	83.6	--	79.2	--
Smoke marijuana	--	--	--	--	--	--	90.0	69.0	78.9	85.9	66.8	75.3	82.7	59.3	70.1	--	56.8	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	60.1	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	61.3	--
Prescription drugs	--	--	--	--	--	--	97.3	91.9	94.5	95.4	93.0	94.1	94.9	91.5	93.1	--	90.7	--

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Baker County and Florida Statewide youth, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	11.1	13.0	9.2	--	11.6	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	1.0	0.0	2.1	--	1.4	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	23.3	18.6	28.0	--	19.5	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	32.9	46.1	19.6	--	32.8	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	2.1	0.0	4.2	--	2.9	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	11.3	12.2	10.3	--	9.9	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	18.2	10.0	26.6	--	21.9	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Baker County and Florida Statewide youth, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	31.6	31.6	31.6	--	38.8	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	36.4	46.7	23.1	--	32.6	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	7.4	1.9	14.5	--	10.3	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	5.4	7.4	2.8	--	1.3	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.3	0.5	0.0	--	0.4	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	3.2	0.0	7.3	--	4.5	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	15.7	11.9	20.7	--	12.1	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Baker County and Florida Statewide youth, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	23.3	24.0	22.2	--	26.6	--	--	31.9	34.7	28.6	--	32.9	--
2	--	19.9	23.2	15.1	--	22.1	--	--	21.8	24.0	19.2	--	21.1	--
3	--	12.4	13.5	10.7	--	14.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	7.4	8.2	6.4	--	6.9	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	37.1	31.2	45.5	--	30.3	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Baker County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	--	13.5	12.2	14.9	--	13.2	--	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	--	18.5	17.8	18.9	--	18.8	--	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	--	4.9	3.7	6.1	--	5.2	--	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Baker County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	--	13.3	8.2	19.1	--	12.3	--	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	--	6.2	2.7	10.0	--	6.3	--	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	--	2.2	2.0	2.4	--	2.0	--	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	--	4.0	2.6	5.6	--	4.3	--	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	--	0.9	1.1	0.5	--	0.9	--	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	--	19.5	15.7	23.6	--	20.2	--	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	--	6.5	4.3	9.1	--	6.5	--	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Baker County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	8.7	7.8	8.2	10.5	4.2	7.2	10.1	10.0	10.0	11.6	9.1	10.2	13.2	11.1	12.1	--	13.3	--
Selling drugs	3.7	8.8	6.6	2.7	7.7	5.3	1.7	6.0	4.0	2.8	6.6	4.9	2.0	9.0	5.7	--	6.2	--
Attempting to steal a vehicle	2.2	1.2	1.7	1.5	0.6	1.0	1.1	2.9	2.1	2.7	0.6	1.6	0.7	2.3	1.6	--	2.2	--
Being arrested	3.6	6.3	5.1	2.5	2.9	2.7	2.1	3.8	3.0	4.8	2.2	3.4	1.2	3.6	2.5	--	4.0	--
Taking a handgun to school	1.9	1.2	1.5	1.1	0.6	0.8	0.3	2.4	1.4	0.9	0.5	0.7	0.2	1.6	0.9	--	0.9	--
Getting suspended	11.0	12.6	11.9	8.7	8.0	8.4	6.8	10.6	8.8	15.3	9.9	12.3	15.9	8.1	11.8	--	19.5	--
Attacking someone with intent to harm	11.1	12.7	12.0	7.3	8.9	8.1	4.8	9.3	7.2	9.7	6.1	7.7	7.0	7.0	7.0	--	6.5	--

Table 14. Percentages of Baker County and Florida Statewide youth who reported symptoms of depression, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	--	29.7	38.5	20.6	--	29.5	--	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	--	44.0	54.9	32.5	--	43.9	--	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	--	28.0	34.8	20.7	--	26.3	--	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	--	47.4	62.6	31.0	--	47.0	--	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Baker County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	--	11.8	18.8	4.2	--	11.7	--	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	--	31.9	37.7	25.4	--	32.3	--	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	--	50.5	60.4	39.9	--	52.9	--	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	--	33.6	45.4	21.0	--	33.5	--	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	--	16.1	13.4	19.3	--	16.8	--	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	--	28.0	27.2	28.9	--	29.8	--	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	--	16.5	20.8	11.8	--	16.9	--	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Baker County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	15.9	18.4	13.2	--	16.1	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	10.1	9.1	11.3	--	9.7	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	7.4	8.9	5.8	--	6.4	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	45.2	46.8	43.4	--	46.1	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	10.4	10.5	10.3	--	8.3	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	33.9	37.5	29.8	--	34.4	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	34.5	45.0	23.0	--	34.6	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	35.4	38.0	32.6	--	35.9	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	30.1	33.5	26.4	--	30.3	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	11.4	13.3	9.4	--	11.0	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Baker County and Florida Statewide high school youth, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	30.8	24.2	38.0	--	31.2	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	16.8	18.8	14.7	--	17.7	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	13.9	13.7	14.1	--	13.8	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	13.1	12.3	14.1	--	10.9	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.1	8.0	6.1	--	7.2	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	5.3	6.5	3.9	--	5.4	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	5.3	8.9	1.3	--	6.3	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	3.7	4.0	3.3	--	4.1	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.8	2.4	1.2	--	2.5	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.9	1.1	0.8	--	0.4	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	1.2	0.0	2.5	--	0.6	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Baker County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	--	29.2	26.7	31.8	--	27.8	--	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	--	22.7	24.6	20.9	--	22.3	--	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	--	34.4	35.8	32.8	--	30.9	--	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	--	26.1	20.6	32.2	--	26.0	--	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	--	34.2	33.4	34.6	--	34.8	--	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	--	41.0	46.4	34.9	--	41.4	--	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol "--" indicates that data are not available.

Table 19. Percentages of Baker County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Baker County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	--	45.2	43.8	46.0	--	45.0	--	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	--	26.2	27.3	25.3	--	26.7	--	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	--	9.6	7.6	12.2	--	9.4	--	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	--	45.6	54.7	36.1	--	44.8	--	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	--	12.1	17.3	6.6	--	12.6	--	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Baker County and Florida Statewide youth, 2020

	Baker County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	26.7	31.3	22.0	--	26.4	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	30.9	36.2	25.4	--	30.4	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	10.7	11.6	9.8	--	9.6	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	16.7	18.1	15.3	--	14.6	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Baker County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	22.8	--	--	20.5	--	--	25.1	--	--	19.9	--	--	26.7	--
Marijuana	--	--	--	--	19.0	--	--	25.0	--	--	23.4	--	--	27.7	--	--	30.9	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	6.1	--	--	12.0	--	--	8.4	--	--	10.1	--	--	10.7	--
Marijuana	--	--	--	--	7.3	--	--	10.3	--	--	10.3	--	--	15.8	--	--	16.7	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Baker County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Baker County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	--	55	--	57	--	54
	Family Rewards for Prosocial Involvement	--	49	--	53	--	55
School	School Opportunities for Prosocial Involvement	--	66	--	60	--	60
	School Rewards for Prosocial Involvement	--	61	--	54	--	58
Peer and Individual	Religiosity	--	66	--	52	--	62
Average Prevalence Rate		--	59	--	55	--	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Baker County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Baker County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	--	40	--	32	--	42
	Perceived Availability of Drugs	--	26	--	20	--	45
	Perceived Availability of Handguns	--	51	--	31	--	42
Family	Poor Family Management	--	38	--	35	--	45
	Family Conflict	--	38	--	34	--	37
School	Poor Academic Performance	--	46	--	46	--	48
	Lack of Commitment to School	--	60	--	63	--	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	--	37	--	38	--	46
	Favorable Attitudes toward ATOD Use	--	44	--	32	--	45
	Early Initiation of Drug Use	--	25	--	17	--	46
Average Prevalence Rate		--	40	--	35	--	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Baker County, 2010 to 2020

Domain	Scale	Baker County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	57	58	57	59	48	--
	Family Rewards for Prosocial Involvement	47	49	53	50	45	--
School	School Opportunities for Prosocial Involvement	51	53	44	52	55	--
	School Rewards for Prosocial Involvement	54	61	57	50	47	--
Peer and Individual	Religiosity	62	63	57	56	62	--
Average Prevalence Rate		54	57	54	53	51	--

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Baker County, 2010 to 2020

Domain	Scale	Baker County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	49	45	46	49	55	--
	Perceived Availability of Drugs	45	47	43	51	43	--
	Perceived Availability of Handguns	34	43	39	46	45	--
Family	Poor Family Management	52	44	47	41	52	--
	Family Conflict	34	38	36	38	47	--
School	Poor Academic Performance	44	43	49	47	41	--
	Lack of Commitment to School	58	59	59	57	64	--
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	43	47	43	43	41	--
	Favorable Attitudes toward ATOD Use	38	40	40	44	45	--
	Early Initiation of Drug Use	41	36	35	35	34	--
Average Prevalence Rate		44	44	44	45	47	--

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Baker County, 2010 to 2020

Domain	Scale	Baker County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	53	61	61	61	58	55
	Family Rewards for Prosocial Involvement	48	54	56	57	52	49
School	School Opportunities for Prosocial Involvement	53	61	63	57	52	66
	School Rewards for Prosocial Involvement	64	64	63	59	56	61
Peer and Individual	Religiosity	71	68	74	67	68	66
Average Prevalence Rate		58	62	63	60	57	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Baker County, 2010 to 2020

Domain	Scale	Baker County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	41	33	40	34	38	40
	Perceived Availability of Drugs	41	31	34	26	29	26
	Perceived Availability of Handguns	53	48	51	50	47	51
Family	Poor Family Management	45	39	44	40	37	38
	Family Conflict	33	28	30	24	30	38
School	Poor Academic Performance	46	46	42	41	39	46
	Lack of Commitment to School	57	48	60	61	60	60
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	29	40	29	38	37
	Favorable Attitudes toward ATOD Use	41	32	39	37	43	44
	Early Initiation of Drug Use	36	32	28	24	26	25
Average Prevalence Rate		43	37	41	37	39	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.