

# **2020 Florida Youth Substance Abuse Survey**

**Gilchrist County Data Tables**



**Table 1. Major demographic characteristics of surveyed Gilchrist County and Florida Statewide youth, 2020**

	Gilchrist County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	184	53.3		25,191	48.4
Male	159	46.1		26,328	50.5
<b>Race/Ethnic group</b>					
African American	20	5.8		11,284	21.7
American Indian	9	2.6		491	0.9
Asian	1	0.3		671	1.3
Hispanic/Latino	26	7.5		11,091	21.3
Native Hawaiian/Pacific Islander	1	0.3		68	0.1
Other/Multiple	67	19.4		7,227	13.9
White, non-Hispanic	216	62.6		20,904	40.1
<b>Age</b>					
10	1	0.3		44	0.1
11	15	4.3		3,151	6.0
12	37	10.7		7,124	13.7
13	63	18.3		7,698	14.8
14	69	20.0		7,616	14.6
15	60	17.4		7,582	14.6
16	46	13.3		7,502	14.4
17	40	11.6		7,073	13.6
18	13	3.8		3,807	7.3
19 or older	1	0.3		394	0.8
<b>Grade</b>					
6th	55	15.9		7,718	14.8
7th	60	17.4		7,555	14.5
8th	55	15.9		7,632	14.6
9th	56	16.2		7,668	14.7
10th	52	15.1		7,481	14.4
11th	47	13.6		7,117	13.7
12th	20	5.8		6,923	13.3
Overall Middle School	170	49.3		22,904	44.0
Overall High School	175	50.7		29,189	56.0
<b>Total</b>	<b>345</b>	<b>100.0</b>		<b>52,093</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Gilchrist County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	37.7	51.1	49.1	38.8	35.9	52.0	44.3	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	25.0	17.6	34.7	--	24.7	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	14.5	23.2	17.5	20.6	11.9	22.5	18.9	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	22.2	36.7	31.3	27.0	20.4	37.5	29.3	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	9.1	25.3	19.0	14.1	7.8	27.1	16.7	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	8.7	37.3	21.1	24.9	6.8	38.7	22.8	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	6.5	8.5	3.9	--	8.1	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	13.1	9.5	9.3	13.8	12.6	11.0	11.5	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.2	3.7	2.5	2.1	1.2	4.3	2.3	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.7	5.5	2.2	6.0	2.6	6.5	3.9	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	1.2	1.2	0.0	2.6	1.2	1.4	1.2	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	2.2	4.5	2.8	3.7	2.1	5.3	3.2	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.5	0.0	0.2	0.3	0.5	0.0	0.3	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	5.9	4.7	4.5	6.5	4.2	8.0	5.4	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	5.7	1.7	4.9	2.9	5.4	2.0	4.0	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	4.9	9.5	7.4	6.2	4.0	12.5	6.8	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	6.6	6.3	9.0	3.5	5.7	8.6	6.5	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	2.3	4.0	0.0	--	3.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	27.4	40.9	35.2	32.4	24.9	42.8	34.0	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	22.3	20.5	19.2	23.9	20.1	25.7	21.5	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	17.7	16.7	18.0	16.4	17.8	17.2	17.2	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	44.1	56.9	52.9	47.6	41.9	59.1	50.5	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	6.5	6.3	4.0	8.9	6.3	7.4	6.4	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Gilchrist County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	17.4	27.5	23.1	21.6	14.6	28.1	22.4	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	6.6	16.4	13.3	9.2	5.5	13.3	11.4	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	3.3	7.4	3.0	8.1	1.8	5.3	5.4	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	11.9	24.0	16.6	19.3	9.5	23.6	17.8	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	4.5	11.6	8.9	6.6	4.0	10.4	7.8	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	3.1	20.4	8.8	14.7	3.7	15.8	11.5	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.8	1.4	0.0	--	1.0	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.4	4.0	4.3	2.9	3.3	4.6	3.7	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.0	0.9	0.0	0.9	0.0	1.1	0.4	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.3	0.0	0.0	0.3	0.3	0.0	0.2	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.8	0.0	0.8	0.0	1.0	0.4	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.2	0.7	0.2	0.7	0.2	0.8	0.4	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.2	0.0	0.2	0.0	0.2	0.0	0.1	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.5	2.5	2.3	1.6	1.5	3.0	2.0	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.6	0.0	1.6	0.0	1.5	0.0	0.9	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.2	3.7	0.8	2.8	0.2	4.4	1.7	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	2.2	4.2	4.0	1.8	2.1	5.0	3.0	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	9.2	24.5	14.3	19.6	9.0	21.5	16.7	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	6.1	9.2	6.1	9.3	5.9	10.6	7.5	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	12.3	11.1	13.7	9.4	9.9	15.7	11.7	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	21.0	34.4	27.2	28.2	18.4	35.7	27.6	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	3.7	6.9	4.2	6.7	3.9	7.8	5.3	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Gilchrist County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.6	67.0	54.5	39.6	69.6	56.2	34.8	65.2	51.6	24.2	51.5	40.1	34.6	49.9	43.4	37.7	51.1	44.3
Blacking Out	--	--	--	--	--	--	--	26.6	--	--	21.8	--	--	16.4	--	--	25.0	--
Cigarettes	21.8	46.5	35.1	22.7	49.2	37.3	16.9	35.1	27.0	9.8	25.7	19.0	16.8	20.9	19.2	14.5	23.2	18.9
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	22.2	36.7	29.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.1	25.3	16.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	13.0	39.0	28.0	26.8	38.8	33.8	--	--	--
Marijuana or Hashish	12.6	37.2	26.0	10.5	37.2	25.4	10.3	31.8	22.3	5.6	25.5	17.0	9.8	30.8	21.8	8.7	37.3	22.8
Synthetic Marijuana	--	--	--	--	23.2	--	--	16.4	--	--	8.4	--	--	4.0	--	--	6.5	--
Inhalants	13.8	12.4	13.1	8.2	9.2	8.8	7.3	8.9	8.2	7.8	3.7	5.5	9.7	3.2	6.0	13.1	9.5	11.5
Club Drugs	0.0	3.3	1.8	1.2	5.9	3.8	0.8	3.5	2.3	0.0	2.6	1.5	0.8	1.2	1.0	1.2	3.7	2.3
LSD, PCP or Mushrooms	3.8	3.1	3.4	1.6	7.0	4.6	1.2	4.9	3.3	0.9	3.5	2.4	1.5	4.6	3.3	2.7	5.5	3.9
Methamphetamine	0.5	1.1	0.8	0.0	2.2	1.2	1.6	4.0	3.0	0.0	0.8	0.4	0.8	0.0	0.3	1.2	1.2	1.2
Cocaine or Crack	1.3	3.1	2.3	1.2	5.5	3.6	1.9	2.9	2.4	0.9	4.6	3.0	1.0	4.8	3.2	2.2	4.5	3.2
Heroin	1.0	1.1	1.1	0.7	1.3	1.0	1.4	1.3	1.3	0.4	0.8	0.6	0.0	0.6	0.3	0.5	0.0	0.3
Prescription Depressants	3.1	6.2	4.8	2.8	7.3	5.3	0.7	6.7	4.0	0.9	7.1	4.4	6.5	2.5	4.2	5.9	4.7	5.4
Prescription Pain Relievers	6.9	10.2	8.7	6.7	15.0	11.4	2.7	6.7	5.0	4.5	8.6	6.9	5.9	6.6	6.3	5.7	1.7	4.0
Prescription Amphetamines	2.2	4.8	3.6	2.2	7.2	5.0	1.5	3.0	2.3	2.5	3.4	3.0	1.6	0.7	1.1	4.9	9.5	6.8
Over-the-Counter Drugs	5.3	10.8	8.3	2.6	7.4	5.2	3.6	6.1	5.0	2.1	3.1	2.7	2.4	4.8	3.8	6.6	6.3	6.5
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.6	--	--	1.3	--	--	2.3	--
Any illicit drug	25.2	41.8	34.2	21.7	46.0	35.1	15.6	40.0	29.1	14.6	32.5	24.8	22.9	36.2	30.5	27.4	40.9	34.0
Any illicit drug other than marijuana	21.7	24.1	23.0	16.8	27.8	22.9	12.3	22.3	17.9	11.8	17.2	14.9	17.6	16.1	16.7	22.3	20.5	21.5
Alcohol only	20.2	27.7	24.3	21.6	26.9	24.6	22.4	30.4	26.8	15.0	26.2	21.5	18.7	20.5	19.7	17.7	16.7	17.2
Alcohol or any illicit drug	44.9	68.9	57.9	43.1	72.9	59.6	37.8	69.9	55.6	29.0	57.7	45.6	41.7	56.9	50.4	44.1	56.9	50.5
Any illicit drug, but no alcohol	5.6	1.9	3.6	3.5	3.3	3.4	2.8	5.3	4.2	5.0	6.4	5.8	7.6	7.0	7.2	6.5	6.3	6.4

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Gilchrist County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.8	41.5	31.6	15.5	41.6	30.0	14.8	33.5	25.2	7.4	31.8	21.5	12.2	23.7	18.8	17.4	27.5	22.4
Binge Drinking	5.6	21.8	14.4	6.0	23.1	15.5	7.7	18.8	13.9	2.4	15.1	9.8	6.8	14.5	11.2	6.6	16.4	11.4
Cigarettes	9.0	15.3	12.4	6.4	20.4	14.1	3.5	16.3	10.6	1.5	8.2	5.4	5.6	5.7	5.6	3.3	7.4	5.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11.9	24.0	17.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.5	11.6	7.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.7	18.7	13.6	12.8	21.9	18.1	--	--	--
Marijuana or Hashish	6.7	17.6	12.6	6.2	19.9	13.9	4.1	13.7	9.5	1.2	11.3	7.1	4.2	16.6	11.4	3.1	20.4	11.5
Synthetic Marijuana	--	--	--	--	7.7	--	--	2.2	--	--	3.4	--	--	0.9	--	--	0.8	--
Inhalants	5.6	2.0	3.7	0.7	1.5	1.2	2.3	1.3	1.7	2.9	1.1	1.8	3.9	0.7	2.1	3.4	4.0	3.7
Club Drugs	0.0	0.5	0.3	0.4	1.1	0.8	0.0	1.2	0.7	0.0	0.5	0.3	0.4	0.6	0.5	0.0	0.9	0.4
LSD, PCP or Mushrooms	1.0	0.4	0.7	0.7	1.7	1.3	0.4	2.5	1.6	0.0	0.9	0.5	0.6	1.5	1.1	0.3	0.0	0.2
Methamphetamine	0.5	1.1	0.8	0.0	1.1	0.6	1.0	2.6	1.9	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.8	0.4
Cocaine or Crack	0.0	0.8	0.4	0.7	1.7	1.3	0.4	1.2	0.9	0.0	2.0	1.1	0.4	1.6	1.1	0.2	0.7	0.4
Heroin	1.5	0.0	0.7	0.7	0.5	0.6	1.7	0.7	1.2	0.0	0.0	0.0	0.0	0.6	0.3	0.2	0.0	0.1
Prescription Depressants	0.5	1.6	1.1	0.7	2.8	1.9	0.4	2.5	1.6	0.0	3.8	2.2	2.7	0.2	1.2	1.5	2.5	2.0
Prescription Pain Relievers	1.8	3.3	2.7	2.0	4.6	3.4	0.9	2.5	1.8	1.7	3.5	2.8	2.4	0.7	1.4	1.6	0.0	0.9
Prescription Amphetamines	0.4	0.9	0.7	0.7	1.7	1.3	1.3	1.9	1.6	0.0	2.3	1.4	0.7	0.0	0.3	0.2	3.7	1.7
Over-the-Counter Drugs	2.8	4.3	3.6	1.8	3.9	3.0	1.5	3.6	2.6	0.4	1.4	1.0	0.7	2.1	1.5	2.2	4.2	3.0
Any illicit drug	15.1	20.3	17.9	9.7	25.4	18.4	7.3	17.3	12.8	6.0	17.0	12.4	10.4	19.4	15.6	9.2	24.5	16.7
Any illicit drug other than marijuana	10.1	8.9	9.5	5.5	10.6	8.4	6.6	8.4	7.6	5.4	9.6	7.8	7.3	5.3	6.1	6.1	9.2	7.5
Alcohol only	11.6	24.2	18.5	9.0	21.4	15.9	12.5	21.2	17.3	5.9	21.8	15.2	6.0	12.9	10.0	12.3	11.1	11.7
Alcohol or any illicit drug	26.8	43.8	36.0	18.5	46.9	34.2	19.6	38.0	29.8	11.5	38.5	27.0	15.8	32.3	25.3	21.0	34.4	27.6
Any illicit drug, but no alcohol	7.4	2.6	4.7	3.4	5.5	4.6	5.1	4.9	5.0	4.6	7.3	6.2	4.0	8.8	6.8	3.7	6.9	5.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Gilchrist County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	29.8	26.5	33.4	--	27.3	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	9.2	6.6	11.7	--	7.3	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	15.1	9.2	21.5	--	14.4	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	13.9	10.7	17.2	--	13.1	--	--	8.2	7.6	8.8	--	7.9	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	47.0	41.1	45.0	42.8	47.8	45.5	44.1	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	61.0	47.1	55.0	52.7	63.1	48.9	54.0	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	68.5	69.1	72.6	64.2	73.9	65.3	68.8	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	49.8	38.9	46.4	41.7	51.1	42.0	44.3	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	57.2	40.5	49.4	48.1	59.7	42.2	48.8	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	44.2	26.0	31.4	39.0	44.5	28.1	35.0	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	27.0	19.6	21.9	24.6	26.9	22.0	23.3	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	71.1	67.1	67.0	71.4	71.9	67.0	69.1	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	92.3	79.0	84.9	85.1	95.7	76.8	85.0	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	81.0	55.4	66.7	67.4	83.6	55.4	67.0	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	88.9	56.5	70.7	71.8	91.5	56.9	71.2	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	84.2	63.2	71.8	73.5	87.7	64.1	72.7	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	91.5	62.8	75.0	76.6	94.5	59.6	75.8	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.1	89.2	92.9	92.8	97.4	90.9	92.8	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	88.2	73.3	80.6	80.2	89.7	74.6	80.4	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	89.0	72.5	78.5	82.5	89.9	74.8	80.4	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	86.8	59.7	71.0	74.6	84.9	63.5	72.7	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	83.1	60.1	67.9	74.7	82.7	64.1	71.2	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	88.8	64.0	74.5	77.4	87.9	67.5	76.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.9	87.9	90.0	91.8	92.4	88.9	90.8	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 7. Trends in early ATOD use and attitudes toward substance use for Gilchrist County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	28.6	--	--	29.4	--	--	26.2	--	--	24.8	--	--	21.4	--	--	29.8	--
Drink monthly	--	11.5	--	--	7.3	--	--	9.5	--	--	7.5	--	--	3.7	--	--	9.2	--
Smoke cigarettes	--	24.9	--	--	28.0	--	--	18.9	--	--	16.8	--	--	10.7	--	--	15.1	--
Smoke marijuana	--	13.8	--	--	14.6	--	--	12.8	--	--	10.8	--	--	9.4	--	--	13.9	--
<b>Great risk of harm</b>																		
Daily alcohol use	40.5	36.1	38.6	42.2	30.3	35.6	38.8	29.8	33.8	40.7	34.0	36.8	41.9	34.1	37.4	47.0	41.1	44.1
5+ drinks daily	--	--	--	--	--	--	48.0	42.4	44.9	53.2	49.2	50.9	54.5	50.0	51.9	61.0	47.1	54.0
Daily cigarette use	63.8	55.8	59.4	73.4	60.9	66.5	69.3	62.8	65.8	67.2	58.8	62.3	67.0	62.0	64.2	68.5	69.1	68.8
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	49.8	38.9	44.3
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	57.2	40.5	48.8
Marijuana weekly*	--	--	--	--	--	--	54.8	34.0	43.2	55.8	32.9	42.4	49.1	28.7	37.3	44.2	26.0	35.0
Try marijuana	36.5	23.6	29.4	40.7	20.2	29.4	39.0	26.3	32.0	43.2	22.0	30.9	33.6	17.6	24.4	27.0	19.6	23.3
Prescription drugs	--	--	--	--	71.1	71.1	74.9	75.9	75.4	70.5	66.3	68.1	71.5	64.4	67.4	71.1	67.1	69.1
<b>Think it wrong</b>																		
Smoke cigarettes	82.9	60.0	70.6	89.9	68.5	78.0	92.0	77.5	84.0	94.7	77.7	84.8	89.1	83.4	85.8	92.3	79.0	85.0
Drink regularly	73.6	55.9	64.0	75.2	49.2	60.8	82.6	59.4	69.8	84.6	57.1	68.6	79.7	59.0	67.7	81.0	55.4	67.0
Smoke marijuana	84.3	69.7	76.4	87.2	63.5	74.1	90.6	72.4	80.6	93.4	66.3	77.6	87.2	64.1	73.7	88.9	56.5	71.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	84.2	63.2	72.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.5	62.8	75.8
Other illicit drugs	92.7	93.2	93.0	96.9	93.1	94.8	96.7	96.3	96.5	98.7	93.8	95.9	95.9	91.7	93.5	97.1	89.2	92.8
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	85.0	69.1	76.2	92.7	72.7	81.0	85.2	75.8	79.8	88.2	73.3	80.4
Smoke tobacco	--	--	--	--	--	--	91.2	75.7	82.6	95.3	80.1	86.4	88.5	79.2	83.1	89.0	72.5	80.4
Smoke marijuana	--	--	--	--	--	--	92.7	68.3	79.2	92.5	68.5	78.5	87.4	64.2	74.0	86.8	59.7	72.7
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	83.1	60.1	71.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.8	64.0	76.0
Prescription drugs	--	--	--	--	--	--	97.0	92.9	94.7	96.6	91.3	93.5	92.3	92.8	92.6	93.9	87.9	90.8

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Gilchrist County and Florida Statewide youth, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	6.0	0.0	12.7	--	7.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	19.6	22.1	16.9	--	9.3	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	53.3	56.7	49.5	--	59.1	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	14.9	14.7	15.2	--	17.4	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	6.2	6.6	5.7	--	7.2	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Gilchrist County and Florida Statewide youth, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	41.4	33.4	53.2	--	34.5	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	38.7	48.9	23.8	--	42.3	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	7.0	11.7	0.0	--	8.1	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	6.2	0.0	15.2	--	7.2	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	1.5	0.0	3.6	--	1.7	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	5.3	6.0	4.3	--	6.2	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Gilchrist County and Florida Statewide youth, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.0	22.5	21.5	--	23.7	--	--	31.9	34.7	28.6	--	32.9	--
2	--	24.3	26.5	22.0	--	25.3	--	--	21.8	24.0	19.2	--	21.1	--
3	--	7.5	4.5	10.7	--	9.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	3.4	6.7	0.0	--	4.2	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	42.7	39.8	45.9	--	37.8	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Gilchrist County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	7.5	10.7	9.5	8.0	5.6	12.0	8.8	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	3.8	17.1	7.8	11.1	2.4	19.1	9.3	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	0.9	7.0	4.0	2.7	0.9	8.5	3.4	2.6	4.2	3.8	3.2	2.8	4.2	3.5

**Table 12. Percentages of Gilchrist County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.2	16.8	6.1	18.5	8.4	17.7	11.8	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.1	7.4	4.0	4.7	2.1	9.0	4.3	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.5	5.6	3.5	2.8	1.5	6.7	3.2	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.5	3.7	0.6	5.7	2.4	4.4	3.0	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.3	1.6	0.0	1.8	0.3	1.9	0.8	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	7.5	15.7	7.0	15.5	6.7	19.9	10.9	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	9.1	5.3	4.4	11.2	8.8	6.3	7.5	8.3	5.5	5.8	7.6	7.8	5.6	6.7

**Table 13. Trends in delinquent behaviors for Gilchrist County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	9.4	8.2	8.7	6.8	9.9	8.5	10.0	12.4	11.3	9.9	12.1	11.2	13.5	11.1	12.1	8.2	16.8	11.8
Selling drugs	1.9	9.1	5.9	2.9	10.9	7.3	3.1	6.2	4.9	1.1	5.1	3.4	2.0	5.8	4.1	2.1	7.4	4.3
Attempting to steal a vehicle	1.9	1.4	1.7	1.6	2.8	2.3	0.9	1.5	1.2	1.0	2.1	1.6	1.9	1.5	1.7	1.5	5.6	3.2
Being arrested	2.8	3.0	2.9	1.2	5.0	3.4	1.3	3.1	2.3	0.9	1.5	1.3	2.5	1.8	2.1	2.5	3.7	3.0
Taking a handgun to school	0.5	0.0	0.2	1.1	0.8	0.9	0.3	1.5	0.9	0.0	2.0	1.1	0.3	1.0	0.7	0.3	1.6	0.8
Getting suspended	15.5	14.4	14.9	11.5	13.3	12.5	11.4	6.7	8.8	10.6	12.9	11.9	9.1	8.1	8.5	7.5	15.7	10.9
Attacking someone with intent to harm	10.9	9.7	10.3	3.7	9.6	7.0	5.2	8.8	7.2	4.5	5.6	5.1	6.9	6.0	6.4	9.1	5.3	7.5

**Table 14. Percentages of Gilchrist County and Florida Statewide youth who reported symptoms of depression, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	33.2	34.7	43.6	22.7	32.5	35.7	34.0	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	48.2	48.0	59.7	34.7	47.9	45.2	48.1	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	30.9	33.9	42.7	20.5	30.9	31.2	32.5	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	44.0	53.4	61.1	34.6	45.4	48.9	48.8	44.5	47.6	57.0	35.5	44.6	48.0	46.2

**Table 15. Percentages of Gilchrist County and Florida Statewide youth who reported involvement in bullying behavior, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	17.4	18.3	24.7	10.3	16.3	17.6	17.9	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	52.2	35.3	39.4	46.7	51.5	35.4	42.7	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	77.4	64.2	76.5	62.9	75.9	67.2	70.0	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	27.6	40.5	47.3	21.2	27.9	39.6	34.9	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	27.1	24.2	18.1	33.8	24.4	24.8	25.5	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	42.6	34.9	33.6	43.6	40.4	32.6	38.2	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	11.1	22.4	18.7	16.0	10.6	20.7	17.5	11.2	12.4	12.3	11.5	11.4	12.4	11.9

**Table 16. Percentages of Gilchrist County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.9	23.6	3.8	--	12.1	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	12.5	21.3	1.3	--	7.5	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	2.8	4.2	1.1	--	1.8	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	47.7	53.6	40.3	--	45.6	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	20.2	30.1	7.7	--	15.7	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	36.4	44.8	25.7	--	35.3	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	30.7	44.6	13.2	--	24.0	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	23.9	29.3	17.1	--	26.9	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	30.8	38.3	21.4	--	26.7	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	10.5	17.2	2.1	--	9.9	--	--	7.4	8.7	6.1	--	7.2	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Gilchrist County and Florida Statewide high school youth, 2020**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	35.0	23.3	49.5	--	36.3	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	23.9	28.3	18.5	--	24.0	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	8.0	6.1	10.4	--	10.8	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	3.0	5.4	0.0	--	4.1	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	11.5	6.3	17.9	--	10.6	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	3.3	3.9	2.5	--	1.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	2.1	3.8	0.0	--	2.9	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	7.2	11.9	1.3	--	5.3	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	5.2	9.3	0.0	--	3.4	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.8	1.5	0.0	--	1.1	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Gilchrist County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	26.0	19.2	24.7	21.6	25.6	14.7	23.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	23.1	14.8	22.9	15.9	22.9	12.9	19.8	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	29.0	19.7	25.7	24.4	27.9	23.7	25.2	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	28.6	22.4	29.2	22.4	26.6	22.4	26.1	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	34.7	27.3	36.6	25.4	32.6	26.4	31.7	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	54.4	34.2	57.2	32.8	51.6	33.5	46.2	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Gilchrist County and Florida Statewide youth who reported participation in extracurricular activities, 2020**

	Gilchrist County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	59.8	51.5	51.1	59.7	58.4	51.8	55.1	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	35.5	16.9	23.4	26.8	33.8	14.2	24.9	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	23.8	16.0	20.6	18.1	23.5	14.0	19.4	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	46.2	43.2	54.8	32.9	44.1	45.9	44.5	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	5.8	12.8	13.2	5.9	4.9	13.9	9.8	8.6	12.8	13.8	8.3	8.7	12.5	11.0

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Gilchrist County and Florida Statewide youth, 2020**

	Gilchrist County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	27.2	34.4	17.4	--	27.3	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	28.2	28.3	27.7	--	26.3	--	--	22.1	24.0	20.2	--	21.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	12.9	12.7	12.6	--	11.6	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	15.9	13.8	18.0	--	11.9	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Gilchrist County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	33.3	--	--	23.1	--	--	24.4	--	--	13.7	--	--	27.2	--
Marijuana	--	--	--	--	24.0	--	--	17.2	--	--	16.2	--	--	19.9	--	--	28.2	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	14.3	--	--	11.1	--	--	9.0	--	--	4.2	--	--	12.9	--
Marijuana	--	--	--	--	15.8	--	--	8.6	--	--	8.3	--	--	11.7	--	--	15.9	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rates for Gilchrist County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Gilchrist County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	55	51	57	57	59	54
	Family Rewards for Prosocial Involvement	47	46	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	50	53	51	60	57	60
	School Rewards for Prosocial Involvement	41	52	44	54	53	58
<b>Peer and Individual</b>	Religiosity	51	68	42	52	56	62
<b>Average Prevalence Rate</b>		<b>49</b>	<b>54</b>	<b>49</b>	<b>55</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 23. Risk factor prevalence rates for Gilchrist County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Gilchrist County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	56	31	41	32	42	42
	Perceived Availability of Drugs	34	33	34	20	45	45
	Perceived Availability of Handguns	40	57	23	31	25	42
<b>Family</b>	Poor Family Management	44	41	43	35	44	45
	Family Conflict	43	36	42	34	42	37
<b>School</b>	Poor Academic Performance	44	38	46	46	45	48
	Lack of Commitment to School	67	74	69	63	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	53	42	49	38	40	46
	Favorable Attitudes toward ATOD Use	48	48	35	32	39	45
	Early Initiation of Drug Use	37	34	24	17	41	46
<b>Average Prevalence Rate</b>		<b>47</b>	<b>43</b>	<b>41</b>	<b>35</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Protective factor prevalence rate trends among middle school students for Gilchrist County, 2010 to 2020**

Domain	Scale	Gilchrist County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	53	61	58	64	57	55
	Family Rewards for Prosocial Involvement	43	52	53	64	48	47
<b>School</b>	School Opportunities for Prosocial Involvement	51	48	55	55	54	50
	School Rewards for Prosocial Involvement	44	59	56	58	52	41
<b>Peer and Individual</b>	Religiosity	54	59	59	62	59	51
<b>Average Prevalence Rate</b>		<b>49</b>	<b>56</b>	<b>56</b>	<b>61</b>	<b>54</b>	<b>49</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rate trends among middle school students for Gilchrist County, 2010 to 2020**

Domain	Scale	Gilchrist County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	52	45	46	42	52	56
	Perceived Availability of Drugs	52	48	41	35	50	34
	Perceived Availability of Handguns	40	44	45	45	48	40
<b>Family</b>	Poor Family Management	52	35	41	32	45	44
	Family Conflict	44	38	36	31	40	43
<b>School</b>	Poor Academic Performance	50	44	43	41	43	44
	Lack of Commitment to School	62	53	57	58	62	67
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	50	37	37	35	44	53
	Favorable Attitudes toward ATOD Use	44	41	39	36	46	48
	Early Initiation of Drug Use	40	39	34	26	33	37
<b>Average Prevalence Rate</b>		<b>49</b>	<b>42</b>	<b>42</b>	<b>38</b>	<b>46</b>	<b>47</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Protective factor prevalence rate trends among high school students for Gilchrist County, 2010 to 2020**

Domain	Scale	Gilchrist County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	61	54	56	60	60	51
	Family Rewards for Prosocial Involvement	50	54	52	51	49	46
<b>School</b>	School Opportunities for Prosocial Involvement	53	58	58	65	59	53
	School Rewards for Prosocial Involvement	60	70	63	65	64	52
<b>Peer and Individual</b>	Religiosity	65	63	67	68	61	68
<b>Average Prevalence Rate</b>		<b>58</b>	<b>60</b>	<b>59</b>	<b>62</b>	<b>59</b>	<b>54</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among high school students for Gilchrist County, 2010 to 2020**

Domain	Scale	Gilchrist County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	48	45	34	34	38	31
	Perceived Availability of Drugs	46	37	31	27	25	33
	Perceived Availability of Handguns	59	56	61	57	49	57
<b>Family</b>	Poor Family Management	43	41	42	44	41	41
	Family Conflict	35	35	34	35	31	36
<b>School</b>	Poor Academic Performance	54	49	42	34	40	38
	Lack of Commitment to School	61	53	60	53	55	74
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	47	43	37	39	36	42
	Favorable Attitudes toward ATOD Use	45	47	36	42	39	48
	Early Initiation of Drug Use	38	41	28	27	23	34
<b>Average Prevalence Rate</b>		<b>48</b>	<b>45</b>	<b>41</b>	<b>39</b>	<b>38</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.