

# **2020 Florida Youth Substance Abuse Survey**

**Glades County Data Tables**



**Table 1. Major demographic characteristics of surveyed Glades County and Florida Statewide youth, 2020**

	Glades County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	128	49.8	25,191	48.4
Male	125	48.6	26,328	50.5
<b>Race/Ethnic group</b>				
African American	35	13.6	11,284	21.7
American Indian	10	3.9	491	0.9
Asian	1	0.4	671	1.3
Hispanic/Latino	98	38.1	11,091	21.3
Native Hawaiian/Pacific Islander	1	0.4	68	0.1
Other/Multiple	41	16.0	7,227	13.9
White, non-Hispanic	71	27.6	20,904	40.1
<b>Age</b>				
10	1	0.4	44	0.1
11	18	7.0	3,151	6.0
12	62	24.1	7,124	13.7
13	52	20.2	7,698	14.8
14	40	15.6	7,616	14.6
15	29	11.3	7,582	14.6
16	26	10.1	7,502	14.4
17	19	7.4	7,073	13.6
18	8	3.1	3,807	7.3
19 or older	2	0.8	394	0.8
<b>Grade</b>				
6th	62	24.1	7,718	14.8
7th	65	25.3	7,555	14.5
8th	54	21.0	7,632	14.6
9th	17	6.6	7,668	14.7
10th	22	8.6	7,481	14.4
11th	24	9.3	7,117	13.7
12th	13	5.1	6,923	13.3
Overall Middle School	181	70.4	22,904	44.0
Overall High School	76	29.6	29,189	56.0
<b>Total</b>	<b>257</b>	<b>100.0</b>	<b>52,093</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Glades County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020**

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	20.9	37.5	32.6	20.8	18.5	40.1	26.4	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	7.4	10.2	5.0	--	7.8	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	14.4	13.2	15.0	12.0	13.7	15.8	14.0	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	13.2	16.6	21.5	7.1	14.3	17.6	14.3	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	8.7	11.4	15.0	4.1	9.6	11.8	9.6	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	9.7	17.6	15.9	8.5	10.1	18.2	12.2	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	3.7	7.5	0.0	--	5.0	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.6	5.0	12.9	3.1	9.9	5.8	8.1	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.0	0.7	0.0	0.5	0.0	0.8	0.2	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.9	1.9	0.5	2.0	0.9	2.1	1.2	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.5	0.0	2.1	0.0	1.6	0.0	1.0	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.7	0.8	0.5	1.0	0.8	0.8	0.7	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.5	4.1	4.7	1.2	3.6	2.1	3.0	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	4.9	1.9	4.8	3.2	5.1	2.0	4.0	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.3	3.5	4.8	0.5	2.4	3.9	2.7	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.6	2.0	4.8	0.0	2.7	2.3	2.4	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	20.0	21.3	25.3	15.9	20.9	21.9	20.4	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	14.3	8.8	17.7	7.5	15.9	7.5	12.5	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	9.1	21.2	14.1	12.0	7.1	21.6	12.9	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	28.6	43.5	39.5	28.2	27.6	44.3	33.5	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	7.4	6.4	6.6	7.8	8.7	5.0	7.1	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Glades County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020**

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.8	11.2	13.1	6.2	8.4	11.5	9.6	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	8.8	5.2	12.3	2.4	9.1	5.8	7.6	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	0.8	1.0	0.0	1.8	0.9	1.1	0.9	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	6.6	7.7	9.3	4.6	7.8	6.5	6.9	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	5.7	2.4	7.0	2.5	6.9	0.0	4.7	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	4.0	6.4	8.0	0.8	4.3	7.1	4.8	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	2.1	4.1	0.0	--	2.8	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	5.6	2.1	8.3	0.7	5.7	2.5	4.5	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.0	0.9	0.5	0.0	0.0	1.0	0.3	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.4	0.0	0.6	0.0	0.4	0.0	0.3	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.8	0.0	0.0	1.1	0.8	0.0	0.5	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.0	4.5	1.9	0.8	1.0	2.3	1.3	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.7	0.8	1.0	0.5	0.7	0.9	0.7	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.7	0.0	1.0	0.0	0.7	0.0	0.5	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.4	3.1	2.4	0.0	0.4	3.4	1.2	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	11.3	10.1	16.2	5.3	11.9	11.0	10.9	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	7.2	9.3	12.9	2.9	8.5	7.9	7.8	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	3.1	6.3	4.4	3.8	3.2	4.1	4.0	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	15.1	15.5	22.0	8.2	15.1	16.1	15.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	6.7	5.2	9.7	2.3	7.1	5.5	6.3	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Glades County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	44.1	70.9	56.0	38.6	46.2	41.6	28.0	47.3	35.9	26.3	49.2	35.0	24.7	47.2	32.9	20.9	37.5	26.4
Blacking Out	--	--	--	--	--	--	--	13.8	--	--	18.8	--	--	15.7	--	--	7.4	--
Cigarettes	24.1	51.7	36.3	24.0	33.4	27.8	16.7	30.2	22.0	11.0	21.3	14.9	4.6	22.4	11.1	14.4	13.2	14.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.2	16.6	14.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.7	11.4	9.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	9.0	34.1	18.5	12.9	35.0	21.0	--	--	--
Marijuana or Hashish	10.5	25.1	17.0	17.1	25.0	20.2	6.8	26.4	14.8	5.4	28.0	13.9	3.9	24.7	11.5	9.7	17.6	12.2
Synthetic Marijuana	--	--	--	--	3.9	--	--	8.6	--	--	6.0	--	--	3.7	--	--	3.7	--
Inhalants	11.4	8.8	10.3	9.4	3.3	7.0	8.1	2.4	5.8	4.8	4.7	4.8	7.9	5.5	7.0	9.6	5.0	8.1
Club Drugs	1.2	5.0	2.9	1.5	1.0	1.3	0.0	0.0	0.0	0.0	1.5	0.6	0.0	0.0	0.0	0.0	0.7	0.2
LSD, PCP or Mushrooms	1.4	3.3	2.3	3.8	2.1	3.1	1.2	3.6	2.2	0.8	1.5	1.0	0.0	2.4	0.9	0.9	1.9	1.2
Methamphetamine	0.0	0.0	0.0	0.0	1.0	0.4	1.8	0.0	1.1	0.0	0.0	0.0	0.0	1.2	0.4	0.0	0.0	0.0
Cocaine or Crack	2.8	2.8	2.8	3.9	2.1	3.2	1.8	1.2	1.6	0.0	0.0	0.0	0.0	2.7	1.0	1.5	0.0	1.0
Heroin	1.7	0.0	0.9	0.9	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6	0.7	0.8	0.7
Prescription Depressants	0.7	6.6	3.3	4.4	8.0	5.8	0.0	1.2	0.5	1.1	2.4	1.6	2.4	5.7	3.6	2.5	4.1	3.0
Prescription Pain Relievers	5.0	4.8	4.9	10.5	12.1	11.1	1.8	1.3	1.6	1.8	3.8	2.5	0.9	2.6	1.5	4.9	1.9	4.0
Prescription Amphetamines	0.8	0.0	0.5	1.4	1.0	1.3	0.6	1.2	0.9	0.5	4.5	2.0	0.4	3.6	1.5	2.3	3.5	2.7
Over-the-Counter Drugs	5.5	4.2	4.9	6.4	4.1	5.5	4.3	0.0	2.6	3.3	5.5	4.2	2.0	13.1	5.9	2.6	2.0	2.4
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.4	--	--	0.0	--
Any illicit drug	25.1	36.9	30.3	29.2	29.9	29.5	14.8	26.4	19.5	13.1	29.7	19.3	10.5	32.0	18.3	20.0	21.3	20.4
Any illicit drug other than marijuana	20.7	19.2	20.0	21.3	17.2	19.7	13.3	6.1	10.4	9.8	13.3	11.1	9.1	18.8	12.5	14.3	8.8	12.5
Alcohol only	26.2	35.4	30.3	17.0	22.4	19.1	18.6	24.6	21.0	19.0	23.8	20.8	16.8	22.1	18.7	9.1	21.2	12.9
Alcohol or any illicit drug	51.4	72.3	60.6	45.8	53.0	48.7	33.1	51.0	40.3	31.8	53.5	39.9	26.9	55.2	37.2	28.6	43.5	33.5
Any illicit drug, but no alcohol	7.2	1.4	4.6	7.6	7.2	7.5	5.6	3.7	4.8	6.1	4.3	5.4	2.4	8.2	4.5	7.4	6.4	7.1

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Glades County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	14.8	47.4	29.3	22.9	25.0	23.8	19.1	26.4	22.1	12.5	27.0	18.0	15.6	22.8	18.2	8.8	11.2	9.6
Binge Drinking	9.2	26.8	17.0	11.2	19.4	14.4	8.4	17.2	12.0	6.8	15.1	10.0	3.0	10.3	5.7	8.8	5.2	7.6
Cigarettes	3.0	10.8	6.5	9.6	23.1	15.0	3.4	9.3	5.7	0.6	10.0	4.1	0.8	8.9	3.7	0.8	1.0	0.9
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.6	7.7	6.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.7	2.4	4.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	3.8	22.4	10.8	2.4	13.4	6.4	--	--	--
Marijuana or Hashish	4.3	10.7	7.2	12.3	19.8	15.1	3.6	19.3	10.0	1.5	10.2	4.8	0.0	13.3	4.6	4.0	6.4	4.8
Synthetic Marijuana	--	--	--	--	1.1	--	--	0.0	--	--	1.6	--	--	0.0	--	--	2.1	--
Inhalants	5.1	1.4	3.4	3.9	1.1	2.9	3.0	0.0	1.8	0.9	0.0	0.6	2.5	1.3	2.0	5.6	2.1	4.5
Club Drugs	1.3	0.0	0.7	0.7	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3
LSD, PCP or Mushrooms	0.0	1.5	0.7	1.5	0.0	0.9	1.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	2.3	0.0	1.3	3.1	0.0	2.0	0.7	1.2	0.9	0.0	0.0	0.0	0.0	2.9	1.0	0.4	0.0	0.3
Heroin	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5
Prescription Depressants	0.0	0.0	0.0	2.2	4.1	2.9	0.0	0.0	0.0	0.5	0.0	0.3	1.6	5.2	2.8	0.0	4.5	1.3
Prescription Pain Relievers	3.7	1.8	2.8	8.2	4.0	6.6	0.0	0.0	0.0	0.8	1.4	1.0	0.0	0.0	0.0	0.7	0.8	0.7
Prescription Amphetamines	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0	0.6	0.0	0.4	0.4	0.0	0.3	0.7	0.0	0.5
Over-the-Counter Drugs	3.5	1.5	2.6	3.7	3.2	3.5	2.4	0.0	1.4	2.9	4.9	3.7	1.6	5.0	2.7	0.4	3.1	1.2
Any illicit drug	11.2	18.6	14.6	20.7	20.3	20.6	6.9	19.1	11.8	5.1	13.5	8.2	2.8	15.8	7.5	11.3	10.1	10.9
Any illicit drug other than marijuana	9.0	8.0	8.5	13.2	6.3	10.6	5.9	1.2	4.0	4.2	4.9	4.5	2.8	8.4	4.8	7.2	9.3	7.8
Alcohol only	9.1	33.4	20.1	10.2	11.1	10.5	13.2	14.9	13.9	11.7	22.7	15.9	12.6	11.8	12.3	3.1	6.3	4.0
Alcohol or any illicit drug	20.8	52.0	34.6	30.5	32.0	31.1	20.0	34.3	25.8	16.2	36.9	23.9	15.5	27.1	19.7	15.1	15.5	15.2
Any illicit drug, but no alcohol	6.4	4.6	5.6	7.9	7.2	7.6	1.2	8.1	4.0	4.3	10.4	6.6	0.0	4.5	1.6	6.7	5.2	6.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Glades County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020**

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	12.1	6.0	17.5	--	12.7	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	0.0	0.0	0.0	--	0.0	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	8.5	10.5	6.8	--	10.7	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	8.9	6.7	11.1	--	11.3	--	--	8.2	7.6	8.8	--	7.9	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	45.1	39.3	50.9	35.0	45.8	39.9	43.2	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	61.5	46.8	63.5	49.4	64.4	48.7	56.8	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	61.7	52.3	66.7	50.2	62.1	54.4	58.7	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	49.0	38.5	47.4	43.1	48.2	42.8	45.7	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	56.8	29.1	51.3	44.1	56.8	34.0	48.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	46.8	15.8	40.6	32.8	46.0	23.1	37.0	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	36.7	12.7	32.9	24.5	36.8	16.2	29.0	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	71.8	61.4	73.7	63.1	71.9	67.8	68.5	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	95.2	94.0	94.7	95.4	95.8	91.9	94.8	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	82.5	74.2	76.5	83.2	82.3	75.2	79.7	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	90.3	67.9	81.3	85.2	89.3	76.0	82.9	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	89.0	86.8	86.3	90.7	89.3	84.9	88.3	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	94.3	82.1	87.9	93.0	94.1	85.1	90.3	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	98.1	90.1	96.7	94.5	97.0	91.2	95.4	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	91.0	85.3	90.2	88.6	90.8	88.3	89.2	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	95.7	85.6	91.6	93.9	95.5	91.2	92.6	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	90.8	65.5	77.8	89.3	90.4	70.8	83.0	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	87.8	81.9	81.3	91.2	87.8	84.3	86.0	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	92.1	73.6	82.4	90.9	91.8	76.7	86.4	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	96.9	95.7	96.9	96.7	96.8	95.4	96.6	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Glades County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	37.8	--	--	29.0	--	--	34.5	--	--	27.3	--	--	18.8	--	--	12.1	--
Drink monthly	--	5.0	--	--	9.4	--	--	12.5	--	--	9.4	--	--	8.7	--	--	0.0	--
Smoke cigarettes	--	41.7	--	--	19.0	--	--	17.6	--	--	14.3	--	--	13.0	--	--	8.5	--
Smoke marijuana	--	12.8	--	--	12.7	--	--	14.5	--	--	14.7	--	--	9.9	--	--	8.9	--
<b>Great risk of harm</b>																		
Daily alcohol use	41.0	38.8	40.0	36.9	30.8	34.4	38.7	27.5	34.2	46.0	30.1	40.1	44.7	36.8	41.8	45.1	39.3	43.2
5+ drinks daily	--	--	--	--	--	--	48.3	41.9	45.7	49.1	48.8	49.0	49.8	35.5	44.5	61.5	46.8	56.8
Daily cigarette use	71.4	56.7	65.0	56.0	49.9	53.5	63.6	53.4	59.4	67.9	68.7	68.2	57.6	58.4	57.9	61.7	52.3	58.7
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	49.0	38.5	45.7
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	56.8	29.1	48.1
Marijuana weekly*	--	--	--	--	--	--	49.8	24.0	39.2	52.0	25.0	41.7	41.5	23.9	35.0	46.8	15.8	37.0
Try marijuana	46.7	30.8	39.8	27.2	20.0	24.3	41.5	18.0	32.0	31.1	17.9	26.1	31.4	16.7	26.0	36.7	12.7	29.0
Prescription drugs	--	--	--	--	43.1	43.1	68.9	59.2	64.9	68.6	72.8	70.2	63.1	56.5	60.7	71.8	61.4	68.5
<b>Think it wrong</b>																		
Smoke cigarettes	88.2	62.8	76.8	88.2	73.2	82.2	92.0	93.1	92.5	96.5	82.5	91.1	92.8	83.1	89.0	95.2	94.0	94.8
Drink regularly	76.8	49.1	64.4	86.8	64.6	77.9	84.9	71.2	79.2	86.4	59.8	76.4	79.2	62.4	72.6	82.5	74.2	79.7
Smoke marijuana	90.8	72.6	82.7	85.9	70.2	79.6	93.8	73.6	85.4	93.5	60.7	81.1	88.0	56.6	75.8	90.3	67.9	82.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.0	86.8	88.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.3	82.1	90.3
Other illicit drugs	96.1	95.5	95.9	98.0	87.1	93.6	97.3	98.8	97.9	97.1	87.5	93.5	96.5	93.1	95.2	98.1	90.1	95.4
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	87.3	59.9	76.6	89.0	67.6	81.0	83.5	72.2	79.3	91.0	85.3	89.2
Smoke tobacco	--	--	--	--	--	--	93.8	74.3	86.2	94.2	80.0	88.9	92.8	80.9	88.4	95.7	85.6	92.6
Smoke marijuana	--	--	--	--	--	--	89.5	47.4	72.8	91.7	61.2	80.2	88.6	55.0	76.4	90.8	65.5	83.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.8	81.9	86.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.1	73.6	86.4
Prescription drugs	--	--	--	--	--	--	94.9	88.6	92.4	95.6	86.1	92.0	95.8	88.9	93.3	96.9	95.7	96.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Glades County and Florida Statewide youth, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	0.0	0.0	0.0	--	0.0	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	66.1	57.6	100.0	--	66.1	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	0.0	0.0	0.0	--	0.0	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	33.9	42.4	0.0	--	33.9	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Glades County and Florida Statewide youth, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	19.9	24.1	0.0	--	19.9	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	50.2	39.5	100.0	--	50.2	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	29.9	36.3	0.0	--	29.9	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Glades County and Florida Statewide youth, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	0.0	0.0	0.0	--	0.0	--	--	31.9	34.7	28.6	--	32.9	--
2	--	44.6	53.0	0.0	--	44.6	--	--	21.8	24.0	19.2	--	21.1	--
3	--	55.4	47.0	100.0	--	55.4	--	--	16.1	15.5	16.7	--	16.2	--
4	--	0.0	0.0	0.0	--	0.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	0.0	0.0	0.0	--	0.0	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Glades County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.3	4.3	5.0	0.8	2.4	4.7	3.0	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	4.1	15.1	11.9	3.3	5.3	11.6	7.7	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.7	1.2	4.3	0.0	2.8	1.3	2.2	2.6	4.2	3.8	3.2	2.8	4.2	3.5

**Table 12. Percentages of Glades County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.8	10.0	5.6	12.0	8.1	8.3	8.5	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.5	5.6	3.2	2.6	1.6	3.4	2.9	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.7	2.5	1.6	3.8	1.8	2.1	2.6	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	10.8	9.7	9.9	11.4	10.8	10.9	10.5	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	12.7	4.5	10.8	9.4	12.3	6.8	10.0	8.3	5.5	5.8	7.6	7.8	5.6	6.7

**Table 13. Trends in delinquent behaviors for Glades County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	9.5	9.0	9.2	16.6	5.2	12.2	11.0	12.2	11.5	13.4	18.1	15.2	7.7	12.5	9.4	7.8	10.0	8.5
Selling drugs	1.4	3.5	2.3	7.1	3.3	5.7	2.2	1.3	1.9	1.9	5.9	3.4	0.9	5.3	2.4	1.5	5.6	2.9
Attempting to steal a vehicle	2.7	7.5	4.8	3.7	4.2	3.9	0.0	0.0	0.0	2.2	1.3	1.9	1.3	1.5	1.4	0.0	0.0	0.0
Being arrested	1.5	4.5	2.8	9.2	4.8	7.5	2.7	1.3	2.1	1.9	3.7	2.6	0.8	10.1	4.1	2.7	2.5	2.6
Taking a handgun to school	0.7	1.7	1.1	2.4	4.8	3.4	1.2	1.3	1.2	0.0	1.1	0.4	0.5	1.5	0.8	0.0	0.0	0.0
Getting suspended	14.5	18.0	16.0	20.7	15.1	18.6	10.6	12.8	11.4	9.4	9.0	9.3	10.9	15.3	12.4	10.8	9.7	10.5
Attacking someone with intent to harm	15.1	17.8	16.3	13.4	5.0	10.2	6.9	4.6	6.0	6.1	5.0	5.7	4.8	10.2	6.7	12.7	4.5	10.0

**Table 14. Percentages of Glades County and Florida Statewide youth who reported symptoms of depression, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	27.3	26.1	32.9	20.9	28.0	26.5	26.9	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	37.5	39.1	49.5	25.4	40.1	36.6	38.0	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	22.4	22.9	27.8	17.7	23.4	22.0	22.6	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	34.3	44.2	41.3	33.2	34.6	44.0	37.5	44.5	47.6	57.0	35.5	44.6	48.0	46.2



**Table 15. Percentages of Glades County and Florida Statewide youth who reported involvement in bullying behavior, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.8	11.1	13.0	6.0	8.8	13.0	9.6	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	30.4	23.8	30.2	25.7	31.0	26.5	28.1	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	60.0	33.4	54.7	47.1	59.2	40.9	50.9	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	24.5	24.1	33.1	16.3	26.5	22.7	24.3	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	24.1	12.4	14.7	25.0	23.4	13.6	20.0	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	28.1	23.6	22.6	30.6	28.9	22.1	26.6	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	10.7	6.7	10.0	8.9	12.2	3.6	9.3	11.2	12.4	12.3	11.5	11.4	12.4	11.9

**Table 16. Percentages of Glades County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	13.1	12.7	13.7	--	12.8	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	8.0	11.7	4.9	--	8.2	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	6.0	12.6	0.0	--	5.5	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	37.8	34.1	39.6	--	34.8	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	5.1	7.6	3.1	--	4.7	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	27.1	47.0	10.9	--	24.7	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	21.9	30.7	14.4	--	23.7	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	39.2	52.0	29.0	--	37.6	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	24.6	34.8	15.2	--	23.8	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	5.4	10.2	1.4	--	7.3	--	--	7.4	8.7	6.1	--	7.2	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Glades County and Florida Statewide high school youth, 2020**

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	35.2	22.6	46.9	--	37.7	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	21.3	18.1	22.4	--	18.4	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	17.2	21.5	13.7	--	17.6	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	8.5	14.5	3.5	--	7.1	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	2.5	0.0	4.8	--	3.4	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	6.3	7.2	5.6	--	8.4	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	2.0	4.4	0.0	--	2.7	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	6.2	9.9	3.1	--	3.6	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.7	1.6	0.0	--	1.0	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Glades County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	30.9	25.0	32.4	25.8	33.2	20.7	29.0	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	32.2	30.1	32.5	30.8	34.0	26.5	31.5	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	22.3	22.8	24.7	20.0	22.7	23.3	22.5	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	28.7	20.2	26.1	25.9	28.6	25.7	26.0	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	38.7	33.8	44.1	30.1	40.9	32.2	37.1	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	43.2	41.8	57.4	29.0	47.0	40.8	42.8	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Glades County and Florida Statewide youth who reported participation in extracurricular activities, 2020**

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	54.5	50.6	52.9	53.5	54.3	46.6	53.2	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	33.3	3.5	23.0	23.7	33.8	5.7	23.1	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	11.8	4.6	11.0	7.9	11.8	3.7	9.3	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	20.1	19.6	24.2	15.6	19.6	18.8	19.9	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	6.0	10.8	9.9	5.6	5.8	12.7	7.6	8.6	12.8	13.8	8.3	8.7	12.5	11.0

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Glades County and Florida Statewide youth, 2020**

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	19.6	23.3	16.0	--	20.0	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	33.9	45.6	20.5	--	33.5	--	--	22.1	24.0	20.2	--	21.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	7.6	8.3	7.1	--	6.8	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	13.4	13.6	13.5	--	14.0	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Glades County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	23.0	--	--	17.3	--	--	27.2	--	--	14.5	--	--	19.6	--
Marijuana	--	--	--	--	20.8	--	--	15.7	--	--	25.2	--	--	32.9	--	--	33.9	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	14.7	--	--	4.1	--	--	10.3	--	--	8.2	--	--	7.6	--
Marijuana	--	--	--	--	12.4	--	--	10.9	--	--	13.1	--	--	15.1	--	--	13.4	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rates for Glades County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	61	50	57	57	59	54
	Family Rewards for Prosocial Involvement	51	46	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	56	42	51	60	57	60
	School Rewards for Prosocial Involvement	48	56	44	54	53	58
<b>Peer and Individual</b>	Religiosity	52	47	42	52	56	62
<b>Average Prevalence Rate</b>		<b>54</b>	<b>48</b>	<b>49</b>	<b>55</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 23. Risk factor prevalence rates for Glades County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	44	42	41	32	42	42
	Perceived Availability of Drugs	32	14	34	20	45	45
	Perceived Availability of Handguns	29	29	23	31	25	42
<b>Family</b>	Poor Family Management	44	48	43	35	44	45
	Family Conflict	35	32	42	34	42	37
<b>School</b>	Poor Academic Performance	49	41	46	46	45	48
	Lack of Commitment to School	67	75	69	63	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	49	43	49	38	40	46
	Favorable Attitudes toward ATOD Use	33	21	35	32	39	45
	Early Initiation of Drug Use	29	13	24	17	41	46
<b>Average Prevalence Rate</b>		<b>41</b>	<b>36</b>	<b>41</b>	<b>35</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Protective factor prevalence rate trends among middle school students for Glades County, 2010 to 2020**

Domain	Scale	Glades County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	59	56	49	69	48	61
	Family Rewards for Prosocial Involvement	52	57	55	61	48	51
<b>School</b>	School Opportunities for Prosocial Involvement	47	55	58	56	41	56
	School Rewards for Prosocial Involvement	54	67	59	59	46	48
<b>Peer and Individual</b>	Religiosity	61	43	50	58	50	52
<b>Average Prevalence Rate</b>		<b>55</b>	<b>56</b>	<b>54</b>	<b>61</b>	<b>47</b>	<b>54</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rate trends among middle school students for Glades County, 2010 to 2020**

Domain	Scale	Glades County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	48	45	48	45	47	44
	Perceived Availability of Drugs	51	52	35	38	37	32
	Perceived Availability of Handguns	36	41	35	35	30	29
<b>Family</b>	Poor Family Management	51	49	44	36	41	44
	Family Conflict	36	39	31	32	37	35
<b>School</b>	Poor Academic Performance	46	45	50	41	47	49
	Lack of Commitment to School	39	47	49	43	72	67
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	50	48	39	36	47	49
	Favorable Attitudes toward ATOD Use	50	41	40	33	41	33
	Early Initiation of Drug Use	47	41	35	24	22	29
<b>Average Prevalence Rate</b>		<b>45</b>	<b>45</b>	<b>41</b>	<b>36</b>	<b>42</b>	<b>41</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Protective factor prevalence rate trends among high school students for Glades County, 2010 to 2020**

Domain	Scale	Glades County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	57	48	54	55	65	50
	Family Rewards for Prosocial Involvement	55	43	43	57	50	46
<b>School</b>	School Opportunities for Prosocial Involvement	53	57	46	53	49	42
	School Rewards for Prosocial Involvement	51	61	67	65	57	56
<b>Peer and Individual</b>	Religiosity	64	44	62	62	62	47
<b>Average Prevalence Rate</b>		<b>56</b>	<b>51</b>	<b>54</b>	<b>58</b>	<b>57</b>	<b>48</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among high school students for Glades County, 2010 to 2020**

Domain	Scale	Glades County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	47	38	22	38	33	42
	Perceived Availability of Drugs	40	29	31	32	21	14
	Perceived Availability of Handguns	58	32	50	41	41	29
<b>Family</b>	Poor Family Management	57	71	41	49	41	48
	Family Conflict	33	26	19	24	24	32
<b>School</b>	Poor Academic Performance	44	45	51	42	43	41
	Lack of Commitment to School	59	48	53	70	45	75
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	52	34	38	32	44	43
	Favorable Attitudes toward ATOD Use	44	39	32	42	37	21
	Early Initiation of Drug Use	52	32	31	25	24	13
<b>Average Prevalence Rate</b>		<b>49</b>	<b>39</b>	<b>37</b>	<b>40</b>	<b>35</b>	<b>36</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.