

# **2018 Florida Youth Substance Abuse Survey**

**Lafayette Data Tables**



**Table 1. Major demographic characteristics of surveyed Lafayette and Florida Statewide, 2018**

	Lafayette			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	98	44.5		26,340	48.2
Male	121	55.0		27,468	50.3
<b>Race/Ethnic group</b>					
African American	17	7.7		12,088	22.1
American Indian	7	3.2		555	1.0
Asian	0	0.0		659	1.2
Hispanic/Latino	30	13.6		11,242	20.6
Native Hawaiian/Pacific Islander	0	0.0		79	0.1
Other/Multiple	37	16.8		6,899	12.6
White, non-Hispanic	124	56.4		22,618	41.4
<b>Age</b>					
10	0	0.0		50	0.1
11	9	4.1		3,339	6.1
12	29	13.2		7,363	13.5
13	41	18.6		7,738	14.2
14	33	15.0		7,864	14.4
15	35	15.9		7,982	14.6
16	34	15.5		7,926	14.5
17	24	10.9		7,725	14.1
18	12	5.5		3,990	7.3
19 or older	3	1.4		495	0.9
<b>Grade</b>					
6th	33	15.0		8,050	14.7
7th	38	17.3		7,706	14.1
8th	36	16.4		7,715	14.1
9th	36	16.4		8,024	14.7
10th	39	17.7		7,925	14.5
11th	22	10.0		7,775	14.2
12th	16	7.3		7,417	13.6
Overall Middle School	107	48.6		23,470	43.0
Overall High School	113	51.4		31,141	57.0
<b>Total</b>	<b>220</b>	<b>100.0</b>		<b>54,611</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Lafayette and Florida Statewide youth who reported having used various drugs in their lifetimes, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	14.6	61.8	45.7	36.2	17.1	65.1	40.6	20.8	48.0	38.9	34.1	22.9	48.1	36.5
Blacking Out	--	32.0	36.2	27.6	--	33.9	--	--	14.2	15.0	13.5	--	14.0	--
Cigarettes	13.0	37.0	30.7	21.9	12.2	40.3	26.0	6.7	14.7	11.1	11.4	6.7	14.7	11.3
Vaporizer / E-Cigarette	11.3	55.7	32.6	37.8	14.1	48.6	35.1	15.1	36.0	26.5	27.6	16.7	36.4	27.1
Marijuana or Hashish	3.2	31.2	21.5	16.1	3.1	32.3	18.7	7.6	29.7	21.0	19.4	8.7	29.8	20.2
Synthetic Marijuana	--	3.1	2.9	3.3	--	4.3	--	--	3.5	3.7	3.3	--	3.5	--
Inhalants	4.6	8.1	10.2	3.2	4.4	7.5	6.6	7.8	4.3	6.7	4.9	7.6	4.3	5.8
Flakka	--	1.8	0.0	3.7	--	2.5	--	--	0.8	0.7	0.8	--	0.7	--
Club Drugs	0.0	1.9	0.0	2.0	0.0	2.5	1.0	0.7	1.8	1.2	1.4	0.7	1.7	1.3
LSD, PCP or Mushrooms	0.0	3.7	0.4	3.6	0.0	4.9	2.0	1.0	4.0	2.3	3.1	1.1	3.9	2.7
Methamphetamine	0.0	1.3	0.0	1.4	0.0	1.7	0.7	0.7	0.7	0.6	0.8	0.7	0.6	0.7
Cocaine or Crack Cocaine	0.0	1.9	0.0	2.0	0.0	2.5	1.0	0.8	1.9	1.3	1.6	0.8	1.7	1.4
Heroin	0.0	0.3	0.0	0.4	0.4	0.0	0.2	0.4	0.3	0.3	0.4	0.4	0.3	0.4
Prescription Depressants	2.2	5.5	4.2	3.9	2.1	7.3	4.0	2.3	5.9	4.4	4.3	2.5	5.9	4.4
Prescription Pain Relievers	5.9	6.2	7.4	4.9	5.7	8.3	6.1	2.6	5.0	4.4	3.6	2.8	4.9	4.0
Prescription Amphetamines	1.1	5.3	3.9	2.9	1.1	7.1	3.4	1.2	3.6	2.6	2.6	1.4	3.4	2.6
Steroids (without a doctor's order)	0.0	1.1	1.3	0.0	0.0	1.5	0.6	0.7	0.4	0.5	0.6	0.7	0.4	0.5
Over-the-Counter Drugs	3.0	5.1	4.0	4.3	2.9	6.8	4.1	3.2	4.9	4.3	4.1	3.4	4.9	4.2
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.5	0.8	--	0.6	--
Any illicit drug	10.8	39.6	35.0	18.8	10.8	39.2	26.4	16.5	34.8	28.7	25.2	17.4	34.9	26.9
Any illicit drug other than marijuana	9.7	20.8	22.6	9.5	9.8	23.8	15.7	12.6	16.2	15.5	13.7	12.8	16.2	14.6
Alcohol only	10.8	25.0	16.1	21.0	13.0	28.5	18.6	11.3	19.8	16.8	15.6	12.4	19.7	16.2
Alcohol or any illicit drug	21.0	64.8	51.3	39.1	23.2	67.6	44.7	27.5	54.4	45.2	40.5	29.5	54.5	42.9
Any illicit drug, but no alcohol	7.2	3.4	6.9	3.5	6.9	3.8	5.1	6.9	6.6	6.7	6.7	6.9	6.7	6.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Lafayette and Florida Statewide youth who reported having used various drugs in the past 30 days, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	4.6	38.5	26.9	20.0	4.5	42.3	23.2	7.3	21.2	16.8	13.8	8.1	20.9	15.3
Binge Drinking	4.0	23.1	13.6	15.9	3.8	26.9	14.7	3.1	9.6	6.7	6.9	3.2	9.4	6.8
Cigarettes	1.0	12.8	4.9	9.7	1.0	8.5	7.4	1.2	3.5	2.6	2.4	1.2	3.3	2.5
Vaporizer / E-Cigarette	4.6	31.5	17.1	21.1	5.4	30.8	19.1	6.4	19.2	13.5	14.0	7.5	19.1	13.7
Marijuana or Hashish	1.0	14.7	7.9	9.3	1.0	18.1	8.5	3.7	16.3	11.0	10.7	4.2	16.2	10.9
Synthetic Marijuana	--	0.7	0.0	1.5	--	1.0	--	--	1.1	1.1	1.1	--	1.1	--
Inhalants	3.9	0.0	1.5	2.1	3.7	0.0	1.8	2.8	1.1	2.1	1.6	2.6	1.1	1.8
Flakka	--	0.0	0.0	0.0	--	0.0	--	--	0.4	0.3	0.4	--	0.3	--
Club Drugs	0.0	1.3	0.0	1.4	0.0	1.7	0.7	0.2	0.5	0.3	0.5	0.2	0.5	0.4
LSD, PCP or Mushrooms	0.0	3.2	0.4	3.1	0.0	4.3	1.7	0.4	1.1	0.7	0.9	0.4	1.2	0.8
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.5	0.4	0.4	0.4
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.5	0.3	0.4	0.4
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Prescription Depressants	0.0	5.1	4.2	1.4	0.0	6.9	2.8	0.9	1.6	1.4	1.2	0.9	1.6	1.3
Prescription Pain Relievers	2.0	1.2	0.8	2.4	1.9	1.6	1.6	1.0	1.4	1.5	0.9	1.0	1.5	1.2
Prescription Amphetamines	0.0	4.3	3.4	1.3	0.0	5.8	2.3	0.5	1.0	0.8	0.7	0.5	1.0	0.8
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	1.9	3.6	3.4	2.3	1.9	4.9	2.9	1.4	1.8	1.7	1.5	1.5	1.8	1.6
Any illicit drug	5.9	16.1	11.2	11.8	5.7	19.7	11.5	7.9	19.0	15.0	13.4	8.3	19.1	14.3
Any illicit drug other than marijuana	5.9	9.3	8.7	6.9	5.7	12.4	7.7	5.5	6.0	6.5	5.1	5.5	6.1	5.8
Alcohol only	2.8	24.1	17.4	11.8	2.7	25.6	14.5	4.3	11.1	9.0	7.4	4.8	10.9	8.2
Alcohol or any illicit drug	8.4	40.5	28.4	23.9	8.1	44.9	26.0	12.1	29.5	23.7	20.4	12.9	29.4	22.0
Any illicit drug, but no alcohol	4.1	2.4	1.8	4.6	4.0	3.2	3.2	4.9	8.6	7.2	6.9	5.1	8.8	7.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Lafayette, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	46.4	64.6	56.2	33.2	52.7	43.2	35.8	63.8	51.3	18.0	63.0	43.1	13.6	47.8	32.4	14.6	61.8	40.6
Blacking Out	--	--	--	--	--	--	--	--	--	--	30.0	--	--	18.3	--	--	32.0	--
Cigarettes	28.1	42.7	36.0	23.9	44.2	34.4	22.2	37.0	30.3	15.6	48.2	33.6	12.1	36.8	25.4	13.0	37.0	26.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	5.7	40.7	24.7	11.3	55.7	35.1
Marijuana or Hashish	6.4	18.5	12.9	11.3	22.6	17.2	7.5	33.8	22.1	6.0	30.7	19.9	1.0	28.2	16.0	3.2	31.2	18.7
Synthetic Marijuana	--	--	--	--	--	--	--	20.9	--	--	3.7	--	--	8.0	--	--	3.1	--
Inhalants	10.4	3.1	6.4	6.7	7.7	7.2	15.3	11.1	13.0	6.6	4.5	5.4	0.8	0.8	0.8	4.6	8.1	6.6
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	1.8	--
Club Drugs	0.0	--	--	0.9	6.8	4.0	1.0	7.3	4.5	0.0	0.0	0.0	0.0	2.8	1.6	0.0	1.9	1.0
LSD, PCP or Mushrooms	2.0	--	--	0.0	4.4	2.3	2.0	5.0	3.6	0.0	0.7	0.4	0.0	3.8	2.2	0.0	3.7	2.0
Methamphetamine	0.0	0.0	0.0	0.0	4.4	2.3	2.4	3.8	3.2	0.0	0.0	0.0	0.0	0.8	0.5	0.0	1.3	0.7
Cocaine or Crack	0.9	--	--	1.0	2.4	1.7	0.0	4.6	2.6	0.0	1.1	0.6	0.0	5.7	3.2	0.0	1.9	1.0
Heroin	1.9	0.0	0.8	0.9	2.5	1.7	0.0	2.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2
Prescription Depressants	0.0	3.1	1.7	1.9	4.1	3.0	3.5	4.7	4.1	0.7	0.5	0.6	0.0	7.1	3.9	2.2	5.5	4.0
Prescription Pain Relievers	15.5	1.9	8.0	4.9	12.7	8.9	3.2	6.7	5.2	3.7	3.2	3.4	2.1	6.8	4.8	5.9	6.2	6.1
Prescription Amphetamines	1.2	4.3	2.9	1.9	0.0	0.9	1.0	2.2	1.7	2.8	0.0	1.2	2.0	5.6	4.0	1.1	5.3	3.4
Steroids (without a doctor's order)	0.0	2.4	1.3	0.0	0.0	0.0	0.9	0.0	0.4	0.0	0.0	0.0	1.0	0.8	0.9	0.0	1.1	0.6
Over-the-Counter Drugs	7.8	--	--	3.4	3.2	3.3	3.1	3.6	3.4	3.6	4.7	4.2	2.0	2.8	2.5	3.0	5.1	4.1
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	--
Any illicit drug	27.6	18.6	22.7	17.5	27.0	22.4	23.4	37.5	31.3	12.7	35.4	25.3	7.6	31.1	20.5	10.8	39.6	26.4
Any illicit drug other than marijuana	24.5	9.1	16.1	12.2	21.4	17.0	19.8	16.2	17.8	9.9	9.3	9.5	6.6	14.2	10.8	9.7	20.8	15.7
Alcohol only	25.1	46.4	36.6	20.2	31.6	26.0	18.7	29.3	24.6	10.8	29.5	21.3	10.1	21.2	16.3	10.8	25.0	18.6
Alcohol or any illicit drug	52.7	64.1	58.9	37.5	57.4	47.8	41.3	66.8	55.4	23.0	64.9	46.1	18.3	51.6	36.3	21.0	64.8	44.7
Any illicit drug, but no alcohol	6.3	0.0	2.9	4.6	5.4	5.0	5.6	3.0	4.1	5.6	1.8	3.5	6.0	3.6	4.6	7.2	3.4	5.1

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Lafayette, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	25.9	41.3	34.2	21.7	38.7	30.2	15.4	37.4	27.6	11.0	31.2	22.3	8.7	25.5	18.0	4.6	38.5	23.2
Binge Drinking	5.4	19.2	12.9	8.2	25.6	17.3	5.8	24.4	16.1	5.6	22.8	15.1	4.1	19.7	12.7	4.0	23.1	14.7
Cigarettes	3.0	19.5	12.0	8.3	17.4	13.0	2.8	20.6	12.6	7.2	18.4	13.4	2.9	20.5	12.4	1.0	12.8	7.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	3.8	20.4	12.8	4.6	31.5	19.1
Marijuana or Hashish	2.0	10.7	6.7	3.7	7.3	5.6	4.0	14.1	9.7	0.9	10.2	6.2	0.0	11.4	6.4	1.0	14.7	8.5
Synthetic Marijuana	--	--	--	--	--	--	--	5.9	--	--	0.0	--	--	1.4	--	--	0.7	--
Inhalants	6.0	1.2	3.4	3.7	6.0	4.9	10.6	3.1	6.4	4.5	1.8	2.9	0.8	0.0	0.4	3.9	0.0	1.8
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	--	--	0.0	--
Club Drugs	0.0	--	--	1.0	4.4	2.7	1.1	2.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7
LSD, PCP or Mushrooms	0.0	--	--	0.0	2.5	1.3	2.1	0.0	0.9	0.0	0.7	0.4	0.0	0.9	0.5	0.0	3.2	1.7
Methamphetamine	0.0	0.0	0.0	0.0	2.6	1.3	2.5	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	0.0	--	--	1.0	2.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	0.0	2.0	1.1	2.0	4.3	3.2	1.1	3.6	2.5	0.0	0.5	0.3	0.0	2.1	1.2	0.0	5.1	2.8
Prescription Pain Relievers	8.7	1.9	4.9	1.9	2.6	2.2	2.3	5.9	4.3	3.1	1.5	2.2	2.2	2.6	2.4	2.0	1.2	1.6
Prescription Amphetamines	1.2	2.3	1.8	1.0	0.0	0.5	1.1	2.2	1.7	1.5	0.0	0.7	0.0	0.9	0.5	0.0	4.3	2.3
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	0.0	0.0	0.0	1.1	0.0	0.5	0.0	0.0	0.0
Over-the-Counter Drugs	3.3	--	--	1.8	1.5	1.7	2.0	1.3	1.6	1.6	1.9	1.8	0.0	1.2	0.6	1.9	3.6	2.9
Any illicit drug	15.0	11.0	12.8	8.1	10.5	9.3	14.7	15.5	15.2	7.4	13.6	10.9	3.9	15.9	10.5	5.9	16.1	11.5
Any illicit drug other than marijuana	13.1	5.3	8.8	6.3	7.1	6.7	13.8	6.7	9.8	7.4	5.0	6.1	3.9	5.4	4.7	5.9	9.3	7.7
Alcohol only	16.2	31.2	24.3	16.1	29.9	23.1	10.8	23.1	17.7	6.8	24.4	16.8	6.3	14.1	10.7	2.8	24.1	14.5
Alcohol or any illicit drug	31.2	41.6	36.9	23.3	37.5	30.6	24.4	39.3	32.7	13.3	37.8	26.8	10.9	29.2	20.8	8.4	40.5	26.0
Any illicit drug, but no alcohol	5.3	1.2	3.1	1.9	1.8	1.9	9.7	2.3	5.6	2.9	6.8	5.2	3.0	3.1	3.1	4.1	2.4	3.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Lafayette and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2018**

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	14.7	13.1	16.3	--	16.9	--	--	17.6	17.1	18.1	--	17.1	--
Drinking at least once a month	--	5.4	9.4	1.3	--	7.5	--	--	2.5	2.4	2.5	--	2.5	--
Smoke cigarettes	--	13.8	14.7	12.9	--	16.9	--	--	7.4	6.9	7.9	--	7.6	--
Smoke marijuana	--	6.9	10.1	3.7	--	9.6	--	--	9.3	8.0	10.6	--	9.1	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	47.2	26.3	38.5	33.5	46.5	24.8	35.7	49.3	43.3	49.1	42.8	48.7	43.6	45.9
5+ drinks once or twice a week	59.5	34.0	48.8	42.9	61.0	34.0	45.5	62.1	55.0	61.3	54.9	61.9	55.3	58.0
1+ packs of cigarettes per day	62.7	57.1	61.0	59.0	63.3	54.7	59.6	66.8	67.1	67.6	66.6	67.3	67.2	67.0
Marijuana once or twice a week	57.6	25.9	39.7	41.0	56.1	28.3	40.2	49.1	23.3	35.2	33.7	47.1	23.1	34.4
Try marijuana once or twice	43.6	19.6	31.3	30.0	42.8	19.8	30.4	33.2	15.8	22.8	23.6	31.5	15.7	23.2
Use prescription drugs	66.7	71.0	77.8	61.8	67.8	67.1	69.0	68.2	67.1	69.5	65.9	68.2	67.0	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	94.0	62.8	80.0	74.4	91.1	71.5	77.1	95.6	89.8	92.6	92.1	95.6	90.8	92.3
Drink alcohol regularly	89.7	47.6	65.3	68.1	87.9	50.8	66.9	88.4	67.2	75.9	76.7	87.1	67.7	76.3
Smoke marijuana	93.8	57.6	72.3	75.8	90.5	58.2	74.3	88.5	60.9	72.9	72.8	86.7	61.1	72.8
Smoke synthetic marijuana	91.1	88.8	91.6	88.2	89.1	91.5	89.9	92.3	88.3	90.0	90.1	91.9	88.4	90.0
Use other illicit drugs	97.0	94.2	96.6	94.4	95.4	94.2	95.5	97.3	94.3	96.2	95.1	97.2	94.6	95.6
<b>Parents think it would be wrong to...</b>														
1 or 2 drinks nearly every day	96.3	83.2	90.3	88.0	96.4	80.9	89.2	97.6	94.2	95.7	95.5	97.3	94.4	95.6
Smoke cigarettes	97.9	85.3	90.5	91.6	98.0	87.7	91.1	98.8	97.4	98.1	97.9	98.8	97.7	98.0
Smoke marijuana	98.9	83.1	87.3	93.2	98.9	82.8	90.3	96.4	87.9	91.8	91.2	96.0	88.2	91.5
Use prescription drugs	98.2	97.9	98.7	97.4	98.3	97.2	98.1	98.1	97.1	97.3	97.8	98.0	97.1	97.5
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	92.4	52.8	68.9	72.7	93.4	52.1	71.0	90.9	81.2	87.1	83.7	90.0	81.3	85.3
Smoke tobacco	95.8	65.7	82.3	76.9	95.9	70.1	79.6	94.4	88.7	92.1	90.2	94.1	89.3	91.1
Smoke marijuana	93.4	61.6	71.5	80.5	93.4	55.4	76.3	87.0	59.1	71.5	70.6	84.7	59.3	71.0
Use prescription drugs	95.9	93.1	96.8	92.2	96.1	90.8	94.4	95.0	91.8	94.1	92.3	94.7	91.9	93.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Lafayette, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	30.7	--	--	24.3	--	--	25.6	--	--	19.0	--	--	13.8	--	--	14.7	--
Drink monthly	--	5.6	--	--	12.2	--	--	9.4	--	--	2.4	--	--	1.8	--	--	5.4	--
Smoke cigarettes	--	21.9	--	--	28.5	--	--	29.5	--	--	25.2	--	--	16.0	--	--	13.8	--
Smoke marijuana	--	5.9	--	--	9.3	--	--	11.1	--	--	8.7	--	--	8.1	--	--	6.9	--
<b>Great risk of harm</b>																		
Daily alcohol use	40.7	40.0	40.3	48.6	43.4	45.9	50.9	26.0	37.1	48.4	46.1	47.1	45.7	40.4	42.8	47.2	26.3	35.7
5+ drinks daily	--	--	--	--	--	--	--	--	--	64.5	55.2	59.4	63.6	51.5	57.0	59.5	34.0	45.5
Daily cigarette use	58.7	55.9	57.1	73.7	57.5	65.3	76.3	61.0	67.8	69.5	71.3	70.5	64.6	63.1	63.8	62.7	57.1	59.6
Marijuana weekly*	--	--	--	--	--	--	--	--	--	61.3	33.1	45.7	64.2	44.1	53.4	57.6	25.9	40.2
Try marijuana	47.8	41.5	44.3	54.1	41.9	47.8	49.4	24.9	35.8	50.2	23.9	35.8	49.1	34.9	41.4	43.6	19.6	30.4
Prescription drugs	--	--	--	--	--	--	--	75.5	75.5	74.9	72.3	73.4	66.1	76.2	71.6	66.7	71.0	69.0
<b>Think it wrong</b>																		
Smoke cigarettes	83.4	73.3	77.8	91.8	71.1	81.0	93.3	67.7	79.3	92.2	76.7	83.6	98.1	71.7	83.7	94.0	62.8	77.1
Drink regularly	70.7	67.4	68.9	86.4	55.2	70.3	82.0	59.0	69.3	90.8	64.4	76.1	91.6	65.7	77.5	89.7	47.6	66.9
Smoke marijuana	89.4	88.9	89.1	95.6	83.6	89.5	92.7	67.5	78.8	96.4	84.5	89.8	96.0	73.6	83.9	93.8	57.6	74.3
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	98.0	95.5	96.6	91.1	88.8	89.9
Use other illicit drugs	92.1	94.9	93.6	98.2	95.9	97.0	99.1	95.6	97.2	99.4	98.2	98.7	99.0	98.3	98.6	97.0	94.2	95.5
<b>Parents think it wrong</b>																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	98.4	90.9	94.2	99.1	94.8	96.7	96.3	83.2	89.2
Smoke cigarettes	93.5	82.9	87.7	95.5	89.9	92.7	95.9	83.6	89.1	100.0	94.2	96.8	98.0	96.3	97.1	97.9	85.3	91.1
Smoke marijuana	95.9	93.2	94.4	99.1	90.8	94.9	94.9	88.3	91.3	100.0	92.2	95.6	100.0	90.5	94.7	98.9	83.1	90.3
Prescription drugs	--	--	--	--	--	--	--	--	--	98.5	100.0	99.4	99.1	98.0	98.5	98.2	97.9	98.1
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	86.9	72.7	79.1	92.5	66.4	78.3	92.4	52.8	71.0
Smoke tobacco	--	--	--	--	--	--	--	--	--	90.3	71.8	80.1	96.2	71.3	82.7	95.8	65.7	79.6
Smoke marijuana	--	--	--	--	--	--	--	--	--	92.5	78.3	84.7	96.1	68.8	81.2	93.4	61.6	76.3
Prescription drugs	--	--	--	--	--	--	--	--	--	98.0	97.3	97.6	96.2	88.6	92.1	95.9	93.1	94.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Lafayette and Florida Statewide youth, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	11.1	16.3	0.0	--	0.0	--	--	7.9	4.9	11.3	--	7.0	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.7	2.1	1.2	--	1.6	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.1	1.2	1.1	--	1.1	--
Someone bought it for me	--	34.9	25.3	55.6	--	39.7	--	--	15.2	15.4	15.2	--	15.1	--
Someone gave it to me	--	45.0	57.1	19.2	--	48.5	--	--	41.9	45.7	37.4	--	42.3	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.7	--	0.5	--
Took it from a family member	--	4.9	1.3	12.5	--	6.4	--	--	13.8	16.1	10.9	--	14.6	--
Some other way	--	4.0	0.0	12.7	--	5.3	--	--	17.8	14.3	22.2	--	17.9	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Lafayette and Florida Statewide youth, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	24.5	33.9	7.4	--	19.1	--	--	41.0	41.9	39.5	--	41.5	--
Another person's home	--	49.2	48.3	50.9	--	56.2	--	--	38.3	39.0	37.8	--	38.2	--
Car or other vehicle	--	2.9	0.0	8.1	--	3.7	--	--	1.5	1.7	1.3	--	1.6	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.3	4.4	1.6	--	2.7	--
Public place	--	0.8	1.2	0.0	--	1.0	--	--	3.6	2.8	4.5	--	3.5	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.7	1.5	1.9	--	1.6	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.8	1.8	--	1.3	--
Some other place	--	22.6	16.6	33.6	--	19.9	--	--	9.4	7.8	11.6	--	9.6	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lafayette and Florida Statewide youth, 2018

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	18.0	23.1	11.4	--	20.7	--	--	30.0	33.1	26.0	--	30.5	--
2	--	5.0	4.8	5.2	--	6.2	--	--	23.5	24.0	22.7	--	23.8	--
3	--	23.0	24.8	20.7	--	20.4	--	--	14.9	15.9	13.9	--	14.7	--
4	--	8.9	8.2	9.8	--	9.4	--	--	10.7	10.9	10.5	--	10.6	--
5 or more	--	45.1	39.1	53.0	--	43.3	--	--	20.9	16.1	26.8	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Lafayette and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2018

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.8	14.2	11.1	7.7	3.7	11.6	9.4	3.7	6.7	5.9	4.8	3.8	7.0	5.4
Smoking marijuana	1.1	13.5	9.8	5.9	1.1	11.7	7.8	3.7	13.0	8.7	9.2	4.1	13.3	9.0
Used another drug to get high	0.0	3.6	0.9	3.0	0.0	4.0	2.0	1.7	3.7	2.6	3.1	1.9	3.7	2.9

**Table 12. Percentages of Lafayette and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	12.2	16.6	5.4	23.6	12.8	11.1	14.6	5.7	6.2	3.2	8.7	5.6	6.4	6.0
Selling drugs	0.0	3.2	1.1	2.3	0.0	4.3	1.7	1.5	5.7	2.7	5.1	1.8	5.6	3.9
Attempting to steal a vehicle	0.0	2.1	1.2	1.1	0.0	2.8	1.1	1.4	1.6	1.2	1.8	1.4	1.6	1.5
Being arrested	1.9	0.6	0.7	1.7	1.8	0.0	1.2	1.7	2.6	1.7	2.8	1.8	2.7	2.3
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.3	0.9	0.5	0.8	0.6
Getting suspended	5.6	13.7	7.0	12.9	6.3	14.7	9.9	10.7	8.7	7.3	11.7	10.4	8.9	9.5
Attacking someone with intent to harm	5.5	5.9	3.0	8.4	5.3	7.2	5.8	7.2	5.9	5.6	7.3	7.0	6.0	6.5

**Table 13. Trends in delinquent behaviors for Lafayette, 2008 to 2018**

	2008			2010			2012			2014			2016			2018		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.3	9.4	6.7	4.5	13.1	8.8	10.5	3.2	6.4	10.4	17.4	14.4	3.4	10.7	7.4	12.2	16.6	14.6
Selling drugs	0.0	6.1	3.4	1.0	5.3	3.2	1.0	6.2	3.9	0.0	3.5	2.0	0.0	0.9	0.5	0.0	3.2	1.7
Attempting to steal a vehicle	1.9	3.9	3.0	1.8	0.9	1.4	0.0	0.0	0.0	0.0	1.0	0.6	0.0	0.0	0.0	0.0	2.1	1.1
Being arrested	3.2	4.1	3.7	1.7	5.6	3.7	4.0	2.2	3.0	0.0	1.0	0.6	0.9	0.0	0.4	1.9	0.6	1.2
Taking a handgun to school	0.0	1.6	0.9	0.0	0.9	0.4	0.0	1.5	0.8	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Getting suspended	11.4	9.4	10.3	13.2	16.5	14.8	5.0	14.3	10.2	10.8	17.0	14.3	12.6	7.3	9.7	5.6	13.7	9.9
Attacking someone with intent to harm	9.3	9.9	9.6	8.0	10.1	9.1	5.3	5.5	5.4	4.7	7.2	6.1	3.6	3.6	3.6	5.5	5.9	5.8

Table 14. Percentages of Lafayette and Florida Statewide youth who reported symptoms of depression, 2018

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	26.2	37.9	44.2	22.3	26.5	40.1	32.6	26.5	29.5	35.9	20.5	26.9	30.1	28.2
At times I think I am no good at all	37.0	46.5	55.8	30.3	40.1	48.2	42.2	38.2	40.8	49.9	29.6	38.8	41.6	39.7
All in all, I am inclined to think that I am a failure	24.2	36.4	40.0	23.1	25.7	37.1	30.9	24.5	26.3	32.1	18.8	24.8	27.3	25.5
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	41.3	52.0	57.6	37.4	43.2	61.6	47.2	40.6	44.1	53.1	32.2	40.5	45.3	42.6



**Table 15. Percentages of Lafayette and Florida Statewide youth who reported involvement in bullying behavior, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	4.9	12.8	13.2	5.6	4.7	14.0	9.1	7.7	8.4	11.7	4.5	7.7	8.5	8.1
Was ever kicked or shoved	43.4	27.1	30.2	38.8	44.9	24.2	34.5	36.9	22.6	27.2	30.1	35.9	22.5	28.8
Was ever taunted or teased	70.2	51.5	65.0	55.1	68.2	61.1	60.0	62.7	50.9	60.6	51.4	62.1	51.4	56.0
Was ever a victim of cyber bullying	26.8	20.6	33.3	14.5	26.8	21.8	23.4	23.0	27.6	33.5	17.9	23.4	28.3	25.6
Ever physically bullied others	22.3	10.8	11.3	20.7	22.4	12.4	16.1	19.1	12.1	12.0	18.0	18.4	12.0	15.1
Ever verbally bullied others	25.9	19.6	21.7	22.6	25.0	21.3	22.6	30.3	24.7	25.7	28.3	30.0	24.9	27.1
Ever cyber bullied others	12.0	7.8	11.6	8.1	11.5	9.2	9.7	10.0	11.6	12.3	9.6	10.2	11.8	10.9

**Table 16. Percentages of Lafayette and Florida Statewide youth who reported gang membership, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	3.2	4.3	0.7	6.7	3.4	2.1	3.8	3.8	3.7	2.4	5.0	3.6	3.8	3.7
Did that gang have a name?	23.9	22.2	12.2	28.1	27.4	14.5	22.9	25.5	16.2	14.4	23.1	24.0	17.0	19.4
Are you a gang member now?	--	1.9	1.2	2.7	--	2.2	--	--	2.3	1.4	3.3	--	2.3	--

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

**Table 17. Percentages of Lafayette and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2018**

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	31.8	24.1	27.1	26.9	29.2	26.5	27.4	29.3	28.3	29.0	28.3	28.9	28.8	28.7
I'm more concerned with the short run	24.1	18.0	17.5	22.6	21.8	24.1	20.5	25.6	21.6	24.2	22.3	25.1	22.4	23.3
Getting in trouble is exciting	18.7	35.5	33.1	23.0	16.5	41.7	28.0	23.3	27.7	25.6	25.9	24.1	27.9	25.8
Excitement is more important than security	28.4	24.6	22.2	29.5	29.5	24.3	26.3	23.5	23.5	21.4	25.5	23.5	23.5	23.5
People better stay away from me when I'm really angry	25.1	30.0	31.3	23.7	25.3	31.0	27.9	36.0	32.5	35.8	32.1	35.7	33.0	34.0
I get upset when I have a disagreement with someone	32.3	41.2	45.4	28.6	33.2	44.0	37.2	45.0	38.0	47.4	34.6	45.0	38.3	41.0

Note: The symbol “--” indicates that data are not available.

Table 18. Percentages of Lafayette and Florida Statewide youth who reported participation in extracurricular activities, 2018

	Lafayette							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	66.5	46.9	50.8	60.1	65.5	44.7	55.9	36.0	39.7	34.7	41.4	36.8	40.0	38.1
Organized Sports Outside of School	32.3	11.8	18.9	23.5	31.8	13.2	21.2	38.6	19.8	25.7	30.1	37.2	19.7	27.9
School Band	9.4	9.3	11.4	7.6	9.8	9.9	9.4	17.3	8.1	12.5	11.6	16.6	8.0	12.0
School Club(s)	21.1	25.7	25.5	22.1	22.4	22.8	23.6	22.2	30.2	34.6	19.4	22.8	30.4	26.8
Community Club(s)	3.7	3.3	4.6	2.4	3.9	3.9	3.4	8.5	11.7	13.3	7.5	8.4	11.6	10.3

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lafayette and Florida Statewide youth, 2018

	Lafayette							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	26.7	20.7	32.8	--	27.1	--	--	14.3	15.1	13.4	--	14.3	--
Marijuana	--	26.3	25.7	26.9	--	25.3	--	--	22.9	24.4	21.5	--	22.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	13.6	4.7	22.8	--	14.2	--	--	4.4	3.8	4.9	--	4.3	--
Marijuana	--	10.9	13.4	8.2	--	6.9	--	--	9.5	8.7	10.1	--	9.2	--

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Lafayette, 2012 and 2018

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	26.5	--	--	18.1	--	--	23.0	--	--	26.7	--
Marijuana	--	--	--	--	--	--	--	20.4	--	--	12.7	--	--	18.8	--	--	26.3	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	6.9	--	--	17.7	--	--	13.0	--	--	13.6	--
Marijuana	--	--	--	--	--	--	--	8.6	--	--	7.6	--	--	8.0	--	--	10.9	--

Note: The symbol "--" indicates that data are not available.

**Table 21. Protective factor prevalence rates for Lafayette, Florida Statewide youth and the national normative database, 2018**

Domain	Scale	Lafayette		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	66	57	58	57	59	54
	Family Rewards for Prosocial Involvement	52	45	50	51	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	51	55	54	64	57	60
	School Rewards for Prosocial Involvement	53	58	45	55	53	58
<b>Peer and Individual</b>	Religiosity	73	72	46	54	56	62
<b>Average Prevalence Rate</b>		<b>59</b>	<b>57</b>	<b>51</b>	<b>56</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 22. Risk factor prevalence rates for Lafayette, Florida Statewide youth and the national normative database, 2018**

Domain	Scale	Lafayette		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Disorganization	44	45	38	40	47	47
	Transitions and Mobility	50	43	59	61	47	46
	Laws and Norms Favorable to Drug Use	39	52	38	32	42	42
	Perceived Availability of Drugs	26	24	35	24	45	45
	Perceived Availability of Handguns	30	55	24	34	25	42
<b>Family</b>	Poor Family Management	40	39	43	37	44	45
	Family Conflict	31	29	39	34	42	37
<b>School</b>	Poor Academic Performance	54	43	43	43	45	48
	Lack of Commitment to School	60	61	60	57	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	40	37	43	36	40	46
	Favorable Attitudes toward ATOD Use	28	51	35	34	39	45
	Early Initiation of Drug Use	16	34	24	19	41	46
<b>Average Prevalence Rate</b>		<b>38</b>	<b>43</b>	<b>40</b>	<b>38</b>	<b>40</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



Table 23. Protective factor prevalence rate trends among middle school students for Lafayette, 2008 to 2018

Domain		Lafayette					
Scale		2008	2010	2012	2014	2016	2018
Family	Family Opportunities for Prosocial Involvement	56	62	64	72	68	66
	Family Rewards for Prosocial Involvement	51	57	59	75	60	52
School	School Opportunities for Prosocial Involvement	48	56	64	59	46	51
	School Rewards for Prosocial Involvement	50	51	58	65	59	53
Peer and Individual	Religiosity	64	72	70	71	75	73
Average Prevalence Rate		54	60	63	68	62	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rate trends among middle school students for Lafayette, 2008 to 2018**

Domain		Lafayette					
Scale		2008	2010	2012	2014	2016	2018
<b>Community</b>	Community Disorganization	42	42	41	22	29	44
	Transitions and Mobility	53	45	45	48	35	50
	Laws and Norms Favorable to Drug Use	52	51	35	33	36	39
	Perceived Availability of Drugs	35	45	44	23	31	26
	Perceived Availability of Handguns	43	37	41	34	37	30
<b>Family</b>	Poor Family Management	55	39	29	27	30	40
	Family Conflict	45	35	40	22	36	31
<b>School</b>	Poor Academic Performance	53	41	48	41	57	54
	Lack of Commitment to School	57	53	47	45	44	60
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	48	41	31	20	29	40
	Favorable Attitudes toward ATOD Use	45	36	34	18	18	28
	Early Initiation of Drug Use	51	38	37	18	17	16
<b>Average Prevalence Rate</b>		<b>47</b>	<b>38</b>	<b>36</b>	<b>29</b>	<b>33</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Lafayette, 2008 to 2018

Domain		Lafayette					
Scale		2008	2010	2012	2014	2016	2018
Family	Family Opportunities for Prosocial Involvement	57	58	58	60	69	57
	Family Rewards for Prosocial Involvement	61	52	65	54	66	45
School	School Opportunities for Prosocial Involvement	69	59	70	72	64	55
	School Rewards for Prosocial Involvement	73	66	79	71	69	58
Peer and Individual	Religiosity	76	76	80	66	86	72
Average Prevalence Rate		67	62	70	65	71	57

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among high school students for Lafayette, 2008 to 2018**

Domain	Scale	Lafayette					
		2008	2010	2012	2014	2016	2018
<b>Community</b>	Community Disorganization	34	49	30	24	40	45
	Transitions and Mobility	50	52	44	42	38	43
	Laws and Norms Favorable to Drug Use	33	41	31	47	34	52
	Perceived Availability of Drugs	40	20	29	24	23	24
	Perceived Availability of Handguns	54	35	52	62	52	55
<b>Family</b>	Poor Family Management	47	53	37	40	22	39
	Family Conflict	33	28	17	33	21	29
<b>School</b>	Poor Academic Performance	54	44	57	45	40	43
	Lack of Commitment to School	45	49	40	60	43	61
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	37	32	35	28	30	37
	Favorable Attitudes toward ATOD Use	24	34	37	22	28	51
	Early Initiation of Drug Use	31	33	33	45	24	34
<b>Average Prevalence Rate</b>		<b>35</b>	<b>39</b>	<b>38</b>	<b>39</b>	<b>33</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.