

# **2020 Florida Youth Substance Abuse Survey**

**Bay County Data Tables**



**Table 1. Major demographic characteristics of surveyed Bay County and Florida Statewide youth, 2020**

	Bay County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	563	50.8		25,191	48.4
Male	541	48.8		26,328	50.5
<b>Race/Ethnic group</b>					
African American	132	11.9		11,284	21.7
American Indian	26	2.3		491	0.9
Asian	31	2.8		671	1.3
Hispanic/Latino	85	7.7		11,091	21.3
Native Hawaiian/Pacific Islander	6	0.5		68	0.1
Other/Multiple	237	21.4		7,227	13.9
White, non-Hispanic	585	52.8		20,904	40.1
<b>Age</b>					
10	6	0.5		44	0.1
11	69	6.2		3,151	6.0
12	167	15.1		7,124	13.7
13	174	15.7		7,698	14.8
14	201	18.1		7,616	14.6
15	140	12.6		7,582	14.6
16	139	12.5		7,502	14.4
17	134	12.1		7,073	13.6
18	68	6.1		3,807	7.3
19 or older	9	0.8		394	0.8
<b>Grade</b>					
6th	214	19.3		7,718	14.8
7th	143	12.9		7,555	14.5
8th	236	21.3		7,632	14.6
9th	126	11.4		7,668	14.7
10th	126	11.4		7,481	14.4
11th	143	12.9		7,117	13.7
12th	121	10.9		6,923	13.3
Overall Middle School	593	53.5		22,904	44.0
Overall High School	516	46.5		29,189	56.0
<b>Total</b>	<b>1,109</b>	<b>100.0</b>		<b>52,093</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Bay County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	22.7	46.9	37.2	35.6	23.8	48.5	36.4	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	15.7	15.7	15.8	--	14.3	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	10.0	17.1	12.5	15.4	9.7	18.2	14.0	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	21.0	39.5	31.3	31.5	21.6	40.8	31.5	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	11.2	24.4	19.5	17.6	11.0	25.5	18.7	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	12.2	32.4	23.6	23.5	12.0	34.7	23.6	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	4.2	3.7	4.6	--	5.2	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.6	6.9	9.5	6.7	8.9	8.3	8.1	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.9	2.2	2.4	1.8	1.9	2.0	2.1	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	1.1	3.2	1.4	3.2	1.0	2.9	2.3	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	2.1	1.2	1.8	1.4	2.1	0.8	1.6	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.6	1.4	1.1	2.0	1.5	1.6	1.5	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.8	0.8	0.6	1.0	0.7	1.0	0.8	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	4.0	6.2	6.2	4.3	3.7	6.6	5.2	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.2	6.0	5.2	4.5	3.2	6.5	4.8	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	4.5	5.8	5.7	4.7	4.0	6.1	5.2	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	3.6	6.3	5.5	4.8	3.7	6.4	5.1	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	23.9	42.0	35.6	32.7	23.4	44.0	34.2	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	15.6	20.1	19.6	16.8	15.2	21.5	18.1	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	8.9	14.6	11.0	13.3	10.0	14.4	12.1	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	32.7	56.6	46.5	46.1	33.5	58.3	46.2	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	10.3	9.8	9.4	10.7	10.0	9.7	10.0	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Bay County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	8.9	20.4	17.1	13.7	8.6	20.3	15.4	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	4.0	9.7	7.2	7.2	4.8	7.2	7.2	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.7	2.6	2.0	3.4	1.9	2.8	2.7	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	9.7	19.2	15.1	14.9	9.3	20.3	15.1	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	5.5	10.1	8.1	8.0	4.8	11.3	8.1	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	5.6	14.9	10.7	10.8	6.2	16.0	10.9	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.2	0.0	2.4	--	1.7	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.2	2.2	3.5	1.8	2.9	2.7	2.6	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	1.2	0.7	0.8	1.0	1.3	0.4	0.9	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.5	0.8	0.3	1.0	0.5	0.7	0.7	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	1.0	0.6	0.6	1.0	1.2	0.5	0.8	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.5	0.0	0.1	0.4	0.5	0.0	0.2	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.2	0.0	0.2	0.0	0.2	0.1	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.4	1.4	2.5	0.3	1.3	1.6	1.4	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	2.3	1.4	2.7	0.9	2.1	0.9	1.8	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	1.6	1.9	2.4	1.1	1.3	1.4	1.8	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.2	2.4	1.8	2.0	1.5	1.8	1.9	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	11.9	20.7	18.2	15.4	11.7	22.4	16.9	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	7.8	7.1	9.2	5.7	7.7	7.1	7.4	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	3.8	9.4	8.1	6.0	4.1	8.1	7.0	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	15.7	30.2	26.3	21.5	15.7	30.7	23.9	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	7.0	9.7	9.2	7.7	7.3	10.1	8.5	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Bay County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	39.6	63.5	52.8	30.4	63.0	48.4	26.5	60.5	45.2	23.0	51.1	38.8	21.3	52.2	38.5	22.7	46.9	36.4
Blacking Out	--	--	--	--	--	--	--	28.5	--	--	16.7	--	--	17.8	--	--	15.7	--
Cigarettes	26.4	38.0	32.8	17.0	35.3	27.1	16.0	36.5	27.3	13.2	25.9	20.3	10.4	22.8	17.2	10.0	17.1	14.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21.0	39.5	31.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11.2	24.4	18.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	17.4	41.7	31.0	18.6	46.0	33.7	--	--	--
Marijuana or Hashish	12.9	37.1	26.3	10.7	38.1	25.9	11.2	40.8	27.5	8.2	32.3	21.7	9.4	32.6	22.2	12.2	32.4	23.6
Synthetic Marijuana	--	--	--	--	17.3	--	--	12.5	--	--	7.1	--	--	3.2	--	--	4.2	--
Inhalants	15.7	10.7	12.9	11.9	8.1	9.8	8.8	6.2	7.4	6.6	3.1	4.6	10.0	5.8	7.7	9.6	6.9	8.1
Club Drugs	2.7	6.5	4.8	1.5	4.6	3.2	1.1	3.6	2.5	1.5	3.2	2.4	0.6	1.9	1.3	1.9	2.2	2.1
LSD, PCP or Mushrooms	3.0	7.2	5.3	2.3	4.6	3.6	1.6	7.1	4.6	1.3	7.4	4.8	0.2	3.9	2.2	1.1	3.2	2.3
Methamphetamine	1.2	2.3	1.8	1.1	2.0	1.6	0.6	1.9	1.3	0.5	0.6	0.6	0.4	1.2	0.8	2.1	1.2	1.6
Cocaine or Crack	2.8	4.3	3.7	1.8	3.2	2.5	1.6	2.9	2.3	1.0	2.9	2.1	1.3	2.6	2.0	1.6	1.4	1.5
Heroin	1.4	2.3	1.9	0.9	1.3	1.1	0.7	1.0	0.8	0.8	0.3	0.5	0.7	0.5	0.5	0.8	0.8	0.8
Prescription Depressants	4.5	13.5	9.5	3.3	10.0	7.0	2.7	9.9	6.7	4.1	10.9	7.9	3.5	10.0	7.1	4.0	6.2	5.2
Prescription Pain Relievers	7.0	14.5	11.2	5.0	10.6	8.1	3.0	10.8	7.3	3.6	8.5	6.4	3.4	6.3	5.0	3.2	6.0	4.8
Prescription Amphetamines	3.0	10.8	7.3	2.4	8.2	5.6	2.0	11.4	7.2	2.3	7.8	5.4	1.7	6.4	4.3	4.5	5.8	5.2
Over-the-Counter Drugs	6.7	11.4	9.3	4.7	8.0	6.5	3.9	9.3	6.8	3.1	5.5	4.4	5.6	6.7	6.2	3.6	6.3	5.1
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.9	--	--	0.7	--	--	0.0	--
Any illicit drug	28.2	44.2	37.0	21.8	44.9	34.5	19.7	49.3	35.9	18.3	37.2	28.9	18.6	38.8	29.8	23.9	42.0	34.2
Any illicit drug other than marijuana	23.8	29.7	27.1	17.9	24.4	21.5	12.9	30.2	22.4	13.9	20.9	17.9	15.3	20.8	18.3	15.6	20.1	18.1
Alcohol only	19.3	22.1	20.8	14.9	22.4	19.0	12.5	17.7	15.4	11.8	18.6	15.6	9.0	19.5	14.9	8.9	14.6	12.1
Alcohol or any illicit drug	47.1	66.1	57.6	36.8	66.9	53.5	32.2	66.6	51.1	29.8	55.8	44.3	27.2	58.3	44.4	32.7	56.6	46.2
Any illicit drug, but no alcohol	7.8	2.8	5.0	6.4	4.0	5.1	6.0	6.1	6.1	7.1	4.8	5.8	5.9	6.2	6.0	10.3	9.8	10.0

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Bay County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	19.2	40.7	31.1	11.0	33.4	23.4	10.4	35.8	24.4	9.4	27.2	19.3	7.8	26.0	17.9	8.9	20.4	15.4
Binge Drinking	6.9	22.2	15.4	4.3	17.2	11.4	3.7	19.8	12.5	3.2	11.7	8.0	2.8	9.0	6.2	4.0	9.7	7.2
Cigarettes	8.5	17.0	13.2	5.8	15.1	10.9	4.0	11.4	8.1	2.2	7.5	5.1	2.3	6.1	4.4	2.7	2.6	2.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.7	19.2	15.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.5	10.1	8.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.8	16.5	12.2	9.4	28.2	19.7	--	--	--
Marijuana or Hashish	7.4	20.5	14.7	5.9	20.0	13.8	6.0	24.1	15.9	3.6	16.8	11.1	4.2	15.9	10.7	5.6	14.9	10.9
Synthetic Marijuana	--	--	--	--	4.5	--	--	2.3	--	--	0.3	--	--	1.2	--	--	1.2	--
Inhalants	5.8	2.3	3.9	4.6	2.6	3.5	3.1	1.9	2.5	2.3	0.7	1.4	4.8	1.7	3.1	3.2	2.2	2.6
Club Drugs	1.1	1.1	1.1	0.1	1.8	1.1	0.3	1.2	0.8	0.4	1.7	1.1	0.2	0.4	0.3	1.2	0.7	0.9
LSD, PCP or Mushrooms	1.3	1.7	1.5	1.0	1.5	1.3	0.4	2.2	1.4	0.2	1.4	0.9	0.1	0.7	0.4	0.5	0.8	0.7
Methamphetamine	0.7	0.8	0.8	0.5	1.0	0.8	0.1	0.5	0.4	0.2	0.0	0.1	0.0	0.4	0.2	1.0	0.6	0.8
Cocaine or Crack	1.4	0.6	1.0	0.8	1.1	1.0	0.5	0.5	0.5	0.6	0.7	0.6	0.7	0.3	0.5	0.5	0.0	0.2
Heroin	0.7	0.9	0.8	0.3	0.6	0.4	0.6	0.0	0.3	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.2	0.1
Prescription Depressants	2.9	3.6	3.2	1.0	4.7	3.1	0.6	3.5	2.2	1.4	4.1	2.9	1.7	2.0	1.9	1.4	1.4	1.4
Prescription Pain Relievers	4.0	5.7	4.9	2.0	4.0	3.1	0.9	4.3	2.8	1.6	2.4	2.1	0.9	0.6	0.7	2.3	1.4	1.8
Prescription Amphetamines	1.1	3.4	2.4	1.1	2.8	2.1	1.0	4.3	2.8	1.2	2.1	1.7	0.9	1.9	1.4	1.6	1.9	1.8
Over-the-Counter Drugs	3.3	3.7	3.5	1.9	2.7	2.4	1.6	4.1	3.0	1.4	1.8	1.6	1.1	1.9	1.6	1.2	2.4	1.9
Any illicit drug	15.3	25.0	20.7	11.1	24.4	18.5	9.2	30.4	20.8	8.8	19.5	14.8	9.8	18.6	14.7	11.9	20.7	16.9
Any illicit drug other than marijuana	12.0	10.8	11.4	8.3	11.4	10.0	6.0	13.0	9.8	6.8	7.9	7.4	7.5	6.3	6.9	7.8	7.1	7.4
Alcohol only	10.3	20.7	16.1	5.8	15.4	11.1	5.7	14.7	10.6	5.8	16.2	11.6	4.6	12.8	9.2	3.8	9.4	7.0
Alcohol or any illicit drug	25.2	45.0	36.2	16.7	39.7	29.4	14.6	44.7	31.2	14.4	35.1	26.0	13.8	31.0	23.3	15.7	30.2	23.9
Any illicit drug, but no alcohol	6.2	4.6	5.3	5.8	6.5	6.2	4.3	9.2	7.0	5.2	8.1	6.8	6.1	5.3	5.7	7.0	9.7	8.5

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Bay County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020**

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	15.2	14.7	15.5	--	14.0	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	2.7	2.9	2.5	--	2.4	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	7.7	7.5	8.1	--	9.1	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	8.8	8.0	9.3	--	9.0	--	--	8.2	7.6	8.8	--	7.9	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	46.0	42.6	47.8	40.2	45.6	42.2	44.1	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	60.4	53.7	58.8	54.4	59.6	53.4	56.6	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.1	72.6	71.0	69.6	70.1	70.4	70.2	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	46.2	41.1	46.1	40.5	46.6	39.9	43.3	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	48.4	37.7	45.4	39.8	48.6	36.1	42.4	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	45.6	25.3	35.8	32.7	45.5	23.5	34.1	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	30.3	20.4	25.4	24.3	31.0	18.3	24.7	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	68.5	71.0	69.7	70.2	70.3	69.7	69.9	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	94.4	89.3	91.9	91.1	94.1	89.7	91.5	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	89.5	67.4	76.1	77.9	88.6	66.2	77.0	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	86.4	63.2	72.3	74.3	84.4	61.6	73.3	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	89.6	75.0	80.6	81.9	88.5	76.0	81.3	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	90.3	72.3	80.4	80.0	90.1	70.2	80.1	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.2	92.4	94.6	94.3	96.4	93.1	94.5	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	88.6	81.1	86.3	82.2	88.9	80.9	84.4	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.7	87.0	91.0	88.7	93.9	87.5	89.9	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	85.0	62.2	72.4	72.0	84.4	59.8	72.2	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	82.9	65.2	72.4	73.3	83.4	63.9	72.9	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	88.8	66.2	76.5	75.6	88.1	64.1	76.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.8	92.9	94.0	92.5	94.1	92.8	93.3	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Bay County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Early ATOD use</i></b>																		
Try alcohol	--	27.0	--	--	28.7	--	--	20.7	--	--	19.2	--	--	17.7	--	--	15.2	--
Drink monthly	--	6.0	--	--	6.3	--	--	4.4	--	--	3.9	--	--	2.6	--	--	2.7	--
Smoke cigarettes	--	22.6	--	--	21.2	--	--	17.9	--	--	13.5	--	--	10.3	--	--	7.7	--
Smoke marijuana	--	14.9	--	--	12.7	--	--	13.4	--	--	14.5	--	--	8.9	--	--	8.8	--
<b><i>Great risk of harm</i></b>																		
Daily alcohol use	40.0	40.9	40.5	45.7	33.0	38.7	43.7	33.0	37.8	44.0	36.6	39.9	49.5	39.9	44.2	46.0	42.6	44.1
5+ drinks daily	--	--	--	--	--	--	58.1	42.3	49.3	59.8	47.5	52.9	61.3	55.4	58.1	60.4	53.7	56.6
Daily cigarette use	65.3	67.3	66.4	70.0	68.4	69.1	67.0	68.2	67.6	66.9	66.1	66.5	67.2	69.6	68.5	67.1	72.6	70.2
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	46.2	41.1	43.3
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	48.4	37.7	42.4
Marijuana weekly*	--	--	--	--	--	--	51.9	23.1	36.0	54.3	25.3	38.0	49.3	26.7	36.9	45.6	25.3	34.1
Try marijuana	39.6	22.8	30.3	36.6	16.9	25.6	36.8	13.8	24.0	38.0	14.9	25.0	32.5	17.2	24.1	30.3	20.4	24.7
Prescription drugs	--	--	--	--	66.3	66.3	72.4	63.8	67.6	69.5	66.7	68.0	68.7	69.8	69.3	68.5	71.0	69.9
<b><i>Think it wrong</i></b>																		
Smoke cigarettes	84.4	69.2	76.0	91.6	71.5	80.5	90.3	76.6	82.8	94.5	80.8	86.8	94.7	86.7	90.3	94.4	89.3	91.5
Drink regularly	76.6	56.7	65.6	85.6	58.6	70.6	84.6	53.9	67.7	88.2	64.7	75.1	88.8	65.6	76.0	89.5	67.4	77.0
Smoke marijuana	86.2	67.1	75.6	89.2	66.1	76.4	85.7	59.8	71.3	87.5	61.9	73.1	87.4	60.1	72.4	86.4	63.2	73.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.6	75.0	81.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.3	72.3	80.1
Other illicit drugs	95.5	93.1	94.2	97.3	94.2	95.6	96.8	92.3	94.3	97.5	93.2	95.1	97.4	95.2	96.2	97.2	92.4	94.5
<b><i>Friends think it wrong</i></b>																		
Daily alcohol use	--	--	--	--	--	--	87.7	68.3	76.9	89.3	79.8	84.0	92.3	81.6	86.4	88.6	81.1	84.4
Smoke tobacco	--	--	--	--	--	--	90.4	73.2	80.9	92.9	81.5	86.5	93.2	85.8	89.1	93.7	87.0	89.9
Smoke marijuana	--	--	--	--	--	--	86.2	53.8	68.2	86.1	60.1	71.6	85.6	57.7	70.2	85.0	62.2	72.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.9	65.2	72.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.8	66.2	76.0
Prescription drugs	--	--	--	--	--	--	95.7	84.7	89.6	94.6	86.1	89.9	95.6	89.8	92.4	93.8	92.9	93.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Bay County and Florida Statewide youth, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.5	1.5	14.4	--	6.8	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	1.4	2.4	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	25.5	27.3	21.0	--	20.8	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	35.7	39.2	31.1	--	45.5	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	1.1	0.0	2.8	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	15.9	16.3	15.7	--	17.7	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	13.8	13.3	14.9	--	9.2	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Bay County and Florida Statewide youth, 2020

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	52.0	55.7	48.2	--	55.4	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	35.8	37.0	33.0	--	39.6	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	3.1	2.7	3.5	--	0.8	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	1.3	2.4	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	4.6	1.2	9.1	--	0.9	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.8	0.0	1.9	--	1.2	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	2.4	1.1	4.1	--	2.1	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Bay County and Florida Statewide youth, 2020

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	37.4	46.9	25.1	--	41.8	--	--	31.9	34.7	28.6	--	32.9	--
2	--	16.4	18.6	13.8	--	16.4	--	--	21.8	24.0	19.2	--	21.1	--
3	--	12.0	10.4	14.5	--	14.2	--	--	16.1	15.5	16.7	--	16.2	--
4	--	8.6	10.6	6.1	--	8.7	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	25.6	13.6	40.5	--	19.0	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

.....

**Table 11. Percentages of Bay County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	9.5	8.1	6.9	5.0	9.5	7.5	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	5.2	13.1	10.5	8.4	5.7	13.5	9.6	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	3.4	3.4	3.0	3.8	2.9	3.5	3.4	2.6	4.2	3.8	3.2	2.8	4.2	3.5

**Table 12. Percentages of Bay County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.0	9.5	5.2	13.5	8.0	10.3	9.3	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.3	5.7	4.7	3.7	2.3	6.1	4.2	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.0	1.3	1.2	1.1	0.9	0.7	1.2	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	3.3	2.5	2.0	3.9	2.8	2.7	2.9	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.2	1.6	0.4	1.6	0.2	1.0	1.0	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	18.0	9.4	10.0	16.1	15.6	12.0	13.2	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	6.9	5.8	4.2	8.5	6.2	6.2	6.3	8.3	5.5	5.8	7.6	7.8	5.6	6.7

**Table 13. Trends in delinquent behaviors for Bay County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.2	5.8	6.0	6.2	4.1	5.0	6.5	6.4	6.5	6.1	6.6	6.4	5.8	6.9	6.4	9.0	9.5	9.3
Selling drugs	3.3	11.3	7.8	3.1	7.5	5.5	2.2	8.1	5.5	1.7	6.2	4.2	0.9	5.3	3.4	2.3	5.7	4.2
Attempting to steal a vehicle	2.2	2.5	2.3	1.8	1.1	1.4	0.5	3.1	1.9	0.7	2.0	1.5	0.5	1.8	1.3	1.0	1.3	1.2
Being arrested	4.2	4.9	4.6	4.0	3.0	3.4	2.0	4.8	3.6	1.8	4.5	3.3	1.5	2.7	2.2	3.3	2.5	2.9
Taking a handgun to school	1.0	0.8	0.9	0.6	0.3	0.4	0.8	1.0	0.9	0.1	1.3	0.8	0.1	0.4	0.3	0.2	1.6	1.0
Getting suspended	19.3	11.7	15.1	16.5	8.5	12.0	13.6	9.2	11.2	11.6	9.1	10.2	12.3	7.3	9.5	18.0	9.4	13.2
Attacking someone with intent to harm	14.1	11.0	12.4	8.0	6.9	7.4	8.4	3.4	5.6	6.9	7.2	7.1	7.4	3.3	5.1	6.9	5.8	6.3

Table 14. Percentages of Bay County and Florida Statewide youth who reported symptoms of depression, 2020

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	32.6	35.3	42.3	25.9	31.5	37.5	34.1	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	47.6	48.2	59.0	36.7	46.8	50.9	47.9	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	32.2	33.4	40.7	25.0	31.4	35.7	32.9	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.9	52.0	62.1	41.8	51.3	55.1	51.9	44.5	47.6	57.0	35.5	44.6	48.0	46.2



**Table 15. Percentages of Bay County and Florida Statewide youth who reported involvement in bullying behavior, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	11.0	13.1	16.9	7.3	10.4	14.9	12.2	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	46.4	31.9	39.3	37.4	43.4	35.5	38.3	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	67.5	57.4	67.7	56.4	65.7	60.7	61.9	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	29.2	34.9	43.5	21.6	28.7	36.6	32.4	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	23.2	15.9	17.3	21.1	21.6	17.1	19.1	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	35.2	30.2	30.0	34.7	34.5	31.6	32.4	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	11.6	14.5	14.2	12.4	11.8	14.7	13.2	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Bay County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	17.2	23.2	11.4	--	19.3	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	13.1	18.2	7.5	--	13.1	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	7.3	11.9	2.1	--	7.4	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	47.5	50.6	44.2	--	46.1	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	12.8	16.2	8.9	--	12.7	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	38.9	43.1	34.1	--	38.8	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	39.9	45.3	33.9	--	43.2	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	35.0	38.4	31.0	--	35.1	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	33.0	39.1	26.6	--	34.6	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	9.8	15.1	4.2	--	11.2	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Bay County and Florida Statewide high school youth, 2020

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	24.3	21.0	27.8	--	24.6	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	20.1	16.6	23.7	--	18.0	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	12.3	8.6	15.9	--	12.6	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	12.4	15.5	9.6	--	12.1	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	10.9	11.6	10.4	--	12.6	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	7.5	9.2	5.5	--	7.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	5.1	7.9	2.5	--	4.5	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	3.4	3.6	3.3	--	3.4	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	2.4	3.0	1.1	--	2.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	1.1	2.2	0.0	--	1.5	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.5	0.9	0.0	--	0.6	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Bay County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	26.3	23.1	27.5	21.2	24.7	23.7	24.5	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	25.2	16.9	21.2	19.9	23.7	18.3	20.4	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	26.9	30.0	27.9	29.6	25.8	33.2	28.7	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	20.4	23.1	22.1	22.0	19.9	25.1	21.9	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	34.8	27.3	32.4	29.0	33.1	29.3	30.5	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	51.9	36.4	50.3	35.7	49.0	39.9	43.1	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Bay County and Florida Statewide youth who reported participation in extracurricular activities, 2020**

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	41.0	38.9	36.4	42.9	42.1	36.5	39.8	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	38.2	23.9	29.9	30.8	37.8	23.3	30.2	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	12.6	11.2	11.2	12.6	13.7	10.4	11.8	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	23.5	37.4	41.8	21.2	24.9	37.6	31.3	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	8.0	10.2	12.7	5.8	7.8	11.2	9.2	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Bay County and Florida Statewide youth, 2020

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.4	15.5	13.4	--	13.7	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	22.0	24.4	19.9	--	22.9	--	--	22.1	24.0	20.2	--	21.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	3.6	3.4	3.7	--	2.5	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	9.7	8.7	10.7	--	10.0	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Bay County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	21.7	--	--	21.1	--	--	15.5	--	--	14.5	--	--	14.4	--
Marijuana	--	--	--	--	25.4	--	--	26.4	--	--	21.7	--	--	21.7	--	--	22.0	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	9.7	--	--	8.9	--	--	5.7	--	--	3.5	--	--	3.6	--
Marijuana	--	--	--	--	11.6	--	--	16.0	--	--	10.2	--	--	8.5	--	--	9.7	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rates for Bay County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Bay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	58	56	57	57	59	54
	Family Rewards for Prosocial Involvement	52	51	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	46	61	51	60	57	60
	School Rewards for Prosocial Involvement	45	57	44	54	53	58
<b>Peer and Individual</b>	Religiosity	40	53	42	52	56	62
<b>Average Prevalence Rate</b>		<b>48</b>	<b>56</b>	<b>49</b>	<b>55</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 23. Risk factor prevalence rates for Bay County, Florida Statewide youth and the national normative database, 2020**

Domain		Bay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	40	31	41	32	42	42
	Perceived Availability of Drugs	37	21	34	20	45	45
	Perceived Availability of Handguns	29	39	23	31	25	42
<b>Family</b>	Poor Family Management	46	33	43	35	44	45
	Family Conflict	44	33	42	34	42	37
<b>School</b>	Poor Academic Performance	51	44	46	46	45	48
	Lack of Commitment to School	73	64	69	63	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	48	37	49	38	40	46
	Favorable Attitudes toward ATOD Use	36	36	35	32	39	45
	Early Initiation of Drug Use	28	22	24	17	41	46
<b>Average Prevalence Rate</b>		<b>43</b>	<b>36</b>	<b>41</b>	<b>35</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Bay County, 2010 to 2020

Domain		Bay County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	52	61	62	58	60	58
	Family Rewards for Prosocial Involvement	50	58	55	56	50	52
School	School Opportunities for Prosocial Involvement	43	54	54	61	54	46
	School Rewards for Prosocial Involvement	44	53	51	52	49	45
Peer and Individual	Religiosity	57	60	55	56	50	40
Average Prevalence Rate		49	57	55	57	53	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rate trends among middle school students for Bay County, 2010 to 2020**

Domain		Bay County					
Scale		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	47	38	39	37	34	40
	Perceived Availability of Drugs	51	42	40	37	36	37
	Perceived Availability of Handguns	32	31	33	29	29	29
<b>Family</b>	Poor Family Management	48	38	41	40	37	46
	Family Conflict	44	42	39	38	40	44
<b>School</b>	Poor Academic Performance	43	43	46	45	44	51
	Lack of Commitment to School	59	49	55	53	61	73
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	54	44	43	39	40	48
	Favorable Attitudes toward ATOD Use	49	36	36	32	36	36
	Early Initiation of Drug Use	44	31	28	24	26	28
<b>Average Prevalence Rate</b>		<b>47</b>	<b>39</b>	<b>40</b>	<b>37</b>	<b>38</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Bay County, 2010 to 2020

Domain		Bay County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	55	56	60	62	60	56
	Family Rewards for Prosocial Involvement	58	54	63	58	53	51
School	School Opportunities for Prosocial Involvement	61	58	67	67	68	61
	School Rewards for Prosocial Involvement	66	64	62	65	60	57
Peer and Individual	Religiosity	68	65	62	60	57	53
Average Prevalence Rate		62	59	63	62	60	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among high school students for Bay County, 2010 to 2020**

Domain		Bay County					
Scale		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	39	37	34	30	32	31
	Perceived Availability of Drugs	39	33	35	30	23	21
	Perceived Availability of Handguns	41	40	45	41	31	39
<b>Family</b>	Poor Family Management	44	38	39	37	30	33
	Family Conflict	35	34	32	34	33	33
<b>School</b>	Poor Academic Performance	40	42	39	45	43	44
	Lack of Commitment to School	50	45	52	51	58	64
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	39	37	39	31	30	37
	Favorable Attitudes toward ATOD Use	41	40	46	40	36	36
	Early Initiation of Drug Use	35	35	34	27	21	22
<b>Average Prevalence Rate</b>		<b>40</b>	<b>38</b>	<b>40</b>	<b>37</b>	<b>34</b>	<b>36</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.