

2020 Florida Youth Substance Abuse Survey

Citrus County Data Tables

Table 1. Major demographic characteristics of surveyed Citrus County and Florida Statewide youth, 2020

	Citrus County			Florida Statewide	
	N	%		N	%
Sex					
Female	331	52.0		25,191	48.4
Male	304	47.7		26,328	50.5
Race/Ethnic group					
African American	14	2.2		11,284	21.7
American Indian	23	3.6		491	0.9
Asian	7	1.1		671	1.3
Hispanic/Latino	43	6.8		11,091	21.3
Native Hawaiian/Pacific Islander	1	0.2		68	0.1
Other/Multiple	161	25.3		7,227	13.9
White, non-Hispanic	381	59.8		20,904	40.1
Age					
10	0	0.0		44	0.1
11	43	6.8		3,151	6.0
12	119	18.7		7,124	13.7
13	111	17.4		7,698	14.8
14	102	16.0		7,616	14.6
15	108	17.0		7,582	14.6
16	94	14.8		7,502	14.4
17	41	6.4		7,073	13.6
18	14	2.2		3,807	7.3
19 or older	4	0.6		394	0.8
Grade					
6th	120	18.8		7,718	14.8
7th	128	20.1		7,555	14.5
8th	101	15.9		7,632	14.6
9th	103	16.2		7,668	14.7
10th	114	17.9		7,481	14.4
11th	45	7.1		7,117	13.7
12th	26	4.1		6,923	13.3
Overall Middle School	349	54.8		22,904	44.0
Overall High School	288	45.2		29,189	56.0
Total	637	100.0		52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Citrus County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Citrus County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.8	51.4	46.4	35.0	27.1	51.1	40.5	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	17.0	17.9	16.1	--	16.3	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	8.7	19.9	14.6	15.5	9.0	15.2	15.0	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	21.1	44.6	40.7	28.0	21.9	41.0	34.1	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	10.3	27.8	26.3	14.1	11.1	26.3	20.1	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	14.1	37.8	31.3	23.6	14.1	36.4	27.3	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	6.3	5.7	6.9	--	4.6	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	10.4	6.2	10.9	5.4	10.4	6.0	8.1	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.9	2.8	2.4	1.5	0.8	1.8	1.9	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.6	9.7	8.7	4.4	2.4	7.2	6.5	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	1.2	3.3	2.0	2.8	1.1	3.1	2.4	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	2.5	6.0	6.0	3.0	1.9	3.8	4.5	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	1.2	0.7	0.3	1.6	1.3	0.7	0.9	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	5.6	7.6	6.5	7.0	4.2	7.8	6.7	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	4.4	6.5	8.8	2.4	4.2	6.9	5.6	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	1.5	5.8	4.3	3.5	1.5	6.0	3.9	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	4.7	7.5	7.2	5.4	4.2	8.5	6.2	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	1.5	1.0	1.9	--	1.9	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	26.4	43.0	42.6	29.1	26.5	41.7	35.6	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	21.3	21.7	25.9	17.4	19.7	20.6	21.5	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	9.6	16.8	12.8	14.6	9.4	19.6	13.6	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	36.2	59.5	55.8	43.0	35.9	61.0	49.1	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	10.0	8.3	9.6	8.5	9.4	10.1	9.0	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Citrus County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	12.2	21.0	21.1	13.3	11.8	20.6	17.1	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	7.4	11.5	12.1	7.4	7.0	10.9	9.7	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.4	4.4	4.1	3.0	2.2	3.8	3.5	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	10.5	27.4	26.4	13.6	11.9	23.8	19.9	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	7.4	13.6	12.9	8.9	7.8	14.4	10.8	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	8.6	21.0	19.4	11.8	8.3	20.8	15.5	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	3.2	2.8	3.6	--	3.4	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.9	0.8	3.5	0.9	3.5	1.0	2.1	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.7	0.9	0.4	1.2	0.6	1.1	0.8	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.9	3.1	1.7	2.7	0.8	3.1	2.1	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.6	1.5	0.4	1.7	0.5	1.8	1.1	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	2.6	1.4	3.0	0.9	1.9	1.5	1.9	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.2	0.1	0.2	0.1	0.3	0.0	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.4	2.3	2.6	1.3	1.1	2.2	1.9	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.3	3.3	4.0	0.9	1.5	2.7	2.4	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.0	0.9	0.1	0.9	0.0	1.2	0.5	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	2.2	1.4	2.2	1.3	2.1	1.7	1.7	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	15.5	25.4	25.7	16.5	15.2	25.7	21.0	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	8.3	10.5	10.8	8.4	7.8	11.2	9.5	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	5.5	8.8	8.6	6.2	5.3	9.0	7.4	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	20.9	33.9	34.2	22.4	20.3	34.5	28.1	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	9.1	13.2	13.4	9.6	9.0	14.2	11.4	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Citrus County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.6	70.1	57.4	36.2	67.6	54.8	31.4	66.8	52.3	23.5	60.7	46.0	20.8	51.6	38.7	26.8	51.4	40.5
Blacking Out	--	--	--	--	--	--	--	24.8	--	--	21.2	--	--	17.1	--	--	17.0	--
Cigarettes	23.7	46.0	36.7	20.2	44.1	34.2	20.1	38.3	30.8	11.2	28.7	21.6	11.6	24.0	18.7	8.7	19.9	15.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21.1	44.6	34.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.3	27.8	20.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	17.3	37.6	29.5	15.4	38.0	28.3	--	--	--
Marijuana or Hashish	14.9	39.5	29.2	11.7	38.6	27.6	12.4	38.4	27.7	9.7	40.4	27.8	6.8	33.9	22.5	14.1	37.8	27.3
Synthetic Marijuana	--	--	--	--	24.1	--	--	15.4	--	--	5.6	--	--	2.4	--	--	6.3	--
Inhalants	14.4	10.0	11.9	10.0	10.2	10.1	10.0	7.4	8.5	4.5	3.2	3.7	5.5	3.8	4.5	10.4	6.2	8.1
Club Drugs	2.5	4.5	3.7	0.9	4.9	3.3	1.9	4.2	3.3	0.0	3.1	1.8	1.0	1.7	1.4	0.9	2.8	1.9
LSD, PCP or Mushrooms	2.8	6.7	5.1	1.5	5.8	4.0	2.8	5.4	4.4	0.4	9.9	6.1	0.4	6.7	4.0	2.6	9.7	6.5
Methamphetamine	0.6	0.3	0.4	0.4	1.4	1.0	1.9	2.6	2.3	0.4	0.0	0.2	0.3	1.2	0.8	1.2	3.3	2.4
Cocaine or Crack	2.3	4.1	3.3	1.9	3.1	2.6	1.0	4.4	3.0	0.4	1.9	1.3	1.0	2.9	2.1	2.5	6.0	4.5
Heroin	1.8	0.9	1.3	1.6	1.0	1.3	1.0	1.5	1.3	0.4	0.6	0.5	0.2	0.6	0.5	1.2	0.7	0.9
Prescription Depressants	6.3	11.5	9.4	3.3	9.1	6.7	2.8	9.3	6.6	1.9	6.9	4.9	2.9	8.8	6.3	5.6	7.6	6.7
Prescription Pain Relievers	9.1	13.6	11.7	3.6	14.6	10.1	3.4	10.7	7.7	3.6	8.4	6.5	2.6	6.7	5.0	4.4	6.5	5.6
Prescription Amphetamines	2.7	5.4	4.3	1.4	6.5	4.4	1.8	6.3	4.4	1.6	4.4	3.3	2.0	3.5	2.9	1.5	5.8	3.9
Over-the-Counter Drugs	6.7	10.4	8.8	3.1	8.5	6.2	3.6	7.7	6.0	2.4	5.8	4.4	3.6	4.6	4.1	4.7	7.5	6.2
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.6	--	--	1.6	--	--	1.5	--
Any illicit drug	30.3	46.3	39.6	22.8	49.9	38.7	23.0	46.2	36.7	17.2	44.1	33.2	14.4	37.9	27.9	26.4	43.0	35.6
Any illicit drug other than marijuana	24.5	27.9	26.5	16.7	30.4	24.7	16.5	23.7	20.8	10.1	22.4	17.5	10.7	19.7	15.8	21.3	21.7	21.5
Alcohol only	17.1	26.0	22.3	18.9	23.9	21.9	13.4	24.3	19.8	11.3	21.8	17.6	11.1	19.4	15.9	9.6	16.8	13.6
Alcohol or any illicit drug	47.6	72.2	61.9	41.5	73.6	60.4	36.2	70.4	56.4	28.4	65.9	50.7	25.3	57.3	43.6	36.2	59.5	49.1
Any illicit drug, but no alcohol	7.6	2.5	4.6	5.4	6.0	5.8	5.2	3.7	4.3	5.2	5.2	5.2	5.1	5.6	5.4	10.0	8.3	9.0

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Citrus County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	18.0	41.3	31.6	17.4	38.0	29.5	14.2	40.7	30.0	6.8	28.1	19.6	6.3	22.4	15.7	12.2	21.0	17.1
Binge Drinking	9.5	23.3	17.5	6.6	21.2	15.2	6.0	18.2	13.2	1.6	15.6	10.0	3.3	7.5	5.7	7.4	11.5	9.7
Cigarettes	8.0	20.0	15.0	7.7	17.9	13.7	5.7	15.2	11.3	1.6	9.1	6.0	2.0	5.6	4.1	2.4	4.4	3.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.5	27.4	19.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.4	13.6	10.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.5	16.1	12.3	5.5	16.8	12.0	--	--	--
Marijuana or Hashish	9.0	16.4	13.3	7.0	19.3	14.2	7.4	20.1	15.0	5.1	26.9	18.0	1.6	20.0	12.3	8.6	21.0	15.5
Synthetic Marijuana	--	--	--	--	11.2	--	--	0.9	--	--	0.2	--	--	0.5	--	--	3.2	--
Inhalants	4.0	2.2	2.9	3.7	2.6	3.1	4.7	1.6	2.8	2.1	1.2	1.5	2.2	0.6	1.2	3.9	0.8	2.1
Club Drugs	1.3	1.2	1.3	0.2	1.0	0.7	1.0	0.4	0.7	0.0	1.4	0.8	0.4	0.6	0.5	0.7	0.9	0.8
LSD, PCP or Mushrooms	0.9	0.6	0.8	0.5	1.3	1.0	0.6	1.4	1.1	0.0	4.8	2.8	0.1	0.9	0.6	0.9	3.1	2.1
Methamphetamine	0.3	0.0	0.1	0.0	0.9	0.5	1.0	1.4	1.2	0.0	0.0	0.0	0.1	0.4	0.2	0.6	1.5	1.1
Cocaine or Crack	0.3	0.7	0.5	0.0	1.7	1.0	0.7	2.3	1.6	0.1	0.6	0.4	0.1	0.6	0.4	2.6	1.4	1.9
Heroin	0.2	0.2	0.2	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.2	0.1	0.0	0.0	0.0	0.2	0.1	0.2
Prescription Depressants	2.3	3.6	3.1	1.1	2.9	2.2	1.6	4.3	3.2	1.0	3.0	2.2	1.4	2.4	2.0	1.4	2.3	1.9
Prescription Pain Relievers	4.7	5.0	4.9	1.9	5.1	3.8	1.3	4.1	2.9	1.7	3.5	2.8	0.7	3.3	2.2	1.3	3.3	2.4
Prescription Amphetamines	0.8	1.9	1.5	0.7	1.5	1.2	0.8	1.3	1.1	0.5	0.9	0.7	0.4	0.8	0.6	0.0	0.9	0.5
Over-the-Counter Drugs	2.2	3.1	2.8	1.6	3.3	2.6	3.0	2.5	2.7	0.8	3.7	2.5	1.1	1.1	1.1	2.2	1.4	1.7
Any illicit drug	15.2	21.6	18.9	13.0	26.5	20.9	13.0	25.1	20.2	9.8	29.7	21.7	5.8	23.3	15.9	15.5	25.4	21.0
Any illicit drug other than marijuana	11.0	10.7	10.8	7.7	11.8	10.1	8.4	11.1	10.0	5.4	10.9	8.7	5.3	6.7	6.1	8.3	10.5	9.5
Alcohol only	10.7	24.1	18.5	9.8	19.5	15.5	7.5	21.4	15.8	3.1	9.6	7.0	4.7	10.0	7.8	5.5	8.8	7.4
Alcohol or any illicit drug	25.7	45.1	37.0	22.5	45.5	36.0	20.5	46.1	35.6	12.9	39.2	28.6	10.0	33.5	23.5	20.9	33.9	28.1
Any illicit drug, but no alcohol	7.7	4.3	5.7	5.2	7.5	6.6	6.9	5.9	6.3	6.1	11.6	9.4	4.2	11.2	8.3	9.1	13.2	11.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Citrus County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Citrus County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	28.0	27.6	28.4	--	27.2	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	4.4	5.1	3.7	--	3.5	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	14.6	12.0	17.1	--	11.1	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	13.9	11.0	16.8	--	9.8	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	48.8	42.4	45.8	45.3	49.1	44.6	45.3	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	61.7	55.4	60.5	56.6	62.0	57.0	58.2	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.5	77.4	69.9	76.4	68.6	76.8	73.0	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	50.1	42.1	43.3	47.9	48.7	43.0	45.6	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	52.5	38.0	44.5	44.9	51.1	39.3	44.4	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	43.9	26.6	34.2	33.9	42.6	27.2	34.2	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	34.3	20.3	26.1	27.2	33.0	20.0	26.4	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	73.9	77.2	71.3	79.8	74.3	74.9	75.8	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	92.5	86.5	88.6	89.6	92.0	89.7	89.2	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	86.9	64.3	71.6	76.7	86.0	65.4	74.3	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	86.3	53.9	65.0	71.2	83.7	55.7	68.3	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	86.0	69.3	74.1	79.1	84.3	72.3	76.8	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	86.3	70.0	73.9	80.2	84.4	72.5	77.2	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.2	92.9	93.0	96.6	96.6	95.2	94.8	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.4	73.9	81.3	80.0	87.4	76.8	80.8	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	92.0	86.0	88.2	89.0	91.2	88.6	88.7	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	86.2	56.0	66.0	72.4	84.1	58.8	69.4	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	83.7	63.7	65.4	79.7	82.0	67.2	72.6	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	87.3	66.6	70.5	80.9	85.4	70.1	75.8	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	95.4	93.2	92.7	95.5	94.8	94.2	94.1	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Citrus County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	27.6	--	--	29.9	--	--	31.6	--	--	25.0	--	--	18.9	--	--	28.0	--
Drink monthly	--	4.6	--	--	6.9	--	--	6.3	--	--	3.0	--	--	3.2	--	--	4.4	--
Smoke cigarettes	--	23.3	--	--	24.9	--	--	21.3	--	--	16.4	--	--	14.4	--	--	14.6	--
Smoke marijuana	--	14.2	--	--	13.8	--	--	15.6	--	--	12.1	--	--	9.6	--	--	13.9	--
Great risk of harm																		
Daily alcohol use	40.2	37.9	38.9	38.8	33.4	35.6	38.0	32.4	34.7	44.4	33.7	38.0	49.0	38.1	42.7	48.8	42.4	45.3
5+ drinks daily	--	--	--	--	--	--	53.4	41.8	46.6	59.0	43.8	50.0	63.7	53.1	57.6	61.7	55.4	58.2
Daily cigarette use	67.7	63.4	65.2	66.9	63.9	65.2	64.9	66.9	66.1	67.3	70.6	69.2	65.8	65.4	65.6	67.5	77.4	73.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	50.1	42.1	45.6
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	52.5	38.0	44.4
Marijuana weekly*	--	--	--	--	--	--	50.6	21.4	33.5	51.3	24.2	35.2	53.1	19.7	34.0	43.9	26.6	34.2
Try marijuana	35.6	19.3	26.1	33.4	18.7	24.8	36.4	11.7	21.9	34.9	15.0	23.1	36.4	12.8	22.8	34.3	20.3	26.4
Prescription drugs	--	--	--	--	74.4	74.4	76.6	71.3	73.5	74.8	67.1	70.2	73.8	67.7	70.3	73.9	77.2	75.8
Think it wrong																		
Smoke cigarettes	85.5	67.2	74.9	89.0	68.9	77.2	89.1	71.5	78.8	95.8	82.4	87.9	95.0	85.6	89.6	92.5	86.5	89.2
Drink regularly	78.0	53.8	64.0	82.7	52.2	64.8	83.7	55.5	67.1	89.9	57.9	71.0	86.5	68.5	76.3	86.9	64.3	74.3
Smoke marijuana	84.6	65.6	73.6	88.4	66.0	75.2	84.2	55.1	67.1	88.8	56.5	69.6	87.7	59.7	71.7	86.3	53.9	68.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.0	69.3	76.8
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.3	70.0	77.2
Other illicit drugs	95.6	95.6	95.6	97.2	91.8	94.1	96.0	91.8	93.5	98.5	92.1	94.7	98.6	95.5	96.8	97.2	92.9	94.8
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	86.9	70.1	77.0	93.8	68.2	78.7	90.1	77.7	83.0	89.4	73.9	80.8
Smoke tobacco	--	--	--	--	--	--	88.4	71.2	78.3	93.9	76.5	83.6	93.2	85.0	88.5	92.0	86.0	88.7
Smoke marijuana	--	--	--	--	--	--	83.7	54.2	66.3	87.4	51.7	66.4	87.6	53.4	68.0	86.2	56.0	69.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	83.7	63.7	72.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.3	66.6	75.8
Prescription drugs	--	--	--	--	--	--	95.9	89.4	92.1	96.7	89.9	92.7	96.5	92.9	94.4	95.4	93.2	94.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Citrus County and Florida Statewide youth, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	4.2	2.7	5.9	--	3.7	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	21.5	23.3	19.5	--	15.5	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	47.7	33.8	63.0	--	51.1	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.3	0.7	0.0	--	0.4	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	12.0	18.1	5.4	--	15.6	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	14.2	21.5	6.1	--	13.7	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Citrus County and Florida Statewide youth, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	31.8	25.8	38.9	--	40.9	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	37.2	43.6	29.7	--	37.0	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	6.6	7.3	5.7	--	3.4	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	9.1	4.3	14.6	--	11.6	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	2.7	5.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	12.6	14.0	11.0	--	7.2	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Citrus County and Florida Statewide youth, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	25.4	27.9	22.4	--	29.8	--	--	31.9	34.7	28.6	--	32.9	--
2	--	27.9	20.6	36.3	--	23.6	--	--	21.8	24.0	19.2	--	21.1	--
3	--	9.0	9.2	8.8	--	7.9	--	--	16.1	15.5	16.7	--	16.2	--
4	--	4.0	7.5	0.0	--	0.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	33.6	34.7	32.5	--	38.8	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Citrus County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.4	9.5	9.8	5.0	4.4	9.9	7.3	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	8.2	15.1	14.2	10.3	7.5	16.2	12.1	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	0.9	6.9	4.7	3.9	1.7	6.7	4.3	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Citrus County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	12.7	10.5	7.1	15.6	13.5	7.0	11.4	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.7	7.6	5.0	5.1	1.9	7.3	5.0	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	3.8	3.8	4.1	3.4	3.8	2.4	3.8	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	4.0	3.5	2.8	4.6	4.0	2.9	3.7	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.2	2.1	0.5	2.0	0.5	2.2	1.3	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	11.9	18.2	12.3	18.6	11.2	17.3	15.5	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	5.1	7.5	3.5	9.3	4.3	5.3	6.4	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Citrus County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.9	6.8	6.8	5.0	7.2	6.4	10.7	6.9	8.4	7.4	11.4	9.8	6.0	9.1	7.8	12.7	10.5	11.4
Selling drugs	3.9	8.6	6.7	2.6	6.7	5.1	3.2	10.8	7.7	1.7	8.3	5.7	0.7	5.5	3.5	1.7	7.6	5.0
Attempting to steal a vehicle	1.6	2.6	2.2	1.3	1.1	1.2	1.6	2.9	2.4	0.8	1.1	1.0	1.0	2.0	1.6	3.8	3.8	3.8
Being arrested	4.3	3.5	3.8	3.9	3.9	3.9	3.6	3.3	3.4	1.1	2.1	1.7	1.6	3.2	2.5	4.0	3.5	3.7
Taking a handgun to school	0.0	0.8	0.5	0.2	0.6	0.4	0.2	0.9	0.6	0.0	0.0	0.0	0.0	0.9	0.5	0.2	2.1	1.3
Getting suspended	14.4	11.0	12.4	15.6	15.2	15.3	12.3	11.3	11.7	9.9	11.4	10.8	11.4	9.6	10.3	11.9	18.2	15.5
Attacking someone with intent to harm	12.1	10.9	11.4	6.8	8.7	7.9	6.5	7.1	6.8	5.4	7.5	6.6	4.9	6.2	5.7	5.1	7.5	6.4

Table 14. Percentages of Citrus County and Florida Statewide youth who reported symptoms of depression, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	35.9	40.2	49.7	26.2	35.7	39.3	38.3	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	49.9	55.2	64.5	40.7	49.5	53.4	52.9	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	33.8	35.2	44.3	24.1	35.5	34.4	34.6	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	50.0	57.6	61.4	46.5	49.8	56.5	54.2	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Citrus County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.3	15.3	19.2	8.4	12.0	14.6	14.0	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	45.2	37.0	37.4	44.1	46.0	38.4	40.6	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	75.0	69.0	76.6	66.4	75.4	67.5	71.6	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	33.2	39.6	48.7	25.0	33.5	39.2	36.8	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	27.5	22.3	17.4	31.9	27.9	20.7	24.6	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	36.9	34.4	32.5	38.2	36.2	34.5	35.5	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	14.9	15.2	16.6	13.8	14.8	14.5	15.1	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Citrus County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	22.6	31.4	14.2	--	22.1	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	10.6	13.1	8.3	--	7.7	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	4.8	9.4	0.4	--	3.2	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	51.1	60.0	42.7	--	47.9	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	13.5	20.2	7.1	--	12.5	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	42.3	51.0	33.9	--	44.6	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	38.3	48.0	29.0	--	37.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	35.7	43.1	28.6	--	39.2	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	37.1	42.5	31.9	--	35.8	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	13.1	16.8	9.7	--	11.0	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Citrus County and Florida Statewide high school youth, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	22.8	14.5	30.8	--	27.2	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	14.5	12.8	16.2	--	10.7	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	14.5	14.2	14.8	--	14.6	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	16.4	18.0	14.9	--	15.9	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	12.5	14.1	10.9	--	11.6	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	6.3	6.1	6.6	--	7.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	4.8	7.2	2.5	--	5.4	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.5	2.4	2.6	--	3.3	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	3.8	7.0	0.7	--	2.1	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	1.1	2.3	0.0	--	0.8	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.7	1.3	0.0	--	0.9	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Citrus County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.1	29.7	32.5	25.2	27.1	31.6	28.6	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	31.6	19.2	30.2	19.4	32.1	18.6	24.6	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	35.1	31.8	40.0	26.6	34.7	30.2	33.2	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	33.6	25.2	31.9	26.3	34.0	24.5	28.8	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	38.0	32.9	40.9	29.3	36.2	28.7	35.1	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	55.6	36.0	48.5	41.2	54.8	32.7	44.4	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Citrus County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	35.7	39.3	39.3	36.5	36.0	40.6	37.7	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	46.3	26.3	30.4	40.3	45.4	24.1	35.2	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	10.8	3.2	8.6	4.7	8.7	5.4	6.6	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	13.7	26.2	27.2	13.9	14.1	25.9	20.7	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	10.6	14.0	16.9	8.4	10.4	13.0	12.5	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Citrus County and Florida Statewide youth, 2020

	Citrus County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	25.4	28.3	22.5	--	25.4	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	25.1	30.6	19.8	--	24.8	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	5.9	5.5	6.3	--	4.1	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	13.7	15.9	11.4	--	13.3	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Citrus County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	25.0	--	--	21.9	--	--	16.9	--	--	19.2	--	--	25.4	--
Marijuana	--	--	--	--	21.5	--	--	25.2	--	--	23.8	--	--	23.7	--	--	25.1	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	8.4	--	--	9.2	--	--	5.0	--	--	4.5	--	--	5.9	--
Marijuana	--	--	--	--	10.2	--	--	12.5	--	--	14.9	--	--	10.3	--	--	13.7	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Citrus County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Citrus County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	52	55	57	57	59	54
	Family Rewards for Prosocial Involvement	48	44	50	53	54	55
School	School Opportunities for Prosocial Involvement	48	56	51	60	57	60
	School Rewards for Prosocial Involvement	50	54	44	54	53	58
Peer and Individual	Religiosity	41	42	42	52	56	62
Average Prevalence Rate		48	50	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Citrus County, Florida Statewide youth and the national normative database, 2020

Domain		Citrus County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	49	42	41	32	42	42
	Perceived Availability of Drugs	42	25	34	20	45	45
	Perceived Availability of Handguns	32	43	23	31	25	42
Family	Poor Family Management	51	35	43	35	44	45
	Family Conflict	47	43	42	34	42	37
School	Poor Academic Performance	46	51	46	46	45	48
	Lack of Commitment to School	78	74	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	56	42	49	38	40	46
	Favorable Attitudes toward ATOD Use	38	42	35	32	39	45
	Early Initiation of Drug Use	29	27	24	17	41	46
Average Prevalence Rate		47	42	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Citrus County, 2010 to 2020

Domain	Scale	Citrus County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	49	57	66	61	57	52
	Family Rewards for Prosocial Involvement	43	57	57	56	46	48
School	School Opportunities for Prosocial Involvement	51	55	60	60	61	48
	School Rewards for Prosocial Involvement	49	57	59	56	49	50
Peer and Individual	Religiosity	49	49	42	51	43	41
Average Prevalence Rate		48	55	57	57	51	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Citrus County, 2010 to 2020

Domain		Citrus County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	54	38	38	38	39	49
	Perceived Availability of Drugs	54	45	45	37	39	42
	Perceived Availability of Handguns	35	28	39	31	31	32
Family	Poor Family Management	47	37	36	38	39	51
	Family Conflict	42	39	41	41	45	47
School	Poor Academic Performance	38	39	48	37	42	46
	Lack of Commitment to School	55	50	54	58	61	78
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	44	43	37	42	56
	Favorable Attitudes toward ATOD Use	46	37	37	34	37	38
	Early Initiation of Drug Use	40	33	27	25	25	29
Average Prevalence Rate		46	39	41	38	40	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Citrus County, 2010 to 2020

Domain		Scale					
		Citrus County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	54	52	55	56	49	55
	Family Rewards for Prosocial Involvement	53	50	56	53	45	44
School	School Opportunities for Prosocial Involvement	65	61	63	60	62	56
	School Rewards for Prosocial Involvement	65	65	66	60	59	54
Peer and Individual	Religiosity	55	56	50	54	43	42
Average Prevalence Rate		58	57	58	57	52	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Citrus County, 2010 to 2020

Domain		Citrus County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	44	42	51	42	42	42
	Perceived Availability of Drugs	41	36	44	40	30	25
	Perceived Availability of Handguns	45	47	51	55	46	43
Family	Poor Family Management	44	41	35	33	32	35
	Family Conflict	37	44	36	38	40	43
School	Poor Academic Performance	39	42	38	44	42	51
	Lack of Commitment to School	50	46	52	57	60	74
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	43	46	41	44	40	42
	Favorable Attitudes toward ATOD Use	42	44	47	45	40	42
	Early Initiation of Drug Use	39	39	36	32	24	27
Average Prevalence Rate		42	43	43	43	40	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.