

# **2020 Florida Youth Substance Abuse Survey**

**Levy County Data Tables**



**Table 1. Major demographic characteristics of surveyed Levy County and Florida Statewide youth, 2020**

	Levy County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	274	46.8		25,191	48.4
Male	305	52.0		26,328	50.5
<b>Race/Ethnic group</b>					
African American	60	10.2		11,284	21.7
American Indian	20	3.4		491	0.9
Asian	1	0.2		671	1.3
Hispanic/Latino	69	11.8		11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0		68	0.1
Other/Multiple	110	18.8		7,227	13.9
White, non-Hispanic	323	55.1		20,904	40.1
<b>Age</b>					
10	1	0.2		44	0.1
11	38	6.5		3,151	6.0
12	80	13.7		7,124	13.7
13	107	18.3		7,698	14.8
14	97	16.6		7,616	14.6
15	99	16.9		7,582	14.6
16	72	12.3		7,502	14.4
17	57	9.7		7,073	13.6
18	27	4.6		3,807	7.3
19 or older	5	0.9		394	0.8
<b>Grade</b>					
6th	106	18.1		7,718	14.8
7th	105	17.9		7,555	14.5
8th	97	16.6		7,632	14.6
9th	95	16.2		7,668	14.7
10th	91	15.5		7,481	14.4
11th	50	8.5		7,117	13.7
12th	42	7.2		6,923	13.3
Overall Middle School	308	52.6		22,904	44.0
Overall High School	278	47.4		29,189	56.0
<b>Total</b>	<b>586</b>	<b>100.0</b>		<b>52,093</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Levy County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	30.7	50.6	43.7	36.7	34.0	47.6	40.5	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	21.6	19.9	23.9	--	20.7	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	14.8	18.8	15.6	17.7	14.2	18.3	16.8	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	19.3	33.9	27.9	24.5	20.4	33.5	26.7	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	12.4	23.7	19.7	16.2	12.4	25.1	18.0	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	16.3	32.4	26.6	22.0	17.7	29.7	24.4	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.4	1.3	1.6	--	1.0	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	7.7	2.0	7.5	2.3	7.6	1.6	4.8	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.9	1.8	1.1	1.6	0.8	0.8	1.3	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	1.3	2.4	1.8	1.9	1.3	1.4	1.9	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.9	0.4	0.1	1.2	1.0	0.0	0.6	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.9	2.7	2.7	2.0	1.8	2.7	2.3	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.8	0.0	0.1	0.7	0.7	0.0	0.4	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	3.4	4.3	6.2	1.6	3.4	3.3	3.8	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.4	2.4	4.3	1.7	3.5	1.5	2.9	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.1	1.9	3.1	0.9	2.0	1.5	2.0	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	4.0	2.8	3.6	3.3	3.7	2.0	3.4	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.1	0.2	0.0	--	0.1	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	23.4	34.3	31.5	26.0	24.3	32.2	28.8	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	12.8	9.2	13.3	9.0	12.9	6.6	11.0	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	14.2	19.4	16.3	16.7	16.3	17.7	16.7	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	38.1	53.6	47.8	43.4	41.0	50.2	45.8	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	7.5	4.1	4.1	7.7	7.1	3.6	5.8	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Levy County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	10.1	25.3	19.6	15.4	11.1	22.5	17.6	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	5.0	14.0	10.3	8.8	5.2	11.6	9.5	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.4	1.1	0.6	2.0	1.0	1.0	1.3	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	7.9	21.9	15.3	15.0	8.3	22.0	15.0	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	4.3	9.7	7.1	7.0	4.5	8.7	7.0	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	6.4	17.2	12.2	11.8	7.1	15.3	11.9	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.0	0.0	2.1	--	0.8	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.5	0.6	2.2	0.9	2.4	0.7	1.6	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.1	1.4	0.9	0.6	0.1	0.5	0.7	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.2	0.6	0.3	0.4	0.2	0.5	0.4	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.8	0.2	0.1	0.9	0.8	0.0	0.5	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	1.0	0.2	0.1	1.2	1.0	0.0	0.6	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.9	0.0	0.1	0.8	0.8	0.0	0.5	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.0	0.8	1.1	0.7	1.1	0.0	0.9	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.8	0.8	2.2	0.6	2.0	0.5	1.3	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.2	0.4	0.2	0.4	0.2	0.5	0.3	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.6	0.8	0.3	2.1	1.5	0.9	1.2	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	11.4	18.7	15.9	14.5	12.0	16.8	15.0	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	5.1	3.7	4.8	4.2	5.3	2.5	4.4	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	6.6	12.5	10.6	8.0	6.6	11.2	9.5	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	18.1	30.6	26.1	22.5	18.6	27.8	24.3	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	8.2	6.1	6.6	7.9	7.8	5.9	7.2	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Levy County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	44.4	65.4	56.0	34.1	61.3	48.8	33.2	58.4	46.8	31.2	59.8	46.9	33.4	57.9	46.8	30.7	50.6	40.5
Blacking Out	--	--	--	--	--	--	--	19.1	--	--	17.6	--	--	25.5	--	--	21.6	--
Cigarettes	26.8	41.8	35.1	21.1	37.9	30.2	13.6	34.0	24.6	16.2	25.9	21.5	11.3	28.4	20.4	14.8	18.8	16.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	19.3	33.9	26.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.4	23.7	18.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	18.2	39.2	29.6	21.7	45.6	34.5	--	--	--
Marijuana or Hashish	13.5	32.4	23.9	11.2	34.7	24.0	8.8	34.5	22.8	10.8	31.9	22.3	10.3	40.2	26.3	16.3	32.4	24.4
Synthetic Marijuana	--	--	--	--	17.6	--	--	12.2	--	--	5.3	--	--	7.1	--	--	1.4	--
Inhalants	9.6	10.9	10.3	11.8	6.4	8.9	9.8	5.0	7.2	6.5	5.8	6.1	5.5	3.9	4.7	7.7	2.0	4.8
Club Drugs	1.9	5.3	3.8	1.2	2.8	2.0	2.1	4.8	3.6	0.4	1.8	1.2	0.2	3.1	1.8	0.9	1.8	1.3
LSD, PCP or Mushrooms	2.3	5.7	4.2	0.7	3.8	2.4	1.5	4.8	3.3	1.6	4.4	3.1	0.8	6.3	3.8	1.3	2.4	1.9
Methamphetamine	0.7	3.9	2.4	0.5	1.3	1.0	1.3	1.0	1.1	0.5	0.7	0.6	0.5	2.0	1.3	0.9	0.4	0.6
Cocaine or Crack	1.2	5.7	3.6	1.2	3.5	2.4	2.3	3.3	2.9	1.1	2.8	2.1	1.1	6.5	4.0	1.9	2.7	2.3
Heroin	1.2	2.7	2.0	1.0	1.3	1.1	0.2	1.0	0.6	1.3	1.2	1.3	0.8	1.0	0.9	0.8	0.0	0.4
Prescription Depressants	3.3	6.5	5.1	3.3	5.1	4.3	0.5	5.1	3.0	2.8	3.8	3.3	1.5	8.5	5.2	3.4	4.3	3.8
Prescription Pain Relievers	6.1	13.0	9.9	2.4	8.9	5.9	3.1	7.2	5.3	3.0	5.1	4.2	3.1	5.3	4.3	3.4	2.4	2.9
Prescription Amphetamines	2.6	3.2	2.9	0.2	3.4	1.9	1.0	3.0	2.1	1.2	2.5	1.9	0.7	4.7	2.8	2.1	1.9	2.0
Over-the-Counter Drugs	4.4	7.0	5.8	5.1	5.6	5.4	4.9	4.6	4.7	4.5	4.8	4.7	3.4	3.3	3.4	4.0	2.8	3.4
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	2.5	--	--	1.6	--	--	0.1	--
Any illicit drug	23.5	39.8	32.5	19.7	40.5	30.9	19.1	37.2	28.9	19.6	36.8	28.9	16.4	41.9	30.1	23.4	34.3	28.8
Any illicit drug other than marijuana	16.4	24.1	20.7	15.9	19.1	17.6	14.3	16.7	15.6	14.5	15.2	14.9	11.0	16.2	13.8	12.8	9.2	11.0
Alcohol only	25.9	29.2	27.7	18.7	25.0	22.1	18.0	24.4	21.5	16.8	28.6	23.3	23.0	21.2	22.0	14.2	19.4	16.7
Alcohol or any illicit drug	49.3	68.8	60.1	37.7	65.3	52.6	36.9	61.6	50.3	35.9	65.0	51.7	38.1	63.1	51.5	38.1	53.6	45.8
Any illicit drug, but no alcohol	5.1	3.4	4.2	3.9	4.2	4.1	3.6	3.2	3.4	5.5	5.2	5.4	5.9	5.2	5.5	7.5	4.1	5.8

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Levy County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	21.4	39.6	31.4	17.0	35.6	27.1	15.8	32.3	24.8	12.3	29.5	21.7	11.6	26.1	19.5	10.1	25.3	17.6
Binge Drinking	8.6	24.6	17.4	8.2	19.1	14.1	6.3	18.3	12.8	7.1	14.7	11.3	4.4	15.7	10.6	5.0	14.0	9.5
Cigarettes	7.6	15.3	11.8	5.7	10.9	8.5	2.1	10.8	6.8	5.0	7.2	6.2	2.1	8.3	5.4	1.4	1.1	1.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.9	21.9	15.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.3	9.7	7.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	7.9	14.9	11.7	6.6	21.4	14.5	--	--	--
Marijuana or Hashish	6.9	17.3	12.6	4.6	17.4	11.6	4.4	19.1	12.4	4.9	13.7	9.6	5.7	21.9	14.5	6.4	17.2	11.9
Synthetic Marijuana	--	--	--	--	9.1	--	--	1.3	--	--	0.0	--	--	3.2	--	--	1.0	--
Inhalants	4.1	2.7	3.3	3.6	2.3	2.9	5.1	1.2	3.0	2.5	1.3	1.9	2.7	1.9	2.3	2.5	0.6	1.6
Club Drugs	0.7	1.9	1.4	0.0	0.7	0.4	1.5	0.5	1.0	0.2	0.6	0.4	0.2	1.3	0.8	0.1	1.4	0.7
LSD, PCP or Mushrooms	0.9	2.1	1.6	0.2	0.7	0.5	0.0	1.0	0.6	0.2	1.7	1.0	0.4	2.1	1.3	0.2	0.6	0.4
Methamphetamine	0.2	1.9	1.1	0.2	0.8	0.5	0.6	0.6	0.6	0.6	0.0	0.3	0.3	1.2	0.8	0.8	0.2	0.5
Cocaine or Crack	0.5	2.2	1.4	0.5	1.4	1.0	1.8	1.9	1.8	0.9	0.9	0.9	1.1	3.2	2.2	1.0	0.2	0.6
Heroin	0.0	1.1	0.6	0.2	0.1	0.2	0.2	0.0	0.1	1.3	0.0	0.6	0.4	0.0	0.2	0.9	0.0	0.5
Prescription Depressants	1.3	3.2	2.3	0.9	2.3	1.7	0.5	0.7	0.6	1.2	1.5	1.3	0.5	2.1	1.3	1.0	0.8	0.9
Prescription Pain Relievers	2.8	6.0	4.6	1.0	3.9	2.6	1.3	1.6	1.5	1.7	1.3	1.5	1.8	1.6	1.7	1.8	0.8	1.3
Prescription Amphetamines	0.7	1.0	0.9	0.0	1.3	0.7	0.6	0.2	0.4	0.9	0.3	0.6	0.6	1.3	1.0	0.2	0.4	0.3
Over-the-Counter Drugs	2.7	2.6	2.6	3.0	3.1	3.0	2.0	0.5	1.2	1.5	2.7	2.2	2.2	1.5	1.9	1.6	0.8	1.2
Any illicit drug	12.5	23.0	18.3	9.3	22.6	16.6	9.1	20.0	15.0	9.5	17.3	13.7	10.9	23.8	17.8	11.4	18.7	15.0
Any illicit drug other than marijuana	8.2	12.8	10.8	6.2	8.3	7.3	7.2	4.9	6.0	6.2	6.9	6.6	6.4	8.2	7.4	5.1	3.7	4.4
Alcohol only	13.6	21.2	17.8	12.5	20.6	16.9	11.1	17.7	14.7	7.0	17.4	12.7	7.7	12.4	10.3	6.6	12.5	9.5
Alcohol or any illicit drug	25.9	44.3	36.1	21.2	43.1	33.0	19.9	37.5	29.4	16.6	34.6	26.3	18.1	35.9	27.7	18.1	30.6	24.3
Any illicit drug, but no alcohol	4.5	4.9	4.7	4.6	7.6	6.3	3.9	5.2	4.6	4.5	5.2	4.9	7.0	10.1	8.7	8.2	6.1	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Levy County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	19.1	17.6	20.9	--	18.5	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	2.7	3.2	2.2	--	2.0	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	7.3	5.5	9.2	--	7.4	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	12.2	10.1	14.5	--	10.9	--	--	8.2	7.6	8.8	--	7.9	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	48.3	37.8	44.6	41.4	46.9	41.0	43.0	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	60.9	47.0	55.3	52.2	60.1	48.7	53.9	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.4	63.4	69.3	61.5	67.3	65.1	65.4	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	50.4	34.4	39.6	45.4	50.1	35.5	42.3	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	54.9	30.2	39.2	46.0	53.6	31.7	42.4	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	45.0	19.0	27.6	35.8	43.6	21.1	31.8	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	32.5	9.8	18.4	23.8	30.3	11.5	21.1	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	71.4	72.5	68.4	75.8	73.3	71.1	71.9	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	96.3	87.9	92.6	91.5	95.3	89.6	92.2	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	85.2	65.7	73.9	76.3	83.8	68.7	75.4	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	85.6	60.9	70.8	76.4	83.0	63.4	73.3	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	88.3	73.8	81.0	80.8	86.8	75.9	81.1	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	89.7	72.2	79.5	81.9	88.0	73.1	80.9	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	98.2	95.2	97.4	96.0	97.4	96.2	96.7	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	90.9	76.0	87.7	79.0	88.0	79.0	83.4	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.7	83.7	89.8	87.4	91.9	86.4	88.7	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	81.2	58.6	68.7	71.4	79.3	62.4	69.8	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	87.4	68.8	78.1	77.5	85.2	70.6	78.1	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	87.5	70.2	78.3	78.8	86.1	70.8	78.8	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	94.5	93.2	95.4	93.0	93.9	94.9	93.8	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Levy County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	32.3	--	--	30.1	--	--	23.3	--	--	24.4	--	--	23.4	--	--	19.1	--
Drink monthly	--	8.5	--	--	6.1	--	--	6.2	--	--	2.7	--	--	3.8	--	--	2.7	--
Smoke cigarettes	--	26.3	--	--	22.5	--	--	19.5	--	--	11.8	--	--	15.9	--	--	7.3	--
Smoke marijuana	--	13.4	--	--	14.5	--	--	14.3	--	--	11.3	--	--	12.9	--	--	12.2	--
<b>Great risk of harm</b>																		
Daily alcohol use	39.8	35.8	37.6	43.9	32.6	37.8	38.4	30.4	34.1	36.2	33.1	34.5	34.3	34.9	34.6	48.3	37.8	43.0
5+ drinks daily	--	--	--	--	--	--	48.6	43.9	46.1	53.8	45.4	49.2	51.9	49.1	50.4	60.9	47.0	53.9
Daily cigarette use	68.4	63.6	65.8	71.0	65.5	68.0	58.8	63.1	61.1	65.4	70.7	68.3	62.1	65.4	63.8	67.4	63.4	65.4
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	50.4	34.4	42.3
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.9	30.2	42.4
Marijuana weekly*	--	--	--	--	--	--	51.5	28.1	38.8	47.9	26.3	36.3	46.2	20.6	32.7	45.0	19.0	31.8
Try marijuana	40.8	23.1	31.0	45.2	24.5	33.9	34.8	19.9	26.8	32.8	18.4	25.0	28.6	17.2	22.5	32.5	9.8	21.1
Prescription drugs	--	--	--	--	67.8	67.8	69.8	73.1	71.6	73.3	69.9	71.5	63.7	68.6	66.3	71.4	72.5	71.9
<b>Think it wrong</b>																		
Smoke cigarettes	89.9	70.2	79.0	90.0	75.4	82.0	93.5	78.6	85.5	89.0	85.6	87.2	94.4	77.9	85.7	96.3	87.9	92.2
Drink regularly	77.4	56.5	65.9	82.9	55.3	67.8	83.5	62.3	72.1	84.5	61.2	71.9	86.0	53.8	69.0	85.2	65.7	75.4
Smoke marijuana	88.4	70.6	78.5	89.7	70.6	79.3	89.2	66.9	77.1	85.4	64.0	73.9	87.8	53.1	69.6	85.6	60.9	73.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.3	73.8	81.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.7	72.2	80.9
Other illicit drugs	96.8	91.9	94.1	96.3	93.9	95.0	98.2	94.0	96.0	93.8	96.1	95.1	96.9	89.4	92.9	98.2	95.2	96.7
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	84.3	70.4	76.8	82.6	69.1	75.3	90.0	69.0	78.9	90.9	76.0	83.4
Smoke tobacco	--	--	--	--	--	--	91.9	77.5	84.2	88.9	79.0	83.5	93.6	74.8	83.6	93.7	83.7	88.7
Smoke marijuana	--	--	--	--	--	--	87.3	63.6	74.5	83.4	61.9	71.7	85.3	51.1	67.2	81.2	58.6	69.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.4	68.8	78.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.5	70.2	78.8
Prescription drugs	--	--	--	--	--	--	96.6	90.2	93.2	94.3	91.3	92.7	96.3	88.9	92.4	94.5	93.2	93.8

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Levy County and Florida Statewide youth, 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	19.3	8.4	25.9	--	13.4	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	18.4	23.4	14.1	--	9.4	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	32.1	42.2	23.1	--	43.0	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	8.3	6.1	11.2	--	11.8	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	21.9	19.9	25.6	--	22.4	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Levy County and Florida Statewide youth, 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	51.0	63.2	36.8	--	50.1	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	26.8	18.4	36.2	--	31.9	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	4.2	9.1	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	3.1	0.0	6.1	--	4.3	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.4	0.9	0.0	--	0.6	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	14.4	8.3	20.9	--	13.1	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Levy County and Florida Statewide youth, 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	35.6	39.6	33.4	--	28.9	--	--	31.9	34.7	28.6	--	32.9	--
2	--	24.7	24.2	21.2	--	30.4	--	--	21.8	24.0	19.2	--	21.1	--
3	--	8.9	9.7	8.6	--	7.3	--	--	16.1	15.5	16.7	--	16.2	--
4	--	6.6	3.1	10.6	--	8.9	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	24.2	23.4	26.3	--	24.6	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Levy County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.0	5.4	6.3	3.2	3.9	4.6	4.7	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	8.7	15.9	12.9	11.8	9.3	14.3	12.2	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.0	1.6	1.0	2.6	2.1	0.9	1.8	2.6	4.2	3.8	3.2	2.8	4.2	3.5

**Table 12. Percentages of Levy County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	15.2	9.4	6.8	18.0	14.5	9.7	12.3	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	4.9	3.7	3.9	4.9	4.7	2.3	4.3	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.3	0.2	0.3	0.2	0.3	0.3	0.3	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	0.5	0.1	0.4	0.2	0.5	0.1	0.3	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.4	0.5	0.3	0.6	0.4	0.0	0.5	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	11.1	9.1	6.7	13.4	9.3	11.3	10.1	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	8.4	3.7	6.4	5.9	7.9	4.3	6.1	8.3	5.5	5.8	7.6	7.8	5.6	6.7

**Table 13. Trends in delinquent behaviors for Levy County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	9.3	6.9	8.0	9.9	10.4	10.1	6.7	11.1	9.1	7.5	11.1	9.5	11.5	9.6	10.5	15.2	9.4	12.3
Selling drugs	4.4	8.4	6.6	2.0	7.9	5.1	2.5	9.6	6.4	3.2	5.5	4.4	2.3	10.3	6.6	4.9	3.7	4.3
Attempting to steal a vehicle	3.3	4.3	3.9	1.2	3.5	2.4	1.6	2.0	1.8	0.8	1.4	1.1	1.2	2.2	1.7	0.3	0.2	0.3
Being arrested	2.8	3.9	3.4	2.7	4.2	3.5	2.0	1.9	1.9	1.2	1.8	1.6	1.5	2.4	2.0	0.5	0.1	0.3
Taking a handgun to school	1.8	2.0	1.9	0.5	1.8	1.2	0.5	1.0	0.8	0.5	0.0	0.2	1.1	1.2	1.2	0.4	0.5	0.5
Getting suspended	15.1	12.6	13.7	14.1	12.6	13.3	11.1	7.7	9.3	7.8	8.5	8.2	9.3	8.3	8.7	11.1	9.1	10.1
Attacking someone with intent to harm	12.0	13.6	12.9	8.5	8.9	8.8	7.9	8.6	8.3	5.9	5.6	5.8	7.7	6.2	6.9	8.4	3.7	6.1

Table 14. Percentages of Levy County and Florida Statewide youth who reported symptoms of depression, 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	30.4	31.5	37.4	24.6	29.9	30.8	30.9	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	45.3	42.3	55.8	32.5	45.6	40.4	43.8	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	28.3	29.0	34.1	24.1	28.6	28.3	28.7	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	49.6	48.6	62.7	35.6	47.8	51.1	49.1	44.5	47.6	57.0	35.5	44.6	48.0	46.2



**Table 15. Percentages of Levy County and Florida Statewide youth who reported involvement in bullying behavior, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	6.7	14.9	15.6	6.5	7.4	14.4	10.8	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	39.9	27.7	30.3	37.0	39.6	26.8	33.8	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	66.8	50.7	64.6	53.9	65.8	51.9	58.8	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	20.0	29.3	32.7	17.2	20.4	29.6	24.6	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	19.9	14.4	13.8	20.4	18.7	14.4	17.1	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	32.7	28.5	27.0	33.6	32.1	28.4	30.6	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	10.4	15.0	13.7	12.1	10.0	16.0	12.7	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Levy County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	16.7	20.7	12.9	--	17.1	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	8.2	10.8	5.6	--	7.0	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	4.1	7.7	0.5	--	4.9	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	43.5	45.2	42.6	--	45.6	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	9.5	13.4	5.6	--	11.5	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	34.1	41.0	27.8	--	36.9	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	31.6	41.6	22.0	--	32.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	34.6	36.6	33.3	--	39.8	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	29.8	38.8	20.6	--	31.7	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	8.6	10.8	6.6	--	9.3	--	--	7.4	8.7	6.1	--	7.2	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Levy County and Florida Statewide high school youth, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	34.8	26.6	42.3	--	31.2	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	13.8	12.3	15.3	--	13.1	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	10.3	10.6	10.1	--	11.0	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	11.6	11.1	12.5	--	12.7	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	10.8	16.2	5.5	--	11.9	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	11.4	15.2	7.7	--	12.2	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.8	3.7	4.1	--	5.2	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	1.9	2.4	1.4	--	2.0	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.9	0.9	1.0	--	0.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.6	1.1	0.0	--	0.2	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Levy County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	26.6	25.2	27.8	24.7	26.4	24.4	25.9	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	27.4	19.5	22.7	24.7	27.4	17.9	23.5	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	28.8	29.3	28.1	30.5	27.7	27.7	29.0	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	29.5	23.5	21.3	32.2	29.5	24.3	26.6	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	37.8	32.1	38.9	31.8	36.5	33.0	35.0	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	45.0	41.8	51.0	35.9	46.7	37.6	43.5	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Levy County and Florida Statewide youth who reported participation in extracurricular activities, 2020**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	48.4	43.8	46.6	45.2	47.9	40.0	46.1	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	31.7	14.7	25.0	21.4	30.2	15.9	23.2	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	12.7	8.9	12.8	8.5	13.4	8.6	10.8	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	43.2	42.9	59.1	28.1	45.1	42.8	43.1	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	6.5	9.0	9.2	6.0	5.8	10.3	7.7	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Levy County and Florida Statewide youth, 2020

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	17.2	17.9	16.7	--	16.9	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	31.8	33.4	30.8	--	32.9	--	--	22.1	24.0	20.2	--	21.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	10.0	9.6	10.7	--	9.6	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	16.0	13.8	18.5	--	16.2	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Levy County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	21.9	--	--	21.1	--	--	19.9	--	--	21.9	--	--	17.2	--
Marijuana	--	--	--	--	25.2	--	--	27.1	--	--	25.1	--	--	32.4	--	--	31.8	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	10.2	--	--	8.5	--	--	8.5	--	--	13.6	--	--	10.0	--
Marijuana	--	--	--	--	11.5	--	--	12.0	--	--	13.2	--	--	18.2	--	--	16.0	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rates for Levy County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Levy County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	63	60	57	57	59	54
	Family Rewards for Prosocial Involvement	54	51	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	62	54	51	60	57	60
	School Rewards for Prosocial Involvement	50	60	44	54	53	58
<b>Peer and Individual</b>	Religiosity	47	52	42	52	56	62
<b>Average Prevalence Rate</b>		<b>55</b>	<b>55</b>	<b>49</b>	<b>55</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 23. Risk factor prevalence rates for Levy County, Florida Statewide youth and the national normative database, 2020**

Domain		Scale		Levy County		Florida Statewide		National Norms	
				<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use			51	43	41	32	42	42
	Perceived Availability of Drugs			42	25	34	20	45	45
	Perceived Availability of Handguns			37	39	23	31	25	42
<b>Family</b>	Poor Family Management			43	34	43	35	44	45
	Family Conflict			41	32	42	34	42	37
<b>School</b>	Poor Academic Performance			48	49	46	46	45	48
	Lack of Commitment to School			63	64	69	63	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior			48	37	49	38	40	46
	Favorable Attitudes toward ATOD Use			39	35	35	32	39	45
	Early Initiation of Drug Use			32	25	24	17	41	46
<b>Average Prevalence Rate</b>				<b>44</b>	<b>38</b>	<b>41</b>	<b>35</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Levy County, 2010 to 2020

Domain		Levy County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	55	65	60	58	63	63
	Family Rewards for Prosocial Involvement	50	56	55	49	50	54
School	School Opportunities for Prosocial Involvement	51	55	52	53	54	62
	School Rewards for Prosocial Involvement	52	58	56	51	44	50
Peer and Individual	Religiosity	54	59	48	56	48	47
Average Prevalence Rate		52	59	54	53	52	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Levy County, 2010 to 2020

Domain		Levy County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	55	43	48	48	55	51
	Perceived Availability of Drugs	50	41	38	41	43	42
	Perceived Availability of Handguns	40	33	37	32	40	37
Family	Poor Family Management	47	42	35	38	47	43
	Family Conflict	41	41	35	39	38	41
School	Poor Academic Performance	49	47	50	48	52	48
	Lack of Commitment to School	50	47	50	54	56	63
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	44	39	43	44	51	48
	Favorable Attitudes toward ATOD Use	45	37	34	40	45	39
	Early Initiation of Drug Use	42	34	29	30	39	32
Average Prevalence Rate		46	40	40	41	47	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Levy County, 2010 to 2020

Domain		Levy County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	57	56	60	59	61	60
	Family Rewards for Prosocial Involvement	53	48	54	49	55	51
School	School Opportunities for Prosocial Involvement	58	51	61	53	51	54
	School Rewards for Prosocial Involvement	64	66	67	61	55	60
Peer and Individual	Religiosity	64	67	59	63	62	52
Average Prevalence Rate		59	58	60	57	57	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among high school students for Levy County, 2010 to 2020**

Domain		Levy County					
Scale		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	39	41	38	46	38	43
	Perceived Availability of Drugs	39	31	32	27	29	25
	Perceived Availability of Handguns	49	50	54	56	42	39
<b>Family</b>	Poor Family Management	48	47	39	43	38	34
	Family Conflict	33	35	28	32	29	32
<b>School</b>	Poor Academic Performance	48	49	44	44	49	49
	Lack of Commitment to School	52	54	51	58	69	64
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	40	41	33	38	44	37
	Favorable Attitudes toward ATOD Use	42	38	40	37	48	35
	Early Initiation of Drug Use	38	34	31	24	31	25
<b>Average Prevalence Rate</b>		<b>43</b>	<b>42</b>	<b>39</b>	<b>41</b>	<b>42</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.