

2020 Florida Youth Substance Abuse Survey

Wakulla County Data Tables

Table 1. Major demographic characteristics of surveyed Wakulla County and Florida Statewide youth, 2020

	Wakulla County			Florida Statewide	
	N	%		N	%
Sex					
Female	232	46.8		25,191	48.4
Male	252	50.8		26,328	50.5
Race/Ethnic group					
African American	52	10.5		11,284	21.7
American Indian	22	4.4		491	0.9
Asian	3	0.6		671	1.3
Hispanic/Latino	14	2.8		11,091	21.3
Native Hawaiian/Pacific Islander	1	0.2		68	0.1
Other/Multiple	63	12.7		7,227	13.9
White, non-Hispanic	331	66.7		20,904	40.1
Age					
10	0	0.0		44	0.1
11	47	9.5		3,151	6.0
12	126	25.4		7,124	13.7
13	107	21.6		7,698	14.8
14	72	14.5		7,616	14.6
15	49	9.9		7,582	14.6
16	43	8.7		7,502	14.4
17	37	7.5		7,073	13.6
18	12	2.4		3,807	7.3
19 or older	2	0.4		394	0.8
Grade					
6th	133	26.8		7,718	14.8
7th	135	27.2		7,555	14.5
8th	87	17.5		7,632	14.6
9th	22	4.4		7,668	14.7
10th	54	10.9		7,481	14.4
11th	54	10.9		7,117	13.7
12th	11	2.2		6,923	13.3
Overall Middle School	355	71.6		22,904	44.0
Overall High School	141	28.4		29,189	56.0
Total	496	100.0		52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Wakulla County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	35.5	56.7	49.3	44.5	36.9	56.1	47.1	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	15.0	13.9	15.4	--	17.0	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	14.8	24.6	15.4	23.6	17.0	22.7	20.2	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	30.9	41.8	36.3	36.2	32.7	41.5	36.9	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	16.1	34.0	25.0	25.6	19.2	31.6	25.8	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	13.4	33.1	19.0	27.6	14.7	32.6	24.1	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	9.0	4.2	13.9	--	5.6	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	11.7	4.6	8.1	7.4	11.6	4.9	7.8	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.6	7.2	1.7	6.6	2.1	3.3	4.6	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.0	11.4	4.5	8.7	2.5	8.0	7.0	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.7	0.0	0.3	0.4	0.7	0.0	0.3	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.3	10.1	2.9	7.1	0.9	5.9	5.4	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.6	1.5	2.0	0.4	1.2	1.1	1.1	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	4.7	12.7	9.3	7.4	4.6	11.9	8.8	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	4.7	15.3	10.7	9.1	7.7	10.0	10.2	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	4.9	11.8	6.0	10.1	7.3	6.5	8.5	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	3.7	11.3	6.6	8.1	6.9	7.3	7.6	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	2.2	3.1	1.5	--	2.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	25.2	39.5	33.5	31.4	27.9	37.9	32.8	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	17.9	24.6	19.8	22.0	19.6	21.5	21.5	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	19.4	18.7	19.7	18.7	17.5	21.7	19.0	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	44.6	59.8	55.1	50.3	45.3	60.0	52.9	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	9.0	2.9	5.6	6.1	8.4	3.6	5.8	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Wakulla County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	15.7	27.0	22.8	21.1	15.5	25.2	21.9	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	7.8	12.6	10.9	9.9	6.9	13.8	10.4	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.0	4.5	1.8	4.0	3.8	3.5	3.3	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	15.4	27.7	20.7	22.3	17.3	25.7	22.1	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	10.0	21.7	13.3	18.9	14.1	18.3	16.4	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	6.9	25.3	11.3	21.7	9.3	22.9	16.9	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.8	0.9	0.8	--	1.1	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	4.6	0.3	3.1	1.2	4.4	0.3	2.2	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.1	1.4	0.7	0.9	0.8	0.9	0.8	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.2	1.8	0.8	1.3	0.9	1.4	1.1	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.0	2.2	1.6	0.8	0.7	1.9	1.2	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.5	1.6	1.9	0.4	1.2	1.1	1.1	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.8	1.8	2.9	0.9	2.4	1.4	1.8	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	2.5	3.1	4.9	0.9	3.0	2.9	2.8	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	1.6	3.6	3.2	1.6	2.2	3.6	2.7	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.4	5.0	4.2	1.0	1.7	4.5	2.8	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	15.5	29.3	19.8	24.4	19.5	25.2	22.8	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	7.3	10.7	10.4	6.5	8.2	11.6	9.1	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	7.3	5.5	6.9	5.8	6.3	7.5	6.4	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	22.6	38.1	30.5	30.5	25.6	34.4	31.1	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	7.2	11.9	8.1	9.9	10.4	9.5	9.7	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Wakulla County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	40.3	73.3	57.8	37.2	68.9	53.0	32.2	61.8	47.3	25.5	61.3	45.5	29.9	57.4	45.6	35.5	56.7	47.1
Blacking Out	--	--	--	--	--	--	--	28.1	--	--	27.1	--	--	24.7	--	--	15.0	--
Cigarettes	25.3	49.7	38.2	23.6	44.4	34.0	17.7	29.5	23.6	10.9	34.5	23.8	10.2	27.1	19.8	14.8	24.6	20.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	30.9	41.8	36.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16.1	34.0	25.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	16.6	45.4	32.6	16.3	44.4	32.0	--	--	--
Marijuana or Hashish	15.2	44.5	30.8	14.9	45.9	30.4	14.7	42.6	28.8	8.0	43.7	27.5	11.1	37.8	26.1	13.4	33.1	24.1
Synthetic Marijuana	--	--	--	--	17.9	--	--	10.2	--	--	11.6	--	--	4.8	--	--	9.0	--
Inhalants	10.3	8.7	9.4	15.5	6.1	10.8	10.5	4.1	7.3	6.9	6.9	6.9	8.3	5.2	6.6	11.7	4.6	7.8
Club Drugs	1.8	6.4	4.2	1.2	5.5	3.3	1.2	4.2	2.7	0.8	7.0	4.2	1.5	1.3	1.4	1.6	7.2	4.6
LSD, PCP or Mushrooms	3.5	7.5	5.6	3.6	6.8	5.2	5.0	6.3	5.6	0.9	10.8	6.3	1.6	7.3	4.8	2.0	11.4	7.0
Methamphetamine	0.5	0.7	0.6	2.5	2.0	2.3	1.1	1.0	1.1	0.8	2.2	1.6	1.6	0.7	1.1	0.7	0.0	0.3
Cocaine or Crack	0.8	4.8	2.9	2.2	6.0	4.1	1.1	4.5	2.8	0.7	4.9	3.0	2.2	2.8	2.5	0.3	10.1	5.4
Heroin	0.5	0.8	0.6	1.7	1.0	1.4	1.3	2.3	1.8	0.3	0.6	0.5	0.4	0.3	0.3	0.6	1.5	1.1
Prescription Depressants	2.1	10.5	6.6	4.2	9.6	6.9	1.1	12.2	6.7	1.9	8.9	5.7	2.7	9.5	6.5	4.7	12.7	8.8
Prescription Pain Relievers	5.1	18.1	12.0	7.5	16.5	12.0	6.7	14.0	10.4	2.4	9.0	6.1	1.8	8.1	5.4	4.7	15.3	10.2
Prescription Amphetamines	4.0	14.6	9.6	4.7	12.9	8.8	4.4	11.9	8.1	1.0	15.7	9.2	2.6	10.0	6.8	4.9	11.8	8.5
Over-the-Counter Drugs	5.0	9.4	7.3	6.0	7.2	6.6	2.8	8.2	5.5	4.2	7.7	6.2	4.1	6.9	5.7	3.7	11.3	7.6
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.4	--	--	0.0	--	--	2.2	--
Any illicit drug	23.5	49.0	37.0	26.9	50.1	38.4	23.6	48.0	35.9	14.9	48.1	33.2	20.0	45.8	34.6	25.2	39.5	32.8
Any illicit drug other than marijuana	17.7	31.2	24.9	22.1	28.4	25.2	17.9	25.7	21.8	10.5	25.5	18.8	14.0	26.0	20.8	17.9	24.6	21.5
Alcohol only	22.0	27.7	25.0	16.7	21.6	19.1	12.2	18.4	15.3	15.2	17.7	16.6	14.2	17.6	16.1	19.4	18.7	19.0
Alcohol or any illicit drug	45.2	76.7	61.9	43.6	71.9	57.7	35.7	66.0	51.0	29.6	65.8	49.6	34.0	63.1	50.5	44.6	59.8	52.9
Any illicit drug, but no alcohol	5.2	3.4	4.2	6.4	3.2	4.8	3.8	4.2	4.0	4.8	4.2	4.5	4.2	6.0	5.2	9.0	2.9	5.8

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Wakulla County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	23.9	45.4	35.3	18.2	44.9	31.5	15.4	34.6	25.2	11.4	30.9	22.3	8.0	31.5	21.4	15.7	27.0	21.9
Binge Drinking	13.5	25.2	19.7	8.9	22.7	15.8	7.9	20.2	14.2	5.6	21.0	14.2	2.5	15.3	9.8	7.8	12.6	10.4
Cigarettes	10.0	21.0	15.8	6.1	15.8	10.9	4.8	10.4	7.6	1.1	12.5	7.3	0.9	7.2	4.5	2.0	4.5	3.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	15.4	27.7	22.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.0	21.7	16.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.6	17.4	12.6	4.2	23.4	14.9	--	--	--
Marijuana or Hashish	8.2	26.3	17.9	10.1	27.9	19.0	9.9	25.1	17.5	4.6	28.6	17.8	6.1	24.6	16.6	6.9	25.3	16.9
Synthetic Marijuana	--	--	--	--	6.1	--	--	2.1	--	--	3.3	--	--	1.0	--	--	0.8	--
Inhalants	5.2	2.4	3.7	6.4	0.8	3.6	5.3	0.9	3.1	3.4	3.7	3.6	2.7	0.7	1.6	4.6	0.3	2.2
Club Drugs	0.8	2.6	1.8	1.5	1.1	1.3	0.3	1.0	0.7	0.7	1.2	0.9	1.1	0.0	0.5	0.1	1.4	0.8
LSD, PCP or Mushrooms	0.9	2.8	1.9	2.2	1.5	1.8	1.7	0.9	1.3	0.9	4.4	2.8	1.2	2.3	1.8	0.2	1.8	1.1
Methamphetamine	0.3	0.5	0.4	1.1	0.7	0.9	0.0	0.0	0.0	0.4	1.0	0.7	1.2	0.2	0.7	0.1	0.0	0.0
Cocaine or Crack	0.0	0.8	0.4	0.9	1.4	1.1	0.4	0.7	0.5	0.2	1.8	1.1	1.1	0.5	0.8	0.0	2.2	1.2
Heroin	0.0	0.0	0.0	1.2	0.3	0.7	0.5	1.1	0.8	0.2	1.1	0.7	0.0	0.0	0.0	0.5	1.6	1.1
Prescription Depressants	1.2	3.4	2.4	1.5	3.2	2.4	0.4	6.0	3.2	0.8	3.6	2.3	0.5	3.8	2.4	1.8	1.8	1.8
Prescription Pain Relievers	2.0	8.3	5.4	3.3	3.3	3.3	2.1	4.4	3.2	0.3	3.9	2.3	0.7	1.6	1.2	2.5	3.1	2.8
Prescription Amphetamines	1.8	5.7	3.9	2.2	6.5	4.4	3.3	5.1	4.2	0.3	5.9	3.4	1.1	1.7	1.5	1.6	3.6	2.7
Over-the-Counter Drugs	2.2	2.5	2.3	2.8	1.7	2.3	1.6	2.5	2.1	1.1	2.9	2.1	2.3	1.3	1.7	0.4	5.0	2.8
Any illicit drug	13.7	30.8	22.8	15.7	30.3	23.0	16.9	29.1	23.0	8.9	32.9	22.1	8.7	26.4	18.9	15.5	29.3	22.8
Any illicit drug other than marijuana	9.6	16.3	13.2	11.4	11.3	11.4	11.4	12.2	11.8	5.5	13.6	10.0	5.2	8.1	6.9	7.3	10.7	9.1
Alcohol only	14.7	21.3	18.2	10.8	18.1	14.4	4.7	12.2	8.4	6.6	11.3	9.2	4.1	16.3	11.1	7.3	5.5	6.4
Alcohol or any illicit drug	27.9	51.9	40.6	25.9	49.1	37.5	21.6	40.5	31.1	15.1	43.8	31.0	12.9	42.1	29.5	22.6	38.1	31.1
Any illicit drug, but no alcohol	4.3	6.8	5.6	8.0	4.9	6.4	6.2	6.0	6.1	4.1	12.8	8.9	5.4	10.8	8.5	7.2	11.9	9.7

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Wakulla County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Early ATOD use</i>														
More than a sip of alcohol	--	21.1	18.1	21.2	--	21.5	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	2.2	1.1	1.7	--	2.2	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	12.3	6.1	17.1	--	11.6	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	12.8	6.2	18.1	--	13.2	--	--	8.2	7.6	8.8	--	7.9	--
<i>Great risk of harm</i>														
1 or 2 drinks nearly every day	38.8	37.4	35.3	41.5	38.9	29.9	38.0	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	56.6	51.0	53.7	53.8	59.2	47.2	53.5	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	59.8	59.9	66.1	54.9	60.6	58.4	59.9	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	41.7	27.2	35.8	31.9	41.7	25.2	33.6	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	49.1	18.8	31.6	33.4	48.5	15.5	32.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	39.8	18.0	26.9	29.2	40.0	15.2	27.7	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	24.5	9.2	16.3	16.3	22.8	9.9	16.1	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	68.6	62.0	64.5	65.4	68.7	58.4	64.9	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<i>Think it would be wrong to...</i>														
Smoke cigarettes	92.6	81.6	85.6	87.6	93.7	80.9	86.3	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	81.2	59.4	65.5	73.0	78.8	61.1	68.9	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	84.4	55.9	64.3	73.1	81.7	57.3	68.2	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	80.3	69.1	68.1	80.0	80.3	70.6	74.0	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	86.4	56.6	64.7	75.0	83.6	57.8	69.5	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	96.8	90.8	96.1	91.7	96.8	92.6	93.4	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	83.8	74.3	82.8	75.4	82.5	80.5	78.5	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	86.6	79.3	84.5	81.0	85.8	83.7	82.6	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	79.8	53.4	63.6	66.9	77.2	56.5	65.1	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	75.0	54.5	57.9	69.4	74.3	55.9	63.7	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	80.9	56.8	64.1	71.6	77.5	61.7	67.6	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	91.2	80.7	85.8	85.9	91.0	84.5	85.4	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Wakulla County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	31.4	--	--	30.3	--	--	33.8	--	--	25.6	--	--	24.2	--	--	21.1	--
Drink monthly	--	6.6	--	--	5.8	--	--	8.2	--	--	6.3	--	--	3.7	--	--	2.2	--
Smoke cigarettes	--	28.8	--	--	25.0	--	--	18.7	--	--	19.5	--	--	15.3	--	--	12.3	--
Smoke marijuana	--	16.6	--	--	17.9	--	--	18.6	--	--	20.5	--	--	15.6	--	--	12.8	--
Great risk of harm																		
Daily alcohol use	42.7	33.5	37.8	42.9	32.0	37.4	41.1	36.4	38.7	42.2	30.3	35.7	45.4	33.6	38.8	38.8	37.4	38.0
5+ drinks daily	--	--	--	--	--	--	54.9	47.1	50.9	57.2	45.1	50.6	65.8	46.0	54.7	56.6	51.0	53.5
Daily cigarette use	63.5	64.2	63.9	66.2	65.6	65.9	65.0	70.5	67.7	69.2	64.4	66.6	67.4	62.6	64.7	59.8	59.9	59.9
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	41.7	27.2	33.6
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	49.1	18.8	32.1
Marijuana weekly*	--	--	--	--	--	--	51.7	24.5	37.9	50.5	19.5	33.5	45.2	18.8	30.4	39.8	18.0	27.7
Try marijuana	37.6	16.6	26.3	41.7	20.0	30.8	36.5	16.8	26.6	38.0	12.7	24.2	29.2	8.2	17.5	24.5	9.2	16.1
Prescription drugs	--	--	--	--	63.9	63.9	71.6	65.1	68.3	74.7	63.1	68.3	69.9	57.3	62.8	68.6	62.0	64.9
Think it wrong																		
Smoke cigarettes	84.2	69.0	76.0	88.6	72.5	80.5	91.3	76.9	84.1	95.0	80.3	86.9	96.1	82.1	88.2	92.6	81.6	86.3
Drink regularly	73.0	54.0	62.8	78.6	47.3	62.9	81.9	53.2	67.5	88.0	55.7	70.1	86.1	55.4	68.8	81.2	59.4	68.9
Smoke marijuana	84.3	64.3	73.6	84.3	56.2	70.2	83.9	54.5	69.1	88.0	52.0	67.9	86.3	52.4	67.3	84.4	55.9	68.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80.3	69.1	74.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.4	56.6	69.5
Other illicit drugs	96.5	95.7	96.1	95.3	94.0	94.7	95.3	86.7	91.0	98.2	85.2	91.0	98.6	93.1	95.5	96.8	90.8	93.4
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	79.7	69.7	74.7	92.1	62.7	76.0	90.7	70.3	79.2	83.8	74.3	78.5
Smoke tobacco	--	--	--	--	--	--	87.0	78.2	82.5	94.3	74.4	83.4	94.7	82.0	87.6	86.6	79.3	82.6
Smoke marijuana	--	--	--	--	--	--	77.1	55.6	66.2	85.7	48.6	65.4	84.9	48.5	64.4	79.8	53.4	65.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	75.0	54.5	63.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80.9	56.8	67.6
Prescription drugs	--	--	--	--	--	--	91.0	85.6	88.3	95.0	83.2	88.5	95.4	88.0	91.3	91.2	80.7	85.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Wakulla County and Florida Statewide youth, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	3.1	0.0	6.1	--	3.9	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	36.7	41.4	32.0	--	33.2	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	30.8	23.6	37.7	--	25.7	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	3.1	0.0	6.0	--	3.9	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	7.3	14.8	0.0	--	9.2	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	19.1	20.1	18.1	--	24.1	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Wakulla County and Florida Statewide youth, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	30.1	14.1	41.0	--	18.5	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	56.0	85.9	35.6	--	64.1	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	3.1	0.0	5.2	--	3.9	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	10.8	0.0	18.1	--	13.6	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Wakulla County and Florida Statewide youth, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	11.3	13.4	9.7	--	14.1	--	--	31.9	34.7	28.6	--	32.9	--
2	--	30.7	27.1	33.4	--	29.0	--	--	21.8	24.0	19.2	--	21.1	--
3	--	31.6	40.9	24.4	--	24.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	12.9	18.6	8.6	--	16.1	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	13.5	0.0	23.9	--	16.8	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Wakulla County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	9.0	6.3	7.2	4.0	9.5	7.0	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	5.4	22.3	9.2	19.0	6.9	20.1	14.4	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	5.9	13.5	8.9	10.5	5.8	7.2	9.9	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Wakulla County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	12.5	10.0	3.9	18.3	12.5	5.8	11.2	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	3.6	11.1	2.6	11.7	2.9	8.3	7.6	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.7	2.0	0.7	2.1	0.7	0.0	1.4	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.2	1.7	1.6	2.4	1.7	1.7	2.0	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.2	0.0	0.1	0.0	0.2	0.0	0.1	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	13.6	8.1	4.7	16.8	15.0	6.9	10.7	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	8.5	13.7	9.5	13.1	8.9	13.7	11.3	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Wakulla County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.7	3.1	4.3	12.1	5.9	9.0	9.6	4.8	7.2	8.8	13.1	11.2	11.7	8.3	9.8	12.5	10.0	11.2
Selling drugs	4.9	9.7	7.4	3.6	11.6	7.6	2.3	10.3	6.3	1.2	9.9	6.0	2.0	6.4	4.4	3.6	11.1	7.6
Attempting to steal a vehicle	1.6	2.2	1.9	1.5	2.5	2.0	0.7	1.0	0.9	0.8	2.3	1.6	0.5	0.3	0.4	0.7	2.0	1.4
Being arrested	3.8	3.1	3.4	4.1	2.6	3.4	1.1	1.0	1.1	2.2	3.7	3.0	1.1	1.8	1.5	2.2	1.7	2.0
Taking a handgun to school	0.3	0.5	0.4	0.7	1.0	0.9	0.2	0.4	0.3	0.8	1.5	1.2	0.0	0.4	0.2	0.2	0.0	0.1
Getting suspended	10.7	9.3	10.0	8.3	6.3	7.3	5.9	5.8	5.8	7.4	13.7	10.9	7.8	7.9	7.8	13.6	8.1	10.7
Attacking someone with intent to harm	8.3	11.9	10.2	9.7	5.7	7.7	4.0	5.6	4.8	6.5	7.8	7.2	7.0	4.5	5.7	8.5	13.7	11.3

Table 14. Percentages of Wakulla County and Florida Statewide youth who reported symptoms of depression, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	37.8	40.2	51.2	26.2	38.3	42.6	39.1	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	54.7	56.9	73.7	37.8	56.7	56.7	55.9	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	33.3	35.8	46.6	21.6	32.2	41.2	34.7	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	46.3	61.6	70.6	38.6	48.1	57.7	54.7	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Wakulla County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.3	16.9	23.8	7.0	11.9	18.7	14.8	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	42.3	34.9	44.6	31.4	41.2	36.7	38.2	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	69.3	58.2	69.4	56.9	68.2	61.0	63.1	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	31.8	35.8	44.9	23.7	32.7	36.1	34.1	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	28.5	12.2	14.8	23.4	25.6	13.9	19.1	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	36.3	25.1	28.8	31.2	33.1	29.6	29.9	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	11.9	11.1	10.2	12.3	10.4	12.2	11.4	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Wakulla County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	18.1	21.5	15.6	--	14.6	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	15.4	16.0	15.5	--	11.8	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	3.4	5.0	0.4	--	4.5	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	60.1	71.3	51.1	--	54.9	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	10.1	13.8	7.1	--	10.4	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	47.6	53.0	42.2	--	47.6	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	57.2	66.1	47.8	--	52.7	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	43.1	45.2	41.4	--	35.6	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	33.2	41.7	23.7	--	31.4	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	13.3	20.2	7.1	--	12.0	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Wakulla County and Florida Statewide high school youth, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	20.1	12.5	28.8	--	23.0	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	8.1	6.8	9.7	--	7.8	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	18.1	13.7	20.8	--	22.6	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	17.3	15.0	18.3	--	12.0	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	4.0	7.5	0.7	--	5.1	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	24.0	41.2	7.7	--	23.9	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	1.5	0.0	3.0	--	1.9	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	3.2	1.5	5.0	--	1.4	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	2.9	0.0	6.0	--	1.1	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.9	1.8	0.0	--	1.1	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Wakulla County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	30.6	32.4	32.3	30.4	33.2	31.2	31.6	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	25.3	28.3	27.5	26.6	25.7	29.7	26.9	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	30.7	26.0	29.4	27.4	31.8	25.3	28.3	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	28.1	31.1	33.7	26.0	29.6	33.9	29.7	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	44.7	25.7	34.2	34.3	41.8	26.1	34.8	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	61.3	47.2	64.3	44.5	62.8	48.7	54.0	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Wakulla County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	52.0	28.8	38.9	40.0	47.6	32.1	39.1	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	32.5	14.7	27.7	18.2	31.7	16.2	22.6	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	20.7	4.6	10.0	13.4	20.0	2.8	11.7	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	18.9	27.2	34.7	14.0	19.1	26.5	23.5	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	8.6	7.1	7.9	7.8	7.8	8.2	7.7	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Wakulla County and Florida Statewide youth, 2020

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	22.1	15.2	28.1	--	23.4	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	28.9	27.6	29.4	--	29.2	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	3.7	3.9	3.6	--	4.0	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	11.2	10.5	12.2	--	11.5	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Wakulla County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	23.6	--	--	26.7	--	--	27.0	--	--	22.4	--	--	22.1	--
Marijuana	--	--	--	--	29.6	--	--	30.8	--	--	32.3	--	--	32.1	--	--	28.9	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	10.9	--	--	10.4	--	--	9.0	--	--	8.7	--	--	3.7	--
Marijuana	--	--	--	--	17.6	--	--	16.4	--	--	17.2	--	--	15.9	--	--	11.2	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Wakulla County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Wakulla County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	52	62	57	57	59	54
	Family Rewards for Prosocial Involvement	46	47	50	53	54	55
School	School Opportunities for Prosocial Involvement	60	55	51	60	57	60
	School Rewards for Prosocial Involvement	49	53	44	54	53	58
Peer and Individual	Religiosity	43	52	42	52	56	62
Average Prevalence Rate		50	54	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Wakulla County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Wakulla County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	55	39	41	32	42	42
	Perceived Availability of Drugs	46	34	34	20	45	45
	Perceived Availability of Handguns	42	50	23	31	25	42
Family	Poor Family Management	45	34	43	35	44	45
	Family Conflict	50	36	42	34	42	37
School	Poor Academic Performance	50	47	46	46	45	48
	Lack of Commitment to School	70	64	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	58	51	49	38	40	46
	Favorable Attitudes toward ATOD Use	48	43	35	32	39	45
	Early Initiation of Drug Use	41	27	24	17	41	46
Average Prevalence Rate		50	42	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Wakulla County, 2010 to 2020

Domain	Scale	Wakulla County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	60	60	63	59	52
	Family Rewards for Prosocial Involvement	48	52	56	56	47	46
School	School Opportunities for Prosocial Involvement	51	55	63	59	56	60
	School Rewards for Prosocial Involvement	46	50	59	57	54	49
Peer and Individual	Religiosity	55	57	56	56	53	43
Average Prevalence Rate		51	55	59	58	54	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Wakulla County, 2010 to 2020

Domain		Scale	Wakulla County					
			2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use		54	44	46	39	46	55
	Perceived Availability of Drugs		54	50	43	44	40	46
	Perceived Availability of Handguns		35	44	40	35	40	42
Family	Poor Family Management		49	44	41	35	45	45
	Family Conflict		43	45	37	40	42	50
School	Poor Academic Performance		48	44	43	47	47	50
	Lack of Commitment to School		60	49	51	53	68	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		48	47	37	36	38	58
	Favorable Attitudes toward ATOD Use		48	42	35	31	39	48
	Early Initiation of Drug Use		43	39	34	28	33	41
Average Prevalence Rate			48	45	41	39	44	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Wakulla County, 2010 to 2020

Domain	Scale	Wakulla County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	59	57	55	56	57	62
	Family Rewards for Prosocial Involvement	54	54	51	49	52	47
School	School Opportunities for Prosocial Involvement	56	53	67	60	64	55
	School Rewards for Prosocial Involvement	56	56	64	53	57	53
Peer and Individual	Religiosity	63	62	61	62	55	52
Average Prevalence Rate		58	56	60	56	57	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Wakulla County, 2010 to 2020

Domain		Wakulla County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	46	43	35	46	38	39
	Perceived Availability of Drugs	47	42	35	38	33	34
	Perceived Availability of Handguns	53	51	49	56	50	50
Family	Poor Family Management	43	35	40	47	39	34
	Family Conflict	34	35	36	37	32	36
School	Poor Academic Performance	48	50	41	43	41	47
	Lack of Commitment to School	53	53	51	64	56	64
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	41	36	42	40	51
	Favorable Attitudes toward ATOD Use	44	49	46	45	49	43
	Early Initiation of Drug Use	43	42	37	36	33	27
Average Prevalence Rate		45	44	41	45	41	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.