

# **2022 Florida Youth Substance Abuse Survey**

**Clay County Data Tables**



**Table 1. Major demographic characteristics of surveyed Clay County and Florida Statewide, 2022**

	Clay County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	516	50.0		22,957	48.3
Male	506	49.0		23,857	50.1
<b>Race/Ethnic group</b>					
African American	157	15.2		10,187	21.4
American Indian	21	2.0		422	0.9
Asian	24	2.3		785	1.7
Hispanic/Latino	97	9.4		10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0		63	0.1
Other/Multiple	255	24.7		6,956	14.6
White, non-Hispanic	471	45.6		18,419	38.7
<b>Parent/Guardian in the Military</b>					
No	819	79.3		41,174	86.6
Yes	206	19.9		5,980	12.6
<b>Age</b>					
11	26	2.5		2,576	5.4
12	96	9.3		6,243	13.1
13	173	16.7		6,872	14.4
14	195	18.9		7,136	15.0
15	158	15.3		7,278	15.3
16	151	14.6		6,918	14.5
17	145	14.0		6,616	13.9
18	81	7.8		3,403	7.2
<b>Grade</b>					
6th	65	6.3		6,626	13.9
7th	157	15.2		6,817	14.3
8th	229	22.2		7,021	14.8
9th	140	13.6		7,193	15.1
10th	154	14.9		7,025	14.8
11th	141	13.6		6,557	13.8
12th	147	14.2		6,333	13.3
<b>Middle School</b>	451	43.7		20,463	43.0
<b>High School</b>	582	56.3		27,109	57.0
<b>Total</b>	<b>1,033</b>	<b>100.0</b>		<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Clay County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.7	38.2	35.8	30.7	25.9	39.4	33.4	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	12.1	10.3	13.0	--	12.8	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	5.2	10.6	9.4	7.1	4.7	10.9	8.4	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	18.2	32.3	28.0	24.5	18.6	33.4	26.4	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	8.3	20.0	16.4	13.8	7.4	21.3	15.1	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	9.9	24.8	20.5	16.5	9.7	25.9	18.6	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.6	2.6	2.3	--	2.2	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	11.7	3.4	9.0	4.8	10.6	4.1	6.9	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	1.3	1.1	1.2	0.9	1.3	1.0	1.2	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.9	4.8	3.6	3.0	1.8	4.9	3.6	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.7	0.5	0.5	1.2	1.5	0.6	1.0	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	1.5	0.9	0.9	1.3	1.4	0.9	1.2	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.4	0.5	0.1	0.6	0.4	0.2	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.9	4.3	3.3	3.3	1.6	4.3	3.3	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.4	4.8	4.8	4.2	3.8	5.3	4.6	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.9	3.4	3.1	2.5	1.6	3.6	2.8	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	1.5	3.7	3.0	2.4	1.5	4.3	2.8	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.5	0.0	1.1	--	0.2	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	22.1	32.8	32.5	24.1	21.3	34.2	28.3	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	16.4	14.2	17.5	12.7	15.1	15.0	15.2	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.0	14.6	13.6	13.5	12.8	13.5	13.5	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	34.0	47.2	46.0	37.4	33.9	47.6	41.6	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	7.1	8.9	10.2	6.4	8.0	8.2	8.1	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Clay County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	8.3	15.5	13.2	11.5	8.1	15.9	12.5	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	5.6	6.7	6.8	5.6	4.9	6.1	6.2	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	2.8	2.9	2.4	3.0	2.3	2.8	2.8	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	9.3	15.8	14.8	10.9	8.6	16.4	13.1	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	5.4	8.5	8.1	6.2	5.0	9.1	7.2	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.8	11.7	9.1	8.5	3.9	12.9	8.8	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.2	1.5	0.5	--	1.3	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.4	0.3	1.1	1.3	2.1	0.2	1.2	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.7	0.1	0.3	0.4	0.6	0.0	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.8	1.5	1.3	0.9	1.0	1.5	1.2	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	1.3	0.0	0.1	0.8	1.2	0.0	0.6	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.8	0.0	0.1	0.6	0.7	0.0	0.3	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.2	0.4	0.1	0.4	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	1.2	0.9	1.6	0.6	1.1	0.8	1.1	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.3	1.8	1.4	0.7	0.3	1.9	1.2	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.5	0.5	0.7	0.3	0.5	0.6	0.5	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.3	1.0	1.1	0.4	0.3	1.1	0.7	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	8.6	15.7	13.9	11.4	7.7	16.8	12.7	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.1	5.3	5.0	5.0	4.7	5.3	5.2	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	3.9	9.1	7.8	6.2	4.4	8.3	6.9	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	12.5	24.8	21.7	17.5	12.0	25.1	19.6	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.3	8.9	8.4	5.7	4.0	9.2	7.0	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Clay County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	24.9	63.7	47.2	25.1	57.5	43.6	17.3	53.6	39.0	21.5	51.8	39.1	28.9	51.7	41.5	26.7	38.2	33.4
Blacking Out	--	--	--	--	19.9	--	--	20.3	--	--	18.9	--	--	16.2	--	--	12.1	--
Cigarettes	12.5	35.1	25.5	12.5	34.4	25.0	6.9	24.1	17.1	5.8	17.9	12.8	11.7	12.8	12.3	5.2	10.6	8.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	26.5	42.3	35.3	18.2	32.3	26.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	10.7	25.4	18.9	8.3	20.0	15.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	13.7	40.0	29.2	15.0	43.2	31.2	--	--	--	--	--	--
Marijuana or Hashish	9.2	38.2	25.9	8.4	37.3	25.1	7.0	32.6	22.2	5.7	32.9	21.4	10.9	33.5	23.4	9.9	24.8	18.6
Synthetic Marijuana	--	20.8	--	--	12.1	--	--	6.3	--	--	3.4	--	--	2.1	--	--	2.6	--
Inhalants	8.3	6.5	7.3	8.4	4.8	6.3	4.7	6.6	5.8	7.4	5.0	6.0	10.4	6.9	8.4	11.7	3.4	6.9
Club Drugs	0.4	5.5	3.4	1.0	2.8	2.0	0.6	3.9	2.6	0.3	3.1	1.9	1.5	3.7	2.7	1.3	1.1	1.2
LSD, PCP or Mushrooms	0.8	7.1	4.5	1.1	3.9	2.7	1.1	4.5	3.1	0.1	5.9	3.5	2.4	8.0	5.5	1.9	4.8	3.6
Methamphetamine	0.3	1.0	0.7	0.7	1.4	1.1	0.5	1.2	0.9	0.1	0.5	0.3	1.7	1.3	1.5	1.7	0.5	1.0
Cocaine or Crack	1.0	4.0	2.7	1.1	2.6	2.0	0.7	2.9	2.0	0.5	2.6	1.7	0.3	2.4	1.5	1.5	0.9	1.2
Heroin	0.9	1.3	1.1	0.7	1.6	1.2	0.3	0.3	0.3	0.7	0.4	0.5	2.1	0.9	1.5	0.4	0.5	0.5
Prescription Depressants	2.6	10.8	7.4	2.2	8.2	5.6	2.0	8.7	6.0	0.9	7.6	4.7	3.0	7.5	5.5	1.9	4.3	3.3
Prescription Pain Relievers	3.8	12.6	8.9	3.7	9.6	7.1	3.3	6.8	5.4	3.1	5.6	4.6	3.4	3.5	3.4	4.4	4.8	4.6
Prescription Amphetamines	1.2	5.6	3.7	0.9	4.5	3.0	1.4	5.4	3.8	1.9	5.0	3.7	3.4	6.5	5.2	1.9	3.4	2.8
Over-the-Counter Drugs	3.9	7.2	5.8	3.1	4.4	3.8	2.2	5.6	4.2	2.3	4.6	3.6	3.7	5.9	4.9	1.5	3.7	2.8
Needle to Inject Drugs	--	--	--	--	--	--	--	0.2	--	--	1.7	--	--	0.7	--	--	0.5	--
Any illicit drug	18.8	44.5	33.6	18.0	42.6	32.0	14.3	38.3	28.5	14.3	37.1	27.5	26.2	40.4	34.1	22.1	32.8	28.3
Any illicit drug other than marijuana	13.8	24.7	20.1	13.9	21.2	18.0	10.1	18.9	15.3	11.6	19.3	16.0	17.2	19.9	18.7	16.4	14.2	15.2
Alcohol only	13.7	24.0	19.7	14.5	21.5	18.5	9.5	21.0	16.4	12.4	21.3	17.6	11.2	18.2	15.1	12.0	14.6	13.5
Alcohol or any illicit drug	32.3	68.4	53.1	32.4	64.1	50.5	23.7	59.2	44.7	26.4	58.3	44.8	37.2	58.5	49.0	34.0	47.2	41.6
Any illicit drug, but no alcohol	7.7	4.8	6.0	7.4	6.5	6.9	6.7	5.9	6.2	5.1	6.6	6.0	8.0	7.0	7.5	7.1	8.9	8.1

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Clay County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	10.4	35.2	24.7	9.6	30.8	21.7	5.4	29.6	19.8	5.7	23.8	16.2	9.4	22.9	16.9	8.3	15.5	12.5
Binge Drinking	3.4	18.7	12.2	4.0	15.3	10.4	2.1	12.3	8.2	1.9	10.2	6.7	2.6	9.2	6.3	5.6	6.7	6.2
Cigarettes	2.9	12.1	8.2	2.5	14.1	9.1	1.1	7.7	5.0	0.8	5.7	3.6	0.8	4.1	2.6	2.8	2.9	2.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	10.5	22.0	16.9	9.3	15.8	13.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	5.4	10.5	8.2	5.4	8.5	7.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	4.0	18.8	12.8	5.4	25.3	16.9	--	--	--	--	--	--
Marijuana or Hashish	4.8	19.8	13.5	3.9	19.0	12.6	3.1	16.6	11.0	2.7	17.6	11.3	4.0	16.4	10.9	4.8	11.7	8.8
Synthetic Marijuana	--	4.3	--	--	0.8	--	--	0.7	--	--	0.6	--	--	0.4	--	--	1.2	--
Inhalants	2.9	1.8	2.3	3.3	1.1	2.0	1.6	1.3	1.4	1.6	0.9	1.2	4.8	2.2	3.3	2.4	0.3	1.2
Club Drugs	0.0	1.0	0.6	0.4	0.6	0.5	0.1	0.6	0.4	0.1	0.5	0.3	0.4	1.0	0.7	0.7	0.1	0.3
LSD, PCP or Mushrooms	0.3	1.4	1.0	0.4	1.3	0.9	0.5	2.1	1.5	0.0	1.3	0.7	1.2	1.9	1.6	0.8	1.5	1.2
Methamphetamine	0.2	0.1	0.2	0.4	0.8	0.6	0.2	0.6	0.4	0.1	0.6	0.4	1.5	0.8	1.1	1.3	0.0	0.6
Cocaine or Crack	0.4	0.8	0.6	0.3	1.0	0.7	0.4	1.1	0.8	0.2	0.4	0.3	0.4	0.7	0.6	0.8	0.0	0.3
Heroin	0.4	0.4	0.4	0.3	0.4	0.3	0.0	0.1	0.1	0.1	0.1	0.1	1.2	0.6	0.9	0.2	0.4	0.3
Prescription Depressants	0.5	2.5	1.6	1.1	1.4	1.3	0.7	3.0	2.0	0.2	1.6	1.0	1.3	2.0	1.7	1.2	0.9	1.1
Prescription Pain Relievers	1.1	3.3	2.4	1.4	2.0	1.7	1.4	2.5	2.1	1.2	1.4	1.3	2.1	1.3	1.7	0.3	1.8	1.2
Prescription Amphetamines	0.4	1.5	1.0	0.5	1.1	0.8	0.4	2.0	1.4	0.5	2.2	1.5	1.5	2.5	2.0	0.5	0.5	0.5
Over-the-Counter Drugs	1.5	1.7	1.6	1.9	0.8	1.3	1.1	1.4	1.2	0.8	0.8	0.8	1.1	3.0	2.2	0.3	1.0	0.7
Any illicit drug	8.8	24.7	18.0	8.5	21.9	16.1	5.5	19.0	13.5	5.2	20.8	14.2	14.0	21.6	18.2	8.6	15.7	12.7
Any illicit drug other than marijuana	5.6	9.1	7.6	5.9	6.1	6.0	4.0	7.7	6.1	3.4	6.6	5.2	8.5	7.6	8.0	5.1	5.3	5.2
Alcohol only	6.7	18.5	13.5	6.3	15.8	11.7	3.2	16.7	11.2	3.8	11.9	8.5	6.1	11.5	9.1	3.9	9.1	6.9
Alcohol or any illicit drug	15.2	42.7	31.0	14.6	37.5	27.7	8.5	35.1	24.3	8.8	32.3	22.3	19.9	33.0	27.2	12.5	24.8	19.6
Any illicit drug, but no alcohol	5.0	7.5	6.4	5.3	6.8	6.2	3.3	6.0	4.9	3.2	8.7	6.4	10.2	9.9	10.0	4.3	8.9	7.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Clay County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	16.6	16.8	16.1	--	16.9	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.1	2.0	2.3	--	2.0	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	7.7	8.2	6.9	--	8.2	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.2	6.8	6.8	--	7.7	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	49.0	42.5	46.2	44.8	49.7	42.4	45.2	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	59.7	55.9	59.1	56.4	61.6	56.3	57.5	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	65.6	68.8	65.9	69.6	66.7	68.6	67.5	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	53.3	39.0	48.3	42.8	53.2	38.7	45.0	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	55.9	33.3	43.8	41.8	54.8	33.2	42.7	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	51.1	22.6	35.3	33.2	48.6	23.6	34.5	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	35.1	17.3	22.8	26.4	34.4	17.8	24.7	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.4	72.6	76.5	68.4	72.0	73.0	72.1	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	94.9	89.2	90.9	92.4	94.6	89.0	91.6	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	90.0	71.4	78.0	80.1	89.5	71.1	79.1	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	89.4	65.0	73.3	76.9	88.6	63.5	75.1	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	87.6	76.4	77.9	84.4	88.0	75.8	81.0	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	89.8	73.6	77.7	82.7	89.4	72.9	80.3	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	96.9	95.8	97.1	95.5	97.0	96.0	96.3	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	91.6	81.7	86.8	84.7	90.9	81.5	85.8	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	95.3	85.6	89.7	89.8	94.6	86.0	89.6	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	89.7	63.0	71.4	76.1	87.7	63.5	73.9	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	88.1	69.8	74.2	80.3	86.6	70.2	77.3	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	89.8	69.3	74.7	80.3	88.5	68.6	77.7	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	96.0	91.9	93.0	94.3	95.8	91.6	93.6	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Clay County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	28.1	--	--	27.1	--	--	16.5	--	--	15.4	--	--	19.8	--	--	16.6	--
Drink monthly	--	5.6	--	--	6.0	--	--	3.1	--	--	3.2	--	--	2.7	--	--	2.1	--
Smoke cigarettes	--	16.4	--	--	20.6	--	--	14.2	--	--	8.5	--	--	8.6	--	--	7.7	--
Smoke marijuana	--	14.5	--	--	13.2	--	--	11.1	--	--	10.7	--	--	8.3	--	--	7.2	--
<b>Great risk of harm</b>																		
Daily alcohol use	49.1	35.4	41.2	43.9	37.0	39.9	54.3	36.8	44.0	50.2	39.7	44.1	48.4	36.6	41.9	49.0	42.5	45.2
5+ drinks daily	--	--	--	62.3	52.2	56.5	65.8	49.7	56.3	66.0	50.8	57.2	63.3	50.8	56.4	59.7	55.9	57.5
Daily cigarette use	72.6	70.3	71.3	73.2	66.6	69.4	75.1	69.7	71.9	70.7	65.6	67.8	69.1	69.8	69.5	65.6	68.8	67.5
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	48.0	34.6	40.6	53.3	39.0	45.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	52.4	31.0	40.5	55.9	33.3	42.7
Marijuana weekly*	--	--	--	58.1	26.7	40.1	62.4	25.4	40.7	53.7	22.7	35.8	50.5	19.3	33.2	51.1	22.6	34.5
Try marijuana	39.2	18.8	27.4	41.1	15.1	26.2	40.9	16.1	26.3	28.9	14.4	20.5	31.5	11.6	20.5	35.1	17.3	24.7
Prescription drugs	--	70.7	70.7	77.0	70.9	73.5	76.3	67.4	71.1	69.0	68.8	68.8	69.5	65.3	67.2	71.4	72.6	72.1
<b>Think it wrong</b>																		
Smoke cigarettes	93.7	73.0	81.8	94.9	75.1	83.5	96.7	84.5	89.5	96.2	86.2	90.4	96.1	88.6	91.9	94.9	89.2	91.6
Drink regularly	88.9	56.9	70.5	89.7	59.6	72.3	90.8	62.0	73.7	92.0	65.4	76.6	91.6	66.2	77.4	90.0	71.4	79.1
Smoke marijuana	90.6	63.7	75.1	90.1	59.7	72.6	92.5	63.5	75.3	92.3	56.9	71.8	86.9	57.2	70.3	89.4	65.0	75.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	88.4	70.2	78.2	87.6	76.4	81.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	88.7	67.3	76.8	89.8	73.6	80.3
Other illicit drugs	97.9	93.3	95.3	98.1	92.7	95.0	98.7	93.3	95.5	98.8	94.0	96.0	98.1	93.6	95.6	96.9	95.8	96.3
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	92.1	72.4	80.7	94.4	73.8	82.2	92.5	79.2	84.8	91.6	78.7	84.4	91.6	81.7	85.8
Smoke tobacco	--	--	--	94.6	73.0	82.1	96.7	81.8	88.0	95.2	84.0	88.7	92.6	80.4	85.8	95.3	85.6	89.6
Smoke marijuana	--	--	--	90.4	56.9	71.0	91.9	57.8	71.8	91.3	52.5	68.9	86.3	50.6	66.5	89.7	63.0	73.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	84.9	61.4	71.9	88.1	69.8	77.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	86.2	61.4	72.5	89.8	69.3	77.7
Prescription drugs	--	--	--	97.2	90.7	93.5	97.6	88.9	92.5	96.6	90.3	93.0	95.4	91.1	93.0	96.0	91.9	93.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Clay County and Florida Statewide youth, 2022

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	3.9	0.0	9.5	--	3.9	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	6.4	8.3	4.0	--	6.4	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	2.8	2.7	2.9	--	2.8	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	5.2	0.0	12.5	--	5.2	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	52.7	54.9	47.4	--	52.7	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	2.2	3.9	0.0	--	2.2	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	8.1	9.9	6.0	--	8.1	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	18.8	20.3	17.8	--	18.8	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Clay County and Florida Statewide youth, 2022

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	49.0	51.1	44.9	--	49.0	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	31.5	31.1	33.7	--	31.5	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	1.2	0.0	3.0	--	1.2	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	5.7	9.1	0.0	--	5.7	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	1.4	1.5	1.2	--	1.4	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	1.2	0.0	2.9	--	1.2	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	1.1	1.9	0.0	--	1.1	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	8.9	5.4	14.2	--	8.9	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Clay County and Florida Statewide youth, 2022

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	43.8	53.4	33.7	--	43.8	--	--	34.2	36.6	31.0	--	34.2	--
2	--	12.3	6.9	18.6	--	12.3	--	--	20.0	22.2	16.3	--	20.0	--
3	--	14.4	8.0	23.6	--	14.4	--	--	15.7	15.6	15.9	--	15.7	--
4	--	7.9	5.0	12.1	--	7.9	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	21.5	26.7	12.0	--	21.5	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Clay County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.2	4.6	3.8	3.8	2.9	5.1	4.0	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	4.3	8.6	6.8	6.5	3.1	10.0	6.8	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	2.3	2.2	2.7	1.6	2.0	3.0	2.2	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Clay County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.3	4.7	3.3	9.8	7.9	5.8	6.7	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.2	2.5	1.1	2.7	1.1	2.8	1.9	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.6	1.1	1.2	0.1	0.3	1.3	0.9	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	3.0	2.0	1.8	2.8	2.5	2.3	2.4	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.4	0.8	0.6	0.6	0.4	1.0	0.6	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	11.1	9.4	7.3	12.3	8.8	11.3	10.2	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	11.1	5.7	6.2	9.1	9.0	7.2	8.0	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Clay County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.1	6.6	5.5	6.8	6.6	6.7	6.3	6.2	6.2	7.7	6.1	6.8	7.8	6.6	7.1	9.3	4.7	6.7
Selling drugs	1.7	10.4	6.7	2.0	7.0	4.9	1.0	6.8	4.5	0.8	6.5	4.1	1.1	3.4	2.4	1.2	2.5	1.9
Attempting to steal a vehicle	0.7	2.2	1.6	1.1	1.0	1.0	0.7	1.2	1.0	0.9	1.6	1.3	0.7	1.0	0.8	0.6	1.1	0.9
Being arrested	1.9	4.5	3.4	2.7	3.5	3.2	2.5	2.4	2.4	0.9	2.6	1.9	2.8	2.5	2.6	3.0	2.0	2.4
Taking a handgun to school	0.1	1.5	0.9	0.6	1.0	0.8	0.3	0.7	0.5	0.3	0.6	0.5	0.5	0.7	0.7	0.4	0.8	0.6
Getting suspended	7.1	12.3	10.1	8.2	8.7	8.5	6.4	7.8	7.2	4.6	9.9	7.7	11.6	8.0	9.6	11.1	9.4	10.2
Attacking someone with intent to harm	7.0	10.6	9.1	6.2	6.9	6.6	3.3	6.3	5.1	5.2	5.6	5.5	7.3	5.4	6.3	11.1	5.7	8.0

**Table 14. Percentages of Clay County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	39.2	38.2	53.4	23.5	38.6	38.3	38.6	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	51.7	47.6	61.5	36.8	51.6	48.9	49.3	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	40.9	32.7	47.6	24.6	39.5	33.2	36.1	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.6	50.0	62.9	38.7	50.7	50.4	50.7	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b><i>Suicide</i></b>														
Thought about committing suicide in the past 12 months	43.1	41.2	53.3	30.8	42.4	42.0	42.0	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	11.9	9.7	16.8	4.1	10.8	11.5	10.6	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Clay County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.0	9.1	14.8	5.3	10.8	10.8	10.3	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	48.8	33.3	43.0	35.5	46.3	34.0	39.8	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	74.9	56.6	69.0	59.3	73.0	58.2	64.2	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	38.4	34.1	45.2	26.7	37.4	34.8	35.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	24.3	15.8	16.8	21.0	23.4	15.8	19.4	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	37.2	28.2	25.9	37.4	35.3	29.2	32.0	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	15.2	13.3	12.9	15.2	14.5	13.6	14.0	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Clay County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	19.5	25.6	13.1	--	20.7	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	11.9	14.2	9.4	--	12.3	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	5.3	6.9	3.1	--	6.3	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	41.1	45.3	36.7	--	39.5	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	11.5	13.5	9.2	--	11.2	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	32.6	35.7	28.9	--	34.4	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	45.5	58.5	32.3	--	46.8	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	29.1	28.4	28.9	--	29.4	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	36.7	46.9	26.0	--	36.9	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	6.4	7.3	5.1	--	6.0	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Clay County and Florida Statewide high school youth, 2022**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	26.8	17.9	35.8	--	25.0	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	16.1	16.1	16.4	--	16.5	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	14.7	15.5	13.9	--	16.0	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	16.2	17.4	15.3	--	16.3	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	9.0	12.3	5.9	--	8.9	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	7.4	7.8	6.5	--	7.8	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.0	5.4	2.8	--	3.8	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.9	3.8	2.1	--	3.0	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.4	2.2	0.6	--	1.3	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.9	1.3	0.5	--	0.7	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.5	0.2	0.3	--	0.7	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Clay County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	33.1	33.3	34.8	31.5	33.5	30.3	33.2	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	32.9	28.5	32.8	28.0	32.3	27.6	30.4	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	36.7	30.5	32.1	33.7	35.7	32.2	33.1	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	27.3	26.9	23.5	30.5	25.2	29.9	27.1	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	34.2	28.5	33.8	27.9	34.2	28.2	30.9	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	49.7	44.1	53.7	39.5	50.8	43.4	46.4	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

**Table 19. Percentages of Clay County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Clay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	41.5	39.5	33.8	46.6	42.0	39.0	40.3	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	46.9	24.0	31.5	35.8	44.1	25.8	33.6	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	11.3	6.8	10.5	6.9	10.7	7.7	8.7	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	15.8	31.6	32.6	17.6	16.4	32.9	25.0	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	10.7	11.6	12.7	9.9	10.8	10.9	11.2	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Clay County and Florida Statewide youth, 2022

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	13.5	13.9	12.7	--	14.0	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	17.7	19.6	15.6	--	18.0	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	3.8	3.5	3.7	--	3.4	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	6.2	6.1	5.8	--	5.3	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Clay County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	23.2	--	--	17.7	--	--	16.3	--	--	13.0	--	--	13.5	--	--	13.5	--
Marijuana	--	30.7	--	--	23.7	--	--	19.7	--	--	25.3	--	--	21.2	--	--	17.7	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	8.0	--	--	3.8	--	--	5.3	--	--	2.9	--	--	3.0	--	--	3.8	--
Marijuana	--	12.5	--	--	9.6	--	--	11.3	--	--	10.3	--	--	8.5	--	--	6.2	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Clay County and Florida Statewide youth, 2022**

	Clay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	59.8	61.0	54.6	66.3	60.1	61.1	60.5	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	22.7	32.9	32.5	24.8	23.4	32.8	28.6	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	17.6	6.1	12.9	8.9	16.5	6.1	11.0	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	15.1	15.8	12.5	18.4	14.1	16.8	15.5	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	16.9	11.5	10.2	16.9	16.6	11.6	13.8	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	29.2	29.1	18.6	40.2	29.7	27.9	29.2	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	15.2	24.1	26.6	14.4	17.0	23.4	20.3	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	23.6	19.5	32.2	10.1	22.6	20.4	21.2	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Clay County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Clay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	50	50	53	55	59	54
	Family Rewards for Prosocial Involvement	43	43	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	47	59	51	60	57	60
	School Rewards for Prosocial Involvement	36	49	45	56	53	58
<b>Peer and Individual</b>	Religiosity	36	43	36	46	56	62
<b>Average Prevalence Rate</b>		<b>42</b>	<b>49</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Clay County, Florida Statewide youth, and the national normative database, 2022**

Domain		Clay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	45	33	41	29	42	42
	Perceived Availability of Drugs	33	21	33	15	45	45
	Perceived Availability of Handguns	32	38	25	30	25	42
<b>Family</b>	Poor Family Management	43	35	47	34	44	45
	Family Conflict	45	39	43	34	42	37
<b>School</b>	Poor Academic Performance	50	47	48	48	45	48
	Lack of Commitment to School	78	70	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	55	48	52	39	40	46
	Favorable Attitudes toward ATOD Use	33	32	33	29	39	45
	Early Initiation of Drug Use	25	13	21	13	41	46
<b>Average Prevalence Rate</b>		<b>44</b>	<b>38</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Clay County, 2012 to 2022

Domain		Clay County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	60	61	66	60	57	50
	Family Rewards for Prosocial Involvement	53	57	59	49	51	43
School	School Opportunities for Prosocial Involvement	54	53	53	54	53	47
	School Rewards for Prosocial Involvement	52	50	51	43	44	36
Peer and Individual	Religiosity	54	54	52	51	41	36
Average Prevalence Rate		55	55	56	51	49	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Clay County, 2012 to 2022**

Domain		Clay County					
Scale		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	36	35	28	31	44	45
	Perceived Availability of Drugs	44	39	37	38	43	33
	Perceived Availability of Handguns	28	26	28	30	34	32
<b>Family</b>	Poor Family Management	36	37	30	37	34	43
	Family Conflict	36	41	37	35	46	45
<b>School</b>	Poor Academic Performance	41	43	38	39	47	50
	Lack of Commitment to School	46	50	52	60	73	78
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	40	37	33	45	49	55
	Favorable Attitudes toward ATOD Use	30	29	26	32	34	33
	Early Initiation of Drug Use	24	26	18	23	30	25
<b>Average Prevalence Rate</b>		<b>36</b>	<b>36</b>	<b>33</b>	<b>37</b>	<b>43</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Clay County, 2012 to 2022

Domain		Clay County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	59	59	59	53	53	50
	Family Rewards for Prosocial Involvement	55	54	56	51	47	43
School	School Opportunities for Prosocial Involvement	65	71	67	65	57	59
	School Rewards for Prosocial Involvement	69	68	58	55	56	49
Peer and Individual	Religiosity	66	58	59	58	57	43
Average Prevalence Rate		63	62	60	56	54	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Clay County, 2012 to 2022**

Domain		Clay County					
Scale		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	40	38	33	34	34	33
	Perceived Availability of Drugs	41	37	29	27	23	21
	Perceived Availability of Handguns	39	47	44	38	40	38
<b>Family</b>	Poor Family Management	37	35	37	31	31	35
	Family Conflict	36	36	36	37	40	39
<b>School</b>	Poor Academic Performance	45	42	41	40	38	47
	Lack of Commitment to School	49	48	53	59	68	70
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	41	37	38	39	45	48
	Favorable Attitudes toward ATOD Use	42	40	38	36	38	32
	Early Initiation of Drug Use	35	32	23	19	21	13
<b>Average Prevalence Rate</b>		<b>41</b>	<b>39</b>	<b>37</b>	<b>36</b>	<b>38</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.