

# **2022 Florida Youth Substance Abuse Survey**

**Escambia County Data Tables**



**Table 1. Major demographic characteristics of surveyed Escambia County and Florida Statewide, 2022**

	Escambia County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	596	48.6		22,957	48.3
Male	621	50.6		23,857	50.1
<b>Race/Ethnic group</b>					
African American	268	21.8		10,187	21.4
American Indian	33	2.7		422	0.9
Asian	47	3.8		785	1.7
Hispanic/Latino	65	5.3		10,291	21.6
Native Hawaiian/Pacific Islander	3	0.2		63	0.1
Other/Multiple	258	21.0		6,956	14.6
White, non-Hispanic	537	43.8		18,419	38.7
<b>Parent/Guardian in the Military</b>					
No	1,018	83.0		41,174	86.6
Yes	202	16.5		5,980	12.6
<b>Age</b>					
11	69	5.6		2,576	5.4
12	214	17.4		6,243	13.1
13	244	19.9		6,872	14.4
14	233	19.0		7,136	15.0
15	166	13.5		7,278	15.3
16	127	10.4		6,918	14.5
17	97	7.9		6,616	13.9
18	67	5.5		3,403	7.2
<b>Grade</b>					
6th	182	14.8		6,626	13.9
7th	257	20.9		6,817	14.3
8th	270	22.0		7,021	14.8
9th	175	14.3		7,193	15.1
10th	121	9.9		7,025	14.8
11th	116	9.5		6,557	13.8
12th	106	8.6		6,333	13.3
<b>Middle School</b>	709	57.8		20,463	43.0
<b>High School</b>	518	42.2		27,109	57.0
<b>Total</b>	<b>1,227</b>	<b>100.0</b>		<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Escambia County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	18.0	30.5	27.4	22.8	18.8	31.1	25.1	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	10.1	12.0	8.5	--	10.3	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	6.6	11.4	9.4	9.4	6.7	11.4	9.3	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	16.8	25.8	25.8	18.2	16.6	27.0	21.9	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	5.7	20.5	16.3	12.1	6.0	21.6	14.2	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	7.0	22.3	17.7	13.9	6.9	24.0	15.7	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.5	2.4	2.5	--	2.6	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	7.2	1.8	4.7	3.6	6.4	2.2	4.1	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.4	2.4	1.3	1.8	0.3	2.5	1.5	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.9	4.7	3.4	2.9	1.0	4.8	3.1	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.4	1.2	0.8	0.9	0.3	1.4	0.8	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.1	1.2	1.1	0.4	0.1	1.5	0.7	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.2	0.2	0.1	0.3	0.1	0.2	0.2	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.4	4.0	4.6	2.1	2.3	3.8	3.3	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	3.2	1.5	2.6	1.9	2.8	1.1	2.2	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.2	3.5	4.1	1.9	1.8	4.1	2.9	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	2.2	2.6	2.1	2.6	1.8	2.3	2.4	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.4	0.5	0.3	--	0.6	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	19.2	28.3	27.8	21.2	18.0	31.0	24.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	12.8	11.4	13.2	11.0	11.6	12.6	12.0	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	8.9	10.8	9.0	10.8	10.1	10.4	10.0	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	28.0	39.0	36.7	31.9	27.9	41.3	34.3	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	10.3	8.7	9.7	9.4	9.4	10.5	9.4	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Escambia County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	6.5	11.7	11.8	7.4	6.8	11.3	9.5	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	1.9	7.7	5.5	5.1	1.9	8.0	5.2	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.7	1.7	1.2	1.3	0.9	1.1	1.3	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	4.9	15.0	13.0	8.6	4.9	15.5	10.6	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	2.4	10.1	8.8	4.9	2.4	10.6	6.8	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	2.7	11.1	9.4	5.7	2.9	11.2	7.5	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.2	0.0	0.4	--	0.3	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	1.5	0.3	1.0	0.5	1.4	0.2	0.8	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.3	0.9	0.2	1.2	0.3	1.2	0.7	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.1	1.1	0.2	1.2	0.0	1.4	0.7	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.2	0.4	0.3	0.3	0.2	0.6	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.1	0.2	0.0	0.3	0.1	0.2	0.1	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.1	0.4	0.4	0.1	0.1	0.4	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.9	0.2	0.2	0.9	0.8	0.3	0.5	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.2	0.5	1.0	0.6	1.0	0.3	0.8	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.6	0.8	1.1	0.4	0.5	1.1	0.7	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.8	0.1	0.3	0.4	0.7	0.1	0.4	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	7.3	14.9	14.2	9.2	7.0	16.1	11.6	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	4.1	3.9	3.9	4.1	3.6	4.4	3.9	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	4.4	5.8	6.3	4.3	4.3	5.9	5.2	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	11.6	20.6	20.4	13.4	11.3	21.9	16.7	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	5.1	9.1	8.6	6.1	4.4	10.8	7.3	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Escambia County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	25.7	58.6	44.0	21.2	51.2	38.1	22.6	48.5	37.5	20.6	43.3	33.4	19.1	33.1	26.7	18.0	30.5	25.1
Blacking Out	--	--	--	--	16.3	--	--	16.5	--	--	16.0	--	--	10.1	--	--	10.1	--
Cigarettes	15.4	32.6	25.0	10.1	27.2	19.7	11.3	23.6	18.3	9.8	17.6	14.2	7.4	12.7	10.3	6.6	11.4	9.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	11.1	28.6	20.5	16.8	25.8	21.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	4.9	16.6	11.3	5.7	20.5	14.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	15.7	35.8	27.3	13.3	35.7	25.8	--	--	--	--	--	--
Marijuana or Hashish	7.3	32.2	21.2	8.7	30.2	20.8	8.4	29.3	20.4	9.0	27.8	19.4	7.6	26.3	17.7	7.0	22.3	15.7
Synthetic Marijuana	--	18.5	--	--	7.6	--	--	6.5	--	--	1.9	--	--	2.7	--	--	2.5	--
Inhalants	8.4	9.7	9.1	8.3	7.1	7.6	8.0	5.5	6.5	5.0	5.5	5.2	10.0	3.8	6.7	7.2	1.8	4.1
Club Drugs	0.9	3.1	2.1	0.5	3.9	2.4	1.1	3.4	2.4	0.4	3.0	1.8	0.7	3.3	2.1	0.4	2.4	1.5
LSD, PCP or Mushrooms	0.9	4.5	2.9	0.8	4.7	3.0	1.2	4.2	2.9	0.5	4.7	2.8	1.0	5.4	3.4	0.9	4.7	3.1
Methamphetamine	0.7	1.8	1.3	1.0	1.0	1.0	1.0	1.0	1.0	0.1	1.1	0.6	0.8	1.5	1.2	0.4	1.2	0.8
Cocaine or Crack	0.7	4.5	2.8	0.5	1.6	1.2	1.4	3.1	2.4	0.0	2.4	1.3	0.5	1.9	1.3	0.1	1.2	0.7
Heroin	0.5	2.0	1.4	0.8	0.4	0.6	0.7	0.7	0.7	0.1	0.0	0.0	0.3	0.6	0.4	0.2	0.2	0.2
Prescription Depressants	2.8	9.5	6.5	1.8	8.5	5.6	3.8	9.2	6.9	3.2	8.3	6.0	2.1	6.9	4.7	2.4	4.0	3.3
Prescription Pain Relievers	4.0	10.5	7.7	2.2	9.2	6.2	4.1	8.5	6.7	1.1	7.0	4.3	3.4	2.7	3.0	3.2	1.5	2.2
Prescription Amphetamines	1.8	6.2	4.2	1.4	5.7	3.8	2.9	7.2	5.4	1.0	6.9	4.2	2.6	5.2	4.0	2.2	3.5	2.9
Over-the-Counter Drugs	3.6	7.7	5.9	3.5	6.3	5.0	4.7	6.7	5.9	2.7	9.3	6.3	2.3	6.7	4.7	2.2	2.6	2.4
Needle to Inject Drugs	--	--	--	--	--	--	--	0.5	--	--	0.1	--	--	0.0	--	--	0.4	--
Any illicit drug	18.2	42.5	31.8	18.4	37.9	29.4	18.6	34.7	27.8	15.0	35.1	26.1	18.4	29.0	24.1	19.2	28.3	24.4
Any illicit drug other than marijuana	14.6	26.1	21.0	13.4	22.7	18.7	14.9	20.2	18.0	9.8	20.6	15.7	13.5	13.5	13.5	12.8	11.4	12.0
Alcohol only	13.8	22.1	18.4	11.4	19.8	16.1	11.8	19.2	16.0	11.6	15.7	13.9	9.9	11.1	10.5	8.9	10.8	10.0
Alcohol or any illicit drug	31.8	64.4	50.0	29.7	57.4	45.3	30.2	53.5	43.6	26.3	50.2	39.6	28.2	39.6	34.4	28.0	39.0	34.3
Any illicit drug, but no alcohol	6.4	5.9	6.1	8.4	6.6	7.4	8.1	5.6	6.6	5.9	6.8	6.4	9.2	6.4	7.7	10.3	8.7	9.4

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Escambia County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	10.7	33.0	23.2	8.0	27.9	19.2	9.1	23.1	17.1	8.6	24.0	17.2	6.2	13.6	10.2	6.5	11.7	9.5
Binge Drinking	3.1	16.5	10.6	3.1	13.5	9.0	2.9	11.2	7.7	2.8	11.4	7.6	3.3	4.6	4.0	1.9	7.7	5.2
Cigarettes	3.4	12.3	8.3	2.7	6.7	4.9	2.8	6.1	4.7	1.8	6.5	4.4	0.3	3.9	2.2	0.7	1.7	1.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	3.3	18.1	11.3	4.9	15.0	10.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	2.0	7.8	5.1	2.4	10.1	6.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	4.0	13.2	9.2	5.0	18.7	12.7	--	--	--	--	--	--
Marijuana or Hashish	2.9	14.5	9.4	4.0	17.0	11.3	3.6	13.5	9.3	4.3	16.5	11.1	1.8	11.7	7.2	2.7	11.1	7.5
Synthetic Marijuana	--	4.6	--	--	1.1	--	--	1.3	--	--	0.9	--	--	0.6	--	--	0.2	--
Inhalants	3.5	2.8	3.1	3.1	1.5	2.2	1.7	1.0	1.3	2.0	0.5	1.2	4.0	1.2	2.5	1.5	0.3	0.8
Club Drugs	0.3	1.4	0.9	0.2	0.8	0.6	0.4	0.7	0.6	0.4	1.7	1.1	0.2	1.6	0.9	0.3	0.9	0.7
LSD, PCP or Mushrooms	0.4	1.2	0.8	0.1	1.5	0.9	0.5	1.3	1.0	0.0	1.6	0.9	0.4	2.1	1.3	0.1	1.1	0.7
Methamphetamine	0.4	0.6	0.5	0.9	0.5	0.7	0.5	0.3	0.4	0.0	0.3	0.2	0.1	1.3	0.7	0.2	0.4	0.3
Cocaine or Crack	0.3	1.1	0.7	0.3	0.6	0.5	0.4	0.9	0.7	0.1	1.0	0.6	0.0	0.7	0.4	0.1	0.2	0.1
Heroin	0.3	1.3	0.8	0.2	0.0	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.4	0.3
Prescription Depressants	0.7	3.9	2.6	0.9	2.5	1.8	1.3	3.4	2.5	0.8	2.9	2.0	0.0	1.7	0.9	0.9	0.2	0.5
Prescription Pain Relievers	1.2	3.9	2.8	1.1	4.4	3.0	1.5	3.1	2.4	0.6	3.0	1.9	0.5	0.9	0.7	1.2	0.5	0.8
Prescription Amphetamines	0.5	2.1	1.4	0.4	2.5	1.6	0.8	2.9	2.0	0.8	2.9	1.9	0.8	1.0	0.9	0.6	0.8	0.7
Over-the-Counter Drugs	1.6	2.8	2.3	2.4	2.7	2.5	1.7	2.1	1.9	1.6	5.0	3.5	1.2	1.2	1.2	0.8	0.1	0.4
Any illicit drug	7.8	22.6	16.1	9.0	21.6	16.1	7.5	16.8	12.9	7.6	20.5	14.8	7.4	13.8	10.9	7.3	14.9	11.6
Any illicit drug other than marijuana	6.3	13.1	10.1	6.5	10.1	8.6	5.4	7.9	6.8	5.1	9.7	7.6	5.5	4.2	4.8	4.1	3.9	3.9
Alcohol only	7.7	17.8	13.4	5.2	15.2	10.9	6.2	13.5	10.4	5.8	13.1	9.9	4.4	6.3	5.4	4.4	5.8	5.2
Alcohol or any illicit drug	15.2	40.1	29.0	13.6	36.1	26.3	13.4	30.1	23.0	12.9	32.2	23.6	11.7	19.8	16.1	11.6	20.6	16.7
Any illicit drug, but no alcohol	4.7	7.5	6.2	5.7	8.6	7.3	4.4	7.5	6.2	4.3	9.0	6.9	5.6	5.8	5.7	5.1	9.1	7.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Escambia County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Escambia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	10.6	11.6	9.7	--	10.8	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	3.9	4.7	3.1	--	4.1	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	6.2	5.7	6.7	--	6.5	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.3	7.5	7.2	--	7.7	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	47.1	41.6	42.7	44.7	47.2	40.0	43.9	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	58.4	49.0	52.8	53.0	58.3	48.2	53.1	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	64.7	66.3	66.2	64.7	66.3	64.9	65.6	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	49.8	39.1	43.1	44.0	50.0	37.0	43.7	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	50.7	34.4	40.2	42.3	51.8	30.6	41.4	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	43.7	23.7	30.1	33.8	42.9	21.3	32.3	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	31.3	17.6	21.1	25.3	30.8	15.9	23.5	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	66.9	64.9	66.1	64.9	68.5	62.6	65.7	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	97.0	92.6	94.7	94.3	97.0	93.0	94.5	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	90.5	75.8	81.3	82.9	89.7	74.0	82.2	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	91.5	72.4	78.7	82.7	91.2	71.3	80.7	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	91.7	79.7	83.3	86.1	91.2	78.6	84.9	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	93.4	79.4	83.5	87.3	93.5	77.7	85.4	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.2	95.9	98.2	95.6	98.6	95.2	96.9	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	93.4	92.3	93.3	92.4	93.0	92.3	92.8	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	95.7	92.5	92.8	95.0	95.8	92.9	93.9	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	90.7	75.6	80.4	84.0	90.2	74.1	82.1	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	87.5	78.8	80.0	85.0	86.5	78.2	82.6	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	92.2	79.9	83.0	87.6	91.7	78.8	85.2	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	96.0	96.5	96.2	96.5	95.5	97.0	96.3	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Escambia County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	27.2	--	--	22.5	--	--	22.2	--	--	16.9	--	--	13.4	--	--	10.6	--
Drink monthly	--	5.5	--	--	4.9	--	--	2.8	--	--	2.3	--	--	2.9	--	--	3.9	--
Smoke cigarettes	--	19.0	--	--	17.0	--	--	12.2	--	--	10.0	--	--	6.4	--	--	6.2	--
Smoke marijuana	--	13.6	--	--	12.3	--	--	11.5	--	--	8.4	--	--	7.0	--	--	7.3	--
<b>Great risk of harm</b>																		
Daily alcohol use	43.3	38.6	40.7	44.5	41.9	43.1	41.6	41.8	41.7	42.4	36.2	39.0	48.8	47.4	48.1	47.1	41.6	43.9
5+ drinks daily	--	--	--	54.9	50.1	52.2	55.5	51.3	53.1	55.9	47.6	51.3	61.5	56.7	58.9	58.4	49.0	53.1
Daily cigarette use	64.2	68.0	66.3	62.1	68.8	65.8	65.4	67.0	66.3	58.3	60.2	59.3	63.5	68.0	65.9	64.7	66.3	65.6
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	52.1	43.6	47.5	49.8	39.1	43.7
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	53.5	39.0	45.6	50.7	34.4	41.4
Marijuana weekly*	--	--	--	48.9	27.7	36.9	46.1	26.9	35.1	44.5	22.8	32.4	44.9	28.3	35.9	43.7	23.7	32.3
Try marijuana	38.3	20.4	28.4	35.4	17.7	25.4	33.6	18.6	25.1	30.5	15.5	22.2	32.0	20.0	25.5	31.3	17.6	23.5
Prescription drugs	--	63.0	63.0	65.7	67.0	66.4	68.2	62.6	65.1	62.3	60.4	61.3	69.2	67.5	68.3	66.9	64.9	65.7
<b>Think it wrong</b>																		
Smoke cigarettes	95.1	80.5	86.9	95.4	80.3	87.0	94.0	85.5	89.1	94.7	86.4	90.0	97.0	91.9	94.2	97.0	92.6	94.5
Drink regularly	88.7	58.8	72.0	89.1	65.0	75.7	87.6	64.5	74.5	87.2	64.9	74.7	89.7	76.8	82.6	90.5	75.8	82.2
Smoke marijuana	91.1	67.5	77.9	89.6	62.4	74.5	89.8	64.8	75.6	87.6	61.3	72.8	91.5	69.1	79.1	91.5	72.4	80.7
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	91.8	80.9	85.7	91.7	79.7	84.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	93.3	78.5	85.1	93.4	79.4	85.4
Other illicit drugs	98.1	94.0	95.8	97.6	93.2	95.2	97.2	93.2	94.9	97.1	94.2	95.5	98.0	94.7	96.2	98.2	95.9	96.9
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	89.4	75.3	81.5	88.6	78.4	82.8	89.0	78.9	83.4	94.3	83.4	88.3	93.4	92.3	92.8
Smoke tobacco	--	--	--	93.7	82.6	87.5	91.7	85.8	88.4	93.1	83.5	87.8	95.7	86.9	90.9	95.7	92.5	93.9
Smoke marijuana	--	--	--	86.0	61.2	72.1	87.3	62.9	73.4	86.9	59.1	71.4	90.2	67.0	77.4	90.7	75.6	82.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	90.4	72.4	80.5	87.5	78.8	82.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	92.3	73.5	82.0	92.2	79.9	85.2
Prescription drugs	--	--	--	94.2	88.1	90.8	95.3	88.6	91.5	94.9	88.0	91.1	96.5	92.0	94.0	96.0	96.5	96.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Escambia County and Florida Statewide youth, 2022

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	23.8	26.0	21.3	--	23.8	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	2.7	5.2	0.0	--	2.7	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	28.3	33.4	22.7	--	28.3	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	27.5	28.9	26.0	--	27.5	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	3.3	0.0	6.8	--	3.3	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	4.8	3.5	6.2	--	4.8	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	9.7	3.0	17.0	--	9.7	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Escambia County and Florida Statewide youth, 2022

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	25.6	27.0	23.9	--	25.6	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	45.9	45.2	47.0	--	45.9	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	5.6	9.9	0.0	--	5.6	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	6.9	4.6	9.8	--	6.9	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	3.5	1.3	6.5	--	3.5	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	3.9	3.7	4.1	--	3.9	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	8.6	8.5	8.8	--	8.6	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Escambia County and Florida Statewide youth, 2022

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	25.7	34.2	17.5	--	25.7	--	--	34.2	36.6	31.0	--	34.2	--
2	--	19.3	12.5	25.7	--	19.3	--	--	20.0	22.2	16.3	--	20.0	--
3	--	6.4	6.1	6.7	--	6.4	--	--	15.7	15.6	15.9	--	15.7	--
4	--	9.8	3.9	15.3	--	9.8	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	38.9	43.2	34.7	--	38.9	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

.....

**Table 11. Percentages of Escambia County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.3	3.8	4.2	3.0	2.9	4.0	3.6	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	4.0	10.9	8.7	7.3	3.9	11.7	7.9	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.4	2.8	2.8	1.7	1.4	3.4	2.2	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Escambia County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	10.2	7.2	5.4	11.6	8.9	8.6	8.5	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.6	3.3	1.5	3.7	1.6	3.4	2.6	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.8	1.0	1.1	0.7	0.7	1.3	0.9	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	2.5	2.6	1.5	3.7	2.4	3.3	2.6	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	1.0	0.5	0.6	0.8	0.9	0.6	0.7	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	14.2	12.4	11.6	14.9	12.8	15.7	13.2	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	11.2	6.3	7.9	8.9	10.7	6.1	8.4	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Escambia County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.2	4.7	4.4	5.4	7.0	6.3	7.3	6.2	6.7	5.1	9.0	7.2	5.3	4.7	5.0	10.2	7.2	8.5
Selling drugs	1.4	7.0	4.5	2.8	7.6	5.6	2.3	6.0	4.5	2.1	7.0	4.7	1.1	5.3	3.3	1.6	3.3	2.6
Attempting to steal a vehicle	1.5	2.6	2.1	1.5	1.7	1.6	1.4	2.9	2.3	1.5	2.2	1.9	1.0	2.8	2.0	0.8	1.0	0.9
Being arrested	3.2	5.4	4.4	4.9	2.3	3.4	3.0	1.8	2.3	3.3	4.7	4.1	3.6	4.0	3.8	2.5	2.6	2.6
Taking a handgun to school	0.2	1.2	0.7	0.8	0.7	0.8	0.6	0.3	0.5	0.5	1.8	1.2	0.4	0.6	0.5	1.0	0.5	0.7
Getting suspended	16.8	10.2	13.1	16.5	11.5	13.6	15.9	9.0	11.9	13.3	9.4	11.1	16.3	9.0	12.4	14.2	12.4	13.2
Attacking someone with intent to harm	7.7	10.1	9.0	7.1	7.5	7.3	9.5	8.3	8.8	9.1	9.5	9.3	11.0	7.3	9.0	11.2	6.3	8.4

**Table 14. Percentages of Escambia County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Escambia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	32.8	29.2	41.7	19.7	33.5	29.0	30.8	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	41.3	37.1	52.3	25.3	41.8	36.6	38.9	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	29.4	25.2	37.2	16.2	29.6	25.4	27.0	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	44.2	43.0	54.2	32.7	44.3	44.4	43.5	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b><i>Suicide</i></b>														
Thought about committing suicide in the past 12 months	33.3	30.6	42.6	20.8	34.3	29.9	31.7	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	9.4	8.7	12.2	5.8	9.2	9.4	9.0	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Escambia County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.8	8.6	14.0	5.1	9.8	9.3	9.6	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	44.2	25.2	35.9	30.6	42.3	24.6	33.4	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	65.6	51.9	61.7	53.4	64.1	52.1	57.8	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	31.0	28.3	35.5	23.2	30.6	28.3	29.5	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	21.9	13.6	15.3	19.0	21.2	13.2	17.2	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	32.2	23.4	24.7	29.4	31.8	23.6	27.2	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	14.7	11.9	14.4	12.0	14.7	11.0	13.1	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Escambia County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.1	20.2	7.4	--	13.6	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	7.8	9.0	6.0	--	8.0	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	4.4	7.5	1.3	--	4.4	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	42.1	44.8	39.4	--	42.9	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	6.5	9.4	3.7	--	5.8	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	25.6	29.0	22.1	--	25.3	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	32.6	39.4	25.4	--	32.4	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	27.1	28.3	26.5	--	26.3	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	24.8	30.3	18.5	--	26.1	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	6.5	6.9	5.6	--	6.1	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Escambia County and Florida Statewide high school youth, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	36.9	32.5	41.5	--	34.6	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	17.8	15.8	20.1	--	19.1	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	13.9	14.3	13.5	--	14.5	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.0	9.3	10.4	--	11.7	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	8.0	9.9	6.3	--	6.6	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.1	6.2	3.4	--	5.6	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.2	6.8	1.6	--	4.6	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.5	2.9	2.1	--	2.4	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.8	1.4	0.3	--	0.5	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.5	0.2	0.8	--	0.3	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.4	0.8	0.0	--	0.2	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Escambia County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	29.3	27.6	30.6	26.4	29.5	28.1	28.3	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	26.9	20.1	26.9	19.1	27.9	20.3	23.0	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	30.1	21.9	26.3	24.5	30.0	21.9	25.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	24.7	21.5	21.8	24.2	25.0	22.3	22.9	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	37.8	23.9	35.0	24.7	36.5	25.4	29.8	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	51.5	30.0	47.6	30.8	49.9	31.1	39.3	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

**Table 19. Percentages of Escambia County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Escambia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	39.7	46.1	41.2	46.2	40.5	47.1	43.3	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	45.4	26.5	33.5	36.5	43.2	27.1	34.7	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	17.7	9.0	15.5	10.1	16.7	8.6	12.8	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	21.8	23.4	29.5	15.5	21.9	23.4	22.7	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	10.0	14.0	14.0	10.8	10.6	12.3	12.3	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Escambia County and Florida Statewide youth, 2022

	Escambia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	12.5	14.4	10.9	--	13.1	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	18.0	21.0	15.5	--	18.8	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	3.7	4.0	3.6	--	3.5	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	7.2	8.4	6.3	--	6.7	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Escambia County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	23.5	--	--	21.5	--	--	17.6	--	--	18.6	--	--	12.5	--	--	12.5	--
Marijuana	--	26.4	--	--	24.8	--	--	20.4	--	--	23.2	--	--	20.5	--	--	18.0	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	9.4	--	--	5.5	--	--	4.6	--	--	6.2	--	--	3.1	--	--	3.7	--
Marijuana	--	10.4	--	--	10.2	--	--	8.5	--	--	11.7	--	--	6.7	--	--	7.2	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Escambia County and Florida Statewide youth, 2022**

	Escambia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	65.0	67.9	65.7	67.3	64.6	66.5	66.6	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	22.2	21.8	22.1	22.0	21.9	22.8	22.0	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	12.8	10.3	12.2	10.7	13.5	10.8	11.4	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	20.7	22.1	16.8	26.7	18.3	24.5	21.5	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	10.4	9.4	10.0	9.6	10.4	9.3	9.8	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	32.1	28.6	25.0	35.3	32.7	27.0	30.1	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	19.7	23.7	24.9	18.9	21.2	21.8	21.9	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	17.1	16.3	23.3	9.4	17.4	17.4	16.6	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Escambia County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Escambia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	58	56	53	55	59	54
	Family Rewards for Prosocial Involvement	52	51	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	57	62	51	60	57	60
	School Rewards for Prosocial Involvement	51	57	45	56	53	58
<b>Peer and Individual</b>	Religiosity	41	45	36	46	56	62
<b>Average Prevalence Rate</b>		<b>52</b>	<b>54</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Escambia County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Escambia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	36	31	41	29	42	42
	Perceived Availability of Drugs	32	16	33	15	45	45
	Perceived Availability of Handguns	29	29	25	30	25	42
<b>Family</b>	Poor Family Management	43	34	47	34	44	45
	Family Conflict	41	27	43	34	42	37
<b>School</b>	Poor Academic Performance	48	48	48	48	45	48
	Lack of Commitment to School	75	66	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	52	34	52	39	40	46
	Favorable Attitudes toward ATOD Use	31	28	33	29	39	45
	Early Initiation of Drug Use	21	14	21	13	41	46
<b>Average Prevalence Rate</b>		<b>41</b>	<b>33</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Escambia County, 2012 to 2022

Domain		Escambia County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	59	63	60	58	59	58
	Family Rewards for Prosocial Involvement	52	59	54	49	51	52
School	School Opportunities for Prosocial Involvement	55	54	53	53	51	57
	School Rewards for Prosocial Involvement	54	51	47	46	43	51
Peer and Individual	Religiosity	55	54	55	46	45	41
Average Prevalence Rate		55	56	54	50	50	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Escambia County, 2012 to 2022

Domain		Escambia County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	41	39	42	39	40	36
	Perceived Availability of Drugs	37	36	40	34	30	32
	Perceived Availability of Handguns	25	26	33	26	23	29
Family	Poor Family Management	42	43	40	45	39	43
	Family Conflict	39	39	37	38	39	41
School	Poor Academic Performance	46	44	43	47	48	48
	Lack of Commitment to School	45	47	55	60	70	75
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	37	43	47	44	52
	Favorable Attitudes toward ATOD Use	32	33	35	37	33	31
	Early Initiation of Drug Use	26	24	26	25	22	21
Average Prevalence Rate		37	37	39	40	39	41

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Escambia County, 2012 to 2022

Domain		Escambia County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	56	57	62	65	58	56
	Family Rewards for Prosocial Involvement	54	54	57	55	55	51
School	School Opportunities for Prosocial Involvement	59	55	60	66	63	62
	School Rewards for Prosocial Involvement	55	53	54	59	58	57
Peer and Individual	Religiosity	66	66	63	58	56	45
Average Prevalence Rate		58	57	59	61	58	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Escambia County, 2012 to 2022**

Domain		Escambia County					
Scale		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	35	32	27	27	27	31
	Perceived Availability of Drugs	29	31	27	25	17	16
	Perceived Availability of Handguns	40	43	38	39	31	29
<b>Family</b>	Poor Family Management	41	40	35	33	34	34
	Family Conflict	34	33	30	33	26	27
<b>School</b>	Poor Academic Performance	47	47	46	50	42	48
	Lack of Commitment to School	46	48	55	56	58	66
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	38	34	35	36	30	34
	Favorable Attitudes toward ATOD Use	41	39	37	38	29	28
	Early Initiation of Drug Use	34	28	23	20	15	14
<b>Average Prevalence Rate</b>		<b>39</b>	<b>38</b>	<b>35</b>	<b>36</b>	<b>31</b>	<b>33</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.