

# **2022 Florida Youth Substance Abuse Survey**

**Monroe County Data Tables**



**Table 1. Major demographic characteristics of surveyed Monroe County and Florida Statewide, 2022**

	Monroe County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	379	48.8		22,957	48.3
Male	394	50.8		23,857	50.1
<b>Race/Ethnic group</b>					
African American	53	6.8		10,187	21.4
American Indian	8	1.0		422	0.9
Asian	8	1.0		785	1.7
Hispanic/Latino	196	25.3		10,291	21.6
Native Hawaiian/Pacific Islander	3	0.4		63	0.1
Other/Multiple	178	22.9		6,956	14.6
White, non-Hispanic	324	41.8		18,419	38.7
<b>Parent/Guardian in the Military</b>					
No	675	87.0		41,174	86.6
Yes	100	12.9		5,980	12.6
<b>Age</b>					
11	57	7.3		2,576	5.4
12	126	16.2		6,243	13.1
13	132	17.0		6,872	14.4
14	139	17.9		7,136	15.0
15	113	14.6		7,278	15.3
16	84	10.8		6,918	14.5
17	71	9.1		6,616	13.9
18	48	6.2		3,403	7.2
<b>Grade</b>					
6th	135	17.4		6,626	13.9
7th	134	17.3		6,817	14.3
8th	140	18.0		7,021	14.8
9th	127	16.4		7,193	15.1
10th	87	11.2		7,025	14.8
11th	83	10.7		6,557	13.8
12th	70	9.0		6,333	13.3
<b>Middle School</b>	409	52.7		20,463	43.0
<b>High School</b>	367	47.3		27,109	57.0
<b>Total</b>	<b>776</b>	<b>100.0</b>		<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Monroe County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	25.0	38.6	36.3	29.3	25.8	35.6	32.6	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	11.9	11.9	12.1	--	10.2	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	5.5	9.9	4.9	10.8	5.1	9.7	8.0	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	16.2	26.1	24.1	19.5	15.9	24.0	21.7	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	6.8	19.1	15.2	12.3	6.9	16.7	13.6	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	8.0	21.9	15.8	15.8	7.8	20.3	15.7	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.8	1.8	3.9	--	2.5	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	6.3	2.0	4.6	3.2	5.8	2.5	3.9	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	1.3	0.9	1.2	0.9	1.1	0.8	1.0	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.3	4.9	4.5	2.3	1.2	4.4	3.4	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.5	0.2	0.7	0.9	1.4	0.3	0.8	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	1.4	1.8	2.0	1.3	1.2	1.2	1.6	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.8	0.0	0.9	0.0	1.1	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.3	1.7	1.4	1.7	1.2	0.9	1.5	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.3	2.4	4.3	2.3	4.0	2.7	3.2	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.4	2.1	3.1	1.4	1.9	2.0	2.3	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.1	1.3	2.8	1.5	2.7	1.8	2.1	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.5	0.0	1.1	--	0.8	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	18.1	26.6	24.3	21.5	16.8	25.7	22.8	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	13.0	10.3	13.3	9.7	11.4	11.1	11.5	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.0	16.3	16.1	13.0	13.5	15.2	14.4	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	30.0	42.8	40.4	34.3	30.2	40.8	37.2	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	5.2	4.3	4.4	5.0	4.6	5.4	4.7	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Monroe County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	8.0	18.5	14.4	13.5	8.3	15.4	13.9	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	3.8	11.3	7.9	8.1	3.4	8.9	8.0	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.9	2.3	1.1	2.2	1.0	2.0	1.7	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	7.6	14.0	13.6	8.9	7.5	12.4	11.2	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	4.3	10.7	9.0	6.8	4.4	9.3	7.9	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	2.4	13.2	8.7	8.3	2.9	11.4	8.4	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.6	0.0	1.1	--	0.3	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.9	0.0	2.0	0.6	2.6	0.0	1.3	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	0.3	0.3	0.0	0.0	0.0	0.2	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.6	1.6	1.1	1.2	0.5	2.2	1.2	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.5	0.2	0.0	0.7	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.7	0.2	0.2	0.7	0.6	0.3	0.4	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.8	0.0	0.9	0.0	1.1	0.4	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.3	0.5	0.7	0.1	0.3	0.3	0.4	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.4	0.6	1.4	0.6	1.3	0.5	1.0	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.6	0.3	0.9	0.0	0.5	0.4	0.4	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.7	1.3	1.5	0.7	0.6	1.3	1.1	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	7.4	17.2	14.2	11.7	7.2	16.0	12.9	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.2	4.7	5.7	4.2	4.7	5.5	4.9	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	5.3	10.7	8.7	8.1	6.1	9.4	8.3	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	12.8	27.8	22.9	19.7	13.4	25.3	21.2	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.9	9.4	8.8	6.2	5.1	10.0	7.4	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Monroe County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	31.5	70.7	53.7	23.7	59.7	44.2	19.9	57.7	41.8	23.4	51.4	39.2	25.1	56.8	42.6	25.0	38.6	32.6
Blacking Out	--	--	--	--	26.3	--	--	25.2	--	--	20.4	--	--	23.8	--	--	11.9	--
Cigarettes	10.3	34.1	23.8	9.2	21.5	16.2	5.4	16.6	11.8	6.4	15.0	11.3	5.7	15.0	10.8	5.5	9.9	8.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	17.3	39.7	29.9	16.2	26.1	21.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	8.5	32.7	22.2	6.8	19.1	13.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	12.0	37.9	26.8	16.8	39.2	29.4	--	--	--	--	--	--
Marijuana or Hashish	9.7	48.2	31.7	10.0	39.7	26.9	6.2	41.1	26.4	6.7	38.5	24.7	8.4	34.8	23.3	8.0	21.9	15.7
Synthetic Marijuana	--	23.0	--	--	11.3	--	--	4.0	--	--	4.8	--	--	1.5	--	--	2.8	--
Inhalants	9.4	8.5	8.9	4.4	5.6	5.1	3.8	4.2	4.1	7.9	4.4	5.9	9.0	5.3	6.9	6.3	2.0	3.9
Club Drugs	1.2	9.2	5.8	0.6	8.8	5.2	0.8	4.1	2.7	1.1	2.7	2.0	0.5	0.5	0.5	1.3	0.9	1.0
LSD, PCP or Mushrooms	2.9	13.2	8.8	1.2	7.6	4.8	1.2	6.1	4.0	1.2	3.9	2.7	1.8	3.5	2.7	1.3	4.9	3.4
Methamphetamine	1.7	1.7	1.7	0.7	0.9	0.8	0.8	0.6	0.7	0.0	1.0	0.5	0.6	0.2	0.4	1.5	0.2	0.8
Cocaine or Crack	1.6	7.7	5.1	0.7	4.9	3.1	0.5	5.1	3.1	0.9	3.4	2.3	0.3	2.0	1.2	1.4	1.8	1.6
Heroin	1.0	1.2	1.1	0.5	1.5	1.1	1.2	0.7	1.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.8	0.4
Prescription Depressants	3.4	15.8	10.4	1.5	11.5	7.2	0.8	6.7	4.2	2.4	4.7	3.7	1.3	4.8	3.2	1.3	1.7	1.5
Prescription Pain Relievers	4.4	16.3	11.1	2.0	10.7	6.9	3.3	7.4	5.7	2.5	3.1	2.8	2.3	1.7	2.0	4.3	2.4	3.2
Prescription Amphetamines	1.6	8.8	5.7	0.3	8.7	5.1	1.1	6.6	4.3	0.7	4.7	2.9	1.4	6.5	4.2	2.4	2.1	2.3
Over-the-Counter Drugs	3.9	8.5	6.5	2.3	11.1	7.3	1.6	5.7	4.0	2.8	4.6	3.8	2.1	4.4	3.4	3.1	1.3	2.1
Needle to Inject Drugs	--	--	--	--	--	--	--	1.5	--	--	0.2	--	--	0.6	--	--	0.5	--
Any illicit drug	18.9	53.9	38.7	15.4	44.3	31.8	13.0	43.7	30.7	15.2	41.5	30.0	17.0	41.2	30.4	18.1	26.6	22.8
Any illicit drug other than marijuana	14.8	30.8	23.9	9.4	26.9	19.3	9.3	20.7	15.8	10.1	15.5	13.1	11.2	15.5	13.6	13.0	10.3	11.5
Alcohol only	18.3	20.6	19.6	14.9	20.1	17.9	13.1	18.7	16.4	14.3	15.7	15.1	15.0	22.1	18.9	12.0	16.3	14.4
Alcohol or any illicit drug	37.0	73.9	57.9	30.3	64.3	49.6	25.8	62.2	46.7	29.2	56.9	44.8	32.1	62.7	49.0	30.0	42.8	37.2
Any illicit drug, but no alcohol	5.7	3.1	4.3	6.6	4.3	5.3	6.1	5.2	5.6	6.1	5.4	5.7	6.9	6.2	6.5	5.2	4.3	4.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Monroe County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	13.8	45.7	31.8	11.8	36.8	26.0	6.0	36.3	23.5	10.0	29.5	21.0	8.7	29.6	20.3	8.0	18.5	13.9
Binge Drinking	4.9	26.5	17.1	3.6	19.4	12.5	2.5	17.6	11.3	3.3	12.5	8.5	3.9	14.4	9.6	3.8	11.3	8.0
Cigarettes	2.1	13.7	8.7	1.6	10.0	6.4	1.1	3.7	2.6	1.0	1.4	1.2	2.1	0.9	1.4	0.9	2.3	1.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	7.9	22.6	16.2	7.6	14.0	11.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	5.7	17.5	12.4	4.3	10.7	7.9
Vaporizer / E-Cigarette	--	--	--	--	--	--	4.2	13.0	9.3	8.7	23.4	17.0	--	--	--	--	--	--
Marijuana or Hashish	4.2	31.3	19.6	4.9	23.6	15.4	2.5	22.8	14.4	2.0	22.5	13.5	5.8	20.6	14.1	2.4	13.2	8.4
Synthetic Marijuana	--	6.9	--	--	1.2	--	--	0.2	--	--	1.8	--	--	0.5	--	--	0.6	--
Inhalants	3.4	2.0	2.6	1.1	0.4	0.7	2.0	1.5	1.7	1.9	0.9	1.3	2.3	0.9	1.5	2.9	0.0	1.3
Club Drugs	0.6	2.2	1.5	0.4	2.1	1.4	0.8	2.4	1.8	0.0	1.0	0.5	0.1	0.0	0.0	0.0	0.3	0.2
LSD, PCP or Mushrooms	0.8	3.4	2.3	0.0	1.7	1.0	1.2	1.7	1.5	0.3	0.4	0.3	0.6	1.0	0.8	0.6	1.6	1.2
Methamphetamine	1.2	0.6	0.9	0.4	0.0	0.2	0.9	0.4	0.6	0.0	0.3	0.2	0.0	0.2	0.1	0.5	0.2	0.3
Cocaine or Crack	0.8	2.7	1.9	0.4	2.4	1.5	0.0	3.0	1.7	0.3	1.1	0.8	0.1	0.2	0.2	0.7	0.2	0.4
Heroin	0.6	0.6	0.6	0.4	0.6	0.5	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.8	0.4
Prescription Depressants	1.4	6.6	4.4	0.5	3.5	2.2	0.3	1.7	1.1	0.8	1.0	0.9	0.2	1.3	0.8	0.3	0.5	0.4
Prescription Pain Relievers	2.9	3.9	3.5	0.3	3.3	2.0	1.8	2.0	1.9	0.6	1.1	0.9	1.4	0.5	0.9	1.4	0.6	1.0
Prescription Amphetamines	1.3	2.8	2.2	0.0	2.7	1.5	0.0	2.8	1.6	0.7	0.2	0.4	0.5	1.9	1.3	0.6	0.3	0.4
Over-the-Counter Drugs	2.4	3.7	3.1	1.1	3.0	2.2	1.1	1.9	1.6	1.1	1.6	1.4	0.7	1.6	1.2	0.7	1.3	1.1
Any illicit drug	10.1	35.6	24.5	7.0	25.4	17.4	6.1	26.4	17.8	4.9	24.0	15.6	9.4	23.8	17.4	7.4	17.2	12.9
Any illicit drug other than marijuana	7.3	14.6	11.4	3.2	10.1	7.1	4.4	11.5	8.5	3.7	4.2	4.0	4.7	5.9	5.4	5.2	4.7	4.9
Alcohol only	9.0	19.1	14.7	7.7	17.4	13.2	4.4	17.2	11.8	8.0	12.5	10.5	5.0	16.9	11.6	5.3	10.7	8.3
Alcohol or any illicit drug	18.7	53.6	38.5	15.1	41.8	30.3	10.5	43.4	29.4	12.6	35.9	25.7	14.0	40.2	28.5	12.8	27.8	21.2
Any illicit drug, but no alcohol	5.1	7.9	6.7	3.5	4.7	4.2	4.4	7.6	6.3	2.7	6.8	5.0	5.5	11.2	8.7	4.9	9.4	7.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Monroe County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	13.4	14.3	12.6	--	13.1	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	0.8	1.3	0.4	--	0.3	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	4.7	2.9	6.4	--	4.8	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	5.1	4.1	6.0	--	5.0	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	47.5	46.6	50.2	43.6	48.5	44.3	47.0	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	61.7	55.3	56.9	59.0	61.5	54.5	58.1	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	70.7	69.1	70.7	68.8	71.2	68.4	69.8	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	50.2	44.6	43.2	50.5	50.0	43.8	47.0	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	53.3	35.4	39.6	46.7	52.6	33.8	43.3	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	47.8	27.6	35.9	36.8	46.2	27.0	36.5	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	34.4	20.0	25.9	26.4	32.6	21.6	26.3	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	70.6	75.6	74.2	72.6	72.0	74.2	73.4	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	96.5	93.7	94.0	95.8	96.2	95.3	95.0	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	88.4	74.3	79.1	81.6	87.6	76.2	80.5	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	92.5	72.2	81.3	80.7	90.6	76.7	81.1	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	88.6	83.5	82.4	88.8	88.1	86.3	85.7	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	92.4	79.1	84.6	85.2	91.0	80.6	85.0	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.8	96.7	96.7	97.6	97.9	96.7	97.2	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	93.7	88.8	90.7	91.1	92.6	90.0	91.0	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	94.6	92.4	93.8	92.8	94.5	93.4	93.3	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	92.6	70.0	79.9	79.9	90.3	73.6	80.0	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	86.7	80.2	80.5	85.3	85.3	83.6	83.0	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	90.3	74.6	81.2	81.7	88.1	78.1	81.5	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	96.1	95.6	96.4	95.3	96.0	96.0	95.8	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Monroe County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Early ATOD use</i></b>																		
Try alcohol	--	31.3	--	--	23.6	--	--	17.4	--	--	16.9	--	--	16.8	--	--	13.4	--
Drink monthly	--	7.4	--	--	3.3	--	--	4.4	--	--	1.7	--	--	1.6	--	--	0.8	--
Smoke cigarettes	--	17.0	--	--	9.8	--	--	8.0	--	--	5.3	--	--	6.9	--	--	4.7	--
Smoke marijuana	--	18.1	--	--	10.4	--	--	10.4	--	--	7.7	--	--	8.1	--	--	5.1	--
<b><i>Great risk of harm</i></b>																		
Daily alcohol use	39.0	33.6	35.9	42.2	32.2	36.5	48.2	30.3	37.9	43.4	41.8	42.5	49.8	45.5	47.4	47.5	46.6	47.0
5+ drinks daily	--	--	--	53.6	44.3	48.2	57.1	37.6	45.9	61.1	49.4	54.4	65.4	54.0	59.0	61.7	55.3	58.1
Daily cigarette use	70.2	70.1	70.1	70.9	67.7	69.0	68.8	72.0	70.7	69.5	73.1	71.6	71.5	71.1	71.3	70.7	69.1	69.8
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	49.6	35.9	42.0	50.2	44.6	47.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	53.1	29.8	40.1	53.3	35.4	43.3
Marijuana weekly*	--	--	--	49.4	20.6	33.0	52.9	16.8	32.2	51.1	20.9	33.9	45.7	22.1	32.5	47.8	27.6	36.5
Try marijuana	35.6	15.6	24.2	31.7	12.1	20.4	37.9	10.1	21.9	31.7	14.9	22.2	26.5	12.3	18.6	34.4	20.0	26.3
Prescription drugs	--	63.1	63.1	78.3	69.2	73.1	67.0	65.6	66.2	71.8	69.5	70.5	75.2	72.2	73.5	70.6	75.6	73.4
<b><i>Think it wrong</i></b>																		
Smoke cigarettes	93.3	75.7	83.2	95.8	84.7	89.5	95.7	85.8	90.0	96.8	93.4	94.9	95.9	92.5	94.0	96.5	93.7	95.0
Drink regularly	83.1	44.0	60.9	86.8	50.4	66.0	89.3	54.1	69.1	89.5	57.7	71.5	89.6	61.3	73.7	88.4	74.3	80.5
Smoke marijuana	89.5	53.9	69.2	90.7	55.6	70.6	89.6	53.2	68.8	90.2	52.3	68.8	88.3	59.3	72.0	92.5	72.2	81.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	89.9	77.0	82.7	88.6	83.5	85.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.4	71.3	79.2	92.4	79.1	85.0
Other illicit drugs	96.6	87.6	91.4	97.0	89.3	92.6	98.1	90.0	93.5	97.9	94.8	96.2	97.9	92.3	94.7	97.8	96.7	97.2
<b><i>Friends think it wrong</i></b>																		
Daily alcohol use	--	--	--	90.1	71.2	79.3	91.4	74.5	81.8	91.8	76.8	83.3	88.0	80.0	83.6	93.7	88.8	91.0
Smoke tobacco	--	--	--	96.0	82.0	88.0	96.8	84.4	89.7	96.6	88.8	92.2	92.7	88.7	90.5	94.6	92.4	93.3
Smoke marijuana	--	--	--	88.9	50.9	67.2	90.9	49.6	67.4	88.1	50.6	66.8	86.4	58.1	70.8	92.6	70.0	80.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	82.6	64.5	72.6	86.7	80.2	83.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	86.1	67.1	75.7	90.3	74.6	81.5
Prescription drugs	--	--	--	97.4	87.9	92.0	97.1	89.0	92.5	96.0	92.1	93.8	94.3	90.8	92.4	96.1	95.6	95.8

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Monroe County and Florida Statewide youth, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	14.1	12.6	15.7	--	14.1	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	4.0	5.2	2.7	--	4.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	10.6	9.4	12.0	--	10.6	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	33.4	45.4	20.8	--	33.4	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	9.3	5.1	13.7	--	9.3	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	28.6	22.3	35.2	--	28.6	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Monroe County and Florida Statewide youth, 2022

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	31.5	34.7	28.3	--	31.5	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	34.5	42.2	26.6	--	34.5	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	3.3	0.0	6.6	--	3.3	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	3.9	5.0	2.8	--	3.9	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	13.7	10.4	17.2	--	13.7	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	13.1	7.7	18.5	--	13.1	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Monroe County and Florida Statewide youth, 2022

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	41.6	36.9	46.3	--	41.6	--	--	34.2	36.6	31.0	--	34.2	--
2	--	15.0	11.1	18.8	--	15.0	--	--	20.0	22.2	16.3	--	20.0	--
3	--	5.5	8.2	2.9	--	5.5	--	--	15.7	15.6	15.9	--	15.7	--
4	--	12.4	18.6	6.3	--	12.4	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	25.5	25.3	25.7	--	25.5	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Monroe County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	2.8	4.3	3.1	4.4	2.7	3.7	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	1.5	9.2	5.7	6.0	1.9	8.2	5.8	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.3	1.9	1.0	2.2	1.2	1.8	1.6	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Monroe County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.9	4.3	2.8	8.0	5.8	3.3	5.4	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.4	2.5	1.3	2.6	1.3	2.1	2.0	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.5	0.4	0.2	0.7	0.6	0.3	0.5	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.5	1.3	1.3	1.5	2.1	0.8	1.4	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.5	0.0	0.6	0.0	0.7	0.3	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	11.9	6.6	3.8	14.0	11.3	6.4	8.9	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	7.0	3.5	3.5	6.6	6.2	4.2	5.0	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Monroe County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.3	3.2	4.1	5.0	6.5	5.8	4.7	6.5	5.7	7.5	4.7	5.9	7.9	5.5	6.5	6.9	4.3	5.4
Selling drugs	3.6	11.5	8.1	2.4	10.0	6.7	0.9	8.7	5.4	1.6	5.3	3.6	2.0	4.2	3.2	1.4	2.5	2.0
Attempting to steal a vehicle	1.8	2.1	2.0	0.6	1.4	1.0	1.1	1.2	1.2	1.5	0.9	1.2	2.0	1.0	1.5	0.5	0.4	0.5
Being arrested	1.7	2.5	2.2	0.3	4.0	2.4	1.6	2.5	2.1	0.2	0.7	0.5	1.9	1.4	1.6	1.5	1.3	1.4
Taking a handgun to school	0.4	1.0	0.7	0.1	0.6	0.4	0.6	0.8	0.7	0.0	0.0	0.0	0.6	0.0	0.3	0.0	0.5	0.3
Getting suspended	9.2	8.6	8.8	8.6	7.5	8.0	9.0	9.3	9.1	8.6	6.2	7.2	9.5	10.0	9.8	11.9	6.6	8.9
Attacking someone with intent to harm	8.0	6.0	6.9	3.4	3.8	3.6	4.0	3.6	3.8	8.3	1.7	4.7	6.0	2.4	4.0	7.0	3.5	5.0

**Table 14. Percentages of Monroe County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	28.9	30.3	36.9	22.6	29.1	28.2	29.7	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	46.0	37.8	50.9	32.1	45.2	37.4	41.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	31.0	25.0	32.8	22.4	30.6	23.8	27.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	40.1	42.4	50.5	32.4	39.8	42.5	41.4	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b><i>Suicide</i></b>														
Thought about committing suicide in the past 12 months	38.7	29.6	43.1	24.3	38.2	31.0	33.7	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	8.1	4.5	7.9	3.8	7.6	4.1	6.1	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Monroe County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.1	5.5	12.9	4.2	11.2	4.3	8.4	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	44.7	24.2	35.8	30.4	44.2	22.0	33.1	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	71.9	51.2	67.5	53.5	70.7	51.5	60.2	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	35.6	30.6	43.6	22.9	34.0	29.5	32.8	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	22.2	10.8	12.1	19.2	21.2	11.5	15.7	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	36.6	23.8	27.0	31.8	33.8	25.5	29.4	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	16.6	9.8	14.4	11.2	15.6	9.1	12.8	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Monroe County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.5	18.4	10.6	--	13.5	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	12.3	13.9	10.7	--	12.6	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	5.8	9.2	2.4	--	4.6	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	36.7	39.0	34.0	--	36.4	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	5.7	5.4	6.0	--	4.8	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	26.4	27.4	25.6	--	25.4	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	28.7	37.1	20.5	--	26.9	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	24.5	26.3	22.9	--	21.0	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	27.9	33.7	22.3	--	27.0	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	4.5	5.4	3.7	--	4.8	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Monroe County and Florida Statewide high school youth, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	36.1	30.8	41.7	--	36.5	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	19.8	21.4	17.7	--	19.7	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	13.4	12.5	14.4	--	15.0	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	9.5	9.0	10.0	--	9.7	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	6.7	7.2	6.3	--	6.4	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	7.2	9.2	5.4	--	7.1	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	3.3	4.2	2.4	--	3.1	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	3.2	4.3	2.1	--	2.1	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.5	0.9	0.0	--	0.4	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.3	0.5	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Monroe County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	36.1	30.4	35.9	30.3	35.8	30.4	32.9	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	31.8	23.9	30.6	24.4	30.8	23.3	27.3	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	32.5	29.1	33.8	27.6	31.7	30.7	30.6	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	32.8	26.7	26.8	32.1	32.4	24.8	29.4	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	26.5	23.8	30.5	19.8	24.5	23.0	25.0	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	44.2	31.4	44.8	29.9	40.9	32.8	37.1	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

**Table 19. Percentages of Monroe County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	42.7	50.3	45.9	48.3	42.2	53.8	47.0	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	54.8	21.4	34.1	37.8	50.9	21.3	36.0	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	17.3	4.7	11.6	8.9	16.5	4.1	10.2	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	28.8	37.3	47.5	20.5	29.4	36.8	33.6	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	10.5	14.1	16.3	9.1	10.7	13.4	12.5	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Monroe County and Florida Statewide youth, 2022

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.2	18.0	10.8	--	10.9	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	16.7	17.6	16.0	--	14.0	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	2.4	3.1	1.7	--	1.1	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	7.1	8.8	5.5	--	5.9	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Monroe County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	30.9	--	--	21.6	--	--	20.0	--	--	15.6	--	--	15.4	--	--	14.2	--
Marijuana	--	32.4	--	--	29.9	--	--	29.7	--	--	32.7	--	--	23.1	--	--	16.7	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	15.2	--	--	8.9	--	--	9.6	--	--	4.8	--	--	7.2	--	--	2.4	--
Marijuana	--	17.1	--	--	11.0	--	--	13.2	--	--	13.4	--	--	12.0	--	--	7.1	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Monroe County and Florida Statewide youth, 2022**

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	62.0	61.4	57.7	65.8	61.8	62.0	61.6	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	25.1	31.7	32.0	25.2	25.8	30.8	28.8	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	13.0	6.9	10.2	9.0	12.4	7.2	9.6	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	19.9	17.9	11.5	25.9	19.0	18.7	18.8	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	8.4	9.8	9.4	8.6	8.5	11.2	9.2	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	28.8	30.7	24.8	34.9	30.1	28.7	29.8	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	23.3	26.9	30.7	20.3	23.5	25.9	25.3	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	19.6	14.8	23.5	10.3	19.0	15.5	16.9	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Monroe County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Monroe County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	54	56	53	55	59	54
	Family Rewards for Prosocial Involvement	47	52	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	57	62	51	60	57	60
	School Rewards for Prosocial Involvement	53	65	45	56	53	58
<b>Peer and Individual</b>	Religiosity	29	36	36	46	56	62
<b>Average Prevalence Rate</b>		<b>48</b>	<b>54</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Monroe County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Monroe County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	38	29	41	29	42	42
	Perceived Availability of Drugs	34	19	33	15	45	45
	Perceived Availability of Handguns	24	30	25	30	25	42
<b>Family</b>	Poor Family Management	48	35	47	34	44	45
	Family Conflict	44	25	43	34	42	37
<b>School</b>	Poor Academic Performance	42	42	48	48	45	48
	Lack of Commitment to School	75	66	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	52	38	52	39	40	46
	Favorable Attitudes toward ATOD Use	33	25	33	29	39	45
	Early Initiation of Drug Use	23	16	21	13	41	46
<b>Average Prevalence Rate</b>		<b>41</b>	<b>33</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Monroe County, 2012 to 2022

Domain	Scale	Monroe County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	61	56	55	62	56	54
	Family Rewards for Prosocial Involvement	57	54	51	48	50	47
School	School Opportunities for Prosocial Involvement	53	43	56	53	59	57
	School Rewards for Prosocial Involvement	55	49	57	49	47	53
Peer and Individual	Religiosity	42	38	32	38	36	29
Average Prevalence Rate		54	48	50	50	50	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Monroe County, 2012 to 2022**

Domain		Monroe County					
Scale		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	38	39	33	45	39	38
	Perceived Availability of Drugs	51	43	36	43	40	34
	Perceived Availability of Handguns	26	23	23	24	24	24
<b>Family</b>	Poor Family Management	37	44	42	44	43	48
	Family Conflict	36	36	39	37	40	44
<b>School</b>	Poor Academic Performance	44	43	38	39	45	42
	Lack of Commitment to School	50	59	59	64	71	75
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	43	40	38	41	51	52
	Favorable Attitudes toward ATOD Use	36	31	29	34	37	33
	Early Initiation of Drug Use	30	25	20	22	26	23
<b>Average Prevalence Rate</b>		<b>39</b>	<b>38</b>	<b>36</b>	<b>39</b>	<b>42</b>	<b>41</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Monroe County, 2012 to 2022

Domain	Scale	Monroe County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	57	60	60	54	64	56
	Family Rewards for Prosocial Involvement	53	55	57	49	60	52
School	School Opportunities for Prosocial Involvement	58	61	63	64	64	62
	School Rewards for Prosocial Involvement	63	59	63	58	60	65
Peer and Individual	Religiosity	38	46	46	37	43	36
Average Prevalence Rate		54	56	58	52	58	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Monroe County, 2012 to 2022

Domain		Monroe County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	47	46	38	41	32	29
	Perceived Availability of Drugs	45	45	33	31	26	19
	Perceived Availability of Handguns	27	41	39	35	24	30
Family	Poor Family Management	47	40	44	43	33	35
	Family Conflict	34	28	30	31	28	25
School	Poor Academic Performance	46	37	39	41	48	42
	Lack of Commitment to School	57	56	58	60	68	66
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	36	38	35	40	38
	Favorable Attitudes toward ATOD Use	51	47	46	40	39	25
	Early Initiation of Drug Use	42	29	24	22	24	16
Average Prevalence Rate		44	41	39	38	36	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.