

# **2022 Florida Youth Substance Abuse Survey**

**Santa Rosa County Data Tables**



**Table 1. Major demographic characteristics of surveyed Santa Rosa County and Florida Statewide, 2022**

	Santa Rosa County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	362	45.3		22,957	48.3
Male	429	53.6		23,857	50.1
<b>Race/Ethnic group</b>					
African American	33	4.1		10,187	21.4
American Indian	20	2.5		422	0.9
Asian	14	1.8		785	1.7
Hispanic/Latino	42	5.3		10,291	21.6
Native Hawaiian/Pacific Islander	4	0.5		63	0.1
Other/Multiple	182	22.8		6,956	14.6
White, non-Hispanic	497	62.1		18,419	38.7
<b>Parent/Guardian in the Military</b>					
No	599	74.9		41,174	86.6
Yes	196	24.5		5,980	12.6
<b>Age</b>					
11	36	4.5		2,576	5.4
12	110	13.8		6,243	13.1
13	159	19.9		6,872	14.4
14	131	16.4		7,136	15.0
15	133	16.6		7,278	15.3
16	114	14.2		6,918	14.5
17	86	10.8		6,616	13.9
18	29	3.6		3,403	7.2
<b>Grade</b>					
6th	100	12.5		6,626	13.9
7th	155	19.4		6,817	14.3
8th	152	19.0		7,021	14.8
9th	102	12.8		7,193	15.1
10th	150	18.8		7,025	14.8
11th	88	11.0		6,557	13.8
12th	53	6.6		6,333	13.3
<b>Middle School</b>	407	50.9		20,463	43.0
<b>High School</b>	393	49.1		27,109	57.0
<b>Total</b>	<b>800</b>	<b>100.0</b>		<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Santa Rosa County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	20.5	43.5	33.7	33.9	21.8	44.3	33.8	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	13.3	16.4	10.0	--	13.3	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	3.9	13.9	8.3	10.7	5.3	13.2	9.7	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	11.7	30.9	25.7	20.1	12.2	31.6	22.9	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	3.7	20.8	15.1	11.9	4.5	22.9	13.6	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	5.6	24.2	17.3	15.4	7.1	23.3	16.4	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.8	2.3	2.9	--	2.8	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	5.1	8.2	7.8	5.5	5.2	8.8	6.9	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.5	3.3	1.9	2.1	0.5	3.3	2.1	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.8	6.3	3.3	4.8	0.9	6.6	4.0	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.3	1.7	0.0	2.3	0.2	1.6	1.1	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.1	2.6	1.2	1.7	0.2	2.3	1.5	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.5	0.9	0.8	0.5	0.5	1.1	0.8	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.5	4.6	3.3	2.3	0.3	4.3	2.9	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	1.9	3.9	2.7	3.2	1.7	4.7	3.0	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.5	5.8	4.7	4.0	2.5	6.3	4.4	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.0	4.2	3.7	3.3	3.0	4.2	3.7	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.4	0.0	0.8	--	0.5	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	13.4	32.3	27.3	21.1	14.0	32.6	24.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	10.6	15.4	14.8	11.3	10.2	16.3	13.4	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.8	17.2	13.2	16.9	12.3	17.0	14.9	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	25.0	49.5	40.5	37.7	26.1	49.6	39.2	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	4.8	6.1	6.9	4.0	4.4	5.5	5.5	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Santa Rosa County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	6.1	19.7	14.8	13.2	5.7	20.1	14.0	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	2.6	9.6	6.7	6.5	3.7	8.2	6.7	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.6	2.3	1.5	1.4	0.8	2.4	1.6	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	6.0	15.4	14.6	8.3	6.1	16.0	11.4	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	1.7	11.0	8.3	5.5	2.2	11.6	7.1	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	2.8	11.6	9.3	6.2	3.1	12.9	7.9	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.9	1.0	0.7	--	0.5	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	1.2	1.1	0.8	1.5	1.1	0.3	1.2	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.5	1.1	0.4	1.3	0.5	0.5	0.9	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.8	1.1	0.9	1.1	0.7	1.5	1.0	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.9	0.0	1.0	0.0	0.5	0.5	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.2	1.2	0.1	1.4	0.1	0.9	0.7	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.9	0.9	0.8	1.1	0.8	1.2	0.9	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.6	2.3	2.8	1.2	1.1	2.6	2.0	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.0	1.2	1.0	0.9	0.9	0.6	1.1	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	6.3	14.6	13.4	8.6	5.7	16.9	11.1	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	4.8	5.1	5.4	4.5	3.9	5.3	5.0	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	2.7	10.1	5.9	8.2	2.4	9.8	7.0	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	8.9	24.7	19.3	16.7	8.0	26.7	18.1	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	2.6	5.0	4.6	3.3	2.3	6.4	4.0	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Santa Rosa County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	25.3	61.1	45.6	19.5	54.7	39.4	21.9	58.7	43.1	20.4	48.1	35.9	23.8	45.7	35.8	20.5	43.5	33.8
Blacking Out	--	--	--	--	21.1	--	--	21.9	--	--	14.4	--	--	16.2	--	--	13.3	--
Cigarettes	12.4	33.1	24.2	12.3	28.8	21.6	8.1	31.2	21.3	10.8	20.1	16.0	9.1	15.9	12.8	3.9	13.9	9.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	15.9	35.9	26.9	11.7	30.9	22.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	5.6	21.3	14.1	3.7	20.8	13.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	11.6	42.3	29.1	15.4	39.1	28.6	--	--	--	--	--	--
Marijuana or Hashish	4.8	32.5	20.7	5.2	32.9	20.8	4.1	34.2	21.2	5.9	24.8	16.5	5.7	27.7	17.7	5.6	24.2	16.4
Synthetic Marijuana	--	19.4	--	--	11.7	--	--	8.0	--	--	3.7	--	--	2.7	--	--	2.8	--
Inhalants	10.1	8.8	9.3	6.7	4.3	5.3	5.0	4.6	4.7	7.5	5.1	6.1	8.9	4.7	6.6	5.1	8.2	6.9
Club Drugs	0.7	5.7	3.6	0.3	5.5	3.2	0.9	3.5	2.4	0.4	2.0	1.3	0.3	3.7	2.1	0.5	3.3	2.1
LSD, PCP or Mushrooms	0.7	6.6	4.1	0.5	7.2	4.3	1.0	9.0	5.6	0.1	4.0	2.3	0.6	6.0	3.5	0.8	6.3	4.0
Methamphetamine	0.7	1.7	1.3	0.6	1.9	1.3	0.7	1.2	1.0	0.4	0.7	0.6	0.5	1.4	1.0	0.3	1.7	1.1
Cocaine or Crack	0.6	3.8	2.5	0.3	2.2	1.4	0.9	3.4	2.3	0.4	2.4	1.5	0.8	1.9	1.4	0.1	2.6	1.5
Heroin	0.8	0.7	0.7	0.7	0.7	0.7	0.4	0.6	0.5	0.1	0.4	0.2	0.2	1.0	0.6	0.5	0.9	0.8
Prescription Depressants	1.8	9.6	6.2	2.1	9.9	6.5	2.3	10.7	7.1	2.6	8.8	6.1	2.4	6.2	4.4	0.5	4.6	2.9
Prescription Pain Relievers	2.5	13.2	8.7	4.0	12.3	8.7	4.1	7.7	6.1	2.9	5.2	4.2	2.5	4.9	3.8	1.9	3.9	3.0
Prescription Amphetamines	2.5	10.9	7.2	0.6	8.0	4.8	1.8	8.3	5.5	1.7	5.9	4.0	2.9	4.8	4.0	2.5	5.8	4.4
Over-the-Counter Drugs	4.5	9.1	7.1	2.1	5.5	4.1	2.7	6.6	4.9	2.7	5.6	4.3	2.6	4.6	3.6	3.0	4.2	3.7
Needle to Inject Drugs	--	--	--	--	--	--	--	1.4	--	--	0.4	--	--	1.2	--	--	0.4	--
Any illicit drug	16.1	40.8	30.2	14.3	39.4	28.5	12.5	38.8	27.6	15.4	29.7	23.3	17.6	33.7	26.4	13.4	32.3	24.4
Any illicit drug other than marijuana	14.1	24.6	20.1	12.2	23.1	18.4	11.0	23.1	17.9	13.0	17.7	15.6	13.6	17.3	15.6	10.6	15.4	13.4
Alcohol only	15.2	24.0	20.2	11.3	21.4	17.0	14.0	23.4	19.4	11.7	21.8	17.4	12.9	18.7	16.1	11.8	17.2	14.9
Alcohol or any illicit drug	31.1	64.7	50.2	25.6	60.3	45.3	26.5	62.0	46.8	27.0	51.8	40.9	30.6	52.5	42.7	25.0	49.5	39.2
Any illicit drug, but no alcohol	5.8	3.4	4.4	6.2	5.7	5.9	4.8	3.5	4.1	6.9	3.8	5.2	6.9	6.7	6.8	4.8	6.1	5.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Santa Rosa County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	9.3	36.2	24.6	8.9	28.8	20.2	6.2	35.3	22.9	8.0	22.0	15.9	6.8	21.7	14.9	6.1	19.7	14.0
Binge Drinking	3.1	19.8	12.6	2.7	15.9	10.2	2.2	16.4	10.4	2.1	11.1	7.2	1.4	10.5	6.4	2.6	9.6	6.7
Cigarettes	2.5	12.4	8.1	3.4	9.4	6.8	2.2	8.7	6.0	2.1	5.3	3.8	2.0	4.1	3.2	0.6	2.3	1.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	5.9	18.7	12.9	6.0	15.4	11.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	2.5	9.5	6.3	1.7	11.0	7.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	3.4	17.2	11.3	5.1	21.0	14.0	--	--	--	--	--	--
Marijuana or Hashish	1.8	16.0	10.0	3.1	14.7	9.7	2.2	16.8	10.6	2.4	11.8	7.7	2.6	13.2	8.4	2.8	11.6	7.9
Synthetic Marijuana	--	7.3	--	--	1.3	--	--	1.7	--	--	0.4	--	--	0.4	--	--	0.9	--
Inhalants	4.3	1.7	2.8	2.2	1.0	1.5	1.6	0.6	1.0	2.2	1.0	1.6	2.3	1.9	2.1	1.2	1.1	1.2
Club Drugs	0.3	1.8	1.2	0.1	1.3	0.7	0.2	1.1	0.7	0.0	0.6	0.3	0.0	1.3	0.7	0.5	1.1	0.9
LSD, PCP or Mushrooms	0.3	1.8	1.2	0.1	1.0	0.6	0.0	2.6	1.5	0.4	1.2	0.8	0.2	2.3	1.3	0.8	1.1	1.0
Methamphetamine	0.2	0.6	0.4	0.2	0.5	0.4	0.6	0.5	0.6	0.1	0.4	0.3	0.1	0.8	0.4	0.0	0.0	0.0
Cocaine or Crack	0.4	1.2	0.9	0.1	0.2	0.1	0.5	0.7	0.6	0.0	0.4	0.2	0.3	1.2	0.8	0.0	0.9	0.5
Heroin	0.4	0.2	0.3	0.2	0.2	0.2	0.2	0.0	0.1	0.0	0.4	0.2	0.1	0.4	0.2	0.0	0.0	0.0
Prescription Depressants	0.8	3.6	2.4	0.6	3.8	2.4	0.6	3.1	2.0	0.9	2.4	1.7	0.4	1.4	0.9	0.2	1.2	0.7
Prescription Pain Relievers	1.0	4.5	3.0	1.5	5.6	3.8	1.7	3.2	2.6	1.6	2.3	2.0	0.9	1.2	1.0	0.9	0.9	0.9
Prescription Amphetamines	1.4	3.9	2.9	0.3	2.4	1.5	0.1	2.0	1.2	0.2	0.9	0.6	0.8	1.0	0.9	1.6	2.3	2.0
Over-the-Counter Drugs	2.3	3.2	2.8	1.3	2.3	1.9	1.1	3.0	2.2	1.1	1.1	1.1	1.1	1.0	1.0	1.0	1.2	1.1
Any illicit drug	7.7	20.3	14.9	7.1	20.1	14.5	4.9	20.2	13.7	6.4	15.2	11.4	6.2	16.1	11.6	6.3	14.6	11.1
Any illicit drug other than marijuana	6.8	10.5	8.9	5.1	11.1	8.4	4.1	8.9	6.8	4.8	7.1	6.1	3.7	7.6	5.8	4.8	5.1	5.0
Alcohol only	6.2	20.9	14.7	6.0	14.5	10.8	4.0	19.6	13.0	5.1	12.2	9.1	4.1	11.2	8.0	2.7	10.1	7.0
Alcohol or any illicit drug	13.6	41.2	29.2	12.9	34.6	25.2	8.7	39.5	26.2	12.0	27.0	20.4	10.3	27.4	19.7	8.9	24.7	18.1
Any illicit drug, but no alcohol	4.5	5.1	4.8	4.2	5.7	5.1	2.5	4.3	3.6	4.2	4.9	4.6	3.6	5.6	4.7	2.6	5.0	4.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Santa Rosa County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	16.2	15.1	17.5	--	16.5	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.1	2.0	2.2	--	1.8	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	8.0	6.9	9.2	--	8.1	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.6	7.5	7.9	--	7.7	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	51.7	46.1	51.1	46.0	52.9	43.8	48.4	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	71.0	57.4	64.0	61.9	70.5	53.7	63.1	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	74.1	72.7	75.2	71.5	75.1	69.9	73.3	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	60.7	42.3	50.1	49.8	59.9	41.7	50.1	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	62.2	37.8	47.7	48.4	60.5	36.3	48.1	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	52.7	29.2	39.9	38.2	52.0	26.7	39.1	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	32.6	20.9	26.1	25.7	31.2	20.0	25.9	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	74.9	67.8	75.0	67.0	75.1	65.5	70.8	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	97.7	88.4	92.7	92.0	97.5	89.1	92.3	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	94.2	67.6	77.9	79.4	93.6	66.6	78.8	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	94.4	68.2	78.5	80.2	93.7	69.1	79.2	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	94.5	77.3	82.5	86.4	94.3	79.7	84.5	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	95.3	74.6	82.6	84.1	94.5	75.7	83.3	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.8	93.0	95.1	96.0	98.9	92.8	95.5	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	91.9	81.4	83.6	87.9	92.1	80.9	85.8	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	95.0	82.7	86.7	89.1	94.9	82.5	87.9	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	90.9	69.9	76.9	80.7	90.6	68.9	78.8	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	88.0	72.4	74.6	83.3	87.8	73.8	79.0	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	90.2	72.7	77.1	83.3	89.8	72.2	80.1	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	96.0	90.2	91.4	93.9	96.2	89.7	92.6	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Santa Rosa County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	23.0	--	--	18.6	--	--	22.0	--	--	18.1	--	--	18.1	--	--	16.2	--
Drink monthly	--	3.8	--	--	3.6	--	--	3.8	--	--	3.3	--	--	4.0	--	--	2.1	--
Smoke cigarettes	--	14.7	--	--	14.6	--	--	14.8	--	--	9.8	--	--	8.6	--	--	8.0	--
Smoke marijuana	--	11.3	--	--	10.8	--	--	9.6	--	--	7.5	--	--	7.0	--	--	7.6	--
<b>Great risk of harm</b>																		
Daily alcohol use	45.4	33.1	38.5	47.4	32.9	39.2	47.0	36.4	41.0	50.6	44.4	47.2	47.9	46.7	47.2	51.7	46.1	48.4
5+ drinks daily	--	--	--	62.8	45.4	53.0	64.7	46.7	54.5	66.1	55.5	60.2	64.1	58.0	60.7	71.0	57.4	63.1
Daily cigarette use	70.7	67.3	68.8	73.2	66.5	69.4	73.2	67.0	69.7	73.0	69.6	71.1	69.7	72.9	71.5	74.1	72.7	73.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	54.3	43.3	48.2	60.7	42.3	50.1
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	56.6	42.0	48.6	62.2	37.8	48.1
Marijuana weekly*	--	--	--	63.2	28.3	43.5	61.3	27.9	42.3	54.4	25.7	38.6	50.0	29.6	38.8	52.7	29.2	39.1
Try marijuana	42.3	21.4	30.5	44.4	20.5	31.0	38.6	16.1	25.8	35.4	14.2	23.7	32.8	17.2	24.2	32.6	20.9	25.9
Prescription drugs	--	63.5	63.5	77.8	65.2	70.7	75.9	65.3	69.9	73.6	68.7	70.8	73.6	68.1	70.6	74.9	67.8	70.8
<b>Think it wrong</b>																		
Smoke cigarettes	93.5	73.8	82.4	94.4	82.7	87.9	96.1	82.9	88.5	95.6	85.2	89.8	96.0	91.5	93.5	97.7	88.4	92.3
Drink regularly	89.7	55.7	70.6	90.4	59.6	73.2	90.4	59.9	73.0	89.8	65.8	76.4	90.3	69.4	78.7	94.2	67.6	78.8
Smoke marijuana	93.6	68.5	79.5	93.5	65.5	77.9	93.6	64.2	76.8	91.9	62.2	75.3	91.7	64.8	76.9	94.4	68.2	79.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	90.7	79.7	84.6	94.5	77.3	84.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	92.5	76.6	83.7	95.3	74.6	83.3
Other illicit drugs	98.3	92.0	94.7	99.2	92.1	95.2	98.6	90.8	94.1	98.5	92.8	95.3	98.2	95.0	96.4	98.8	93.0	95.5
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	92.9	71.4	80.7	94.1	74.8	83.1	93.1	81.4	86.6	94.6	82.7	88.0	91.9	81.4	85.8
Smoke tobacco	--	--	--	94.7	79.7	86.2	95.3	80.2	86.7	95.7	85.6	90.1	94.6	85.2	89.4	95.0	82.7	87.9
Smoke marijuana	--	--	--	92.7	63.6	76.3	93.7	62.8	76.0	89.2	62.1	74.0	91.6	65.9	77.4	90.9	69.9	78.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	88.4	69.2	77.8	88.0	72.4	79.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	92.0	71.1	80.4	90.2	72.7	80.1
Prescription drugs	--	--	--	97.7	88.5	92.5	96.5	87.0	91.1	97.3	91.6	94.1	97.3	92.5	94.6	96.0	90.2	92.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Santa Rosa County and Florida Statewide youth, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	12.7	10.6	14.9	--	12.7	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	8.4	3.0	13.7	--	8.4	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	26.1	32.1	21.1	--	26.1	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	17.4	17.9	14.6	--	17.4	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	35.5	36.4	35.6	--	35.5	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Santa Rosa County and Florida Statewide youth, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	58.1	50.5	65.0	--	58.1	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	28.0	35.6	20.7	--	28.0	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	0.5	0.9	0.0	--	0.5	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	1.3	2.5	0.0	--	1.3	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	3.3	2.7	4.0	--	3.3	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	8.9	7.7	10.3	--	8.9	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Santa Rosa County and Florida Statewide youth, 2022

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	39.8	40.0	40.6	--	39.8	--	--	34.2	36.6	31.0	--	34.2	--
2	--	18.7	24.6	12.8	--	18.7	--	--	20.0	22.2	16.3	--	20.0	--
3	--	8.7	8.2	6.7	--	8.7	--	--	15.7	15.6	15.9	--	15.7	--
4	--	14.4	11.4	18.2	--	14.4	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	18.4	15.8	21.7	--	18.4	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

.....

**Table 11. Percentages of Santa Rosa County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	1.7	6.7	4.8	3.9	2.3	7.5	4.6	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	1.7	9.9	8.1	4.4	2.4	11.0	6.4	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	0.9	4.7	3.2	2.4	1.7	4.4	3.1	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Santa Rosa County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.7	8.1	4.9	10.9	6.8	10.0	7.9	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.5	2.8	2.5	1.0	1.0	2.7	1.8	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.0	1.5	1.5	0.2	0.6	1.0	0.8	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.5	1.0	1.3	1.2	1.3	1.0	1.2	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.5	0.6	0.0	0.0	0.7	0.3	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	9.5	8.4	6.2	11.6	8.8	9.2	8.9	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	6.5	6.3	5.9	6.7	5.7	7.4	6.4	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Santa Rosa County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.3	5.1	4.8	6.9	8.2	7.6	6.0	8.0	7.2	8.9	6.6	7.6	6.1	6.4	6.3	7.7	8.1	7.9
Selling drugs	1.9	8.6	5.8	1.3	7.7	5.0	1.1	7.4	4.7	0.6	4.0	2.5	0.6	3.3	2.0	0.5	2.8	1.8
Attempting to steal a vehicle	0.8	2.3	1.7	0.5	1.6	1.1	0.5	1.0	0.8	0.7	1.6	1.2	1.0	2.2	1.6	0.0	1.5	0.8
Being arrested	2.1	3.6	3.0	1.6	2.5	2.1	0.9	3.5	2.4	1.8	1.9	1.9	1.1	1.9	1.5	1.5	1.0	1.2
Taking a handgun to school	0.5	1.2	0.9	0.1	0.7	0.5	0.2	0.5	0.3	0.0	0.7	0.4	0.4	0.5	0.4	0.0	0.5	0.3
Getting suspended	7.5	9.7	8.8	5.6	6.6	6.2	4.4	6.7	5.7	5.3	2.9	4.0	9.2	6.4	7.8	9.5	8.4	8.9
Attacking someone with intent to harm	6.1	8.1	7.3	4.5	5.9	5.3	4.8	5.0	4.9	6.3	3.4	4.7	6.6	4.7	5.6	6.5	6.3	6.4

**Table 14. Percentages of Santa Rosa County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	32.4	37.0	43.8	26.6	32.4	38.5	35.1	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	46.7	44.3	58.7	31.7	45.5	47.4	45.3	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	31.1	31.2	39.4	22.2	30.6	32.1	31.2	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	47.7	50.3	61.1	37.7	46.7	52.6	49.2	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b><i>Suicide</i></b>														
Though about committing suicide in the past 12 months	34.6	36.9	44.7	26.6	33.9	38.5	35.9	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	8.1	7.8	10.8	5.1	7.4	9.9	8.0	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Santa Rosa County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.1	7.2	10.3	5.0	7.1	8.3	7.6	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	47.1	30.1	38.1	35.5	45.7	31.3	37.3	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	68.9	59.7	68.9	58.0	68.8	59.7	63.6	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	33.8	35.7	46.3	23.1	33.0	39.2	34.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	19.2	14.4	15.5	16.9	19.3	15.9	16.4	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	32.5	28.7	28.4	32.0	32.8	28.1	30.3	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	10.1	15.0	16.0	10.0	10.3	15.9	13.0	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Santa Rosa County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	17.4	24.4	10.1	--	17.8	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	8.5	9.6	6.5	--	9.5	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	7.3	11.6	2.6	--	7.8	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	41.5	43.5	40.0	--	41.5	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	12.3	15.4	9.1	--	13.7	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	32.5	36.0	27.9	--	35.4	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	40.7	52.0	28.8	--	44.7	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	25.7	27.5	23.4	--	27.1	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	33.7	47.9	19.7	--	35.1	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.4	10.6	3.3	--	8.4	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Santa Rosa County and Florida Statewide high school youth, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	30.6	26.3	35.2	--	27.0	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	17.5	11.4	23.5	--	18.5	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	15.2	18.5	11.8	--	16.4	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.0	7.0	12.9	--	8.9	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	10.2	12.8	7.6	--	11.5	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	6.2	7.2	5.3	--	6.1	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	2.7	5.1	0.6	--	2.6	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	4.2	7.1	1.6	--	5.1	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.9	2.1	1.2	--	2.5	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.8	1.1	0.0	--	0.8	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.8	1.2	0.4	--	0.8	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Santa Rosa County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	26.8	31.4	30.0	28.4	26.4	29.2	29.5	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	21.9	21.8	23.3	20.4	22.1	21.4	21.9	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	28.3	32.6	29.9	31.4	27.8	34.0	30.8	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.5	27.7	23.8	30.4	27.3	27.1	27.2	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	29.7	30.4	35.4	25.2	30.0	29.5	30.1	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	46.5	39.3	53.9	31.7	45.3	39.4	42.4	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

**Table 19. Percentages of Santa Rosa County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Santa Rosa County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	26.3	45.9	32.0	43.7	29.9	44.6	37.6	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	55.3	23.4	32.8	41.6	53.7	23.5	36.9	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	15.5	5.5	9.1	10.1	15.3	5.0	9.7	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	22.2	35.4	34.3	25.8	23.2	37.9	29.8	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	8.8	10.9	14.3	5.9	8.7	10.4	10.0	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Santa Rosa County and Florida Statewide youth, 2022

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	16.1	14.0	18.3	--	16.7	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	17.4	16.6	18.0	--	18.4	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	4.7	4.5	5.1	--	4.1	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	7.1	7.5	6.4	--	7.2	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Santa Rosa County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	23.6	--	--	17.9	--	--	16.7	--	--	11.7	--	--	14.1	--	--	16.1	--
Marijuana	--	22.3	--	--	18.9	--	--	20.4	--	--	15.4	--	--	18.9	--	--	17.4	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	8.5	--	--	8.9	--	--	6.6	--	--	3.3	--	--	3.9	--	--	4.7	--
Marijuana	--	10.1	--	--	8.6	--	--	9.1	--	--	6.4	--	--	8.3	--	--	7.1	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Santa Rosa County and Florida Statewide youth, 2022**

	Santa Rosa County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	62.9	62.6	59.8	65.1	62.6	66.1	62.7	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	23.1	25.7	28.0	21.9	22.5	22.5	24.6	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	14.0	11.7	12.2	13.1	14.9	11.3	12.7	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	13.2	18.1	13.2	18.5	13.4	17.9	16.1	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	8.8	10.5	9.4	10.3	9.8	8.2	9.8	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	36.3	28.5	20.1	43.6	35.9	28.7	31.8	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	24.4	22.7	28.3	18.3	24.1	23.1	23.4	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	17.3	20.3	29.0	9.3	16.8	22.1	19.0	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Santa Rosa County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Santa Rosa County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	59	59	53	55	59	54
	Family Rewards for Prosocial Involvement	46	50	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	44	59	51	60	57	60
	School Rewards for Prosocial Involvement	45	51	45	56	53	58
<b>Peer and Individual</b>	Religiosity	40	52	36	46	56	62
<b>Average Prevalence Rate</b>		<b>47</b>	<b>54</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Santa Rosa County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Santa Rosa County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	30	26	41	29	42	42
	Perceived Availability of Drugs	31	19	33	15	45	45
	Perceived Availability of Handguns	33	38	25	30	25	42
<b>Family</b>	Poor Family Management	38	30	47	34	44	45
	Family Conflict	43	40	43	34	42	37
<b>School</b>	Poor Academic Performance	37	38	48	48	45	48
	Lack of Commitment to School	66	69	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	47	41	52	39	40	46
	Favorable Attitudes toward ATOD Use	24	30	33	29	39	45
	Early Initiation of Drug Use	19	16	21	13	41	46
<b>Average Prevalence Rate</b>		<b>37</b>	<b>35</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Santa Rosa County, 2012 to 2022

Domain	Scale	Santa Rosa County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	60	65	65	57	58	59
	Family Rewards for Prosocial Involvement	54	62	62	49	47	46
School	School Opportunities for Prosocial Involvement	45	48	50	50	47	44
	School Rewards for Prosocial Involvement	51	54	53	50	39	45
Peer and Individual	Religiosity	56	60	56	52	46	40
Average Prevalence Rate		53	58	57	52	47	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Santa Rosa County, 2012 to 2022**

Domain		Scale					
		Santa Rosa County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	31	30	26	30	35	30
	Perceived Availability of Drugs	39	36	36	31	39	31
	Perceived Availability of Handguns	28	31	33	31	30	33
<b>Family</b>	Poor Family Management	38	31	26	36	37	38
	Family Conflict	35	34	36	37	42	43
<b>School</b>	Poor Academic Performance	35	38	36	37	42	37
	Lack of Commitment to School	47	48	49	58	69	66
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	39	32	34	39	50	47
	Favorable Attitudes toward ATOD Use	30	29	26	31	32	24
	Early Initiation of Drug Use	24	21	19	21	22	19
<b>Average Prevalence Rate</b>		<b>35</b>	<b>33</b>	<b>32</b>	<b>35</b>	<b>40</b>	<b>37</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Santa Rosa County, 2012 to 2022

Domain	Scale	Santa Rosa County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	57	57	63	65	53	59
	Family Rewards for Prosocial Involvement	56	55	59	59	56	50
School	School Opportunities for Prosocial Involvement	57	61	63	71	67	59
	School Rewards for Prosocial Involvement	63	63	62	63	60	51
Peer and Individual	Religiosity	65	63	62	60	60	52
Average Prevalence Rate		60	60	62	64	59	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Santa Rosa County, 2012 to 2022

Domain		Scale					
		Santa Rosa County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	35	27	28	25	32	26
	Perceived Availability of Drugs	34	31	30	23	20	19
	Perceived Availability of Handguns	42	45	44	39	36	38
Family	Poor Family Management	34	38	32	26	29	30
	Family Conflict	35	32	34	32	35	40
School	Poor Academic Performance	37	36	37	32	36	38
	Lack of Commitment to School	46	48	52	52	65	69
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	37	35	37	35	41
	Favorable Attitudes toward ATOD Use	39	39	37	35	30	30
	Early Initiation of Drug Use	28	25	30	18	18	16
Average Prevalence Rate		37	36	36	32	34	35

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.