

2022 Florida Youth Substance Abuse Survey

Wakulla County Data Tables

Table 1. Major demographic characteristics of surveyed Wakulla County and Florida Statewide, 2022

	Wakulla County			Florida Statewide	
	N	%		N	%
Sex					
Female	356	44.7		22,957	48.3
Male	419	52.6		23,857	50.1
Race/Ethnic group					
African American	75	9.4		10,187	21.4
American Indian	19	2.4		422	0.9
Asian	11	1.4		785	1.7
Hispanic/Latino	17	2.1		10,291	21.6
Native Hawaiian/Pacific Islander	2	0.3		63	0.1
Other/Multiple	129	16.2		6,956	14.6
White, non-Hispanic	529	66.4		18,419	38.7
Parent/Guardian in the Military					
No	670	84.1		41,174	86.6
Yes	111	13.9		5,980	12.6
Age					
11	49	6.1		2,576	5.4
12	107	13.4		6,243	13.1
13	149	18.7		6,872	14.4
14	133	16.7		7,136	15.0
15	119	14.9		7,278	15.3
16	99	12.4		6,918	14.5
17	82	10.3		6,616	13.9
18	43	5.4		3,403	7.2
Grade					
6th	133	16.7		6,626	13.9
7th	133	16.7		6,817	14.3
8th	140	17.6		7,021	14.8
9th	134	16.8		7,193	15.1
10th	112	14.1		7,025	14.8
11th	78	9.8		6,557	13.8
12th	67	8.4		6,333	13.3
Middle School	406	50.9		20,463	43.0
High School	391	49.1		27,109	57.0
Total	797	100.0		47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Wakulla County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	29.0	52.1	48.0	36.5	30.7	48.6	41.8	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	20.8	26.6	16.1	--	20.4	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	8.1	18.9	13.3	14.3	8.8	16.9	14.1	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	23.1	39.7	40.1	25.0	23.9	39.9	32.4	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	11.1	29.7	27.0	16.6	12.6	28.7	21.6	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	10.6	34.5	27.2	20.7	12.5	34.2	24.0	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	4.8	6.3	3.8	--	4.8	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	7.1	5.2	7.1	4.4	7.1	4.8	6.0	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.8	4.7	4.3	2.0	1.1	4.0	3.0	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	2.0	7.1	5.4	4.0	2.2	7.6	4.8	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.1	2.9	1.9	1.0	0.8	2.4	1.7	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.9	3.3	3.4	1.2	1.3	1.9	2.2	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	1.0	0.9	1.7	0.3	1.3	0.8	1.0	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.6	7.8	7.5	3.3	3.2	7.4	5.4	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.4	6.9	9.8	2.4	4.7	6.1	5.8	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.1	7.7	7.0	3.4	3.2	6.7	5.2	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	2.9	5.8	4.3	5.0	4.1	4.9	4.5	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	2.6	2.7	2.7	--	1.9	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	22.1	38.8	37.8	25.4	23.3	38.3	31.3	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	13.4	18.3	20.7	11.9	13.6	18.8	16.1	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	14.1	18.3	16.6	16.5	14.8	15.7	16.4	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	36.5	57.3	54.8	42.3	38.5	54.1	48.1	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	8.0	6.0	7.3	6.6	8.3	6.3	6.9	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Wakulla County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	11.5	28.7	23.7	19.1	13.0	26.8	21.1	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	5.5	17.3	13.3	10.5	5.7	14.9	12.0	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.8	5.1	3.3	2.9	1.2	4.2	3.2	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	10.8	26.5	27.1	13.5	11.9	27.9	19.8	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	6.0	19.4	16.9	11.0	7.9	18.4	13.7	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	5.7	23.3	17.2	14.0	7.5	22.9	15.7	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.6	1.3	2.0	--	0.8	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	3.2	2.0	2.7	2.6	2.8	2.2	2.6	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.3	1.6	1.5	0.7	0.3	2.2	1.1	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.4	1.0	0.2	0.6	0.3	1.3	0.7	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	1.9	1.5	0.2	0.3	2.2	1.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.1	2.1	1.9	0.7	0.4	1.2	1.2	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.4	0.4	0.0	0.0	0.5	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.8	2.0	1.7	1.4	0.9	2.5	1.5	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	2.5	2.3	3.3	1.6	2.6	2.0	2.4	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.8	3.8	3.1	2.0	1.7	2.3	2.5	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.9	1.9	1.6	1.4	1.4	1.9	1.5	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	10.6	27.3	24.1	16.1	12.4	26.2	19.9	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.9	8.5	8.9	5.8	6.4	8.3	7.4	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	6.7	10.9	8.8	9.6	6.7	10.2	9.0	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	16.8	38.2	32.3	25.9	18.6	36.2	28.7	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	5.5	10.3	8.9	7.5	6.0	10.1	8.2	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Wakulla County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	37.2	68.9	53.0	32.2	61.8	47.3	25.5	61.3	45.5	29.9	57.4	45.6	35.5	56.7	47.1	29.0	52.1	41.8
Blacking Out	--	--	--	--	28.1	--	--	27.1	--	--	24.7	--	--	15.0	--	--	20.8	--
Cigarettes	23.6	44.4	34.0	17.7	29.5	23.6	10.9	34.5	23.8	10.2	27.1	19.8	14.8	24.6	20.2	8.1	18.9	14.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	30.9	41.8	36.9	23.1	39.7	32.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	16.1	34.0	25.8	11.1	29.7	21.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	16.6	45.4	32.6	16.3	44.4	32.0	--	--	--	--	--	--
Marijuana or Hashish	14.9	45.9	30.4	14.7	42.6	28.8	8.0	43.7	27.5	11.1	37.8	26.1	13.4	33.1	24.1	10.6	34.5	24.0
Synthetic Marijuana	--	17.9	--	--	10.2	--	--	11.6	--	--	4.8	--	--	9.0	--	--	4.8	--
Inhalants	15.5	6.1	10.8	10.5	4.1	7.3	6.9	6.9	6.9	8.3	5.2	6.6	11.7	4.6	7.8	7.1	5.2	6.0
Club Drugs	1.2	5.5	3.3	1.2	4.2	2.7	0.8	7.0	4.2	1.5	1.3	1.4	1.6	7.2	4.6	0.8	4.7	3.0
LSD, PCP or Mushrooms	3.6	6.8	5.2	5.0	6.3	5.6	0.9	10.8	6.3	1.6	7.3	4.8	2.0	11.4	7.0	2.0	7.1	4.8
Methamphetamine	2.5	2.0	2.3	1.1	1.0	1.1	0.8	2.2	1.6	1.6	0.7	1.1	0.7	0.0	0.3	0.1	2.9	1.7
Cocaine or Crack	2.2	6.0	4.1	1.1	4.5	2.8	0.7	4.9	3.0	2.2	2.8	2.5	0.3	10.1	5.4	0.9	3.3	2.2
Heroin	1.7	1.0	1.4	1.3	2.3	1.8	0.3	0.6	0.5	0.4	0.3	0.3	0.6	1.5	1.1	1.0	0.9	1.0
Prescription Depressants	4.2	9.6	6.9	1.1	12.2	6.7	1.9	8.9	5.7	2.7	9.5	6.5	4.7	12.7	8.8	2.6	7.8	5.4
Prescription Pain Relievers	7.5	16.5	12.0	6.7	14.0	10.4	2.4	9.0	6.1	1.8	8.1	5.4	4.7	15.3	10.2	4.4	6.9	5.8
Prescription Amphetamines	4.7	12.9	8.8	4.4	11.9	8.1	1.0	15.7	9.2	2.6	10.0	6.8	4.9	11.8	8.5	2.1	7.7	5.2
Over-the-Counter Drugs	6.0	7.2	6.6	2.8	8.2	5.5	4.2	7.7	6.2	4.1	6.9	5.7	3.7	11.3	7.6	2.9	5.8	4.5
Needle to Inject Drugs	--	--	--	--	--	--	--	1.4	--	--	0.0	--	--	2.2	--	--	2.6	--
Any illicit drug	26.9	50.1	38.4	23.6	48.0	35.9	14.9	48.1	33.2	20.0	45.8	34.6	25.2	39.5	32.8	22.1	38.8	31.3
Any illicit drug other than marijuana	22.1	28.4	25.2	17.9	25.7	21.8	10.5	25.5	18.8	14.0	26.0	20.8	17.9	24.6	21.5	13.4	18.3	16.1
Alcohol only	16.7	21.6	19.1	12.2	18.4	15.3	15.2	17.7	16.6	14.2	17.6	16.1	19.4	18.7	19.0	14.1	18.3	16.4
Alcohol or any illicit drug	43.6	71.9	57.7	35.7	66.0	51.0	29.6	65.8	49.6	34.0	63.1	50.5	44.6	59.8	52.9	36.5	57.3	48.1
Any illicit drug, but no alcohol	6.4	3.2	4.8	3.8	4.2	4.0	4.8	4.2	4.5	4.2	6.0	5.2	9.0	2.9	5.8	8.0	6.0	6.9

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Wakulla County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	18.2	44.9	31.5	15.4	34.6	25.2	11.4	30.9	22.3	8.0	31.5	21.4	15.7	27.0	21.9	11.5	28.7	21.1
Binge Drinking	8.9	22.7	15.8	7.9	20.2	14.2	5.6	21.0	14.2	2.5	15.3	9.8	7.8	12.6	10.4	5.5	17.3	12.0
Cigarettes	6.1	15.8	10.9	4.8	10.4	7.6	1.1	12.5	7.3	0.9	7.2	4.5	2.0	4.5	3.3	0.8	5.1	3.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	15.4	27.7	22.1	10.8	26.5	19.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	10.0	21.7	16.4	6.0	19.4	13.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	6.6	17.4	12.6	4.2	23.4	14.9	--	--	--	--	--	--
Marijuana or Hashish	10.1	27.9	19.0	9.9	25.1	17.5	4.6	28.6	17.8	6.1	24.6	16.6	6.9	25.3	16.9	5.7	23.3	15.7
Synthetic Marijuana	--	6.1	--	--	2.1	--	--	3.3	--	--	1.0	--	--	0.8	--	--	1.6	--
Inhalants	6.4	0.8	3.6	5.3	0.9	3.1	3.4	3.7	3.6	2.7	0.7	1.6	4.6	0.3	2.2	3.2	2.0	2.6
Club Drugs	1.5	1.1	1.3	0.3	1.0	0.7	0.7	1.2	0.9	1.1	0.0	0.5	0.1	1.4	0.8	0.3	1.6	1.1
LSD, PCP or Mushrooms	2.2	1.5	1.8	1.7	0.9	1.3	0.9	4.4	2.8	1.2	2.3	1.8	0.2	1.8	1.1	0.4	1.0	0.7
Methamphetamine	1.1	0.7	0.9	0.0	0.0	0.0	0.4	1.0	0.7	1.2	0.2	0.7	0.1	0.0	0.0	0.0	1.9	1.1
Cocaine or Crack	0.9	1.4	1.1	0.4	0.7	0.5	0.2	1.8	1.1	1.1	0.5	0.8	0.0	2.2	1.2	0.1	2.1	1.2
Heroin	1.2	0.3	0.7	0.5	1.1	0.8	0.2	1.1	0.7	0.0	0.0	0.0	0.5	1.6	1.1	0.0	0.4	0.2
Prescription Depressants	1.5	3.2	2.4	0.4	6.0	3.2	0.8	3.6	2.3	0.5	3.8	2.4	1.8	1.8	1.8	0.8	2.0	1.5
Prescription Pain Relievers	3.3	3.3	3.3	2.1	4.4	3.2	0.3	3.9	2.3	0.7	1.6	1.2	2.5	3.1	2.8	2.5	2.3	2.4
Prescription Amphetamines	2.2	6.5	4.4	3.3	5.1	4.2	0.3	5.9	3.4	1.1	1.7	1.5	1.6	3.6	2.7	0.8	3.8	2.5
Over-the-Counter Drugs	2.8	1.7	2.3	1.6	2.5	2.1	1.1	2.9	2.1	2.3	1.3	1.7	0.4	5.0	2.8	0.9	1.9	1.5
Any illicit drug	15.7	30.3	23.0	16.9	29.1	23.0	8.9	32.9	22.1	8.7	26.4	18.9	15.5	29.3	22.8	10.6	27.3	19.9
Any illicit drug other than marijuana	11.4	11.3	11.4	11.4	12.2	11.8	5.5	13.6	10.0	5.2	8.1	6.9	7.3	10.7	9.1	5.9	8.5	7.4
Alcohol only	10.8	18.1	14.4	4.7	12.2	8.4	6.6	11.3	9.2	4.1	16.3	11.1	7.3	5.5	6.4	6.7	10.9	9.0
Alcohol or any illicit drug	25.9	49.1	37.5	21.6	40.5	31.1	15.1	43.8	31.0	12.9	42.1	29.5	22.6	38.1	31.1	16.8	38.2	28.7
Any illicit drug, but no alcohol	8.0	4.9	6.4	6.2	6.0	6.1	4.1	12.8	8.9	5.4	10.8	8.5	7.2	11.9	9.7	5.5	10.3	8.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Wakulla County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	22.5	24.6	19.8	--	23.1	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	4.1	5.7	2.8	--	4.1	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	10.9	11.7	10.2	--	11.3	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	15.7	17.0	15.3	--	16.9	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	49.4	31.6	42.4	36.1	47.9	32.9	39.5	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	63.2	41.8	52.5	50.5	60.9	44.7	51.3	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	69.8	62.0	67.5	62.3	69.5	63.0	65.5	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	47.3	27.6	36.7	36.0	44.5	30.5	36.4	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	51.1	24.1	36.1	35.8	48.3	26.5	36.1	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	45.6	15.4	30.6	27.6	42.6	16.0	28.7	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	27.6	8.1	18.5	15.3	24.5	9.6	16.9	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.3	65.8	69.7	66.7	69.9	64.8	68.2	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	94.2	87.0	90.3	90.1	94.3	89.0	90.1	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	84.0	63.0	72.6	71.8	81.8	66.5	72.2	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	87.1	59.6	72.8	71.1	84.9	61.8	71.6	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	84.3	71.8	75.0	79.8	83.6	74.7	77.2	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	88.1	65.5	74.0	76.6	86.6	68.0	75.4	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.3	91.1	93.9	93.9	96.4	91.0	93.8	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	88.7	68.2	80.4	74.1	87.4	71.8	77.4	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	91.0	76.8	84.5	81.8	91.3	76.5	83.1	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	83.5	52.7	67.2	67.3	82.0	53.6	66.5	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	79.5	60.5	68.5	70.0	78.4	62.3	69.0	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	85.7	58.3	71.9	69.9	84.4	59.2	70.5	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	92.4	88.8	92.9	88.4	93.0	88.7	90.4	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Wakulla County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Early ATOD use</i>																		
Try alcohol	--	30.3	--	--	33.8	--	--	25.6	--	--	24.2	--	--	21.1	--	--	22.5	--
Drink monthly	--	5.8	--	--	8.2	--	--	6.3	--	--	3.7	--	--	2.2	--	--	4.1	--
Smoke cigarettes	--	25.0	--	--	18.7	--	--	19.5	--	--	15.3	--	--	12.3	--	--	10.9	--
Smoke marijuana	--	17.9	--	--	18.6	--	--	20.5	--	--	15.6	--	--	12.8	--	--	15.7	--
<i>Great risk of harm</i>																		
Daily alcohol use	42.9	32.0	37.4	41.1	36.4	38.7	42.2	30.3	35.7	45.4	33.6	38.8	38.8	37.4	38.0	49.4	31.6	39.5
5+ drinks daily	--	--	--	54.9	47.1	50.9	57.2	45.1	50.6	65.8	46.0	54.7	56.6	51.0	53.5	63.2	41.8	51.3
Daily cigarette use	66.2	65.6	65.9	65.0	70.5	67.7	69.2	64.4	66.6	67.4	62.6	64.7	59.8	59.9	59.9	69.8	62.0	65.5
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	41.7	27.2	33.6	47.3	27.6	36.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	49.1	18.8	32.1	51.1	24.1	36.1
Marijuana weekly*	--	--	--	51.7	24.5	37.9	50.5	19.5	33.5	45.2	18.8	30.4	39.8	18.0	27.7	45.6	15.4	28.7
Try marijuana	41.7	20.0	30.8	36.5	16.8	26.6	38.0	12.7	24.2	29.2	8.2	17.5	24.5	9.2	16.1	27.6	8.1	16.9
Prescription drugs	--	63.9	63.9	71.6	65.1	68.3	74.7	63.1	68.3	69.9	57.3	62.8	68.6	62.0	64.9	71.3	65.8	68.2
<i>Think it wrong</i>																		
Smoke cigarettes	88.6	72.5	80.5	91.3	76.9	84.1	95.0	80.3	86.9	96.1	82.1	88.2	92.6	81.6	86.3	94.2	87.0	90.1
Drink regularly	78.6	47.3	62.9	81.9	53.2	67.5	88.0	55.7	70.1	86.1	55.4	68.8	81.2	59.4	68.9	84.0	63.0	72.2
Smoke marijuana	84.3	56.2	70.2	83.9	54.5	69.1	88.0	52.0	67.9	86.3	52.4	67.3	84.4	55.9	68.2	87.1	59.6	71.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	80.3	69.1	74.0	84.3	71.8	77.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	86.4	56.6	69.5	88.1	65.5	75.4
Other illicit drugs	95.3	94.0	94.7	95.3	86.7	91.0	98.2	85.2	91.0	98.6	93.1	95.5	96.8	90.8	93.4	97.3	91.1	93.8
<i>Friends think it wrong</i>																		
Daily alcohol use	--	--	--	79.7	69.7	74.7	92.1	62.7	76.0	90.7	70.3	79.2	83.8	74.3	78.5	88.7	68.2	77.4
Smoke tobacco	--	--	--	87.0	78.2	82.5	94.3	74.4	83.4	94.7	82.0	87.6	86.6	79.3	82.6	91.0	76.8	83.1
Smoke marijuana	--	--	--	77.1	55.6	66.2	85.7	48.6	65.4	84.9	48.5	64.4	79.8	53.4	65.1	83.5	52.7	66.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	75.0	54.5	63.7	79.5	60.5	69.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	80.9	56.8	67.6	85.7	58.3	70.5
Prescription drugs	--	--	--	91.0	85.6	88.3	95.0	83.2	88.5	95.4	88.0	91.3	91.2	80.7	85.4	92.4	88.8	90.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Wakulla County and Florida Statewide youth, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	9.1	11.9	5.4	--	9.1	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	28.4	25.2	34.5	--	28.4	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	33.9	39.3	27.7	--	33.9	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	9.9	6.3	11.0	--	9.9	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	18.6	17.3	21.4	--	18.6	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Wakulla County and Florida Statewide youth, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.7	31.3	50.1	--	40.7	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	32.1	41.5	21.5	--	32.1	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	1.1	2.0	0.0	--	1.1	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.5	0.0	1.1	--	0.5	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	10.8	12.6	9.0	--	10.8	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	2.9	0.0	6.8	--	2.9	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	1.4	2.5	0.0	--	1.4	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	10.6	10.2	11.5	--	10.6	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Wakulla County and Florida Statewide youth, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	17.4	11.4	26.5	--	17.4	--	--	34.2	36.6	31.0	--	34.2	--
2	--	13.1	14.1	7.8	--	13.1	--	--	20.0	22.2	16.3	--	20.0	--
3	--	20.1	19.0	22.7	--	20.1	--	--	15.7	15.6	15.9	--	15.7	--
4	--	8.6	12.6	3.5	--	8.6	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	40.7	43.0	39.4	--	40.7	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Wakulla County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	7.5	10.4	10.1	8.7	7.0	10.8	9.1	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	8.2	20.0	14.9	14.0	9.0	20.1	14.8	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	4.2	5.2	5.2	4.6	4.9	5.0	4.8	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Wakulla County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	12.6	10.4	6.5	16.6	13.3	9.3	11.3	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	3.2	6.7	4.5	6.1	4.3	4.9	5.2	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.9	2.0	0.3	3.6	2.2	0.8	2.0	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	2.5	2.7	1.9	2.9	2.6	2.6	2.6	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.7	0.2	0.5	0.3	0.6	0.4	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	14.5	10.5	11.6	12.1	14.3	9.9	12.3	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	11.8	8.3	8.9	10.3	12.3	7.7	9.8	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Wakulla County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	12.1	5.9	9.0	9.6	4.8	7.2	8.8	13.1	11.2	11.7	8.3	9.8	12.5	10.0	11.2	12.6	10.4	11.3
Selling drugs	3.6	11.6	7.6	2.3	10.3	6.3	1.2	9.9	6.0	2.0	6.4	4.4	3.6	11.1	7.6	3.2	6.7	5.2
Attempting to steal a vehicle	1.5	2.5	2.0	0.7	1.0	0.9	0.8	2.3	1.6	0.5	0.3	0.4	0.7	2.0	1.4	1.9	2.0	2.0
Being arrested	4.1	2.6	3.4	1.1	1.0	1.1	2.2	3.7	3.0	1.1	1.8	1.5	2.2	1.7	2.0	2.5	2.7	2.6
Taking a handgun to school	0.7	1.0	0.9	0.2	0.4	0.3	0.8	1.5	1.2	0.0	0.4	0.2	0.2	0.0	0.1	0.0	0.7	0.4
Getting suspended	8.3	6.3	7.3	5.9	5.8	5.8	7.4	13.7	10.9	7.8	7.9	7.8	13.6	8.1	10.7	14.5	10.5	12.3
Attacking someone with intent to harm	9.7	5.7	7.7	4.0	5.6	4.8	6.5	7.8	7.2	7.0	4.5	5.7	8.5	13.7	11.3	11.8	8.3	9.8

Table 14. Percentages of Wakulla County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	37.7	39.5	47.5	28.9	38.6	38.0	38.7	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	55.2	54.7	65.9	43.1	54.8	54.3	54.9	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	37.3	36.1	45.1	26.4	37.3	35.3	36.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	45.0	52.6	60.8	37.2	44.4	52.3	49.2	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<i>Suicide</i>														
Though about committing suicide in the past 12 months	36.5	43.8	49.5	31.4	37.8	42.5	40.5	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	11.6	10.6	16.5	5.7	11.2	10.7	11.1	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Wakulla County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.9	13.1	20.5	5.5	14.1	11.1	13.0	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	49.0	32.1	38.2	40.0	48.5	31.9	39.5	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	73.6	56.7	71.0	57.0	73.3	55.7	64.1	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	29.3	37.2	47.0	21.5	31.0	36.5	33.7	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	26.2	14.9	18.2	21.7	25.9	16.5	19.8	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	34.2	30.1	33.4	29.2	35.3	30.0	31.9	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	13.6	15.4	17.4	12.0	14.3	15.9	14.6	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Wakulla County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	20.2	24.0	15.0	--	18.1	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	10.3	13.1	6.3	--	9.9	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	7.5	12.6	2.3	--	7.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	43.4	44.6	41.6	--	44.9	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	11.3	14.8	6.3	--	10.5	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	35.5	45.7	24.0	--	34.7	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	44.0	54.9	32.0	--	43.6	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	37.0	41.9	32.3	--	35.0	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	34.0	39.5	25.6	--	34.4	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	10.9	12.6	7.1	--	10.9	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Wakulla County and Florida Statewide high school youth, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	26.0	20.4	32.1	--	27.9	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	18.2	15.2	21.6	--	17.3	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	14.7	11.6	17.5	--	14.1	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	11.3	13.7	9.9	--	12.7	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	10.6	16.1	5.2	--	9.0	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	6.5	6.1	6.5	--	6.2	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	3.5	4.3	2.9	--	3.3	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	4.5	6.6	2.1	--	4.3	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	2.9	2.6	1.9	--	3.3	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	1.3	1.9	0.2	--	1.3	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.6	1.3	0.0	--	0.5	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Wakulla County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	30.2	33.3	35.7	28.4	30.2	32.0	31.9	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	25.4	27.1	30.7	21.5	25.2	27.1	26.4	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	29.6	31.1	30.6	29.5	29.1	31.9	30.4	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	30.4	29.6	27.4	31.2	29.3	31.7	30.0	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	42.9	34.1	43.7	33.0	41.7	35.3	38.0	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	60.7	47.7	62.6	44.8	59.9	48.2	53.6	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Wakulla County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	48.4	34.7	40.7	42.4	47.4	35.2	40.8	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	38.9	18.2	33.5	22.9	36.3	18.4	27.3	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	15.1	9.4	11.8	12.5	15.5	8.5	11.9	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	14.2	19.3	19.7	14.5	14.5	18.8	17.0	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	7.2	3.9	5.9	4.9	7.3	4.0	5.4	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Wakulla County and Florida Statewide youth, 2022

	Wakulla County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	22.2	26.2	18.1	--	20.1	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	29.2	38.4	21.7	--	27.4	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	12.0	13.3	11.5	--	9.5	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	15.0	15.1	14.1	--	13.6	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Wakulla County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	23.6	--	--	26.7	--	--	27.0	--	--	22.4	--	--	22.1	--	--	22.2	--
Marijuana	--	29.6	--	--	30.8	--	--	32.3	--	--	32.1	--	--	28.9	--	--	29.2	--
<i>Driving a vehicle</i>																		
Alcohol	--	10.9	--	--	10.4	--	--	9.0	--	--	8.7	--	--	3.7	--	--	12.0	--
Marijuana	--	17.6	--	--	16.4	--	--	17.2	--	--	15.9	--	--	11.2	--	--	15.0	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Wakulla County and Florida Statewide youth, 2022

	Wakulla County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	67.4	63.3	64.7	66.7	67.9	64.2	65.2	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	23.1	31.1	28.3	26.3	23.8	28.7	27.5	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	9.4	5.5	7.0	7.0	8.3	7.1	7.3	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	12.6	16.0	13.5	16.1	12.3	16.2	14.5	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	7.0	7.6	6.8	8.2	7.0	7.1	7.3	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	40.6	29.5	26.0	42.9	41.1	28.7	34.6	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	22.3	22.8	25.8	19.3	22.4	22.0	22.6	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	17.5	24.1	28.0	13.5	17.3	26.1	21.1	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Wakulla County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Wakulla County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	51	56	53	55	59	54
	Family Rewards for Prosocial Involvement	41	44	46	49	54	55
School	School Opportunities for Prosocial Involvement	52	57	51	60	57	60
	School Rewards for Prosocial Involvement	44	46	45	56	53	58
Peer and Individual	Religiosity	40	46	36	46	56	62
Average Prevalence Rate		46	50	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Wakulla County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Wakulla County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	47	40	41	29	42	42
	Perceived Availability of Drugs	42	24	33	15	45	45
	Perceived Availability of Handguns	42	47	25	30	25	42
Family	Poor Family Management	46	34	47	34	44	45
	Family Conflict	42	41	43	34	42	37
School	Poor Academic Performance	49	50	48	48	45	48
	Lack of Commitment to School	78	76	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	57	49	52	39	40	46
	Favorable Attitudes toward ATOD Use	42	42	33	29	39	45
	Early Initiation of Drug Use	29	25	21	13	41	46
Average Prevalence Rate		47	43	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Wakulla County, 2012 to 2022

Domain	Scale	Wakulla County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	60	60	63	59	52	51
	Family Rewards for Prosocial Involvement	52	56	56	47	46	41
School	School Opportunities for Prosocial Involvement	55	63	59	56	60	52
	School Rewards for Prosocial Involvement	50	59	57	54	49	44
Peer and Individual	Religiosity	57	56	56	53	43	40
Average Prevalence Rate		55	59	58	54	50	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Wakulla County, 2012 to 2022

Domain		Wakulla County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	44	46	39	46	55	47
	Perceived Availability of Drugs	50	43	44	40	46	42
	Perceived Availability of Handguns	44	40	35	40	42	42
Family	Poor Family Management	44	41	35	45	45	46
	Family Conflict	45	37	40	42	50	42
School	Poor Academic Performance	44	43	47	47	50	49
	Lack of Commitment to School	49	51	53	68	70	78
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	47	37	36	38	58	57
	Favorable Attitudes toward ATOD Use	42	35	31	39	48	42
	Early Initiation of Drug Use	39	34	28	33	41	29
Average Prevalence Rate		45	41	39	44	50	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Wakulla County, 2012 to 2022

Domain		Wakulla County					
Scale		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	57	55	56	57	62	56
	Family Rewards for Prosocial Involvement	54	51	49	52	47	44
School	School Opportunities for Prosocial Involvement	53	67	60	64	55	57
	School Rewards for Prosocial Involvement	56	64	53	57	53	46
Peer and Individual	Religiosity	62	61	62	55	52	46
Average Prevalence Rate		56	60	56	57	54	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Wakulla County, 2012 to 2022

Domain		Wakulla County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	43	35	46	38	39	40
	Perceived Availability of Drugs	42	35	38	33	34	24
	Perceived Availability of Handguns	51	49	56	50	50	47
Family	Poor Family Management	35	40	47	39	34	34
	Family Conflict	35	36	37	32	36	41
School	Poor Academic Performance	50	41	43	41	47	50
	Lack of Commitment to School	53	51	64	56	64	76
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	36	42	40	51	49
	Favorable Attitudes toward ATOD Use	49	46	45	49	43	42
	Early Initiation of Drug Use	42	37	36	33	27	25
Average Prevalence Rate		44	41	45	41	42	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.