

2022 Florida Youth Substance Abuse Survey

Washington County Data Tables

Table 1. Major demographic characteristics of surveyed Washington County and Florida Statewide, 2022

	Washington County			Florida Statewide	
	N	%		N	%
Sex					
Female	240	50.5		22,957	48.3
Male	232	48.8		23,857	50.1
Race/Ethnic group					
African American	49	10.3		10,187	21.4
American Indian	26	5.5		422	0.9
Asian	6	1.3		785	1.7
Hispanic/Latino	15	3.2		10,291	21.6
Native Hawaiian/Pacific Islander	1	0.2		63	0.1
Other/Multiple	97	20.4		6,956	14.6
White, non-Hispanic	279	58.7		18,419	38.7
Parent/Guardian in the Military					
No	391	82.3		41,174	86.6
Yes	83	17.5		5,980	12.6
Age					
11	26	5.5		2,576	5.4
12	69	14.5		6,243	13.1
13	84	17.7		6,872	14.4
14	74	15.6		7,136	15.0
15	94	19.8		7,278	15.3
16	62	13.1		6,918	14.5
17	39	8.2		6,616	13.9
18	21	4.4		3,403	7.2
Grade					
6th	88	18.5		6,626	13.9
7th	85	17.9		6,817	14.3
8th	75	15.8		7,021	14.8
9th	94	19.8		7,193	15.1
10th	53	11.2		7,025	14.8
11th	49	10.3		6,557	13.8
12th	31	6.5		6,333	13.3
Middle School	248	52.2		20,463	43.0
High School	227	47.8		27,109	57.0
Total	475	100.0		47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Washington County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	26.7	46.3	36.6	38.8	27.7	47.3	37.8	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	21.8	17.8	25.5	--	21.8	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	10.9	19.3	14.1	17.1	11.8	19.0	15.6	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	24.2	47.8	34.9	39.8	26.2	45.4	37.6	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	11.4	23.3	17.3	18.6	11.3	22.4	18.1	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	13.6	35.9	26.2	25.9	13.2	36.8	26.2	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	3.9	1.6	6.2	--	5.2	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	8.6	5.4	6.2	7.5	9.8	5.3	6.8	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	1.2	2.4	1.3	2.4	1.9	2.2	1.9	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.1	4.4	3.6	2.4	1.0	3.5	3.0	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.5	1.4	1.3	1.6	0.5	2.6	1.4	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.8	3.0	2.3	1.8	2.4	1.4	2.0	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.1	1.4	0.0	1.6	1.9	0.0	0.8	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.3	3.3	3.8	1.9	2.1	3.4	2.8	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	2.2	7.1	3.5	6.2	2.3	8.4	4.9	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.9	2.2	1.5	2.7	1.2	3.3	2.1	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.4	3.5	3.9	3.0	3.5	3.2	3.5	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	1.6	1.5	1.7	--	1.1	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	20.9	40.0	30.5	32.6	20.9	41.0	31.7	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	12.6	20.1	14.4	19.1	13.0	20.9	16.8	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.4	15.3	15.7	12.6	14.1	15.3	14.0	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	33.1	55.5	46.0	45.5	34.9	56.4	45.8	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	6.6	9.2	9.5	6.9	7.4	9.2	8.1	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Washington County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	9.4	27.1	16.9	21.7	10.8	25.7	19.4	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	5.2	14.7	7.2	13.6	7.1	10.6	10.5	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.6	7.5	4.4	5.5	3.6	6.6	5.0	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	14.8	29.3	21.1	24.6	16.4	26.7	23.0	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	7.8	17.9	13.2	13.4	8.6	16.0	13.4	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	8.1	17.4	14.0	12.5	9.2	14.9	13.3	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	3.4	1.6	5.2	--	4.5	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	4.0	3.2	2.3	4.7	5.3	2.5	3.5	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	1.0	2.2	1.1	2.2	1.7	1.9	1.6	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.7	2.5	3.3	0.2	0.5	1.1	1.7	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	1.0	0.8	1.1	0.7	0.0	1.9	0.9	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.2	1.4	1.1	0.7	0.0	1.9	0.9	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	1.4	0.0	1.5	1.7	0.0	0.8	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.2	0.8	1.1	0.0	0.0	1.1	0.5	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.4	3.4	4.0	1.2	1.7	3.8	2.5	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.3	0.0	0.9	0.3	0.6	0.6	0.6	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.9	1.8	2.6	0.3	0.9	1.6	1.4	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	12.0	23.5	19.7	17.2	12.9	21.5	18.5	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	6.3	10.5	10.3	7.2	7.2	9.2	8.7	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	3.3	13.5	7.3	10.7	4.2	14.0	9.0	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	15.3	36.8	26.9	27.7	17.0	35.3	27.4	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	5.9	9.8	10.1	6.1	6.4	9.7	8.1	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Washington County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	36.9	64.8	52.0	35.4	59.9	48.3	28.9	55.1	43.8	18.6	46.4	34.9	25.2	39.3	32.7	26.7	46.3	37.8
Blacking Out	--	--	--	--	27.9	--	--	19.4	--	--	16.6	--	--	13.3	--	--	21.8	--
Cigarettes	22.7	44.0	34.2	21.2	48.6	35.6	16.5	35.8	27.4	12.1	23.0	18.5	20.9	18.2	19.5	10.9	19.3	15.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	22.8	38.5	31.2	24.2	47.8	37.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	9.8	14.1	12.1	11.4	23.3	18.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	24.0	42.9	34.5	17.8	44.3	33.2	--	--	--	--	--	--
Marijuana or Hashish	10.1	38.2	25.4	11.1	44.0	28.5	12.9	34.7	25.1	6.5	34.1	22.6	11.3	26.9	19.6	13.6	35.9	26.2
Synthetic Marijuana	--	15.8	--	--	15.7	--	--	9.3	--	--	4.4	--	--	1.7	--	--	3.9	--
Inhalants	13.5	8.1	10.5	12.8	5.2	8.8	8.4	6.6	7.4	6.6	4.5	5.4	9.1	9.5	9.3	8.6	5.4	6.8
Club Drugs	1.2	2.0	1.6	0.9	6.1	3.6	0.2	3.6	2.1	0.0	3.7	2.2	2.6	2.4	2.5	1.2	2.4	1.9
LSD, PCP or Mushrooms	1.3	4.9	3.2	2.5	8.1	5.4	0.6	5.6	3.4	1.1	2.1	1.7	2.4	1.9	2.1	1.1	4.4	3.0
Methamphetamine	1.7	2.3	2.0	0.5	3.1	1.9	0.8	2.9	2.0	0.0	1.5	0.9	1.4	0.3	0.8	1.5	1.4	1.4
Cocaine or Crack	2.0	5.2	3.7	1.3	5.2	3.4	1.5	2.4	2.0	0.7	2.1	1.5	1.0	1.7	1.4	0.8	3.0	2.0
Heroin	1.1	0.6	0.8	0.9	1.0	1.0	0.5	0.5	0.5	0.3	1.0	0.7	1.4	0.0	0.7	0.1	1.4	0.8
Prescription Depressants	3.3	8.4	6.1	3.8	12.1	8.2	3.4	6.0	4.9	3.2	5.0	4.2	5.2	5.3	5.2	2.3	3.3	2.8
Prescription Pain Relievers	7.0	11.7	9.5	5.9	13.0	9.6	5.5	4.2	4.8	3.0	4.4	3.8	3.6	2.5	3.0	2.2	7.1	4.9
Prescription Amphetamines	2.5	6.3	4.6	2.8	7.8	5.4	2.4	7.2	5.1	1.4	3.3	2.5	5.4	4.7	5.1	1.9	2.2	2.1
Over-the-Counter Drugs	5.1	7.2	6.3	4.5	7.8	6.2	4.0	5.7	4.9	0.5	5.9	3.6	5.6	4.2	4.9	3.4	3.5	3.5
Needle to Inject Drugs	--	--	--	--	--	--	--	2.3	--	--	2.0	--	--	0.5	--	--	1.6	--
Any illicit drug	22.7	46.2	35.4	24.4	48.3	37.0	22.6	38.6	31.6	14.7	36.6	27.4	26.4	33.6	30.3	20.9	40.0	31.7
Any illicit drug other than marijuana	20.1	25.7	23.1	20.1	24.8	22.6	15.1	18.9	17.2	11.6	13.0	12.4	18.4	15.9	17.1	12.6	20.1	16.8
Alcohol only	19.9	22.9	21.5	20.0	18.4	19.2	14.4	22.7	19.1	9.2	18.9	14.9	9.9	14.2	12.2	12.4	15.3	14.0
Alcohol or any illicit drug	42.2	69.0	56.7	44.4	66.6	56.1	36.4	61.1	50.3	23.7	55.5	42.2	36.5	47.0	42.1	33.1	55.5	45.8
Any illicit drug, but no alcohol	5.7	4.4	5.0	9.0	6.6	7.8	9.0	6.4	7.5	4.9	9.0	7.3	11.4	8.4	9.8	6.6	9.2	8.1

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Washington County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.1	42.5	31.8	15.1	37.3	26.8	10.0	28.4	20.4	6.4	21.3	15.1	12.7	19.6	16.3	9.4	27.1	19.4
Binge Drinking	8.1	21.5	15.4	5.1	23.3	14.7	3.6	16.1	10.7	2.3	10.6	7.2	5.4	10.7	8.2	5.2	14.7	10.5
Cigarettes	7.2	19.5	13.9	6.9	26.2	17.0	2.7	14.5	9.4	0.4	6.9	4.2	3.1	2.9	3.0	1.6	7.5	5.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	9.5	16.3	13.1	14.8	29.3	23.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	3.0	8.0	5.6	7.8	17.9	13.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	9.5	16.2	13.2	4.6	22.2	14.8	--	--	--	--	--	--
Marijuana or Hashish	6.0	17.6	12.4	4.3	27.7	16.6	4.1	19.8	12.9	1.3	16.4	10.2	5.2	13.7	9.7	8.1	17.4	13.3
Synthetic Marijuana	--	6.8	--	--	4.5	--	--	3.4	--	--	1.0	--	--	0.0	--	--	3.4	--
Inhalants	5.7	1.4	3.3	5.3	1.9	3.5	2.0	1.3	1.6	2.6	1.1	1.7	3.2	3.2	3.2	4.0	3.2	3.5
Club Drugs	0.2	0.3	0.3	0.4	1.5	0.9	0.2	0.8	0.5	0.0	1.0	0.6	1.5	0.5	1.0	1.0	2.2	1.6
LSD, PCP or Mushrooms	0.5	1.4	1.0	1.6	1.9	1.7	0.7	2.2	1.5	0.0	1.1	0.7	0.8	0.7	0.7	0.7	2.5	1.7
Methamphetamine	0.0	0.0	0.0	0.0	1.2	0.6	0.4	0.3	0.3	0.0	0.7	0.4	0.1	0.0	0.1	1.0	0.8	0.9
Cocaine or Crack	0.8	0.3	0.5	0.4	1.9	1.2	0.0	0.3	0.2	0.2	0.2	0.2	0.5	0.5	0.5	0.2	1.4	0.9
Heroin	0.6	0.3	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	1.4	0.8
Prescription Depressants	1.4	3.8	2.7	0.5	7.3	4.1	1.5	2.4	2.0	1.6	2.3	2.0	2.6	1.8	2.2	0.2	0.8	0.5
Prescription Pain Relievers	1.7	3.7	2.8	3.0	7.2	5.2	0.9	2.1	1.6	0.3	2.2	1.4	0.9	1.0	1.0	1.4	3.4	2.5
Prescription Amphetamines	1.0	1.5	1.3	1.8	3.3	2.6	1.3	2.8	2.1	1.0	0.2	0.5	1.3	2.1	1.7	1.3	0.0	0.6
Over-the-Counter Drugs	2.0	1.9	1.9	2.9	3.3	3.1	0.6	2.1	1.4	0.2	2.3	1.4	1.0	1.8	1.4	0.9	1.8	1.4
Any illicit drug	12.6	23.7	18.7	12.2	30.4	21.7	6.4	21.1	14.7	5.3	18.5	13.1	10.4	19.6	15.3	12.0	23.5	18.5
Any illicit drug other than marijuana	8.6	9.7	9.2	10.8	12.9	11.9	5.1	6.8	6.1	4.2	7.4	6.1	7.4	6.7	7.0	6.3	10.5	8.7
Alcohol only	11.3	24.4	18.5	9.2	17.8	13.8	7.0	14.3	11.2	4.4	10.8	8.2	7.5	9.6	8.6	3.3	13.5	9.0
Alcohol or any illicit drug	23.3	47.3	36.3	21.4	47.4	35.1	13.5	35.2	25.7	9.2	28.9	20.6	18.2	28.7	23.8	15.3	36.8	27.4
Any illicit drug, but no alcohol	4.8	4.7	4.7	6.9	10.0	8.5	4.1	7.1	5.9	2.4	7.8	5.6	5.5	9.5	7.6	5.9	9.8	8.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Washington County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	20.4	16.9	23.3	--	23.0	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	6.4	2.9	9.9	--	6.1	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	9.2	7.1	10.7	--	10.8	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	11.9	9.8	14.1	--	14.0	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	46.5	38.5	42.4	41.5	46.4	39.2	42.0	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	59.7	42.5	52.3	48.0	59.8	45.2	49.9	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	68.1	61.2	62.5	65.9	68.3	63.9	64.2	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	49.9	39.4	41.5	46.4	49.5	41.3	43.9	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	48.7	31.3	37.0	40.6	47.0	33.3	38.8	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	48.2	19.7	32.5	31.5	46.1	23.6	31.9	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	37.0	15.7	21.8	27.7	35.7	18.2	24.9	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	72.8	69.1	73.8	68.2	74.1	71.1	70.7	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	94.2	88.6	92.1	90.3	93.6	90.4	91.1	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	84.7	61.1	72.6	70.1	83.6	61.0	71.4	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	87.1	69.6	79.1	76.0	86.3	68.8	77.2	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	83.1	73.7	77.1	78.9	81.3	74.9	77.8	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	88.8	75.0	81.8	80.8	89.6	73.3	81.0	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.1	96.9	97.2	96.7	95.9	97.4	96.9	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	84.7	70.6	82.6	71.3	82.2	74.0	76.7	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	89.5	79.0	86.1	81.5	90.2	79.5	83.5	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	82.9	59.5	71.2	68.4	82.1	60.5	69.7	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	79.0	59.2	67.6	68.1	76.8	60.5	67.8	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	84.4	63.8	74.0	71.8	83.9	65.1	72.7	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	93.4	91.0	93.5	90.7	93.4	92.0	92.1	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Washington County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	32.9	--	--	31.1	--	--	29.6	--	--	28.5	--	--	16.6	--	--	20.4	--
Drink monthly	--	9.6	--	--	7.9	--	--	6.6	--	--	5.4	--	--	3.3	--	--	6.4	--
Smoke cigarettes	--	27.9	--	--	29.4	--	--	21.8	--	--	16.5	--	--	12.1	--	--	9.2	--
Smoke marijuana	--	13.7	--	--	19.1	--	--	18.4	--	--	16.4	--	--	9.0	--	--	11.9	--
Great risk of harm																		
Daily alcohol use	36.2	34.1	35.0	42.8	38.8	40.7	45.3	32.9	38.2	46.9	33.0	38.8	50.6	45.7	48.0	46.5	38.5	42.0
5+ drinks daily	--	--	--	57.7	43.7	50.2	60.3	45.4	51.9	65.6	42.6	52.2	64.9	51.4	57.8	59.7	42.5	49.9
Daily cigarette use	65.6	66.9	66.3	69.8	63.2	66.3	64.6	60.4	62.2	68.7	57.9	62.4	72.0	67.7	69.7	68.1	61.2	64.2
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	52.1	45.1	48.4	49.9	39.4	43.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	58.1	42.3	49.7	48.7	31.3	38.8
Marijuana weekly*	--	--	--	54.3	32.5	42.7	50.1	29.3	38.4	57.6	24.2	38.0	49.4	31.4	39.8	48.2	19.7	31.9
Try marijuana	37.4	25.0	30.7	43.3	24.9	33.5	37.1	25.4	30.4	39.8	18.8	27.6	37.3	27.4	32.0	37.0	15.7	24.9
Prescription drugs	--	63.9	63.9	75.3	69.7	72.3	71.9	62.8	66.7	70.1	58.9	63.6	73.1	65.8	69.2	72.8	69.1	70.7
Think it wrong																		
Smoke cigarettes	85.5	72.0	78.1	88.2	65.7	76.2	90.6	72.8	80.4	94.6	86.9	90.2	95.2	83.2	88.7	94.2	88.6	91.1
Drink regularly	77.2	54.6	64.9	81.5	51.7	65.7	82.4	54.8	66.6	83.8	59.5	69.7	85.1	64.0	73.7	84.7	61.1	71.4
Smoke marijuana	85.4	67.7	75.7	87.6	60.8	73.3	86.2	56.7	69.3	91.6	62.4	74.6	86.0	64.5	74.4	87.1	69.6	77.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	84.2	69.1	76.1	83.1	73.7	77.8
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.1	72.2	80.0	88.8	75.0	81.0
Other illicit drugs	94.0	93.8	93.9	97.7	89.7	93.4	96.9	92.0	94.1	98.6	93.7	95.8	96.7	94.6	95.6	97.1	96.9	96.9
Friends think it wrong																		
Daily alcohol use	--	--	--	83.9	60.2	71.2	84.3	65.8	73.8	87.7	64.3	74.1	85.6	78.3	81.7	84.7	70.6	76.7
Smoke tobacco	--	--	--	87.7	57.1	71.4	90.2	70.4	79.1	91.6	76.8	83.0	88.7	80.8	84.4	89.5	79.0	83.5
Smoke marijuana	--	--	--	85.6	56.5	70.0	85.1	54.0	67.6	88.6	60.6	72.3	85.4	63.0	73.3	82.9	59.5	69.7
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	80.1	64.2	71.5	79.0	59.2	67.8
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	86.5	70.0	77.6	84.4	63.8	72.7
Prescription drugs	--	--	--	93.9	83.6	88.4	91.4	81.0	85.5	95.7	86.9	90.6	91.5	88.7	90.0	93.4	91.0	92.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Washington County and Florida Statewide youth, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	32.5	26.2	37.3	--	32.5	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	6.6	6.9	6.4	--	6.6	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	28.7	31.7	26.4	--	28.7	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	13.4	18.6	9.5	--	13.4	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	18.8	16.6	20.4	--	18.8	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Washington County and Florida Statewide youth, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	27.5	36.3	20.8	--	27.5	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	48.4	48.8	48.9	--	48.4	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	1.5	3.4	0.0	--	1.5	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	1.0	0.0	0.0	--	1.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	1.0	2.3	0.0	--	1.0	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	20.6	9.2	30.4	--	20.6	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Washington County and Florida Statewide youth, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	15.8	25.7	8.1	--	15.8	--	--	34.2	36.6	31.0	--	34.2	--
2	--	25.8	17.1	32.5	--	25.8	--	--	20.0	22.2	16.3	--	20.0	--
3	--	14.8	24.9	7.0	--	14.8	--	--	15.7	15.6	15.9	--	15.7	--
4	--	3.3	7.7	0.0	--	3.3	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	40.2	24.5	52.4	--	40.2	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

.....

Table 11. Percentages of Washington County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	5.2	9.6	8.3	7.1	5.6	6.9	7.7	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	9.0	10.6	9.9	9.9	8.2	10.4	9.9	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	3.3	1.7	3.0	1.8	3.0	2.2	2.4	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Washington County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	14.1	10.2	4.8	18.4	13.7	11.1	11.9	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.2	4.0	2.0	3.5	0.8	5.2	2.8	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.2	1.4	0.9	0.8	0.2	1.7	0.9	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.1	3.6	1.9	3.1	1.1	4.4	2.5	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.6	0.7	0.0	0.0	0.7	0.3	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	4.8	10.3	5.4	10.2	4.5	12.7	7.9	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	6.6	7.2	4.3	9.2	6.2	9.0	6.9	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Washington County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Carrying a handgun	10.5	6.0	8.0	10.9	14.7	12.9	12.0	7.4	9.4	11.8	10.2	10.8	11.3	9.5	10.3	14.1	10.2	11.9
Selling drugs	2.7	7.1	5.1	1.6	10.9	6.5	3.0	9.6	6.7	0.5	5.1	3.2	1.8	2.6	2.2	1.2	4.0	2.8
Attempting to steal a vehicle	0.9	1.5	1.2	1.7	3.7	2.7	0.2	0.5	0.4	1.3	1.2	1.3	1.2	1.5	1.4	0.2	1.4	0.9
Being arrested	2.4	3.3	2.9	2.3	5.4	4.0	0.5	3.3	2.0	2.7	2.8	2.7	3.1	2.2	2.6	1.1	3.6	2.5
Taking a handgun to school	0.8	0.6	0.7	0.4	1.6	1.0	0.6	0.9	0.8	0.7	0.4	0.5	0.7	0.8	0.7	0.0	0.6	0.3
Getting suspended	13.4	10.4	11.7	12.5	12.3	12.4	10.0	10.9	10.5	7.8	9.5	8.8	9.2	8.3	8.7	4.8	10.3	7.9
Attacking someone with intent to harm	9.4	8.4	8.9	8.8	11.4	10.1	7.2	8.3	7.8	7.4	6.3	6.7	9.5	3.7	6.5	6.6	7.2	6.9

Table 14. Percentages of Washington County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	31.1	35.3	43.4	24.3	31.6	36.5	33.5	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	47.9	45.1	61.1	33.0	46.4	49.5	46.3	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	29.7	29.5	38.8	21.3	32.5	28.8	29.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	54.1	51.8	68.6	38.5	53.4	53.7	52.8	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<i>Suicide</i>														
Thought about committing suicide in the past 12 months	33.5	33.3	43.0	24.1	33.0	36.5	33.4	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	13.2	9.2	13.9	7.8	13.1	9.5	11.0	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Washington County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	17.3	13.4	24.4	6.3	16.3	14.1	15.1	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	50.5	31.6	41.3	37.8	50.6	32.2	39.6	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	74.6	62.8	75.6	60.7	77.6	59.0	67.8	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	30.2	31.0	40.5	21.5	32.6	29.8	30.7	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	27.8	20.6	16.5	29.7	28.8	19.4	23.7	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	37.7	33.5	30.7	39.4	40.5	30.9	35.3	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	9.5	16.4	13.3	13.7	11.5	13.6	13.5	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Washington County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	12.9	15.3	10.0	--	14.1	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	7.6	8.5	6.7	--	7.8	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	7.8	10.1	5.5	--	7.0	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	43.6	46.8	40.0	--	43.2	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	8.9	14.8	2.9	--	7.4	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	35.7	35.6	36.0	--	34.6	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	33.0	35.5	30.5	--	34.9	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	35.3	38.4	31.8	--	35.6	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	34.6	40.0	28.6	--	36.3	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	6.4	8.4	4.4	--	6.2	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Washington County and Florida Statewide high school youth, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	28.9	26.6	31.3	--	29.5	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	18.0	14.4	21.7	--	15.7	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	15.5	19.5	11.4	--	16.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.9	11.5	10.4	--	10.2	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	9.8	4.6	14.7	--	11.6	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	7.8	9.6	6.1	--	8.2	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	3.3	4.5	2.0	--	3.0	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	4.6	7.0	2.3	--	4.7	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.6	1.2	0.0	--	0.8	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.6	1.2	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Washington County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	33.2	29.8	34.5	28.1	33.5	28.8	31.3	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	25.8	24.6	27.6	22.6	26.3	24.0	25.1	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	27.5	31.1	32.7	26.2	27.0	32.1	29.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	28.4	25.8	26.1	27.9	27.4	27.1	27.0	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	35.8	31.0	37.6	28.8	33.9	32.9	33.1	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	48.1	39.3	55.7	31.1	48.4	38.5	43.2	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Washington County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	52.4	40.3	37.6	52.9	49.5	44.6	45.5	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	28.7	16.2	15.3	27.1	28.6	16.6	21.5	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	23.5	18.7	19.3	22.1	24.1	18.6	20.7	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	26.0	25.4	33.7	18.5	26.3	24.8	25.6	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	5.0	5.7	7.2	3.7	5.1	4.5	5.4	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Washington County and Florida Statewide youth, 2022

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	22.9	18.9	25.8	--	19.9	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	24.8	21.6	26.9	--	24.0	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	10.9	6.9	14.7	--	9.2	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	8.4	6.5	9.8	--	8.2	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Washington County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	24.9	--	--	28.3	--	--	25.1	--	--	16.4	--	--	16.6	--	--	22.9	--
Marijuana	--	22.6	--	--	27.1	--	--	27.1	--	--	21.8	--	--	21.8	--	--	24.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	10.2	--	--	11.9	--	--	9.3	--	--	6.9	--	--	2.9	--	--	10.9	--
Marijuana	--	11.8	--	--	15.8	--	--	15.5	--	--	11.3	--	--	8.5	--	--	8.4	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Washington County and Florida Statewide youth, 2022

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	62.6	68.3	60.9	70.4	63.0	66.4	65.8	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	24.4	26.1	29.6	21.3	25.1	26.5	25.4	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	13.0	5.5	9.5	8.3	11.9	7.1	8.9	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	19.0	16.1	10.9	23.5	20.0	14.2	17.4	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	6.9	9.9	9.3	7.9	6.9	7.6	8.6	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	32.2	34.4	25.4	40.8	29.9	36.8	33.4	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	22.3	25.8	30.3	18.6	21.9	28.8	24.3	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	19.6	13.9	24.0	9.2	21.2	12.5	16.4	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Washington County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Washington County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	50	46	53	55	59	54
	Family Rewards for Prosocial Involvement	43	45	46	49	54	55
School	School Opportunities for Prosocial Involvement	41	53	51	60	57	60
	School Rewards for Prosocial Involvement	41	51	45	56	53	58
Peer and Individual	Religiosity	50	60	36	46	56	62
Average Prevalence Rate		45	51	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Washington County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Washington County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	50	29	41	29	42	42
	Perceived Availability of Drugs	36	21	33	15	45	45
	Perceived Availability of Handguns	38	44	25	30	25	42
Family	Poor Family Management	44	44	47	34	44	45
	Family Conflict	45	34	43	34	42	37
School	Poor Academic Performance	51	52	48	48	45	48
	Lack of Commitment to School	81	77	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	44	52	39	40	46
	Favorable Attitudes toward ATOD Use	38	37	33	29	39	45
	Early Initiation of Drug Use	26	25	21	13	41	46
Average Prevalence Rate		46	41	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Washington County, 2012 to 2022

Domain	Scale	Washington County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	54	56	58	60	53	50
	Family Rewards for Prosocial Involvement	55	54	51	53	48	43
School	School Opportunities for Prosocial Involvement	45	47	55	53	50	41
	School Rewards for Prosocial Involvement	48	49	49	42	41	41
Peer and Individual	Religiosity	63	64	70	61	60	50
Average Prevalence Rate		53	54	57	54	50	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Washington County, 2012 to 2022

Domain		Washington County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	47	44	47	43	44	50
	Perceived Availability of Drugs	44	47	48	33	39	36
	Perceived Availability of Handguns	48	47	41	38	38	38
Family	Poor Family Management	48	39	40	38	42	44
	Family Conflict	42	41	39	37	39	45
School	Poor Academic Performance	43	50	51	51	52	51
	Lack of Commitment to School	58	61	53	59	72	81
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	49	41	40	45	52	50
	Favorable Attitudes toward ATOD Use	47	37	41	34	38	38
	Early Initiation of Drug Use	36	34	29	28	31	26
Average Prevalence Rate		46	44	43	41	45	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Washington County, 2012 to 2022

Domain	Scale	Washington County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	55	56	48	48	57	46
	Family Rewards for Prosocial Involvement	55	53	45	43	50	45
School	School Opportunities for Prosocial Involvement	55	48	50	56	52	53
	School Rewards for Prosocial Involvement	60	51	54	50	56	51
Peer and Individual	Religiosity	69	64	68	58	67	60
Average Prevalence Rate		59	54	53	51	56	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Washington County, 2012 to 2022

Domain		Washington County					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	41	41	37	34	27	29
	Perceived Availability of Drugs	34	35	29	24	15	21
	Perceived Availability of Handguns	53	54	55	44	39	44
Family	Poor Family Management	42	42	47	46	42	44
	Family Conflict	35	35	31	32	26	34
School	Poor Academic Performance	45	44	45	49	43	52
	Lack of Commitment to School	51	56	54	61	70	77
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	38	40	43	37	44
	Favorable Attitudes toward ATOD Use	41	45	46	43	35	37
	Early Initiation of Drug Use	40	44	35	31	23	25
Average Prevalence Rate		42	43	42	41	36	41

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.