

2022 Florida Youth Substance Abuse Survey

Big Bend Community Based Care Data Tables

Table 1. Major demographic characteristics of surveyed Big Bend Community Based Care and Florida Statewide, 2022

	Big Bend Community Based Care			Florida Statewide	
	N	%		N	%
Sex					
Female	4,881	49.0		22,957	48.3
Male	4,925	49.5		23,857	50.1
Race/Ethnic group					
African American	1,653	16.6		10,187	21.4
American Indian	292	2.9		422	0.9
Asian	176	1.8		785	1.7
Hispanic/Latino	655	6.6		10,291	21.6
Native Hawaiian/Pacific Islander	21	0.2		63	0.1
Other/Multiple	1,737	17.4		6,956	14.6
White, non-Hispanic	5,327	53.5		18,419	38.7
Parent/Guardian in the Military					
No	8,140	81.7		41,174	86.6
Yes	1,738	17.5		5,980	12.6
Age					
11	550	5.5		2,576	5.4
12	1,478	14.8		6,243	13.1
13	1,849	18.6		6,872	14.4
14	1,725	17.3		7,136	15.0
15	1,574	15.8		7,278	15.3
16	1,252	12.6		6,918	14.5
17	959	9.6		6,616	13.9
18	457	4.6		3,403	7.2
Grade					
6th	1,617	16.2		6,626	13.9
7th	1,800	18.1		6,817	14.3
8th	1,847	18.5		7,021	14.8
9th	1,546	15.5		7,193	15.1
10th	1,344	13.5		7,025	14.8
11th	1,078	10.8		6,557	13.8
12th	727	7.3		6,333	13.3
Middle School	5,264	52.9		20,463	43.0
High School	4,695	47.1		27,109	57.0
Total	9,959	100.0		47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	21.5	39.1	34.0	28.8	22.2	39.9	31.4	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	13.4	15.7	11.3	--	13.4	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	7.3	13.2	10.9	10.4	7.3	13.1	10.6	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	15.6	30.4	27.4	20.7	16.1	31.3	24.0	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	6.8	20.8	16.4	13.1	6.9	21.8	14.7	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	7.9	25.3	19.5	16.1	8.4	26.2	17.7	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.9	3.6	2.2	--	2.7	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	6.9	4.9	7.2	4.2	6.6	5.3	5.7	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.4	2.2	1.5	1.3	0.5	2.2	1.4	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.1	5.0	3.3	3.3	1.1	5.1	3.3	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.8	1.1	0.8	1.1	0.7	1.0	1.0	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.5	1.8	1.4	1.0	0.5	1.4	1.2	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.4	0.5	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.5	4.0	3.8	2.0	1.5	4.0	2.9	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	3.5	3.4	3.8	2.8	3.4	3.3	3.4	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.2	4.4	4.3	2.5	2.3	4.5	3.4	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.0	3.7	3.7	3.1	2.9	3.5	3.4	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.5	0.3	0.7	--	0.6	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	17.9	32.0	29.1	22.6	17.8	33.2	25.8	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	12.5	14.0	15.4	11.2	12.1	14.6	13.4	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.3	13.9	12.6	13.0	11.7	13.7	12.8	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	29.0	45.8	41.5	35.5	29.4	46.9	38.5	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	7.8	7.1	8.0	6.9	7.5	7.3	7.4	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	7.1	17.2	14.5	11.4	7.1	17.2	12.8	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	3.6	9.8	7.4	6.8	3.7	9.2	7.1	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.0	2.5	1.7	2.0	1.0	2.5	1.9	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	6.1	16.4	14.2	9.9	6.5	16.8	11.9	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	3.2	10.9	8.6	6.7	3.3	11.3	7.6	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	3.5	13.0	9.7	8.1	3.7	13.2	8.9	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.8	1.0	0.6	--	0.6	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.6	0.9	2.1	1.2	2.4	0.8	1.6	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.3	0.7	0.5	0.6	0.3	0.6	0.5	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.3	1.1	0.8	0.8	0.2	1.2	0.8	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.2	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.2	0.8	0.4	0.6	0.3	0.5	0.5	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.4	0.7	0.5	0.6	0.4	0.7	0.6	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.5	1.0	1.3	1.1	1.5	1.0	1.2	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.9	1.3	1.6	0.6	0.9	1.2	1.1	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.3	1.0	1.0	1.2	1.3	0.9	1.1	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	8.6	16.4	14.7	11.4	8.4	17.2	13.0	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.7	4.9	5.9	4.6	5.5	4.9	5.2	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	4.1	8.1	7.0	5.8	4.0	8.1	6.3	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	12.5	24.4	21.6	17.0	12.2	25.2	19.2	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	5.5	7.5	7.4	5.8	5.2	8.2	6.6	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Big Bend Community Based Care, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	28.3	59.6	45.7	23.4	54.3	40.6	22.1	52.5	39.3	22.1	47.6	36.4	22.5	43.1	33.7	21.5	39.1	31.4
Blacking Out	--	--	--	--	20.7	--	--	19.0	--	--	16.4	--	--	14.9	--	--	13.4	--
Cigarettes	16.3	33.4	25.8	12.5	29.3	21.8	10.4	26.3	19.3	10.0	20.2	15.6	9.2	15.4	12.6	7.3	13.2	10.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	15.7	34.6	26.0	15.6	30.4	24.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	7.2	20.8	14.6	6.8	20.8	14.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	13.8	37.8	27.2	15.3	38.4	28.1	--	--	--	--	--	--
Marijuana or Hashish	8.0	33.9	22.5	8.1	32.5	21.6	7.1	32.0	21.0	7.8	29.9	20.0	8.8	29.8	20.3	7.9	25.3	17.7
Synthetic Marijuana	--	16.0	--	--	9.3	--	--	6.7	--	--	3.4	--	--	3.2	--	--	2.9	--
Inhalants	10.7	7.8	9.0	8.2	5.8	6.8	6.8	4.9	5.8	8.0	5.2	6.4	8.7	5.4	6.9	6.9	4.9	5.7
Club Drugs	1.1	4.0	2.7	0.8	4.2	2.7	0.9	3.5	2.4	0.6	2.4	1.6	0.9	2.8	1.9	0.4	2.2	1.4
LSD, PCP or Mushrooms	1.3	5.2	3.5	1.1	5.7	3.7	1.0	5.8	3.7	0.7	4.4	2.7	1.1	4.9	3.2	1.1	5.0	3.3
Methamphetamine	1.0	1.4	1.2	0.7	1.3	1.0	0.6	1.0	0.9	0.5	1.0	0.8	0.8	1.2	1.1	0.8	1.1	1.0
Cocaine or Crack	1.0	3.9	2.7	0.8	2.7	1.9	0.9	3.3	2.2	0.7	2.5	1.7	0.8	2.3	1.6	0.5	1.8	1.2
Heroin	0.7	0.9	0.8	0.5	0.9	0.7	0.4	0.4	0.4	0.3	0.5	0.4	0.5	0.8	0.7	0.4	0.5	0.5
Prescription Depressants	2.5	8.2	5.7	2.0	8.3	5.5	2.7	9.8	6.7	2.9	8.0	5.7	2.7	6.5	4.8	1.5	4.0	2.9
Prescription Pain Relievers	4.0	10.8	7.8	3.3	9.8	6.9	3.5	8.3	6.2	2.6	6.4	4.7	3.4	4.9	4.2	3.5	3.4	3.4
Prescription Amphetamines	2.0	8.1	5.4	1.3	7.7	4.9	1.8	7.4	4.9	1.5	5.7	3.8	2.6	5.5	4.1	2.2	4.4	3.4
Over-the-Counter Drugs	4.2	7.6	6.1	3.6	6.5	5.2	3.2	6.5	5.0	3.5	6.2	5.0	3.5	5.2	4.4	3.0	3.7	3.4
Needle to Inject Drugs	--	--	--	--	--	--	--	0.9	--	--	0.8	--	--	0.8	--	--	0.5	--
Any illicit drug	19.5	41.8	31.9	17.7	39.6	29.8	16.0	37.3	27.9	17.1	36.2	27.7	19.9	35.7	28.5	17.9	32.0	25.8
Any illicit drug other than marijuana	16.0	24.1	20.6	13.6	22.8	18.7	12.6	21.5	17.6	13.2	19.1	16.5	14.4	17.1	15.9	12.5	14.0	13.4
Alcohol only	15.2	22.5	19.3	12.7	20.3	16.9	12.4	20.4	16.9	11.4	18.1	15.2	10.9	15.3	13.3	11.3	13.9	12.8
Alcohol or any illicit drug	34.5	64.1	51.0	30.3	59.6	46.6	28.0	57.6	44.5	28.1	54.2	42.6	30.7	51.0	41.8	29.0	45.8	38.5
Any illicit drug, but no alcohol	6.4	4.6	5.4	7.0	5.4	6.1	6.5	5.3	5.8	6.3	6.7	6.5	8.4	8.0	8.2	7.8	7.1	7.4

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Big Bend Community Based Care, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	11.5	34.1	24.1	9.9	29.2	20.6	8.2	27.6	19.2	8.5	23.5	16.9	7.9	20.0	14.5	7.1	17.2	12.8
Binge Drinking	4.5	17.8	11.9	3.8	15.1	10.0	2.9	13.5	8.9	2.8	11.5	7.6	3.4	9.2	6.5	3.6	9.8	7.1
Cigarettes	4.4	12.9	9.1	3.2	9.0	6.4	2.4	7.5	5.2	1.7	5.6	3.9	1.8	3.7	2.8	1.0	2.5	1.9
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	5.7	19.0	13.0	6.1	16.4	11.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	3.0	9.6	6.6	3.2	10.9	7.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	4.7	14.9	10.4	6.0	21.9	14.8	--	--	--	--	--	--
Marijuana or Hashish	3.8	17.6	11.6	4.1	16.8	11.1	3.2	16.0	10.4	3.5	15.1	10.0	3.5	14.4	9.4	3.5	13.0	8.9
Synthetic Marijuana	--	4.8	--	--	1.6	--	--	1.3	--	--	1.2	--	--	0.9	--	--	0.8	--
Inhalants	3.9	2.0	2.8	2.8	1.5	2.1	2.3	1.1	1.6	3.0	1.3	2.1	2.9	1.6	2.2	2.6	0.9	1.6
Club Drugs	0.3	1.3	0.9	0.4	1.1	0.8	0.3	0.9	0.6	0.3	0.7	0.5	0.4	1.1	0.8	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.5	1.4	1.0	0.5	1.5	1.1	0.3	1.4	0.9	0.4	1.3	0.9	0.4	1.6	1.0	0.3	1.1	0.8
Methamphetamine	0.3	0.6	0.5	0.4	0.5	0.5	0.3	0.4	0.4	0.2	0.4	0.3	0.3	0.8	0.6	0.2	0.3	0.3
Cocaine or Crack	0.4	1.0	0.7	0.4	0.9	0.7	0.3	1.0	0.7	0.3	0.7	0.5	0.3	0.8	0.6	0.2	0.8	0.5
Heroin	0.2	0.5	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.1	0.1	0.1
Prescription Depressants	0.9	3.2	2.2	0.7	2.9	1.9	1.0	3.8	2.6	0.9	2.4	1.7	0.8	1.6	1.2	0.4	0.7	0.6
Prescription Pain Relievers	1.6	3.7	2.8	1.6	3.7	2.8	1.5	3.0	2.4	0.9	1.9	1.5	1.5	1.3	1.4	1.5	1.0	1.2
Prescription Amphetamines	0.8	2.8	2.0	0.7	2.6	1.7	0.6	2.3	1.5	0.6	1.6	1.2	0.9	1.5	1.2	0.9	1.3	1.1
Over-the-Counter Drugs	1.7	2.9	2.4	1.9	3.0	2.5	1.5	2.2	1.9	1.5	2.2	1.9	1.4	1.7	1.5	1.3	1.0	1.1
Any illicit drug	9.0	22.9	16.8	8.6	21.6	15.8	7.3	19.3	14.0	7.8	18.4	13.7	9.0	18.3	14.0	8.6	16.4	13.0
Any illicit drug other than marijuana	7.0	10.9	9.2	6.2	10.0	8.3	5.4	8.5	7.1	5.7	7.3	6.6	6.0	6.4	6.2	5.7	4.9	5.2
Alcohol only	7.3	17.5	13.0	6.0	15.1	11.0	5.4	15.1	10.9	5.3	12.7	9.4	4.5	9.6	7.3	4.1	8.1	6.3
Alcohol or any illicit drug	16.1	40.0	29.4	14.4	36.3	26.5	12.4	34.1	24.5	12.9	30.3	22.6	13.4	27.9	21.3	12.5	24.4	19.2
Any illicit drug, but no alcohol	4.9	6.0	5.5	4.6	7.4	6.1	4.5	6.7	5.7	4.6	7.1	6.0	5.6	8.0	6.9	5.5	7.5	6.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	15.6	15.8	15.3	--	15.9	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.8	2.6	3.0	--	3.0	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	7.3	7.3	7.5	--	7.4	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.7	8.1	7.3	--	7.9	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	47.4	41.7	45.2	42.9	47.8	41.5	44.2	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	61.5	51.9	58.0	54.0	61.6	51.9	56.1	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	65.5	66.0	66.2	65.4	66.4	65.5	65.8	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	50.7	38.6	43.1	44.5	50.2	38.3	43.9	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	53.1	34.2	41.6	43.3	52.1	33.9	42.5	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	46.7	24.8	34.1	34.5	45.5	24.0	34.4	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	31.8	17.2	22.7	24.4	30.7	16.6	23.6	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	69.0	67.9	70.2	66.9	69.9	67.2	68.3	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	96.2	89.3	92.2	92.5	96.0	90.1	92.4	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	89.2	71.4	77.8	80.6	88.5	71.3	79.2	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	91.4	67.6	77.2	78.9	90.2	67.6	78.0	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	90.5	77.6	81.3	85.2	89.7	78.3	83.2	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	93.1	74.2	81.3	83.7	92.2	74.4	82.5	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.2	94.4	96.4	95.7	97.9	94.3	96.0	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	91.5	82.6	86.7	86.4	91.2	82.2	86.5	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	94.5	86.3	89.7	90.1	94.1	86.2	89.9	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	89.9	67.9	76.2	79.0	89.0	67.0	77.5	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	86.8	72.4	76.0	81.3	85.9	72.2	78.7	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	90.4	72.3	78.4	81.9	89.6	71.7	80.2	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	95.4	92.8	94.5	93.4	95.5	92.5	93.9	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Big Bend Community Based Care, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Early ATOD use</i>																		
Try alcohol	--	26.0	--	--	21.9	--	--	20.8	--	--	17.9	--	--	16.0	--	--	15.6	--
Drink monthly	--	5.8	--	--	4.4	--	--	3.9	--	--	3.0	--	--	2.9	--	--	2.8	--
Smoke cigarettes	--	18.1	--	--	15.6	--	--	13.2	--	--	10.0	--	--	8.0	--	--	7.3	--
Smoke marijuana	--	11.8	--	--	11.4	--	--	11.4	--	--	9.8	--	--	8.2	--	--	7.7	--
<i>Great risk of harm</i>																		
Daily alcohol use	43.6	36.6	39.7	44.3	37.2	40.4	44.9	36.6	40.2	46.7	40.2	43.1	47.8	43.1	45.2	47.4	41.7	44.2
5+ drinks daily	--	--	--	57.8	49.4	53.1	59.2	48.3	53.1	61.0	51.8	55.9	61.5	53.8	57.3	61.5	51.9	56.1
Daily cigarette use	67.3	67.1	67.2	67.5	68.8	68.3	68.4	65.2	66.6	65.1	63.1	64.0	66.1	66.7	66.5	65.5	66.0	65.8
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	50.9	40.0	44.9	50.7	38.6	43.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	53.7	36.7	44.4	53.1	34.2	42.5
Marijuana weekly*	--	--	--	55.3	29.4	40.9	53.9	26.4	38.5	49.8	24.5	35.8	47.3	25.5	35.3	46.7	24.8	34.4
Try marijuana	40.0	20.7	29.2	39.5	18.0	27.5	37.5	17.7	26.4	32.7	15.6	23.3	33.0	17.2	24.3	31.8	17.2	23.6
Prescription drugs	--	64.3	64.3	72.2	67.4	69.5	70.4	63.8	66.7	67.6	64.3	65.8	70.6	66.8	68.6	69.0	67.9	68.3
<i>Think it wrong</i>																		
Smoke cigarettes	92.3	77.0	83.8	93.6	80.7	86.5	95.0	82.5	88.0	94.6	85.1	89.3	95.6	89.5	92.2	96.2	89.3	92.4
Drink regularly	86.1	59.2	71.1	88.4	61.7	73.6	88.8	63.1	74.4	88.0	65.2	75.3	89.0	70.5	78.8	89.2	71.4	79.2
Smoke marijuana	90.8	68.5	78.4	89.5	65.4	76.2	90.2	63.7	75.3	88.5	60.9	73.1	89.5	64.2	75.6	91.4	67.6	78.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	90.0	77.6	83.1	90.5	77.6	83.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.8	75.4	82.7	93.1	74.2	82.5
Other illicit drugs	97.4	93.9	95.4	97.9	93.2	95.3	97.9	92.5	94.9	97.2	94.0	95.4	97.6	93.9	95.6	98.2	94.4	96.0
<i>Friends think it wrong</i>																		
Daily alcohol use	--	--	--	89.6	73.3	80.5	90.6	75.9	82.4	90.9	78.0	83.7	91.6	81.6	86.1	91.5	82.6	86.5
Smoke tobacco	--	--	--	92.5	79.1	85.1	93.3	82.1	87.1	93.6	82.7	87.6	93.6	85.3	89.1	94.5	86.3	89.9
Smoke marijuana	--	--	--	88.3	62.3	73.9	88.9	62.1	73.9	87.3	58.4	71.3	88.4	63.2	74.6	89.9	67.9	77.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	87.2	69.2	77.3	86.8	72.4	78.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	90.4	70.3	79.3	90.4	72.3	80.2
Prescription drugs	--	--	--	96.0	88.3	91.7	95.8	87.8	91.3	94.6	88.8	91.4	95.4	91.5	93.3	95.4	92.8	93.9

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Big Bend Community Based Care and Florida Statewide youth, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	14.7	10.9	18.8	--	14.7	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	1.6	1.7	1.4	--	1.6	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	1.1	0.9	1.3	--	1.1	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	17.0	19.2	14.8	--	17.0	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	34.8	39.1	30.5	--	34.8	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	1.1	0.0	2.3	--	1.1	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	9.5	8.0	10.4	--	9.5	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	20.2	20.0	20.6	--	20.2	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Big Bend Community Based Care and Florida Statewide youth, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.1	37.8	42.4	--	40.1	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	37.5	39.3	35.7	--	37.5	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	2.7	3.6	1.7	--	2.7	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	3.4	4.1	2.5	--	3.4	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	3.1	2.8	3.4	--	3.1	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	1.4	1.6	1.2	--	1.4	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.8	0.9	0.6	--	0.8	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	11.1	9.9	12.5	--	11.1	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Big Bend Community Based Care and Florida Statewide youth, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	26.8	26.8	27.1	--	26.8	--	--	34.2	36.6	31.0	--	34.2	--
2	--	17.7	19.3	15.8	--	17.7	--	--	20.0	22.2	16.3	--	20.0	--
3	--	15.4	16.5	13.8	--	15.4	--	--	15.7	15.6	15.9	--	15.7	--
4	--	10.9	9.9	12.0	--	10.9	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	29.3	27.5	31.4	--	29.3	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.1	5.7	5.5	3.6	3.1	5.9	4.6	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	3.8	11.4	9.1	7.1	3.9	11.8	8.1	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.7	3.5	3.6	1.9	1.9	3.4	2.7	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.8	7.3	5.4	11.5	9.0	8.2	8.4	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.3	3.3	2.0	2.9	1.3	3.2	2.4	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.8	1.2	1.2	0.8	0.8	1.1	1.0	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.9	2.1	1.4	2.6	1.8	2.0	2.0	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.4	0.6	0.6	0.3	0.4	0.5	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	14.2	10.2	9.9	14.2	13.2	11.3	12.0	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	9.4	6.2	7.4	7.7	8.8	6.4	7.6	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Big Bend Community Based Care, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.8	4.9	5.3	6.4	6.7	6.5	7.1	6.7	6.9	7.0	7.7	7.4	7.4	7.3	7.3	9.8	7.3	8.4
Selling drugs	2.0	8.2	5.4	2.0	6.7	4.6	1.5	6.3	4.2	1.5	5.2	3.5	1.5	4.9	3.3	1.3	3.3	2.4
Attempting to steal a vehicle	1.2	2.6	2.0	1.1	1.8	1.5	0.6	2.0	1.4	1.1	1.6	1.4	1.1	2.0	1.6	0.8	1.2	1.0
Being arrested	2.8	4.3	3.6	2.3	3.0	2.7	1.9	3.0	2.5	2.1	2.9	2.5	2.4	2.7	2.6	1.9	2.1	2.0
Taking a handgun to school	0.4	0.9	0.7	0.4	0.8	0.6	0.3	0.8	0.6	0.4	1.0	0.7	0.4	0.9	0.7	0.4	0.6	0.5
Getting suspended	13.0	11.0	11.9	11.8	9.3	10.4	10.9	9.3	10.1	10.1	7.8	8.8	14.0	9.2	11.4	14.2	10.2	12.0
Attacking someone with intent to harm	7.6	8.2	7.9	6.8	6.8	6.8	6.8	6.8	6.8	8.1	6.0	6.9	8.3	6.0	7.0	9.4	6.2	7.6

Table 14. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	33.3	35.7	44.6	24.3	33.9	36.6	34.6	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	46.1	46.1	58.6	33.0	46.3	46.9	46.1	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	30.8	31.1	39.2	21.9	30.8	31.9	31.0	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	47.4	49.8	59.6	37.5	47.2	51.2	48.8	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<i>Suicide</i>														
Though about committing suicide in the past 12 months	35.7	36.2	45.5	25.8	35.7	37.7	36.0	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	10.3	9.6	14.3	5.4	10.1	10.5	9.9	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.6	9.7	14.3	4.9	9.5	10.2	9.7	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	46.1	28.4	37.0	34.7	44.6	29.2	36.2	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	68.1	55.6	66.4	55.3	66.9	56.6	61.1	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	30.6	33.0	40.3	23.3	30.5	34.6	32.0	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	23.2	14.1	16.0	20.0	22.2	15.2	18.1	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	34.7	27.2	28.9	31.8	34.7	27.5	30.5	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	13.1	13.6	14.9	11.9	13.4	13.6	13.3	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Big Bend Community Based Care and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	16.3	22.3	9.8	--	16.7	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	10.2	11.6	8.4	--	10.7	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.3	10.1	2.2	--	6.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	42.1	44.6	39.9	--	42.7	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	9.4	11.7	6.9	--	9.7	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	29.7	32.7	26.3	--	30.4	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	37.0	45.9	27.6	--	38.7	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	27.9	29.4	26.1	--	28.7	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	31.9	40.0	23.5	--	32.8	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.8	9.3	5.9	--	7.9	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Big Bend Community Based Care and Florida Statewide high school youth, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	30.6	25.8	35.7	--	28.6	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	18.7	16.1	21.2	--	19.4	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	15.2	15.7	14.6	--	15.7	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	11.0	10.7	11.4	--	11.0	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	8.1	9.6	6.7	--	8.1	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	6.4	8.0	4.8	--	7.0	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.3	6.4	2.3	--	4.3	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	3.0	4.4	1.8	--	3.3	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.5	1.6	1.1	--	1.6	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.7	1.0	0.3	--	0.6	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.4	0.6	0.2	--	0.4	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Big Bend Community Based Care and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	31.2	30.4	33.1	28.3	30.7	31.1	30.7	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	26.9	24.0	27.8	22.8	26.8	24.2	25.3	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	27.9	29.0	29.9	26.9	27.9	30.3	28.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	25.9	26.1	24.9	26.9	25.9	26.8	26.0	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	35.4	28.9	36.5	26.9	34.2	29.9	31.8	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	50.6	39.1	53.3	34.9	49.3	40.4	44.1	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	41.9	43.2	40.1	45.8	42.0	44.5	42.6	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	42.0	23.7	30.1	34.0	41.0	24.4	31.7	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	16.3	8.7	12.1	11.8	15.9	8.4	12.0	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	22.3	29.5	32.6	20.2	22.8	30.0	26.3	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	8.5	11.3	12.2	8.1	8.8	10.8	10.1	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Big Bend Community Based Care and Florida Statewide youth, 2022

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	16.0	17.7	14.4	--	16.0	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	20.3	22.0	18.8	--	21.1	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	4.8	4.2	5.4	--	4.2	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	8.2	8.3	8.1	--	8.0	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Big Bend Community Based Care, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	23.1	--	--	19.2	--	--	17.7	--	--	16.0	--	--	15.7	--	--	16.0	--
Marijuana	--	24.4	--	--	22.0	--	--	23.1	--	--	21.8	--	--	22.4	--	--	20.3	--
<i>Driving a vehicle</i>																		
Alcohol	--	9.7	--	--	7.4	--	--	6.6	--	--	4.9	--	--	4.5	--	--	4.8	--
Marijuana	--	11.4	--	--	11.2	--	--	10.6	--	--	9.6	--	--	8.8	--	--	8.2	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Big Bend Community Based Care and Florida Statewide youth, 2022

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	65.0	66.3	63.2	68.5	64.8	66.6	65.7	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	21.6	24.7	25.2	21.5	22.0	24.5	23.4	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	13.3	9.0	11.7	9.9	13.2	8.9	10.9	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	17.0	18.2	13.6	21.8	16.0	18.3	17.7	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	9.7	10.8	10.1	10.5	10.1	10.3	10.3	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	35.2	29.6	24.3	40.1	35.1	28.8	32.0	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	21.9	22.7	27.0	17.9	22.2	23.0	22.3	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	16.2	18.7	25.0	9.7	16.5	19.5	17.6	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Big Bend Community Based Care, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Big Bend Community Based Care		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	55	55	53	55	59	54
	Family Rewards for Prosocial Involvement	47	48	46	49	54	55
School	School Opportunities for Prosocial Involvement	52	59	51	60	57	60
	School Rewards for Prosocial Involvement	45	53	45	56	53	58
Peer and Individual	Religiosity	41	51	36	46	56	62
Average Prevalence Rate		48	53	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Big Bend Community Based Care, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Big Bend Community Based Care		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	39	31	41	29	42	42
	Perceived Availability of Drugs	35	17	33	15	45	45
	Perceived Availability of Handguns	32	36	25	30	25	42
Family	Poor Family Management	46	35	47	34	44	45
	Family Conflict	42	34	43	34	42	37
School	Poor Academic Performance	47	47	48	48	45	48
	Lack of Commitment to School	72	70	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	41	52	39	40	46
	Favorable Attitudes toward ATOD Use	32	31	33	29	39	45
	Early Initiation of Drug Use	22	17	21	13	41	46
Average Prevalence Rate		42	36	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Big Bend Community Based Care, 2012 to 2022

Domain		Scale					
		Big Bend Community Based Care					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	59	63	62	58	58	55
	Family Rewards for Prosocial Involvement	55	59	58	51	50	47
School	School Opportunities for Prosocial Involvement	54	57	57	56	52	52
	School Rewards for Prosocial Involvement	53	54	50	48	43	45
Peer and Individual	Religiosity	58	57	59	52	48	41
Average Prevalence Rate		56	58	57	53	50	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Big Bend Community Based Care, 2012 to 2022

Domain		Big Bend Community Based Care					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	38	38	37	38	40	39
	Perceived Availability of Drugs	39	38	38	33	34	35
	Perceived Availability of Handguns	29	31	31	29	28	32
Family	Poor Family Management	40	38	37	41	41	46
	Family Conflict	39	36	36	39	41	42
School	Poor Academic Performance	42	42	43	44	46	47
	Lack of Commitment to School	48	48	52	58	68	72
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	37	39	42	48	51
	Favorable Attitudes toward ATOD Use	34	32	31	35	34	32
	Early Initiation of Drug Use	29	25	23	25	25	22
Average Prevalence Rate		38	37	37	38	40	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Big Bend Community Based Care, 2012 to 2022

Domain		Scale					
		Big Bend Community Based Care					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	57	59	61	59	56	55
	Family Rewards for Prosocial Involvement	55	58	56	53	52	48
School	School Opportunities for Prosocial Involvement	61	61	64	66	62	59
	School Rewards for Prosocial Involvement	61	61	59	59	56	53
Peer and Individual	Religiosity	67	66	64	58	58	51
Average Prevalence Rate		60	61	61	59	57	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Big Bend Community Based Care, 2012 to 2022

Domain		Big Bend Community Based Care					
Scale		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	34	31	31	29	30	31
	Perceived Availability of Drugs	32	30	28	25	20	17
	Perceived Availability of Handguns	42	42	41	39	36	36
Family	Poor Family Management	40	38	36	34	35	35
	Family Conflict	33	31	33	33	33	34
School	Poor Academic Performance	44	40	44	42	45	47
	Lack of Commitment to School	46	49	53	55	63	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	37	35	36	37	37	41
	Favorable Attitudes toward ATOD Use	39	39	38	38	33	31
	Early Initiation of Drug Use	32	28	26	21	19	17
Average Prevalence Rate		38	36	37	35	35	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.