2024 Florida Youth Substance Abuse Survey Statewide Tables

Table 1. Major demographic characteristics of surveyed Florida youth, 2024

	Unweighted			Weighted	
	N	%		N	%
Sex					
Female	22,382	50.0		21,747	48.6
Male	22,053	49.3		22,711	50.7
Race/Ethnic group					
American Indian	984	2.2		426	1.0
Asian	1,007	2.3		653	1.5
African American	6,849	15.3		9,493	21.2
Hispanic/Latino	8,940	20.0		10,394	23.2
Native Hawaiian/Pacific Islander	88	0.2		41	0.1
Other/Multiple	9,689	21.6		7,299	16.3
White, non-Hispanic	16,823	37.6		16,109	36.0
Parent/Guardian in the Military					
No	37,952	84.8		38,723	86.5
Yes	6,432	14.4		5,679	12.7
Age					
11	2,888	6.5		2,499	5.6
12	6,827	15.3		5,938	13.3
13	7,609	17.0		6,288	14.0
14	7,373	16.5		6,501	14.5
15	6,742	15.1		6,784	15.2
16	6,100	13.6		6,743	15.1
17	4,718	10.5		6,358	14.2
18	2,138	4.8		3,252	7.3
Grade					
6th	7,349	16.4		6,126	13.7
7th	7,685	17.2		6,468	14.5
8th	7,705	17.2		6,341	14.2
9th	6,742	15.1		6,696	15.0
10th	6,360	14.2		6,738	15.1
11th	5,100	11.4		6,266	14.0
12th	3,814	8.5		6,121	13.7
Middle School	22,739	50.8		18,934	42.3
High School	22,016	49.2		25,821	57.7
Total	**44,755**	**100.0**		**44,755**	**100.0**

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases.

Table 2. Demographic characteristics of historical samples—2012 to 2024

	2012		2014		2016		2018		2020		2022		2024	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Sex														
Female	34,179	48.2	31,702	48.1	31,515	47.9	26,340	48.2	25,191	48.4	22,957	48.3	21,747	48.6
Male	35,544	50.2	33,056	50.1	32,905	50.0	27,468	50.3	26,328	50.5	23,857	50.1	22,711	50.7
Race/Ethnic group														
African American	12,176	17.2	12,512	19.0	14,666	22.3	12,088	22.1	11,284	21.7	10,187	21.4	9,493	21.2
Hispanic/Latino	16,088	22.7	12,827	19.5	13,174	20.0	11,242	20.6	11,091	21.3	10,291	21.6	10,394	23.2
White, non-Hispanic	27,787	39.2	29,014	44.0	28,309	43.0	22,618	41.4	20,904	40.1	18,419	38.7	16,109	36.0
Age														
11	4,037	5.7	3,909	17.5	3,856	5.9	3,339	6.1	3,151	6.0	2,576	5.4	2,499	5.6
12	9,151	12.9	8,589	5.9	8,338	12.7	7,363	13.5	7,124	13.7	6,243	13.1	5,938	13.3
13	10,289	14.5	9,491	13.0	9,230	14.0	7,738	14.2	7,698	14.8	6,872	14.4	6,288	14.0
14	10,537	14.9	9,764	14.4	9,454	14.4	7,864	14.4	7,616	14.6	7,136	15.0	6,501	14.5
15	10,727	15.1	10,011	14.8	10,070	15.3	7,982	14.6	7,582	14.6	7,278	15.3	6,784	15.2
16	10,384	14.7	9,431	15.2	9,684	14.7	7,926	14.5	7,502	14.4	6,918	14.5	6,743	15.1
17	9,533	13.5	8,940	14.3	9,348	14.2	7,725	14.1	7,073	13.6	6,616	13.9	6,358	14.2
18	5,217	7.4	4,837	13.6	4,799	7.3	3,990	7.3	3,807	7.3	3,403	7.2	3,252	7.3
Grade														
6th	10,330	14.6	9,610	14.6	9,301	14.1	8,050	14.7	7,718	14.8	6,626	13.9	6,126	13.7
7th	10,332	14.6	9,611	14.6	9,215	14.0	7,706	14.1	7,555	14.5	6,817	14.3	6,468	14.5
8th	10,134	14.3	9,427	14.3	9,326	14.2	7,715	14.1	7,632	14.6	7,021	14.8	6,341	14.2
9th	11,051	15.6	10,281	15.6	10,140	15.4	8,024	14.7	7,668	14.7	7,193	15.1	6,696	15.0
10th	10,314	14.6	9,595	14.6	9,834	15.0	7,925	14.5	7,481	14.4	7,025	14.8	6,738	15.1
11th	9,879	13.9	9,190	13.9	9,254	14.1	7,775	14.2	7,117	13.7	6,557	13.8	6,266	14.0
12th	8,819	12.4	8,203	12.4	8,705	13.2	7,417	13.6	6,923	13.3	6,333	13.3	6,121	13.7
Middle School	30,796	43.5	28,547	43.3	27,678	42.1	23,470	43.0	22,904	44.0	20,463	43.0	18,934	42.3
High School	40,063	56.5	37,164	56.4	37,765	57.4	31,141	57.0	29,189	56.0	27,109	57.0	25,821	57.7
Total	**70,859**	**100.0**	**65,917**	**100.0**	**65,776**	**100.0**	**54,611**	**100.0**	**52,093**	**100.0**	**47,572**	**100.0**	**44,755**	**100.0**

Note: Demographic results represent samples after sample weights have been applied.

Table 3. Lifetime prevalence of ATOD use, 2024

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	14.2	19.1	24.5	23.6	30.3	36.7	40.4
Cigarettes	3.0	4.3	5.7	5.7	7.6	8.8	8.9
Vaping Nicotine	6.6	11.2	14.5	15.7	19.7	22.1	23.6
Vaping Marijuana	3.0	5.4	8.1	10.4	15.6	18.9	20.9
Marijuana or Hashish	2.9	5.3	9.2	11.5	16.6	22.0	24.9
Synthetic Marijuana	--	--	--	1.7	1.9	2.0	2.3
Inhalants	7.0	7.6	6.1	4.3	4.1	3.1	2.2
Club Drugs	0.2	0.3	0.5	0.5	0.8	0.9	0.9
LSD, PCP or Mushrooms	0.6	1.0	1.5	1.8	2.5	3.8	3.9
Methamphetamine	0.7	0.6	0.7	0.4	0.7	0.3	0.6
Cocaine or Crack Cocaine	0.3	0.5	0.6	0.4	0.5	0.7	0.8
Heroin	0.2	0.2	0.3	0.2	0.2	0.6	0.1
Depressants	0.8	1.3	1.5	1.3	1.5	1.8	1.9
Prescription Pain Relievers	1.2	1.7	1.8	1.7	1.7	2.1	1.6
Prescription Amphetamines	0.9	1.4	2.0	1.9	2.0	1.8	2.4
Over-the-Counter Drugs	1.2	1.8	2.2	1.7	2.3	2.5	1.5
Needle to Inject Illegal Drugs	--	--	--	0.7	0.5	0.6	0.4

Table 4. Past-30-day prevalence of ATOD use, 2024

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	3.9	6.2	8.2	8.3	11.8	14.6	18.2
Binge Drinking	1.6	2.4	3.3	4.1	5.0	7.1	7.9
Cigarettes	0.4	0.6	1.0	1.1	1.3	1.7	1.5
Vaping Nicotine	2.2	3.7	5.1	6.6	8.6	9.2	10.8
Vaping Marijuana	1.1	1.9	3.5	5.0	8.1	8.6	9.7
Marijuana or Hashish	1.0	1.9	4.4	5.8	8.2	10.4	12.5
Synthetic Marijuana	--	--	--	0.9	0.7	0.6	0.7
Inhalants	2.8	2.6	2.0	1.3	1.1	0.7	0.6
Club Drugs	0.1	0.2	0.2	0.1	0.4	0.1	0.1
LSD, PCP or Mushrooms	0.2	0.4	0.5	0.4	0.8	0.9	0.6
Methamphetamine	0.4	0.4	0.3	0.4	0.4	0.2	0.1
Cocaine or Crack Cocaine	0.0	0.1	0.2	0.1	0.3	0.2	0.3
Heroin	0.1	0.0	0.2	0.1	0.1	0.2	0.0
Depressants	0.3	0.5	0.5	0.4	0.4	0.5	0.2
Prescription Pain Relievers	0.5	0.7	0.9	0.5	0.7	0.4	0.4
Prescription Amphetamines	0.2	0.6	0.7	0.7	0.5	0.5	0.4
Over-the-Counter Drugs	0.5	0.7	1.0	0.9	0.8	0.7	0.3

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2012 to 2024

	Alcohol Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	48.8	44.3	41.3	38.9	38.3	34.5	30.5	25.3	21.7	19.9	16.8	15.9	13.3	11.8
Male	45.8	40.9	37.1	34.1	32.5	27.5	23.5	23.8	19.4	17.0	13.8	13.7	10.3	8.6
Race/Ethnic group														
African American	38.7	34.3	31.0	28.2	26.4	22.9	19.0	17.4	13.8	12.4	9.5	9.1	7.4	6.5
Hispanic/Latino	48.8	45.3	41.5	38.3	35.3	31.0	25.7	25.5	22.0	18.6	15.3	14.0	10.7	8.9
White, non-Hispanic	50.5	46.0	42.1	39.8	39.6	35.1	31.4	27.6	23.7	21.4	18.4	18.0	14.7	12.8
Age														
11	14.6	11.2	10.0	10.9	12.9	13.2	13.1	5.6	3.8	2.5	2.8	4.4	3.9	2.8
12	21.0	18.1	15.7	15.3	18.4	16.9	15.7	7.2	6.1	5.3	4.5	6.0	4.9	4.8
13	31.6	28.0	24.8	23.9	26.1	22.9	21.8	14.0	11.2	9.4	8.3	9.2	7.6	6.9
14	44.8	39.0	34.6	33.9	33.0	29.0	24.1	20.3	18.3	14.7	13.2	12.3	9.7	8.2
15	54.8	48.6	43.4	39.0	38.4	32.7	27.1	29.1	22.7	19.9	15.8	15.8	11.7	10.3
16	62.4	58.0	51.4	49.9	45.3	38.6	32.7	33.4	28.3	23.6	21.4	19.4	15.4	13.1
17	68.4	63.9	60.3	55.5	51.2	43.9	37.8	40.2	34.1	32.4	25.6	24.0	18.6	15.6
18	68.9	64.4	61.3	55.5	52.8	47.4	41.1	42.0	36.2	34.5	28.5	27.3	22.2	18.7
Grade														
6th	17.4	15.1	12.5	12.6	15.3	14.3	14.2	6.5	5.0	4.0	3.8	5.1	4.4	3.9
7th	29.3	24.0	21.6	20.5	22.9	20.7	19.1	12.0	9.5	7.7	6.3	8.1	6.4	6.2
8th	40.2	35.9	31.2	29.5	30.7	27.5	24.5	18.5	15.9	13.2	11.9	11.3	9.2	8.2
9th	51.8	45.4	39.9	37.7	35.0	29.8	23.6	26.7	21.3	17.2	13.9	13.0	10.6	8.3
10th	58.6	54.0	47.9	45.2	42.3	36.2	30.3	31.4	26.3	22.3	19.5	18.2	13.1	11.8
11th	66.6	60.2	56.7	52.7	48.5	41.7	36.7	36.8	30.3	29.2	23.4	21.8	18.1	14.6
12th	70.1	66.9	62.8	57.3	55.1	47.7	40.4	42.7	37.5	34.4	28.3	27.5	21.3	18.2
Middle School	28.9	25.0	21.8	20.8	23.0	21.0	19.3	12.3	10.1	8.3	7.3	8.2	6.7	6.2
High School	61.3	56.0	51.4	48.0	44.9	38.5	32.5	33.9	28.4	25.5	21.2	19.9	15.5	13.1
Total	**47.3**	**42.6**	**39.1**	**36.5**	**35.3**	**31.0**	**26.9**	**24.6**	**20.5**	**18.3**	**15.3**	**14.8**	**11.8**	**10.2**

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2024

	Alcohol						
	Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex							
Female	88.2	8.3	2.2	0.7	0.4	0.1	0.1
Male	91.4	5.4	1.7	0.7	0.4	0.1	0.3
Race/Ethnic group							
African American	93.5	4.3	1.3	0.5	0.2	0.1	0.1
Hispanic/Latino	91.1	6.0	1.6	0.8	0.3	0.0	0.2
White, non-Hispanic	87.2	8.6	2.4	0.9	0.5	0.1	0.3
Age							
11	97.2	2.2	0.4	0.1	0.1	0.0	0.0
12	95.2	3.6	0.6	0.2	0.2	0.0	0.1
13	93.1	4.8	1.0	0.5	0.2	0.1	0.2
14	91.8	5.8	1.5	0.4	0.3	0.1	0.1
15	89.7	6.9	2.1	0.7	0.3	0.1	0.2
16	86.9	8.7	2.7	0.8	0.5	0.2	0.2
17	84.4	10.3	3.3	1.5	0.3	0.1	0.1
18	81.3	11.6	3.6	1.9	1.2	0.1	0.3
Grade							
6th	96.1	2.8	0.6	0.1	0.3	0.0	0.1
7th	93.8	4.7	0.7	0.5	0.1	0.1	0.1
8th	91.8	5.5	1.6	0.4	0.3	0.1	0.2
9th	91.7	5.6	1.8	0.5	0.3	0.0	0.1
10th	88.2	7.8	2.4	0.7	0.4	0.2	0.3
11th	85.4	9.6	2.8	1.3	0.5	0.1	0.2
12th	81.8	11.9	3.6	1.6	0.7	0.1	0.3
Middle School	93.8	4.4	1.0	0.4	0.2	0.1	0.2
High School	86.9	8.6	2.6	1.0	0.5	0.1	0.2
Total	**89.8**	**6.8**	**1.9**	**0.7**	**0.4**	**0.1**	**0.2**

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2012 to 2024

	High-Risk Alcohol Use													
	Binge Drinking							Blacking Out						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %		2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	10.6	9.5	7.9	6.7	6.8	6.1	4.8		19.8	16.5	15.0	14.2	12.7	10.3
Male	11.9	9.4	7.7	6.9	6.4	5.1	4.1		18.1	15.4	13.5	13.3	9.5	8.0
Race/Ethnic group														
African American	7.1	6.0	4.9	3.9	4.5	3.9	3.2		10.3	8.4	7.7	8.1	7.2	5.2
Hispanic/Latino	12.3	11.3	8.6	7.6	7.0	5.8	4.3		18.6	15.3	12.4	11.7	8.2	6.6
White, non-Hispanic	12.8	10.7	8.8	7.9	7.5	6.4	5.2		22.4	20.0	18.9	18.0	14.7	12.9
Age														
11	1.5	1.1	0.6	1.2	1.6	2.1	1.4		--	--	--	--	--	--
12	2.2	1.9	1.8	1.9	2.2	1.7	1.6		--	--	--	--	--	--
13	4.9	4.4	3.7	3.2	3.9	3.5	2.7		--	--	--	--	--	--
14	8.3	6.7	5.5	5.1	5.1	4.0	3.2		10.0	7.3	7.0	7.7	5.4	5.1
15	13.5	10.2	7.8	6.4	7.0	5.4	4.7		14.2	11.5	9.9	10.5	8.2	6.6
16	16.0	14.4	9.6	10.0	9.0	7.1	6.0		20.0	15.5	14.4	13.1	10.3	9.3
17	19.9	16.7	15.4	12.1	10.6	9.2	7.1		24.5	21.2	17.7	16.7	15.0	11.6
18	22.1	19.0	15.7	13.7	14.6	11.9	8.4		23.1	22.3	21.0	20.7	15.8	12.2
Grade														
6th	2.1	1.9	1.6	1.8	2.1	2.3	1.6		--	--	--	--	--	--
7th	4.6	3.8	3.2	2.8	3.2	2.7	2.4		--	--	--	--	--	--
8th	7.4	6.0	4.9	4.6	4.9	4.0	3.3		--	--	--	--	--	--
9th	11.9	9.3	6.9	5.6	5.8	4.9	4.1		12.7	9.5	8.6	8.5	6.3	5.5
10th	14.8	12.7	9.0	8.9	8.4	5.9	5.0		17.9	14.0	12.3	12.4	9.3	7.9
11th	17.8	14.9	12.7	10.4	9.9	8.6	7.1		21.0	18.9	15.8	15.0	13.3	11.3
12th	22.1	19.2	15.8	13.6	13.2	11.1	7.9		25.4	22.3	20.7	19.8	16.0	12.2
Middle School	4.7	3.9	3.2	3.1	3.4	3.0	2.4		--	--	--	--	--	--
High School	16.4	13.7	10.9	9.6	9.2	7.5	5.9		18.9	15.9	14.2	13.8	11.0	9.1
Total	**11.3**	**9.5**	**7.7**	**6.8**	**6.7**	**5.6**	**4.4**		**--**	**--**	**--**	**--**	**--**	**--**

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went.

Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2012 to 2024

	Cigarette Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	21.1	17.2	14.0	11.1	8.5	7.2	6.4	6.0	4.4	3.3	2.6	1.4	1.0	0.9
Male	21.5	18.0	14.1	11.4	9.6	7.0	6.2	7.1	5.3	3.5	2.4	2.1	1.3	1.2
Race/Ethnic group														
African American	13.6	10.3	8.9	6.5	5.8	4.0	3.1	2.9	2.0	1.5	1.2	1.2	0.7	0.8
Hispanic/Latino	20.3	17.2	13.4	11.4	7.7	6.0	5.7	5.2	3.6	2.6	2.0	1.3	0.8	0.9
White, non-Hispanic	25.3	21.2	16.7	13.6	11.3	9.2	8.3	9.1	6.9	4.7	3.3	2.3	1.5	1.3
Age														
11	4.4	3.7	2.4	3.2	2.9	2.6	2.0	0.9	0.4	0.3	0.8	0.5	0.3	0.2
12	7.2	6.5	5.1	4.6	4.8	3.8	3.6	1.1	1.1	0.8	0.7	0.8	0.5	0.5
13	12.9	10.6	9.1	7.4	6.8	5.7	4.5	2.7	2.2	1.7	1.4	1.3	1.0	0.7
14	18.3	15.2	12.4	9.5	8.1	6.3	5.5	4.4	3.6	2.2	1.6	1.4	1.0	0.9
15	24.4	19.3	14.9	11.4	9.3	7.0	7.2	7.2	5.1	3.5	2.5	1.7	1.2	1.6
16	28.0	22.9	18.5	15.1	11.4	8.3	8.1	8.7	6.5	4.3	3.4	2.4	1.2	1.2
17	33.9	28.9	22.4	17.5	12.6	9.7	8.3	12.8	9.0	6.2	4.0	2.9	1.7	1.4
18	36.5	30.2	23.6	19.2	15.9	13.1	9.5	14.6	11.1	7.4	5.4	3.6	2.1	1.8
Grade														
6th	6.7	5.7	4.3	4.4	4.5	3.8	3.0	1.3	1.0	0.8	0.7	0.8	0.5	0.4
7th	11.7	9.5	8.3	6.5	6.3	5.0	4.3	2.4	2.1	1.5	1.2	1.1	0.8	0.6
8th	17.1	14.2	11.3	9.2	7.4	6.3	5.7	4.3	2.9	2.0	1.6	1.4	1.1	1.0
9th	22.8	18.3	13.8	9.8	8.8	6.8	5.7	6.6	5.2	2.9	1.9	1.5	1.0	1.1
10th	26.2	22.0	17.2	14.4	10.1	7.0	7.6	7.8	6.2	4.6	3.5	1.9	1.3	1.3
11th	30.2	24.7	21.4	15.5	11.5	9.0	8.8	11.0	7.2	5.0	3.6	2.8	1.4	1.7
12th	36.5	30.8	22.4	19.5	15.4	12.1	8.9	13.9	10.8	7.1	5.0	3.3	2.0	1.5
Middle School	11.8	9.8	8.0	6.7	6.1	5.0	4.4	2.7	2.0	1.4	1.2	1.1	0.8	0.7
High School	28.5	23.6	18.5	14.7	11.3	8.6	7.7	9.6	7.1	4.8	3.5	2.4	1.4	1.4
Total	**21.3**	**17.6**	**14.1**	**11.3**	**9.0**	**7.1**	**6.3**	**6.6**	**4.9**	**3.4**	**2.5**	**1.8**	**1.2**	**1.1**

Table 9. Percentage of surveyed Florida youth who vaped nicotine (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2024

	Vaped Nicotine												
	Lifetime						Past 30 Days						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %		2019 %	2020 %	2021 %	2022 %	2023 %	2024 %
Sex													
Female	25.2	24.9	26.1	23.8	20.1	20.2		12.9	12.3	13.9	11.9	9.9	8.4
Male	21.9	20.8	19.3	16.7	12.9	12.4		12.1	10.4	8.7	7.5	5.7	4.9
Race/Ethnic group													
African American	11.8	12.0	13.5	13.7	10.8	11.5		4.4	4.8	5.6	5.7	4.9	4.3
Hispanic/Latino	21.6	21.3	22.1	19.6	18.2	15.7		11.2	9.9	9.0	9.4	8.0	5.6
White, non-Hispanic	30.5	28.8	27.0	23.5	18.2	18.9		18.0	15.2	14.6	11.8	9.3	8.5
Age													
11	6.0	4.6	5.8	6.4	6.9	5.7		2.0	1.8	1.6	2.1	2.0	1.7
12	9.8	9.6	10.9	10.1	10.1	8.3		4.0	3.8	4.4	3.5	3.7	2.7
13	16.8	16.3	17.7	14.3	13.1	11.9		7.4	7.1	7.8	6.5	5.9	4.0
14	21.4	22.1	24.2	18.5	16.1	15.4		10.1	10.1	11.1	8.7	6.1	5.6
15	30.0	26.2	25.0	22.2	17.5	18.1		15.5	13.5	12.7	10.7	7.8	7.9
16	32.0	31.8	29.2	25.9	20.0	20.3		17.6	16.3	15.7	12.5	11.9	8.6
17	31.6	32.4	29.8	29.8	20.7	22.9		19.2	17.1	15.8	15.2	10.1	10.2
18	32.7	33.9	30.3	29.6	23.8	23.8		21.3	19.2	15.7	15.9	12.0	10.8
Grade													
6th	7.8	7.4	8.2	8.8	9.3	6.6		2.7	2.8	3.0	3.1	3.0	2.2
7th	13.9	13.0	15.0	12.4	11.6	11.2		6.1	5.8	5.9	5.3	5.9	3.7
8th	19.4	19.8	22.1	17.6	17.5	14.5		8.9	8.7	10.1	7.9	7.2	5.1
9th	26.3	24.1	22.7	19.5	17.9	15.7		13.2	12.1	11.4	9.9	8.2	6.6
10th	30.6	29.3	27.8	23.3	18.7	19.7		16.9	15.1	14.4	11.0	9.8	8.6
11th	33.5	32.0	30.7	28.6	18.7	22.1		18.3	16.8	16.2	13.8	10.0	9.2
12th	33.2	35.1	31.9	31.5	23.6	23.6		21.6	19.0	17.5	16.8	11.1	10.8
Middle School	13.7	13.5	15.1	13.1	12.8	10.9		5.9	5.8	6.4	5.5	5.4	3.7
High School	30.8	30.0	28.1	25.5	19.6	20.1		17.4	15.6	14.8	12.7	9.7	8.7
Total	**23.5**	**22.8**	**22.5**	**20.2**	**16.6**	**16.2**		**12.5**	**11.4**	**11.2**	**9.7**	**7.8**	**6.6**

Table 10. Percentage of surveyed Florida youth who vaped marijuana (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2024

	Vaped Marijuana												
	Lifetime						Past 30 Days						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %		2019 %	2020 %	2021 %	2022 %	2023 %	2024 %
Sex													
Female	16.1	16.6	16.8	15.1	14.0	14.4		8.1	7.3	7.4	7.7	7.0	6.3
Male	14.6	14.5	13.1	11.4	9.5	9.2		8.4	7.3	6.1	5.9	5.0	4.7
Race/Ethnic group													
African American	9.5	10.1	9.0	9.8	8.9	9.6		4.2	4.2	3.7	4.8	4.9	4.8
Hispanic/Latino	15.3	15.0	15.2	12.4	11.1	10.3		8.1	6.8	6.4	6.4	5.2	4.1
White, non-Hispanic	18.1	18.2	17.2	15.2	13.2	13.5		10.5	8.5	8.0	7.9	6.8	6.5
Age													
11	1.5	1.8	2.6	2.0	1.8	2.4		1.1	0.8	0.9	0.7	0.6	0.7
12	3.9	4.1	3.4	4.0	3.7	3.7		1.7	1.8	1.6	1.6	1.6	1.3
13	8.1	8.4	7.6	6.8	7.4	6.3		3.4	3.6	2.8	3.4	3.5	2.4
14	12.0	12.0	12.3	9.6	9.1	8.9		5.9	5.8	5.5	4.9	4.3	3.9
15	19.5	17.3	15.6	14.3	12.2	13.4		10.2	8.5	6.8	7.0	7.2	6.5
16	22.4	24.2	22.8	17.9	16.4	16.4		13.3	11.3	10.1	9.4	8.1	8.7
17	25.5	25.8	24.6	24.2	17.5	19.9		14.2	12.2	12.3	13.2	8.7	8.8
18	25.1	28.7	28.2	24.7	22.8	20.5		14.6	13.8	12.3	13.0	12.2	10.1
Grade													
6th	2.3	3.1	2.9	3.5	3.4	3.0		1.4	1.2	1.4	1.6	0.9	1.1
7th	6.7	6.7	5.6	5.5	6.2	5.4		2.5	3.1	2.0	2.5	3.4	1.9
8th	10.7	10.6	10.9	9.1	9.4	8.1		5.1	4.8	4.2	4.5	4.7	3.5
9th	16.1	13.8	12.6	11.3	11.7	10.4		8.2	6.8	6.0	5.7	6.4	5.0
10th	20.6	21.5	20.4	16.2	15.3	15.6		11.6	10.3	9.8	8.5	8.2	8.1
11th	25.5	25.8	23.9	21.2	15.6	18.9		14.2	12.1	11.1	11.0	7.2	8.6
12th	26.1	28.4	29.0	26.2	22.7	20.9		15.4	13.6	12.9	14.1	12.2	9.7
Middle School	6.6	6.8	6.5	6.1	6.3	5.5		3.0	3.0	2.5	2.9	3.0	2.2
High School	22.0	22.2	21.3	18.4	16.0	16.3		12.3	10.6	9.9	9.7	8.4	7.8
Total	**15.3**	**15.5**	**14.9**	**13.2**	**11.8**	**11.7**		**8.3**	**7.3**	**6.7**	**6.8**	**6.0**	**5.5**

Table 11. Percentage of surveyed Florida youth who used an electronic vaporizer, such as an e-cigarette, in lifetime and past 30 days—2016 and 2018

	Electronic Vaporizer Use														
	Lifetime							Past 30 Days							
			2016 %	2018 %						2016 %	2018 %				
Sex															
Female			24.4	26.5						8.4	13.5				
Male			27.1	27.6						10.6	14.0				
Race/Ethnic group															
African American			17.9	17.0						5.5	5.9				
Hispanic/Latino			26.7	27.5						9.6	12.8				
White, non-Hispanic			29.2	32.1						11.8	18.3				
Age															
11			4.9	7.0						1.4	2.2				
12			8.8	10.3						2.9	3.5				
13			17.5	16.8						6.3	7.5				
14			24.4	26.6						8.8	13.5				
15			31.5	31.5						11.7	16.7				
16			35.1	38.6						13.2	19.8				
17			37.0	39.2						13.8	20.6				
18			36.9	38.9						14.9	22.2				
Grade															
6th			6.9	8.7						2.5	3.0				
7th			14.1	14.1						5.1	6.0				
8th			22.8	22.6						7.8	10.2				
9th			28.8	29.9						10.7	16.1				
10th			33.7	36.0						13.4	18.7				
11th			36.8	38.4						12.6	19.8				
12th			36.9	40.2						14.5	22.6				
Middle School			14.6	15.1						5.1	6.4				
High School			33.9	36.0						12.8	19.2				
Total			**25.8**	**27.1**						**9.6**	**13.7**				

Note: These items were replaced by questions distinguishing between nicotine vaping and marijuana vaping.

Table 12. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2012 to 2024

	Marijuana or Hashish Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	21.9	22.1	21.4	21.0	21.0	18.1	15.3	10.6	11.7	10.9	11.0	10.6	9.1	7.1
Male	24.5	23.0	21.3	19.4	19.2	14.0	11.2	14.1	13.1	11.5	10.7	10.7	7.4	5.6
Race/Ethnic group														
African American	19.3	20.9	19.4	17.9	18.6	14.4	12.4	10.1	10.7	9.1	9.4	9.7	7.3	6.4
Hispanic/Latino	21.5	22.0	20.5	19.4	18.1	13.6	10.6	11.3	11.4	10.7	9.6	9.2	6.9	4.2
White, non-Hispanic	26.0	24.3	22.6	21.8	21.7	18.0	15.1	13.8	13.7	12.3	12.1	11.6	9.4	7.4
Age														
11	1.1	1.4	0.9	1.8	1.9	1.7	2.3	0.4	0.5	0.3	0.8	1.0	0.5	0.9
12	3.4	4.2	2.9	3.5	4.7	3.5	3.5	1.4	2.0	1.1	1.4	2.0	1.2	1.2
13	9.0	8.7	8.0	9.4	9.8	7.4	6.3	4.3	3.8	3.8	4.4	4.3	3.6	2.6
14	17.2	17.1	15.8	15.7	15.9	12.1	10.1	8.7	9.8	7.9	8.1	8.0	6.2	4.6
15	28.0	27.1	24.1	22.4	22.0	16.8	14.3	15.3	15.5	13.3	12.3	11.9	9.0	7.1
16	35.0	35.0	32.5	31.4	31.3	22.2	19.1	19.0	18.1	16.9	17.2	16.6	11.0	9.3
17	41.9	41.1	39.2	35.8	34.6	29.6	23.4	22.8	23.5	20.9	19.2	19.3	15.9	11.0
18	43.8	41.4	41.7	38.1	38.4	32.0	24.7	23.3	23.6	22.3	22.8	21.9	17.8	13.2
Grade														
6th	2.8	3.0	2.1	3.0	3.4	3.1	2.9	1.1	1.1	0.8	1.3	1.4	1.0	1.0
7th	7.5	7.6	6.5	6.8	7.5	5.5	5.3	3.8	3.7	3.0	3.1	3.3	2.5	1.9
8th	14.8	14.6	12.5	13.1	13.7	10.8	9.2	7.7	7.8	5.9	6.7	6.6	5.4	4.4
9th	24.4	23.6	21.1	18.8	18.8	14.0	11.5	13.2	13.5	11.6	9.7	9.8	7.4	5.8
10th	31.7	31.9	29.0	27.9	27.0	19.3	16.6	17.1	17.6	15.8	15.9	14.6	10.3	8.2
11th	39.2	37.5	37.3	33.9	34.3	26.6	22.0	21.6	20.4	19.6	18.2	19.7	13.6	10.4
12th	44.6	42.8	40.7	38.9	37.7	33.1	24.9	23.2	24.1	21.5	21.6	20.2	18.1	12.5
Middle School	8.3	8.4	7.0	7.6	8.2	6.6	5.9	4.2	4.2	3.2	3.7	3.8	3.0	2.4
High School	34.4	33.4	31.7	29.7	29.2	22.9	18.6	18.5	18.6	17.0	16.3	15.9	12.2	9.1
Total	**23.2**	**22.6**	**21.3**	**20.2**	**20.1**	**16.0**	**13.2**	**12.4**	**12.4**	**11.2**	**10.9**	**10.7**	**8.3**	**6.3**

Table 13. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2024

	Marijuana or Hashish						
	Number of Occasions in Past 30 Days						
	0	**1-2**	**3-5**	**6-9**	**10-19**	**20-39**	**40+**
	%	**%**	**%**	**%**	**%**	**%**	**%**
Sex							
Female	92.9	2.9	1.1	0.8	0.9	0.6	0.8
Male	94.4	2.0	0.8	0.6	0.7	0.5	1.0
Race/Ethnic group							
African American	93.6	2.3	1.2	0.7	0.8	0.5	0.8
Hispanic/Latino	95.8	1.6	0.6	0.6	0.5	0.4	0.5
White, non-Hispanic	92.6	2.8	1.1	0.6	1.0	0.8	1.1
Age							
11	99.1	0.6	0.1	0.0	0.1	0.0	0.0
12	98.8	0.6	0.3	0.1	0.1	0.1	0.1
13	97.4	1.1	0.4	0.3	0.4	0.2	0.2
14	95.4	1.7	1.2	0.4	0.5	0.4	0.4
15	92.9	3.1	0.9	0.7	0.8	0.7	0.9
16	90.7	3.5	1.3	0.9	1.4	0.9	1.3
17	89.0	3.8	1.7	1.4	1.3	1.3	1.5
18	86.8	4.3	1.8	1.7	1.8	0.9	2.7
Grade							
6th	99.0	0.5	0.2	0.1	0.1	0.0	0.1
7th	98.1	0.9	0.3	0.2	0.2	0.1	0.1
8th	95.6	1.6	0.9	0.4	0.7	0.3	0.5
9th	94.2	2.5	1.0	0.5	0.6	0.5	0.6
10th	91.8	3.1	1.1	0.9	1.1	0.8	1.2
11th	89.6	4.0	1.7	1.0	1.4	1.1	1.3
12th	87.5	4.2	1.7	1.8	1.5	1.2	2.3
Middle School	97.6	1.0	0.5	0.2	0.3	0.2	0.2
High School	90.9	3.4	1.3	1.0	1.1	0.9	1.3
Total	**93.7**	**2.4**	**1.0**	**0.7**	**0.8**	**0.6**	**0.9**

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 14. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2012 to 2024

	Synthetic Marijuana Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	10.9	7.7	4.8	3.7	2.9	2.8	2.4	3.3	1.2	0.9	1.1	0.8	1.0	0.8
Male	15.2	10.0	5.0	3.3	2.9	2.2	1.5	5.3	1.6	1.2	1.1	1.0	0.7	0.6
Race/Ethnic group														
African American	5.7	4.7	3.1	2.0	1.5	1.3	0.7	2.2	0.9	1.2	0.8	0.6	0.8	0.6
Hispanic/Latino	9.1	7.7	4.8	3.7	2.7	2.3	1.9	3.8	2.0	1.2	1.2	0.7	0.9	0.6
White, non-Hispanic	17.5	11.0	5.6	4.1	3.5	3.2	2.3	5.3	1.4	0.8	1.1	1.0	0.8	0.8
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	7.5	5.6	2.8	2.7	2.1	1.4	1.8	2.7	1.0	0.5	0.9	0.3	0.5	0.8
15	9.9	6.7	3.6	3.4	2.3	1.9	1.9	4.0	1.5	1.0	1.2	0.7	0.7	0.7
16	13.5	8.8	4.8	3.6	3.0	2.6	1.8	4.3	1.5	1.1	1.3	1.1	1.0	0.6
17	15.6	11.2	6.0	3.5	3.1	3.0	2.0	5.1	1.5	1.2	0.9	1.0	0.9	0.8
18	16.9	11.2	6.2	4.2	4.0	3.5	2.3	4.5	1.2	0.7	1.1	1.0	1.1	0.6
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	9.7	6.6	3.7	3.2	2.2	1.5	1.7	4.1	1.3	1.1	1.2	0.6	0.6	0.9
10th	11.8	8.4	4.7	3.5	2.7	2.4	1.9	3.9	1.6	1.1	1.2	0.9	0.9	0.7
11th	14.6	8.9	5.5	3.3	3.2	3.1	2.0	4.9	1.4	1.2	0.9	1.1	1.0	0.6
12th	16.7	12.2	5.9	4.2	3.5	3.1	2.3	4.4	1.3	0.7	1.1	0.9	0.9	0.7
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	13.0	8.8	4.9	3.5	2.9	2.5	1.9	4.3	1.4	1.0	1.1	0.9	0.8	0.7
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 15. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2012 to 2024

	Inhalant Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	8.9	7.2	6.1	6.7	7.7	6.6	5.5	3.0	2.3	1.9	2.1	2.4	1.9	1.9
Male	6.8	5.8	4.7	4.9	5.2	4.6	4.3	2.0	1.9	1.4	1.6	1.4	1.2	1.2
Race/Ethnic group														
African American	6.0	5.8	5.3	5.4	5.1	4.8	4.0	2.4	2.3	1.8	2.3	1.9	1.8	1.6
Hispanic/Latino	8.0	6.9	5.5	5.3	6.1	4.8	3.8	2.6	2.3	1.7	1.6	1.7	1.4	1.2
White, non-Hispanic	7.9	6.2	5.1	5.9	6.9	6.4	5.5	2.1	1.7	1.4	1.7	1.8	1.6	1.6
Age														
11	7.9	6.3	4.8	6.0	6.5	6.5	7.4	2.9	2.9	1.4	2.5	2.5	2.2	2.9
12	9.0	7.8	6.0	7.3	8.3	7.2	7.2	3.9	2.7	2.2	2.8	2.7	2.2	2.7
13	10.8	9.5	6.7	8.5	8.9	7.1	7.0	4.0	3.3	2.4	2.9	2.9	2.3	2.4
14	9.5	8.5	7.1	7.7	7.6	6.2	5.1	3.4	2.5	2.1	2.2	2.4	2.0	1.7
15	7.8	5.8	5.8	4.9	6.0	5.7	4.7	1.8	2.0	1.7	1.3	1.6	1.3	1.3
16	6.1	4.8	4.5	4.3	4.8	4.4	3.6	1.5	1.4	1.1	1.2	1.1	0.8	0.9
17	5.5	4.3	3.8	3.6	4.2	4.4	2.7	1.3	1.0	0.7	0.9	0.9	0.9	0.8
18	5.4	3.5	3.3	3.4	4.6	3.4	2.2	1.1	0.5	1.0	1.0	1.3	0.9	0.5
Grade														
6th	8.3	7.1	5.4	6.7	7.3	7.0	7.0	3.6	2.8	1.8	2.9	2.6	2.3	2.8
7th	10.6	9.3	6.3	8.2	9.2	7.3	7.6	4.1	3.3	2.5	3.1	3.0	2.3	2.6
8th	10.7	9.6	7.6	8.3	8.4	7.1	6.1	3.7	3.1	2.5	2.5	2.8	2.2	2.0
9th	8.1	5.9	6.0	5.5	6.1	5.2	4.3	2.3	1.7	1.8	1.3	1.5	1.4	1.3
10th	6.1	5.3	5.0	4.4	5.3	5.1	4.1	1.5	1.7	1.2	1.1	1.4	1.1	1.1
11th	5.6	4.4	4.3	3.5	4.7	4.8	3.1	1.2	0.9	1.0	1.0	1.0	0.9	0.7
12th	5.4	3.7	3.0	3.7	4.3	3.2	2.2	1.2	0.7	0.7	0.9	1.1	1.0	0.6
Middle School	9.9	8.6	6.4	7.8	8.3	7.1	6.9	3.8	3.1	2.2	2.8	2.8	2.3	2.5
High School	6.4	4.9	4.6	4.3	5.1	4.6	3.5	1.6	1.3	1.2	1.1	1.2	1.1	0.9
Total	**7.9**	**6.5**	**5.4**	**5.8**	**6.5**	**5.7**	**4.9**	**2.5**	**2.1**	**1.6**	**1.8**	**1.9**	**1.6**	**1.6**

Table 16. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2012 to 2024

	Club Drug Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	3.2	2.8	1.9	1.2	1.3	1.0	0.6	0.9	0.7	0.5	0.3	0.4	0.3	0.2
Male	3.5	3.2	2.2	1.4	1.8	1.0	0.6	1.2	0.8	0.6	0.5	0.6	0.4	0.2
Race/Ethnic group														
African American	1.3	1.4	1.2	0.9	0.7	0.7	0.5	0.4	0.4	0.4	0.4	0.3	0.4	0.2
Hispanic/Latino	3.6	3.1	2.1	1.2	1.4	0.7	0.4	1.2	0.8	0.5	0.5	0.4	0.2	0.1
White, non-Hispanic	3.8	3.5	2.3	1.5	1.8	1.3	0.6	1.1	0.8	0.6	0.3	0.5	0.4	0.1
Age														
11	0.3	0.1	0.2	0.2	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.2	0.1	0.0
12	0.5	0.5	0.4	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.2
13	1.0	1.0	0.9	0.6	1.0	0.8	0.4	0.3	0.4	0.3	0.3	0.5	0.4	0.2
14	2.3	2.4	1.3	1.0	1.0	0.7	0.4	0.7	0.7	0.4	0.3	0.3	0.3	0.2
15	3.3	3.3	2.3	1.3	1.6	0.8	0.7	1.1	1.0	0.6	0.4	0.7	0.3	0.2
16	5.1	4.1	2.9	1.6	2.0	1.4	0.9	1.6	1.1	0.8	0.5	0.7	0.3	0.3
17	6.7	5.4	3.6	2.0	2.6	1.8	0.9	1.9	0.9	0.8	0.7	0.6	0.6	0.2
18	7.6	6.9	4.5	3.3	3.2	2.3	0.8	2.3	1.3	0.9	0.8	0.9	0.9	0.1
Grade														
6th	0.6	0.4	0.4	0.5	0.4	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1
7th	0.9	0.9	0.7	0.5	0.7	0.5	0.3	0.4	0.3	0.4	0.2	0.4	0.3	0.2
8th	1.9	2.0	1.1	1.1	1.1	0.8	0.5	0.7	0.5	0.3	0.3	0.5	0.3	0.2
9th	3.1	2.7	2.0	1.0	1.2	0.8	0.5	0.9	0.8	0.5	0.4	0.5	0.2	0.1
10th	4.2	4.0	2.7	1.5	1.7	1.0	0.8	1.4	1.1	0.7	0.3	0.7	0.4	0.4
11th	5.7	4.9	3.4	1.8	2.3	1.7	0.9	1.7	1.1	1.1	0.6	0.6	0.4	0.1
12th	7.8	6.7	4.2	2.8	3.3	2.2	0.9	2.2	1.2	0.8	0.8	0.8	0.6	0.1
Middle School	1.1	1.1	0.7	0.7	0.7	0.5	0.4	0.4	0.3	0.3	0.2	0.3	0.3	0.2
High School	5.1	4.5	3.0	1.8	2.1	1.4	0.8	1.5	1.0	0.8	0.5	0.6	0.4	0.2
Total	**3.4**	**3.0**	**2.1**	**1.3**	**1.5**	**1.0**	**0.6**	**1.1**	**0.7**	**0.6**	**0.4**	**0.5**	**0.4**	**0.2**

Note: The survey question asks about the use of "club drugs" such as Ecstasy, Rohypnol, GHB, or ketamine.

Table 17. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2012 to 2024

	LSD, PCP or Hallucinogenic Mushroom Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	2.8	2.8	2.7	2.3	2.5	2.6	2.3	0.7	0.8	0.7	0.7	0.7	0.6	0.5
Male	4.3	4.3	3.7	3.1	3.4	2.5	2.1	1.2	1.2	1.1	0.9	1.2	0.7	0.6
Race/Ethnic group														
African American	1.0	1.1	1.1	1.0	1.0	1.2	1.0	0.4	0.5	0.4	0.5	0.5	0.5	0.4
Hispanic/Latino	2.9	3.1	2.8	2.3	2.1	2.0	1.8	1.0	0.9	0.8	0.8	0.7	0.5	0.4
White, non-Hispanic	4.5	4.7	4.2	3.6	4.1	3.6	2.7	1.1	1.3	1.1	1.0	1.2	0.9	0.6
Age														
11	0.5	0.3	0.2	0.3	0.3	0.2	0.5	0.2	0.1	0.0	0.2	0.2	0.1	0.1
12	0.7	0.5	0.5	0.8	0.8	0.5	0.6	0.3	0.3	0.2	0.3	0.2	0.3	0.3
13	1.1	1.4	1.1	0.9	1.3	1.1	1.2	0.4	0.5	0.2	0.3	0.5	0.4	0.3
14	2.6	2.6	2.0	1.7	1.6	1.6	1.4	0.8	1.0	0.5	0.5	0.5	0.5	0.4
15	3.9	4.3	3.7	2.7	3.1	2.1	2.3	1.1	1.2	1.1	0.9	1.0	0.5	0.7
16	4.8	5.1	5.2	4.1	4.5	3.9	3.1	1.3	1.5	1.7	1.2	1.8	0.9	0.7
17	6.7	6.6	5.8	4.8	5.3	5.2	3.8	1.4	1.5	1.4	1.3	1.4	1.2	0.9
18	7.4	6.9	6.8	6.5	6.9	6.4	3.9	1.6	1.6	1.7	1.6	2.0	1.3	0.7
Grade														
6th	0.5	0.4	0.4	0.7	0.6	0.5	0.6	0.2	0.2	0.1	0.3	0.2	0.3	0.2
7th	1.1	1.2	0.8	0.7	1.0	0.7	1.0	0.4	0.4	0.2	0.3	0.4	0.3	0.4
8th	2.5	2.4	1.8	1.6	1.7	1.6	1.5	0.9	1.1	0.5	0.5	0.6	0.5	0.5
9th	3.7	3.5	2.8	2.0	2.4	1.7	1.8	1.1	1.1	0.9	0.7	0.7	0.5	0.4
10th	4.1	5.0	4.5	3.7	3.4	3.0	2.5	1.1	1.6	1.4	1.1	1.3	0.8	0.8
11th	5.6	5.8	5.8	4.3	5.1	4.3	3.8	1.4	1.4	1.6	1.1	1.4	1.0	0.9
12th	7.6	7.2	6.4	6.1	6.7	6.4	3.9	1.6	1.5	1.6	1.6	2.0	1.1	0.6
Middle School	1.4	1.3	1.0	1.0	1.1	1.0	1.0	0.5	0.6	0.3	0.4	0.4	0.4	0.3
High School	5.1	5.3	4.8	4.0	4.3	3.8	3.0	1.3	1.4	1.4	1.1	1.3	0.9	0.7
Total	**3.5**	**3.6**	**3.2**	**2.7**	**2.9**	**2.6**	**2.2**	**1.0**	**1.0**	**0.9**	**0.8**	**0.9**	**0.6**	**0.5**

Table 18. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2012 to 2024

	Cocaine or Crack Cocaine Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	1.9	1.6	1.6	1.3	1.3	0.9	0.5	0.5	0.5	0.6	0.4	0.4	0.2	0.1
Male	2.6	2.1	1.9	1.6	1.4	0.8	0.5	0.8	0.7	0.6	0.5	0.5	0.3	0.2
Race/Ethnic group														
African American	0.8	0.6	0.9	0.7	0.5	0.6	0.5	0.3	0.3	0.4	0.4	0.3	0.2	0.3
Hispanic/Latino	2.6	2.3	1.8	1.7	1.5	0.7	0.4	0.6	0.7	0.7	0.4	0.4	0.3	0.2
White, non-Hispanic	2.5	2.1	2.1	1.7	1.5	1.1	0.6	0.7	0.6	0.7	0.4	0.4	0.3	0.2
Age														
11	0.5	0.2	0.2	0.6	0.5	0.3	0.3	0.1	0.0	0.1	0.2	0.0	0.2	0.0
12	0.8	0.7	0.5	0.7	0.8	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1
13	1.1	1.2	1.0	0.9	1.0	0.6	0.6	0.2	0.5	0.3	0.3	0.4	0.1	0.2
14	1.8	1.2	0.9	0.9	0.8	0.7	0.5	0.6	0.6	0.3	0.3	0.3	0.3	0.1
15	2.3	1.5	1.8	1.1	1.1	0.5	0.4	0.7	0.5	0.6	0.4	0.5	0.1	0.1
16	3.1	2.3	2.4	1.6	1.7	1.0	0.6	0.9	0.8	0.9	0.6	0.6	0.3	0.3
17	3.5	3.7	2.8	2.3	2.0	1.4	0.8	0.9	0.8	0.9	0.4	0.6	0.3	0.2
18	4.7	3.9	4.4	3.8	3.0	2.1	0.8	1.4	1.1	1.4	0.9	0.7	0.9	0.5
Grade														
6th	0.8	0.5	0.5	0.7	0.7	0.6	0.3	0.2	0.1	0.2	0.3	0.2	0.3	0.0
7th	1.0	1.1	0.7	0.7	0.9	0.7	0.5	0.3	0.5	0.3	0.3	0.4	0.1	0.1
8th	1.7	1.2	1.0	1.1	0.9	0.7	0.6	0.5	0.6	0.3	0.4	0.4	0.2	0.2
9th	2.4	1.5	1.5	0.9	0.9	0.5	0.4	0.7	0.5	0.5	0.3	0.3	0.1	0.1
10th	2.5	1.9	2.0	1.4	1.4	0.8	0.5	0.7	0.5	0.8	0.4	0.7	0.3	0.3
11th	3.4	3.0	2.8	1.7	1.9	1.3	0.7	1.0	0.8	0.9	0.5	0.3	0.3	0.2
12th	4.4	4.1	3.8	3.6	2.7	1.6	0.8	1.3	1.1	1.2	0.7	0.8	0.5	0.3
Middle School	1.1	0.9	0.8	0.8	0.9	0.7	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.1
High School	3.1	2.5	2.5	1.9	1.7	1.0	0.6	0.9	0.7	0.8	0.5	0.5	0.3	0.2
Total	**2.3**	**1.9**	**1.8**	**1.4**	**1.3**	**0.9**	**0.5**	**0.7**	**0.6**	**0.6**	**0.4**	**0.4**	**0.3**	**0.2**

Table 19. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2012 to 2024

	Methamphetamine Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	0.9	0.8	0.6	0.6	0.6	0.6	0.6	0.4	0.4	0.3	0.3	0.3	0.3	0.3
Male	1.1	1.2	0.8	0.8	0.9	0.7	0.5	0.5	0.6	0.4	0.5	0.5	0.4	0.3
Race/Ethnic group														
African American	0.8	0.9	0.6	1.0	0.6	0.7	0.8	0.5	0.5	0.4	0.7	0.5	0.5	0.5
Hispanic/Latino	1.1	1.2	0.7	0.8	0.9	0.8	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3
White, non-Hispanic	1.0	0.9	0.7	0.5	0.7	0.7	0.4	0.4	0.4	0.3	0.2	0.3	0.3	0.2
Age														
11	0.6	0.2	0.3	0.5	0.6	0.8	0.6	0.4	0.1	0.1	0.2	0.3	0.3	0.3
12	0.9	0.8	0.4	0.6	0.5	0.5	0.6	0.5	0.4	0.2	0.4	0.3	0.2	0.4
13	0.9	1.0	0.6	0.7	0.8	0.7	0.5	0.3	0.5	0.3	0.4	0.5	0.4	0.3
14	1.2	0.9	0.6	0.7	0.5	0.6	0.6	0.6	0.5	0.3	0.4	0.3	0.3	0.4
15	0.9	1.2	0.8	0.6	0.9	0.6	0.8	0.4	0.6	0.4	0.3	0.6	0.3	0.4
16	1.4	1.0	0.9	0.7	0.8	0.6	0.4	0.7	0.5	0.5	0.4	0.4	0.3	0.3
17	0.9	1.3	0.6	0.6	1.1	0.9	0.4	0.3	0.5	0.4	0.3	0.5	0.4	0.2
18	1.1	1.0	1.3	1.4	0.8	0.9	0.6	0.5	0.4	0.5	0.8	0.4	0.3	0.2
Grade														
6th	1.0	0.7	0.4	0.7	0.7	0.7	0.7	0.5	0.3	0.2	0.4	0.4	0.3	0.4
7th	0.9	1.0	0.5	0.6	0.8	0.4	0.6	0.4	0.5	0.3	0.4	0.4	0.2	0.4
8th	1.1	1.0	0.7	0.7	0.6	0.8	0.7	0.5	0.5	0.4	0.4	0.3	0.4	0.3
9th	1.0	1.1	0.7	0.7	0.6	0.6	0.4	0.4	0.5	0.3	0.3	0.5	0.3	0.4
10th	1.0	0.9	1.0	0.6	0.8	0.6	0.7	0.5	0.4	0.6	0.3	0.4	0.3	0.4
11th	1.2	1.0	0.9	0.5	1.0	1.0	0.3	0.7	0.5	0.5	0.3	0.5	0.4	0.2
12th	1.1	1.3	0.8	1.1	0.9	0.8	0.6	0.3	0.5	0.3	0.6	0.4	0.3	0.1
Middle School	1.0	0.9	0.5	0.7	0.7	0.7	0.6	0.5	0.4	0.3	0.4	0.4	0.3	0.4
High School	1.1	1.1	0.8	0.7	0.8	0.7	0.5	0.5	0.5	0.4	0.4	0.4	0.3	0.3
Total	**1.0**	**1.0**	**0.7**	**0.7**	**0.8**	**0.7**	**0.6**	**0.5**	**0.5**	**0.4**	**0.4**	**0.4**	**0.3**	**0.3**

Table 20. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2012 to 2024

	Depressant Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	5.2	5.1	5.3	4.4	4.2	2.8	1.8	1.6	1.8	2.0	1.4	1.0	0.8	0.5
Male	4.1	3.6	4.1	4.3	3.2	1.9	1.1	1.5	1.2	1.5	1.2	1.0	0.6	0.3
Race/Ethnic group														
African American	1.1	1.7	2.0	2.4	1.7	1.2	0.6	0.4	0.8	1.0	1.0	0.6	0.3	0.3
Hispanic/Latino	4.3	4.2	4.7	3.7	3.2	1.8	1.2	1.5	1.4	1.7	1.0	0.8	0.6	0.5
White, non-Hispanic	6.2	5.4	5.8	5.4	4.7	3.1	1.9	2.1	1.8	2.0	1.6	1.2	0.9	0.3
Age														
11	0.6	0.4	0.6	0.9	1.0	0.5	0.7	0.2	0.1	0.1	0.2	0.3	0.3	0.2
12	1.0	1.0	1.4	1.4	1.9	1.1	1.1	0.6	0.4	0.4	0.7	0.7	0.3	0.3
13	1.8	2.4	2.6	2.5	2.5	1.9	1.5	0.6	1.0	1.0	1.0	0.8	0.5	0.5
14	3.2	3.5	3.8	4.1	3.2	2.1	1.2	1.2	1.3	1.6	1.4	1.0	0.7	0.3
15	4.8	5.1	5.5	4.9	3.8	2.4	1.5	1.9	2.2	2.3	1.7	1.3	0.7	0.5
16	7.0	6.6	6.6	6.5	5.3	3.2	1.8	2.4	1.7	2.3	1.7	1.4	0.8	0.5
17	9.0	7.2	7.8	6.5	5.7	3.8	1.7	2.6	2.7	2.8	1.3	1.1	1.2	0.4
18	8.6	7.3	8.0	7.4	5.8	3.3	2.0	2.4	1.9	2.9	2.1	1.5	0.8	0.1
Grade														
6th	0.9	0.8	1.0	1.1	1.4	0.8	0.8	0.5	0.3	0.3	0.5	0.6	0.3	0.3
7th	1.4	1.8	1.9	2.1	2.1	1.8	1.3	0.6	0.8	0.9	0.8	0.7	0.6	0.5
8th	3.0	3.0	3.6	3.9	3.0	1.8	1.5	1.2	1.2	1.3	1.5	1.1	0.5	0.5
9th	4.5	4.3	4.6	4.3	3.6	2.4	1.3	1.5	1.8	1.8	1.5	0.9	0.7	0.4
10th	5.8	6.2	6.4	5.8	4.8	2.7	1.5	2.2	2.1	2.4	1.7	1.6	0.8	0.4
11th	7.9	6.9	7.7	6.4	5.4	3.4	1.8	2.4	2.1	2.8	1.4	1.2	1.0	0.5
12th	9.6	7.8	7.7	7.3	6.1	3.8	1.9	2.5	2.5	2.7	1.8	1.3	1.0	0.2
Middle School	1.8	1.9	2.2	2.3	2.2	1.5	1.2	0.8	0.8	0.8	0.9	0.8	0.5	0.4
High School	6.8	6.2	6.5	5.9	4.9	3.1	1.6	2.1	2.1	2.4	1.6	1.2	0.8	0.4
Total	**4.6**	**4.3**	**4.7**	**4.4**	**3.7**	**2.4**	**1.5**	**1.6**	**1.5**	**1.8**	**1.3**	**1.0**	**0.7**	**0.4**

Note: In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. As a result of these changes, please exercise caution when comparing to results from earlier years.

Table 21. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2012 to 2024

	Heroin Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	0.5	0.4	0.4	0.3	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.1
Male	0.8	0.8	0.4	0.4	0.6	0.3	0.3	0.4	0.3	0.2	0.2	0.3	0.2	0.1
Race/Ethnic group														
African American	0.5	0.6	0.4	0.4	0.5	0.3	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.1
Hispanic/Latino	0.5	0.6	0.3	0.4	0.6	0.4	0.3	0.3	0.3	0.2	0.1	0.2	0.2	0.1
White, non-Hispanic	0.8	0.6	0.4	0.3	0.5	0.4	0.3	0.3	0.2	0.1	0.1	0.2	0.1	0.1
Age														
11	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.0
12	0.3	0.5	0.3	0.4	0.5	0.2	0.2	0.1	0.3	0.1	0.1	0.1	0.0	0.1
13	0.6	0.7	0.5	0.4	0.7	0.3	0.3	0.2	0.3	0.2	0.1	0.3	0.2	0.1
14	0.8	0.6	0.3	0.4	0.3	0.4	0.2	0.3	0.3	0.1	0.1	0.1	0.2	0.1
15	0.6	0.5	0.5	0.4	0.5	0.4	0.2	0.3	0.2	0.2	0.1	0.3	0.2	0.0
16	1.0	0.7	0.5	0.2	0.6	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.1
17	0.8	0.9	0.3	0.3	0.7	0.5	0.4	0.4	0.4	0.1	0.1	0.4	0.3	0.2
18	0.8	0.5	0.5	0.5	0.7	0.5	0.2	0.4	0.1	0.2	0.1	0.4	0.1	0.1
Grade														
6th	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1
7th	0.5	0.5	0.4	0.3	0.6	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.0
8th	0.8	0.9	0.4	0.5	0.5	0.5	0.3	0.3	0.4	0.1	0.2	0.3	0.3	0.2
9th	0.7	0.6	0.4	0.3	0.6	0.3	0.2	0.3	0.2	0.2	0.2	0.3	0.2	0.1
10th	0.9	0.5	0.6	0.4	0.6	0.4	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.1
11th	0.9	0.7	0.3	0.2	0.5	0.5	0.6	0.5	0.3	0.2	0.1	0.3	0.2	0.2
12th	0.8	0.8	0.3	0.3	0.6	0.4	0.1	0.3	0.3	0.1	0.0	0.3	0.1	0.0
Middle School	0.5	0.6	0.4	0.4	0.5	0.4	0.2	0.2	0.3	0.1	0.1	0.2	0.2	0.1
High School	0.8	0.7	0.4	0.3	0.6	0.4	0.3	0.4	0.3	0.2	0.1	0.3	0.2	0.1
Total	**0.7**	**0.6**	**0.4**	**0.4**	**0.5**	**0.4**	**0.3**	**0.3**	**0.3**	**0.2**	**0.1**	**0.2**	**0.2**	**0.1**

Table 22. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2012 to 2024

	Prescription Pain Reliever Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	7.0	5.9	5.3	4.4	3.7	3.3	1.9	2.6	2.4	2.2	1.5	1.3	1.3	0.6
Male	5.9	5.1	4.2	3.6	2.5	2.2	1.5	2.0	1.8	1.5	0.9	0.8	0.7	0.6
Race/Ethnic group														
African American	3.7	3.4	3.7	3.1	2.1	2.0	1.0	1.8	1.7	1.8	1.2	1.0	0.8	0.6
Hispanic/Latino	5.8	5.2	4.6	3.8	3.0	2.5	1.6	2.5	2.1	2.0	1.4	1.1	0.9	0.6
White, non-Hispanic	7.9	6.3	5.2	4.5	3.3	3.1	1.9	2.3	2.1	1.7	1.2	1.1	1.0	0.6
Age														
11	2.2	1.6	1.7	1.8	1.8	2.9	1.4	1.3	0.5	0.8	0.6	0.7	0.8	0.8
12	2.7	2.0	2.8	2.0	2.9	3.1	1.5	1.2	1.0	1.4	0.8	1.2	1.0	0.5
13	4.0	3.6	3.6	2.8	3.1	3.0	1.6	1.7	1.7	1.6	1.0	1.4	1.3	0.5
14	5.0	4.9	4.6	3.9	3.4	2.8	1.8	2.0	2.4	2.0	1.4	1.2	1.1	0.9
15	6.8	6.6	5.2	4.7	2.7	2.8	1.6	2.8	2.6	2.3	1.7	1.2	1.1	0.5
16	8.8	7.2	6.1	4.9	3.4	2.2	2.0	2.9	2.7	2.1	1.4	0.9	0.9	0.6
17	10.7	8.4	5.9	5.2	3.2	2.9	1.8	2.9	2.6	1.9	1.2	1.0	0.8	0.4
18	10.0	7.4	7.0	6.4	3.9	2.5	1.8	2.8	2.1	1.9	1.1	0.9	0.7	0.4
Grade														
6th	2.5	1.8	2.4	1.8	2.2	3.0	1.2	1.4	0.8	1.1	0.7	0.9	1.0	0.5
7th	3.7	3.4	3.2	2.6	3.2	3.3	1.7	1.6	1.6	1.7	1.0	1.4	1.2	0.7
8th	4.7	3.6	4.2	3.6	3.3	2.8	1.8	2.0	1.8	1.9	1.3	1.3	1.2	0.9
9th	6.4	6.2	5.1	4.2	3.0	2.7	1.7	2.5	2.7	2.3	1.6	1.3	1.0	0.5
10th	7.7	7.5	5.6	5.0	3.0	2.6	1.7	2.8	3.1	2.0	1.7	0.9	1.0	0.7
11th	9.9	7.4	6.3	5.1	3.5	2.3	2.1	2.9	2.1	2.0	1.2	1.0	0.7	0.4
12th	10.5	8.3	6.4	5.8	3.4	2.7	1.6	2.9	2.4	1.8	1.0	0.8	0.7	0.4
Middle School	3.6	3.0	3.3	2.6	2.9	3.0	1.6	1.7	1.4	1.6	1.0	1.2	1.1	0.7
High School	8.5	7.3	5.8	5.0	3.2	2.6	1.8	2.8	2.6	2.0	1.4	1.0	0.9	0.5
Total	**6.4**	**5.5**	**4.8**	**4.0**	**3.1**	**2.8**	**1.7**	**2.3**	**2.1**	**1.8**	**1.2**	**1.1**	**1.0**	**0.6**

Note: In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. As a result of these changes, please exercise caution when comparing to results from earlier years.

Table 23. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2012 to 2024

	Over-The-Counter Drug Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	5.9	5.1	4.7	4.3	3.9	3.2	2.2	2.5	2.3	2.0	1.7	1.4	1.1	0.7
Male	5.2	4.8	4.2	4.1	3.5	2.4	1.6	2.0	1.8	1.9	1.5	1.2	1.0	0.7
Race/Ethnic group														
African American	4.6	4.8	3.9	4.0	2.9	2.1	1.6	2.5	2.4	1.7	2.0	1.5	1.1	0.8
Hispanic/Latino	5.7	4.4	4.2	3.7	3.3	2.3	1.1	2.4	2.0	1.9	1.5	1.0	0.8	0.5
White, non-Hispanic	5.7	5.0	4.6	4.3	3.9	3.2	2.2	2.0	1.8	2.0	1.5	1.2	1.2	0.7
Age														
11	2.7	1.9	1.9	1.6	1.8	1.7	1.0	1.0	1.2	1.0	0.6	0.9	1.0	0.4
12	2.5	2.6	2.7	2.4	2.2	1.7	1.4	1.2	1.1	1.3	1.1	1.0	0.8	0.6
13	4.1	3.4	3.3	3.5	3.3	2.8	2.0	1.6	1.6	1.8	1.5	1.7	1.2	0.7
14	5.0	4.9	4.6	5.0	4.0	3.2	1.6	2.4	2.4	2.4	2.2	1.6	1.3	0.8
15	6.0	6.1	5.1	4.6	4.8	2.7	2.2	2.7	3.0	2.3	1.6	1.5	0.9	0.9
16	7.3	5.9	5.6	5.2	4.1	3.2	2.6	3.0	2.1	2.1	2.1	1.2	1.0	0.9
17	7.6	6.4	5.6	4.8	4.1	3.3	1.9	2.3	2.1	2.0	1.8	1.0	0.9	0.5
18	8.4	7.2	5.5	5.4	4.8	2.8	1.7	2.7	2.6	2.1	1.2	1.1	1.1	0.4
Grade														
6th	2.8	2.5	2.3	2.0	2.3	2.0	1.2	1.1	1.2	1.2	1.0	1.0	1.2	0.5
7th	3.9	3.2	3.0	3.2	2.6	2.3	1.8	1.8	1.5	1.6	1.4	1.3	0.8	0.7
8th	4.6	4.5	4.3	4.5	4.0	3.1	2.2	2.2	2.2	2.5	1.8	1.8	1.3	1.0
9th	5.9	5.3	4.8	4.4	4.1	2.9	1.7	2.8	2.5	2.2	1.9	1.7	1.0	0.9
10th	6.6	6.8	5.7	5.6	4.4	3.0	2.3	2.5	2.9	2.5	2.3	1.3	1.1	0.8
11th	7.8	6.2	5.6	4.8	4.3	3.5	2.5	3.0	2.1	1.9	1.6	1.0	1.0	0.7
12th	7.5	6.6	5.1	4.9	4.4	2.7	1.5	2.2	2.1	1.7	1.3	1.0	0.7	0.3
Middle School	3.7	3.4	3.2	3.2	3.0	2.5	1.7	1.7	1.6	1.8	1.4	1.4	1.1	0.7
High School	6.9	6.1	5.3	4.9	4.3	3.0	2.0	2.6	2.4	2.1	1.8	1.3	1.0	0.7
Total	**5.5**	**5.0**	**4.4**	**4.2**	**3.7**	**2.8**	**1.9**	**2.2**	**2.1**	**2.0**	**1.6**	**1.3**	**1.0**	**0.7**

Table 24. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2012 to 2024

	Prescription Amphetamine Use													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	3.4	3.5	3.3	2.6	3.7	3.2	2.2	1.0	1.1	1.1	0.8	1.1	1.1	0.6
Male	3.1	3.2	3.2	2.6	3.2	2.3	1.4	1.0	1.1	1.2	0.7	1.1	0.8	0.4
Race/Ethnic group														
African American	1.1	1.3	1.2	1.2	1.9	1.8	0.9	0.5	0.6	0.6	0.5	0.9	0.7	0.4
Hispanic/Latino	2.3	2.8	2.5	1.9	2.5	2.0	1.5	0.7	1.2	0.9	0.6	0.8	0.7	0.4
White, non-Hispanic	4.5	4.3	4.3	3.6	4.3	3.5	2.4	1.4	1.3	1.5	0.9	1.3	1.1	0.6
Age														
11	0.6	0.4	0.5	0.6	1.1	1.4	0.9	0.2	0.2	0.2	0.3	0.7	0.8	0.3
12	0.8	0.7	1.0	0.9	1.3	1.4	1.2	0.4	0.4	0.4	0.4	0.4	0.5	0.3
13	1.2	1.1	1.4	1.6	2.7	2.0	1.5	0.4	0.6	0.6	0.5	1.0	0.7	0.6
14	1.9	2.1	2.2	2.1	3.3	2.9	1.9	0.8	0.9	0.8	0.8	1.5	1.1	0.7
15	2.9	3.6	3.2	2.5	3.8	2.6	2.1	1.1	1.3	1.3	0.8	1.3	1.1	0.6
16	4.8	4.7	4.9	3.6	4.4	3.3	1.9	1.5	1.5	1.8	1.0	1.3	0.9	0.4
17	6.7	6.9	5.6	4.3	4.9	4.5	2.5	1.8	2.1	2.1	1.1	1.0	1.2	0.6
18	7.1	6.6	6.9	5.6	5.7	3.8	1.8	1.7	2.1	1.8	0.8	1.6	1.3	0.3
Grade														
6th	0.7	0.6	0.8	0.9	1.1	1.4	0.9	0.3	0.4	0.3	0.4	0.5	0.6	0.2
7th	1.2	1.0	1.2	1.0	2.0	1.7	1.4	0.5	0.5	0.7	0.5	0.6	0.5	0.6
8th	1.5	1.4	1.8	1.9	3.2	2.7	2.0	0.5	0.6	0.7	0.6	1.4	1.0	0.7
9th	2.4	3.1	2.6	2.3	3.4	2.5	1.9	1.0	1.1	0.9	0.9	1.5	1.1	0.7
10th	4.2	4.5	4.2	3.1	4.3	3.1	2.0	1.4	1.4	1.6	0.9	1.4	1.2	0.5
11th	5.4	5.4	5.8	3.9	5.1	3.6	1.8	1.6	1.7	2.1	1.0	1.4	0.9	0.5
12th	7.8	7.7	6.4	5.4	5.1	4.5	2.4	1.9	2.5	1.9	1.0	1.2	1.3	0.4
Middle School	1.1	1.0	1.3	1.2	2.1	1.9	1.5	0.4	0.5	0.5	0.5	0.8	0.7	0.5
High School	4.8	5.1	4.7	3.6	4.5	3.4	2.0	1.5	1.7	1.6	1.0	1.3	1.1	0.5
Total	**3.2**	**3.3**	**3.2**	**2.6**	**3.4**	**2.8**	**1.8**	**1.0**	**1.2**	**1.2**	**0.8**	**1.1**	**0.9**	**0.5**

Table 25. Percentage of surveyed Florida high school youth who used a needle to inject an illegal drug in lifetime—2016 to 2024

	Needle to Inject Illegal Drug						
	Lifetime						
			2016 %	2018 %	2020 %	2022 %	2024 %
Sex							
Female			0.6	0.5	0.6	0.4	0.5
Male			0.8	0.8	0.9	0.7	0.6
Race/Ethnic group							
African American			0.6	0.6	0.8	0.8	0.5
Hispanic/Latino			0.6	0.5	0.5	0.4	0.4
White, non-Hispanic			0.8	0.6	0.6	0.6	0.6
Age							
11			--	--	--	--	--
12			--	--	--	--	--
13			--	--	--	--	--
14			0.4	0.7	0.6	0.3	0.8
15			0.7	0.5	0.8	0.6	0.7
16			0.9	0.5	0.8	0.6	0.5
17			0.7	0.7	0.7	0.5	0.6
18			0.7	0.7	0.8	0.6	0.2
Grade							
6th			--	--	--	--	--
7th			--	--	--	--	--
8th			--	--	--	--	--
9th			0.6	0.6	0.8	0.4	0.7
10th			1.0	0.7	0.6	0.8	0.5
11th			0.7	0.7	0.9	0.5	0.6
12th			0.7	0.5	0.6	0.5	0.4
Middle School			--	--	--	--	--
High School			0.8	0.6	0.7	0.6	0.6
Total			**--**	**--**	**--**	**--**	**--**

Table 26. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2012 to 2024

	Any Illicit Drug													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	31.6	30.7	29.0	28.7	31.0	27.3	23.3	16.3	16.4	15.1	15.0	15.5	14.0	11.2
Male	31.8	29.4	26.4	25.2	25.6	20.5	17.2	18.0	16.3	14.2	13.4	14.1	10.7	8.3
Race/Ethnic group														
African American	27.5	27.9	26.1	24.7	25.8	21.5	18.6	14.9	14.4	12.6	13.4	13.6	11.6	9.9
Hispanic/Latino	30.4	29.7	26.9	25.7	26.5	21.6	16.9	16.3	15.7	14.4	12.8	13.4	11.0	7.3
White, non-Hispanic	33.8	31.3	28.6	28.4	29.6	26.1	22.2	18.0	17.5	15.4	15.1	15.3	13.2	10.6
Age														
11	12.0	9.6	8.0	9.5	10.7	11.8	11.7	5.3	4.7	3.2	4.4	4.7	5.0	5.0
12	14.1	12.9	11.9	12.2	15.3	14.0	13.3	6.7	5.7	5.6	5.6	6.6	5.9	5.3
13	21.0	19.5	17.0	18.8	20.8	17.5	15.5	9.8	8.9	8.0	8.8	9.5	8.4	6.4
14	27.0	26.6	23.7	24.1	26.3	21.1	17.6	14.2	14.3	12.2	12.0	13.0	10.9	8.8
15	35.5	34.0	30.0	29.2	29.5	24.6	21.2	20.4	19.8	16.9	15.6	16.2	12.9	10.4
16	41.4	40.4	37.0	36.4	37.7	28.5	24.0	23.1	21.6	19.8	20.3	20.1	14.7	12.6
17	47.8	46.1	43.1	39.4	39.6	35.5	28.1	26.8	26.6	23.4	21.5	22.0	19.2	13.6
18	49.4	45.0	44.8	41.8	43.7	36.4	29.3	27.1	26.6	24.5	24.5	25.9	20.7	15.1
Grade														
6th	13.2	12.0	10.2	11.0	13.1	13.6	12.2	6.3	5.4	4.6	5.4	5.7	6.2	5.1
7th	19.3	17.3	15.1	16.5	18.3	15.8	15.2	9.3	8.3	7.4	7.6	8.4	7.0	6.2
8th	25.7	24.4	21.6	22.0	24.6	20.6	17.8	13.2	12.3	10.5	10.6	12.2	10.2	8.3
9th	32.8	31.1	27.3	25.9	27.5	21.6	18.1	18.4	17.6	15.2	13.3	13.9	11.4	9.0
10th	38.3	38.4	34.5	34.3	33.6	26.7	22.7	21.4	21.8	19.1	19.3	18.5	14.3	11.5
11th	45.5	42.4	41.3	37.3	40.0	32.6	26.5	25.7	23.5	22.4	20.4	22.9	16.6	13.4
12th	49.4	47.0	44.0	42.3	42.7	37.6	29.6	26.9	27.0	23.7	23.5	23.2	21.2	14.5
Middle School	19.4	17.9	15.7	16.5	18.7	16.7	15.1	9.6	8.7	7.5	7.9	8.8	7.8	6.6
High School	41.0	39.3	36.4	34.8	35.7	29.3	24.0	22.9	22.3	20.0	19.0	19.5	15.7	12.0
Total	**31.7**	**30.0**	**27.7**	**26.9**	**28.3**	**23.9**	**20.2**	**17.2**	**16.4**	**14.7**	**14.3**	**14.8**	**12.3**	**9.7**

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant "flakka" was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 27. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2012 to 2024

	Any Illicit Drug Other Than Marijuana													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	19.7	17.9	16.4	15.5	15.9	14.0	11.0	8.6	7.9	7.3	6.5	6.0	5.2	4.1
Male	17.8	16.4	14.2	13.7	12.7	10.4	8.7	7.7	7.0	6.2	5.1	5.0	4.0	3.2
Race/Ethnic group														
African American	13.5	12.8	12.3	12.0	10.9	9.5	7.3	6.7	6.2	5.7	6.0	4.9	4.6	3.5
Hispanic/Latino	18.9	16.9	15.2	13.7	13.1	10.8	8.2	8.5	7.5	7.0	5.3	4.9	4.1	3.1
White, non-Hispanic	20.2	18.5	16.3	15.9	15.6	14.0	11.2	8.0	7.6	6.8	5.8	5.5	5.0	3.8
Age														
11	11.6	8.7	7.5	8.7	9.2	10.4	9.7	5.2	4.3	3.1	4.1	4.1	4.6	4.3
12	12.5	11.2	10.5	10.7	12.2	11.1	10.3	5.9	4.6	5.0	4.9	5.0	4.4	4.3
13	16.3	15.2	12.9	13.8	14.4	12.3	10.5	6.9	6.7	5.8	5.9	6.1	5.2	4.2
14	17.8	16.9	15.3	15.4	14.5	12.6	9.7	8.2	7.9	7.2	6.4	5.9	5.4	4.1
15	19.0	17.9	16.7	15.3	14.0	11.6	10.0	8.8	8.6	7.8	5.7	5.6	4.4	3.9
16	22.0	19.0	17.6	17.0	15.2	12.1	9.3	9.6	8.4	7.7	6.7	5.7	4.2	3.0
17	24.3	22.9	19.0	16.2	15.9	14.4	9.8	9.3	9.1	7.5	6.0	5.2	4.6	2.9
18	24.5	21.8	19.8	18.3	17.7	13.2	9.5	10.0	8.1	8.5	5.9	6.3	4.3	2.6
Grade														
6th	12.1	10.5	9.2	9.8	10.7	11.3	9.5	5.8	4.8	4.2	4.8	4.6	5.0	4.1
7th	15.4	14.0	11.7	13.0	13.5	11.7	10.8	6.7	6.1	5.7	5.6	5.7	4.7	4.6
8th	18.3	16.7	15.1	15.1	15.2	13.0	10.9	8.3	7.6	6.8	6.2	6.6	5.4	4.6
9th	18.8	16.8	15.6	14.4	13.6	11.1	9.2	8.6	7.8	7.2	5.8	5.1	4.5	3.6
10th	19.5	19.5	17.8	17.1	14.3	12.1	8.9	8.8	9.4	7.9	6.7	5.7	4.5	3.1
11th	23.3	20.2	18.6	15.7	16.1	13.0	9.7	9.5	7.8	7.8	5.7	5.3	4.1	3.4
12th	24.9	23.0	19.2	17.6	17.0	13.9	9.9	9.6	9.0	7.7	6.0	5.7	4.4	2.3
Middle School	15.3	13.7	12.0	12.6	13.2	12.0	10.5	6.9	6.2	5.6	5.5	5.7	5.0	4.4
High School	21.5	19.7	17.7	16.2	15.2	12.5	9.4	9.1	8.5	7.7	6.0	5.4	4.4	3.1
Total	**18.8**	**17.1**	**15.3**	**14.6**	**14.3**	**12.3**	**9.9**	**8.2**	**7.5**	**6.8**	**5.8**	**5.5**	**4.7**	**3.7**

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant "flakka" was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 28. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2012 to 2024

	Alcohol Only													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	22.1	19.5	18.1	16.8	15.3	14.8	14.2	14.7	11.7	11.1	9.0	8.6	7.2	6.9
Male	19.9	17.8	17.0	15.6	14.3	13.8	12.8	12.7	10.1	9.1	7.4	7.0	5.6	5.2
Race/Ethnic group														
African American	18.8	14.6	13.7	12.4	11.3	10.4	8.8	10.3	7.8	7.3	5.1	5.1	3.5	3.4
Hispanic/Latino	23.1	21.5	20.3	18.6	16.5	15.9	14.5	15.1	12.9	10.8	9.1	7.8	6.2	5.8
White, non-Hispanic	21.2	19.4	18.3	17.0	15.9	15.2	15.3	14.9	12.2	11.4	9.6	9.3	7.9	7.5
Age														
11	9.5	8.0	7.3	7.2	8.5	8.9	8.5	4.4	2.8	1.8	1.8	2.8	2.4	2.0
12	13.2	11.6	10.2	9.4	10.6	10.2	9.8	5.0	4.3	3.7	2.8	4.0	3.6	3.2
13	17.2	15.7	14.1	12.8	12.7	12.7	12.8	9.3	7.3	6.1	5.0	5.2	4.7	4.7
14	23.6	19.4	17.8	17.0	15.5	15.2	13.7	12.0	10.2	8.4	7.5	7.1	5.6	5.1
15	24.5	20.8	19.6	17.2	17.1	15.0	13.1	16.3	11.7	10.9	8.2	8.5	6.6	5.6
16	25.5	22.5	20.5	20.1	15.6	17.0	14.9	17.8	15.0	12.0	11.0	9.9	8.4	7.5
17	24.5	23.0	22.9	21.9	18.5	16.0	16.2	20.7	16.4	17.2	13.6	11.4	8.6	9.2
18	23.4	23.9	21.7	19.5	17.2	17.2	17.7	21.6	17.9	18.0	14.2	12.4	10.5	10.3
Grade														
6th	10.7	9.9	8.4	7.6	9.2	8.9	9.1	4.5	3.5	2.9	2.2	3.5	2.8	2.6
7th	16.6	13.3	12.6	11.6	11.9	11.8	11.6	7.9	5.8	4.6	3.7	4.8	4.5	4.2
8th	20.8	18.7	16.3	14.7	14.4	14.2	13.6	11.4	9.4	8.2	7.0	6.4	5.3	5.3
9th	24.4	20.7	19.1	18.9	16.4	15.2	12.5	15.0	11.4	9.5	7.6	7.5	6.0	4.7
10th	25.2	21.1	20.3	17.9	16.4	16.3	14.4	17.0	13.5	11.6	10.1	9.1	6.8	6.7
11th	25.1	23.1	21.4	21.8	16.6	16.8	16.3	18.8	15.2	15.0	12.1	10.1	9.4	8.4
12th	24.1	24.2	23.4	20.7	19.1	16.6	16.7	22.2	18.5	18.3	14.8	13.5	9.9	10.3
Middle School	16.0	14.0	12.5	11.3	11.9	11.7	11.5	7.9	6.3	5.2	4.3	4.9	4.2	4.1
High School	24.7	22.2	21.0	19.8	17.1	16.2	14.9	18.1	14.5	13.4	11.1	10.0	8.0	7.4
Total	**21.0**	**18.6**	**17.5**	**16.2**	**14.8**	**14.3**	**13.4**	**13.7**	**10.9**	**10.0**	**8.2**	**7.7**	**6.4**	**6.0**

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant "flakka" was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 29. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2012 to 2024

	Alcohol Or Any Illicit Drug													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	53.6	50.1	46.8	45.2	46.1	42.0	37.3	30.7	27.9	25.8	23.7	23.9	21.0	17.9
Male	51.4	47.0	43.1	40.5	39.6	34.0	29.8	30.2	26.1	22.9	20.4	20.8	16.1	13.4
Race/Ethnic group														
African American	46.1	42.3	39.4	36.8	36.6	31.7	27.2	24.6	21.6	19.4	17.8	18.3	15.0	13.2
Hispanic/Latino	53.3	51.1	46.8	44.0	42.7	37.2	31.2	31.0	28.1	24.7	21.7	21.0	17.0	13.0
White, non-Hispanic	54.9	50.6	46.7	45.3	45.3	41.2	37.3	32.7	29.5	26.6	24.4	24.5	21.0	18.1
Age														
11	21.4	17.4	14.9	16.5	19.0	20.6	20.0	9.6	7.3	5.1	6.2	7.6	7.4	6.9
12	27.2	24.3	21.7	21.3	25.6	24.0	22.9	11.6	9.9	9.0	8.3	10.5	9.3	8.4
13	38.0	35.1	30.8	31.3	33.4	29.9	28.2	19.0	16.1	13.9	13.7	14.5	12.9	11.1
14	50.4	45.9	41.1	40.8	41.6	36.2	31.1	25.9	24.3	20.2	19.3	20.0	16.3	13.8
15	59.8	54.8	49.5	46.2	46.0	39.6	34.2	36.3	31.1	27.4	23.4	24.4	19.3	15.9
16	66.7	62.7	57.4	56.3	52.8	45.4	38.7	40.3	36.1	31.3	30.7	29.7	23.0	19.9
17	72.1	69.0	65.8	61.1	58.0	51.0	44.0	46.8	42.7	40.2	34.3	33.2	27.5	22.5
18	72.6	68.8	66.3	61.1	60.5	53.3	46.6	48.1	44.0	41.7	37.5	37.8	31.0	25.1
Grade														
6th	23.9	21.7	18.2	18.4	22.1	22.4	21.1	10.7	8.9	7.3	7.6	9.1	8.9	7.7
7th	35.8	30.4	27.4	27.7	30.1	27.3	26.6	17.1	14.0	11.9	11.2	13.1	11.3	10.3
8th	46.3	43.0	37.6	36.4	38.8	34.6	31.3	24.5	21.6	18.3	17.5	18.5	15.2	13.7
9th	57.1	51.7	46.2	44.6	43.4	36.6	30.3	33.0	28.6	24.3	20.5	21.1	17.3	13.5
10th	63.4	59.5	54.5	52.0	49.6	42.9	36.9	38.1	34.8	30.2	28.8	27.2	21.1	18.1
11th	70.4	65.5	62.4	58.8	56.3	49.0	42.6	43.9	38.6	36.8	31.9	32.8	25.8	21.5
12th	73.4	71.0	67.4	62.8	61.5	53.9	46.0	48.6	45.1	41.7	37.3	36.3	30.9	24.7
Middle School	35.3	31.7	27.8	27.5	30.4	28.2	26.4	17.4	14.8	12.5	12.1	13.6	11.9	10.6
High School	65.6	61.4	57.2	54.4	52.4	45.3	38.7	40.4	36.3	32.9	29.5	29.1	23.5	19.3
Total	**52.5**	**48.5**	**44.8**	**42.9**	**42.8**	**38.0**	**33.5**	**30.5**	**27.0**	**24.3**	**22.0**	**22.3**	**18.5**	**15.6**

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant "flakka" was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 30. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2012 to 2024

	Any Illicit Drug, But No Alcohol													
	Lifetime							Past 30 Days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	5.0	5.9	6.0	6.7	7.9	7.7	7.0	5.7	6.5	6.4	7.2	8.1	7.9	6.2
Male	5.8	6.3	6.5	6.7	7.3	6.8	6.6	6.7	6.9	6.3	6.9	7.2	6.0	4.9
Race/Ethnic group														
African American	7.7	8.3	9.0	8.9	10.5	9.3	8.5	7.7	8.2	7.7	8.9	9.4	7.9	6.8
Hispanic/Latino	4.7	6.0	6.0	6.2	7.6	6.5	5.8	5.8	6.3	6.7	6.7	7.1	6.5	4.2
White, non-Hispanic	4.5	4.8	5.0	5.7	5.9	6.4	6.1	5.3	6.0	5.4	6.2	6.6	6.4	5.4
Age														
11	6.8	6.3	5.3	5.7	6.1	7.6	7.0	4.2	3.6	2.7	3.5	3.1	3.6	4.1
12	6.4	6.3	6.4	6.2	7.3	7.4	7.5	4.6	3.8	4.0	3.9	4.6	4.6	3.8
13	6.6	7.3	6.6	7.8	7.5	7.2	6.5	5.1	5.1	4.8	5.6	5.4	5.4	4.1
14	5.8	7.1	7.0	7.3	8.9	7.4	7.2	6.0	6.1	5.9	6.4	7.8	6.8	5.7
15	5.3	6.3	6.4	7.4	7.8	7.2	7.5	7.5	8.6	7.8	7.9	8.7	7.7	5.8
16	4.5	4.9	6.2	6.7	7.6	7.0	6.1	7.1	8.1	8.0	9.6	10.4	7.9	6.9
17	4.0	5.3	5.8	5.8	7.1	7.5	6.6	7.0	8.8	8.1	9.1	9.4	9.2	7.2
18	4.1	4.5	5.2	5.7	7.9	6.3	6.1	6.6	8.1	7.6	9.4	10.8	9.0	6.7
Grade														
6th	6.5	6.7	6.2	6.1	6.9	8.2	7.0	4.3	3.9	3.5	3.9	4.0	4.6	3.8
7th	6.6	6.6	6.3	7.5	7.3	6.8	7.7	5.4	4.7	4.5	5.1	5.2	5.0	4.1
8th	6.4	7.3	7.0	7.2	8.3	7.3	6.9	6.2	5.9	5.5	5.8	7.2	6.2	5.5
9th	5.4	6.4	6.5	7.2	8.7	7.1	7.0	6.7	7.5	7.4	6.9	8.2	6.9	5.3
10th	5.0	5.7	6.9	7.1	7.4	7.1	6.9	7.0	8.7	8.1	9.6	9.1	8.3	6.4
11th	4.1	5.3	6.1	6.3	8.0	7.4	6.1	7.5	8.6	8.0	8.8	11.1	8.0	7.1
12th	3.5	4.4	4.8	5.6	6.7	6.6	6.0	6.2	7.8	7.7	9.3	9.0	9.8	6.8
Middle School	6.5	6.9	6.5	6.9	7.5	7.5	7.2	5.3	4.8	4.5	4.9	5.5	5.3	4.5
High School	4.6	5.5	6.1	6.6	7.7	7.1	6.5	6.8	8.1	7.8	8.6	9.4	8.2	6.4
Total	**5.4**	**6.1**	**6.3**	**6.7**	**7.6**	**7.2**	**6.8**	**6.2**	**6.7**	**6.4**	**7.1**	**7.7**	**6.9**	**5.6**

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant "flakka" was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2012 to 2024

	Delinquent Behavior													
	Carrying a Handgun							Selling Drugs						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	1.8	2.7	2.6	3.2	3.6	3.9	3.5	2.8	3.1	3.0	2.7	2.3	1.6	1.1
Male	6.9	7.8	8.3	8.7	8.6	8.1	8.2	7.1	6.6	5.4	5.1	4.2	2.4	2.0
Race/Ethnic group														
African American	4.3	4.8	4.7	5.8	5.7	5.0	4.9	4.3	4.3	3.4	3.3	2.9	1.7	1.7
Hispanic/Latino	3.5	4.0	4.7	5.0	4.9	4.8	3.7	4.7	4.6	4.2	3.3	2.9	1.9	1.0
White, non-Hispanic	4.7	5.9	6.1	6.6	6.7	7.1	7.6	5.6	5.4	4.4	4.3	3.5	2.2	1.8
Age														
11	2.5	2.7	3.5	4.0	5.1	4.4	5.2	0.2	0.5	0.2	0.3	0.2	0.4	0.2
12	3.1	4.3	4.3	4.4	5.1	5.6	6.6	0.9	0.9	0.9	0.8	0.8	0.6	0.6
13	4.3	5.5	5.1	6.3	6.9	7.0	6.2	2.2	2.0	1.6	1.7	2.0	1.1	0.9
14	5.0	5.6	6.0	6.6	6.3	7.0	6.7	4.2	4.0	3.4	3.3	2.5	1.8	1.6
15	4.5	6.3	6.2	6.2	6.1	6.3	5.5	6.1	6.5	5.8	4.8	3.3	2.2	2.1
16	4.6	4.9	5.8	6.4	6.0	5.7	6.1	7.6	7.7	6.2	5.7	4.9	3.0	2.3
17	4.9	5.4	5.7	6.7	5.6	5.5	5.0	8.7	7.8	6.2	6.4	5.3	3.1	2.0
18	4.7	6.2	5.8	5.7	7.8	4.9	4.6	7.3	8.1	7.0	7.1	7.1	3.0	2.2
Grade														
6th	3.0	3.9	4.2	4.4	5.2	5.3	6.4	0.6	0.8	0.6	0.6	0.6	0.8	0.6
7th	4.0	5.3	4.8	5.5	6.3	7.0	6.5	2.0	1.8	1.3	1.2	1.5	1.0	0.9
8th	5.9	6.1	6.1	7.1	7.0	7.6	6.9	4.2	3.8	2.9	2.7	2.7	1.5	1.6
9th	4.5	5.4	6.4	6.0	5.9	6.2	5.6	5.8	5.6	5.4	4.2	2.8	2.0	1.7
10th	4.2	6.0	6.0	6.7	5.9	5.7	5.9	6.7	7.3	6.4	5.7	3.6	2.6	2.2
11th	4.5	5.2	5.8	5.9	5.8	5.5	5.6	7.7	7.7	6.1	5.5	5.9	3.4	2.1
12th	4.6	5.0	4.9	6.3	6.5	4.6	4.2	8.4	7.3	6.4	7.4	6.1	2.7	2.1
Middle School	4.3	5.1	5.0	5.7	6.2	6.7	6.6	2.2	2.1	1.6	1.5	1.6	1.1	1.0
High School	4.5	5.4	5.8	6.2	6.0	5.5	5.4	7.1	6.9	6.0	5.7	4.5	2.7	2.0
Total	**4.4**	**5.3**	**5.5**	**6.0**	**6.1**	**6.0**	**5.9**	**5.0**	**4.9**	**4.2**	**3.9**	**3.3**	**2.0**	**1.6**

Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2012 to 2024

	Delinquent Behavior													
	Attempting to Steal a Vehicle							Being Arrested						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	1.2	0.9	0.8	1.2	1.1	1.0	0.8	2.4	2.1	1.8	1.7	1.8	1.3	1.3
Male	2.3	1.8	1.7	1.8	1.8	1.2	1.4	4.2	3.5	3.0	2.8	2.7	2.0	2.1
Race/Ethnic group														
African American	2.2	2.1	2.0	2.5	2.2	1.4	1.6	4.7	4.1	3.7	3.7	3.5	2.4	2.9
Hispanic/Latino	1.6	1.1	1.3	1.2	1.4	1.1	0.7	3.1	2.8	2.3	1.9	1.9	1.3	1.2
White, non-Hispanic	1.4	1.1	0.9	1.0	1.1	0.8	1.0	2.8	2.3	1.8	1.7	1.7	1.3	1.4
Age														
11	0.5	0.3	0.2	0.6	0.4	0.4	0.8	0.5	0.6	0.5	0.5	1.5	0.6	0.7
12	1.0	0.6	0.7	0.8	1.0	0.9	1.0	1.2	0.9	1.1	1.0	1.4	1.2	1.0
13	1.4	1.1	1.2	1.3	1.5	1.0	1.0	2.5	2.0	2.0	2.1	2.3	1.7	1.5
14	1.6	1.5	1.4	2.2	1.5	1.3	1.4	3.8	2.9	2.7	2.7	2.8	2.2	2.2
15	2.3	1.8	1.7	2.0	1.8	1.3	1.0	4.3	4.1	3.3	2.9	2.3	1.8	2.3
16	2.2	1.9	1.6	1.7	1.4	1.4	1.4	4.5	3.6	3.1	2.8	2.7	1.8	1.9
17	2.4	1.4	1.3	1.0	1.4	1.0	0.9	4.2	3.4	2.5	2.6	2.0	1.7	1.9
18	1.3	1.7	1.6	1.5	2.3	0.8	0.9	3.5	3.6	2.8	2.3	3.0	1.3	1.4
Grade														
6th	0.9	0.7	0.6	0.7	0.9	0.9	1.1	1.2	1.2	1.1	1.1	1.8	1.4	1.2
7th	1.4	0.9	1.1	1.2	1.3	0.8	1.1	2.6	1.8	1.7	2.0	2.1	1.6	1.3
8th	2.0	1.7	1.3	2.1	1.5	1.5	1.3	3.8	3.4	2.9	2.1	2.7	2.1	2.6
9th	2.1	1.4	1.6	2.2	1.7	1.1	1.1	4.4	3.2	3.1	2.9	2.4	1.9	1.9
10th	1.9	1.9	1.8	1.8	1.5	1.4	1.2	3.9	3.9	3.3	3.1	2.3	1.8	1.9
11th	2.2	1.5	1.3	1.0	1.8	1.1	1.2	4.1	3.0	2.7	2.2	2.5	1.6	1.8
12th	1.8	1.3	1.1	1.2	1.4	0.7	0.8	3.4	3.1	2.0	2.4	2.0	1.4	1.4
Middle School	1.4	1.1	1.0	1.4	1.3	1.1	1.2	2.5	2.2	1.9	1.7	2.2	1.7	1.7
High School	2.0	1.5	1.5	1.6	1.6	1.1	1.1	4.0	3.3	2.8	2.6	2.3	1.7	1.8
Total	**1.8**	**1.4**	**1.3**	**1.5**	**1.5**	**1.1**	**1.1**	**3.4**	**2.8**	**2.4**	**2.3**	**2.3**	**1.7**	**1.7**

Table 33. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2012 to 2024

	Delinquent Behavior													
	Taking a Handgun to School							Getting Suspended						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	0.4	0.4	0.3	0.3	0.4	0.3	0.3	8.6	7.4	7.0	7.3	9.2	8.8	11.2
Male	1.1	1.0	0.9	0.9	0.8	0.5	0.6	15.2	12.9	12.5	11.7	14.1	13.3	15.8
Race/Ethnic group														
African American	1.0	1.3	1.0	1.4	1.0	0.7	0.8	20.6	18.6	16.4	16.7	20.5	19.1	23.0
Hispanic/Latino	0.6	0.7	0.7	0.5	0.5	0.4	0.5	11.2	10.3	9.5	8.1	9.5	9.4	11.8
White, non-Hispanic	0.6	0.5	0.3	0.3	0.4	0.2	0.3	8.7	7.2	6.7	6.7	8.2	8.2	9.3
Age														
11	0.2	0.4	0.1	0.2	0.4	0.1	0.2	8.0	5.5	5.5	7.3	9.0	10.0	11.8
12	0.3	0.3	0.2	0.4	0.3	0.3	0.3	9.8	8.1	7.8	8.7	11.8	10.2	14.5
13	0.6	0.5	0.6	0.5	0.5	0.3	0.5	13.6	11.8	11.5	11.4	14.6	14.9	17.0
14	0.9	0.8	0.6	0.7	0.6	0.4	0.4	14.4	12.2	12.3	12.0	13.9	13.7	17.5
15	0.8	0.9	0.6	0.8	0.5	0.6	0.7	13.0	12.2	11.5	10.4	12.2	11.5	14.7
16	0.9	0.9	1.0	0.7	0.6	0.5	0.4	11.4	10.9	9.8	8.9	10.0	9.7	11.7
17	0.9	0.8	0.5	0.7	0.7	0.5	0.8	11.3	8.8	8.0	7.5	8.6	8.6	9.2
18	0.8	1.0	0.9	0.9	1.2	0.7	0.3	9.8	7.9	7.6	7.5	10.5	6.8	7.5
Grade														
6th	0.3	0.5	0.2	0.4	0.4	0.3	0.4	10.7	8.2	8.0	8.7	11.6	12.0	14.7
7th	0.6	0.4	0.5	0.4	0.5	0.3	0.3	14.0	12.0	11.2	11.4	14.5	13.8	16.6
8th	1.1	0.8	0.5	0.6	0.5	0.3	0.5	14.6	12.6	12.6	12.0	15.0	14.7	19.3
9th	0.8	0.7	0.8	1.1	0.6	0.5	0.5	14.1	11.6	12.0	11.4	12.5	11.0	14.5
10th	0.9	1.1	0.9	0.7	0.6	0.6	0.5	10.7	10.9	9.4	8.8	9.4	9.9	12.1
11th	0.8	0.9	0.7	0.6	1.0	0.3	0.6	10.4	9.2	8.7	6.7	9.4	8.7	9.6
12th	0.9	0.6	0.6	0.8	0.8	0.6	0.4	8.4	6.5	6.1	7.6	8.6	7.1	7.2
Middle School	0.7	0.6	0.4	0.4	0.4	0.3	0.4	13.1	11.0	10.6	10.7	13.7	13.5	16.9
High School	0.8	0.8	0.7	0.8	0.7	0.5	0.5	11.1	9.7	9.1	8.7	10.0	9.2	10.9
Total	**0.8**	**0.7**	**0.6**	**0.6**	**0.6**	**0.4**	**0.5**	**11.9**	**10.3**	**9.8**	**9.5**	**11.6**	**11.1**	**13.5**

Table 34. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2012 to 2024

	Delinquent Behavior						
	Attacking Someone with Intent to Harm						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex							
Female	6.6	6.1	5.3	5.6	5.8	6.2	5.4
Male	9.2	7.7	6.9	7.3	7.6	7.2	6.7
Race/Ethnic group							
African American	12.0	11.2	10.1	11.3	11.3	10.8	9.5
Hispanic/Latino	6.6	6.3	5.2	5.3	5.4	5.3	4.2
White, non-Hispanic	6.0	4.9	4.4	4.3	4.6	5.1	4.6
Age							
11	4.3	4.3	4.2	4.9	6.5	7.1	6.6
12	6.8	5.5	4.6	6.3	7.8	8.6	8.6
13	8.2	7.3	6.7	8.0	8.6	10.2	8.1
14	9.0	7.5	7.3	7.4	7.6	7.8	8.0
15	9.5	8.5	7.6	6.5	6.8	6.3	5.5
16	8.6	7.6	6.6	5.9	5.2	5.5	4.5
17	6.5	6.7	5.6	5.5	4.8	4.0	3.3
18	7.4	4.7	4.2	5.4	5.3	3.4	2.6
Grade							
6th	6.1	5.5	4.5	6.5	7.8	8.9	8.3
7th	8.3	6.6	6.1	6.7	8.2	9.6	8.7
8th	9.5	8.1	7.8	8.3	8.8	9.3	8.3
9th	9.4	8.3	7.8	6.9	6.8	5.9	6.4
10th	8.0	8.4	6.5	6.0	5.2	5.6	4.5
11th	7.1	6.1	5.7	5.2	5.3	4.7	3.8
12th	6.5	4.6	4.1	5.7	4.6	3.1	2.3
Middle School	8.0	6.7	6.2	7.2	8.3	9.3	8.4
High School	7.8	7.0	6.1	5.9	5.5	4.9	4.3
Total	**7.9**	**6.9**	**6.1**	**6.5**	**6.7**	**6.7**	**6.0**

Table 35. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2012 to 2024

	Early ATOD Use													
	More Than a Sip of Alcohol							Drinking at Least Once a Month						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	23.9	20.5	18.3	17.1	16.4	15.5	14.3	4.6	3.9	3.7	2.4	2.9	2.3	2.3
Male	26.8	23.2	20.2	18.1	15.4	12.6	12.1	5.4	3.9	3.4	2.5	2.5	2.1	1.7
Race/Ethnic group														
African American	23.3	19.4	17.5	16.4	13.8	10.7	8.8	4.5	3.6	3.9	2.2	2.7	1.7	1.6
Hispanic/Latino	26.2	22.0	19.1	17.1	15.4	14.4	12.2	5.3	4.1	3.1	2.7	2.6	2.2	1.6
White, non-Hispanic	24.2	22.3	19.5	18.2	17.0	14.9	15.1	4.8	3.9	3.3	2.4	2.6	2.5	2.3
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	35.1	30.3	27.4	27.0	24.8	21.1	18.6	7.0	5.2	4.8	3.3	3.6	3.0	2.8
15	29.3	25.4	21.5	20.0	18.6	16.9	15.8	5.9	4.1	3.8	2.9	2.8	2.6	2.4
16	24.4	20.9	19.0	17.7	15.1	13.8	12.9	4.8	4.0	3.8	2.3	2.5	2.1	1.8
17	21.8	18.8	17.4	13.6	12.3	11.4	11.3	4.0	3.5	2.9	2.3	2.3	1.9	1.8
18	19.0	16.0	13.8	12.9	12.4	8.8	8.1	4.2	3.0	2.7	1.8	3.0	1.1	1.2
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	32.8	27.5	24.3	23.3	21.5	18.6	17.2	7.1	4.9	4.5	3.3	3.3	3.1	2.8
10th	25.1	22.7	18.3	18.1	16.3	14.9	13.4	4.9	4.2	3.3	2.4	2.5	2.0	1.8
11th	22.6	18.9	18.1	15.0	13.0	12.5	12.5	4.0	3.0	3.1	2.1	2.4	2.0	1.8
12th	19.5	17.2	16.0	13.6	12.4	9.7	9.5	3.9	3.3	3.1	2.1	2.5	1.4	1.5
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	25.4	21.8	19.4	17.6	15.9	14.1	13.2	5.0	3.9	3.5	2.5	2.7	2.2	2.0
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 36. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2012 to 2024

	Early ATOD Use													
	Cigarettes							Marijuana						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	13.7	10.7	8.6	6.9	5.6	4.9	4.7	9.5	9.1	9.0	8.0	7.6	7.2	5.8
Male	15.3	13.1	9.8	7.9	6.2	4.9	3.9	13.8	13.6	12.0	10.6	8.8	5.8	4.4
Race/Ethnic group														
African American	10.1	7.4	6.5	5.2	4.0	2.4	2.1	10.3	10.2	10.0	9.5	7.6	5.5	4.2
Hispanic/Latino	13.4	10.5	8.0	6.7	4.5	4.3	3.8	10.8	10.8	10.3	8.9	6.9	5.3	4.2
White, non-Hispanic	16.2	14.1	10.6	8.7	7.5	6.4	5.7	12.0	11.8	10.6	9.2	8.6	7.4	5.9
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	14.6	12.6	9.5	6.3	6.3	5.2	3.4	12.1	12.8	11.3	11.0	10.3	6.7	6.2
15	14.5	12.1	9.3	7.5	6.0	5.2	5.1	12.5	12.1	11.1	9.3	8.6	6.9	5.4
16	13.6	11.1	9.3	7.3	5.9	4.7	4.4	11.3	11.0	11.2	9.8	7.9	6.6	5.3
17	15.3	12.5	9.5	7.9	5.6	4.8	4.2	11.4	11.3	10.2	8.2	7.1	6.7	4.5
18	14.3	11.3	8.4	6.6	5.4	4.6	3.0	10.7	9.5	8.7	8.8	7.9	5.1	4.2
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	15.7	13.2	9.9	7.0	6.5	5.6	4.2	13.4	12.6	11.9	9.9	9.7	7.1	5.7
10th	13.5	11.6	9.2	8.1	6.0	4.5	4.9	11.7	12.0	11.0	10.1	7.8	6.0	5.2
11th	14.2	11.0	9.6	7.0	5.4	4.8	4.4	11.0	10.3	10.2	8.6	7.9	6.8	5.0
12th	14.4	11.8	8.3	7.5	5.6	4.6	3.6	10.3	10.2	9.0	8.6	7.2	6.0	4.3
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	14.5	11.9	9.3	7.4	5.9	4.9	4.3	11.7	11.4	10.6	9.3	8.2	6.5	5.1
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 37. Percentage of surveyed Florida high school youth who started vaping nicotine or vaping marijuana at age 13 or younger, 2019 to 2024

	Early ATOD Use												
	Vaping Nicotine						Vaping Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %		2019 %	2020 %	2021 %	2022 %	2023 %	2024 %
Sex													
Female	5.0	5.9	8.5	9.6	8.6	10.7		2.6	3.1	4.2	4.8	4.6	5.1
Male	5.4	6.2	6.1	7.0	5.6	6.2		3.0	3.2	3.6	3.6	2.4	3.5
Race/Ethnic group													
African American	2.8	3.4	3.2	3.5	3.8	4.8		1.8	2.2	2.1	2.2	3.5	2.7
Hispanic/Latino	5.4	4.8	6.9	7.8	6.6	8.4		2.9	2.8	3.9	4.3	2.7	4.2
White, non-Hispanic	6.6	7.6	9.0	10.7	9.1	10.1		3.5	3.4	4.2	5.0	3.9	5.0
Age													
11	--	--	--	--	--	--		--	--	--	--	--	--
12	--	--	--	--	--	--		--	--	--	--	--	--
13	--	--	--	--	--	--		--	--	--	--	--	--
14	12.4	14.4	14.8	11.5	8.2	11.6		5.1	6.7	6.7	5.1	4.1	5.9
15	7.1	8.6	11.5	10.5	8.5	10.2		3.7	4.1	5.5	5.3	3.6	5.2
16	3.8	4.8	7.5	8.4	6.9	8.1		2.5	2.8	4.5	4.3	3.7	4.5
17	3.6	2.8	3.0	6.6	6.8	7.0		1.8	1.7	1.8	3.5	3.9	3.4
18	2.1	2.6	0.8	4.4	5.8	5.6		1.7	1.6	1.2	2.2	2.1	2.3
Grade													
6th	--	--	--	--	--	--		--	--	--	--	--	--
7th	--	--	--	--	--	--		--	--	--	--	--	--
8th	--	--	--	--	--	--		--	--	--	--	--	--
9th	9.7	11.0	12.1	11.2	8.9	10.3		4.6	5.5	5.6	5.3	4.0	5.5
10th	4.3	6.6	9.8	8.3	7.0	9.1		2.5	3.1	5.4	4.1	3.3	4.5
11th	4.0	3.2	4.4	8.3	6.1	7.5		2.4	2.1	2.5	4.5	4.0	4.2
12th	2.4	2.9	2.0	5.0	6.5	6.5		1.5	1.6	1.5	2.6	2.7	2.8
Middle School	--	--	--	--	--	--		--	--	--	--	--	--
High School	5.2	6.0	7.3	8.3	7.2	8.4		2.8	3.1	3.8	4.2	3.5	4.3
Total	--	--	--	--	--	--		--	--	--	--	--	--

Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2012 to 2024

	Perceive Great Risk of Harm If:													
	Drink One or More Alcoholic Drinks Nearly Every Day							Smoke a Pack or More of Cigarettes Per Day						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	46.0	45.4	46.4	49.1	48.4	47.8	51.8	69.7	69.5	68.4	67.6	67.3	66.3	65.8
Male	37.4	39.7	39.3	42.8	43.1	44.0	47.6	67.0	68.9	68.5	66.6	64.5	65.1	63.6
Race/Ethnic group														
African American	43.0	43.9	44.0	46.3	44.5	44.5	47.8	62.5	64.6	64.1	62.1	58.9	58.4	56.5
Hispanic/Latino	43.7	44.9	44.7	47.8	47.6	49.3	52.3	66.4	67.6	65.7	65.7	64.6	64.1	63.6
White, non-Hispanic	38.5	39.6	40.3	43.9	44.7	43.7	48.5	70.8	71.5	71.2	70.1	69.8	69.6	69.6
Age														
11	50.1	53.8	51.2	56.6	55.7	52.4	55.3	70.9	74.0	71.6	71.3	67.6	68.1	64.6
12	47.8	47.2	47.4	51.7	51.3	49.8	52.5	69.1	69.1	69.0	67.4	66.8	65.6	65.0
13	44.8	44.8	44.7	47.8	48.7	46.2	50.6	68.5	67.1	67.6	66.5	65.9	64.3	64.7
14	39.9	41.2	43.7	43.5	42.3	45.8	48.9	66.7	68.5	68.4	66.3	63.6	65.5	64.2
15	38.3	40.7	41.2	45.1	44.2	44.7	48.6	67.8	69.4	67.0	66.4	66.4	65.8	65.2
16	39.1	39.7	40.1	42.5	43.7	44.9	48.4	69.2	69.7	68.8	67.0	67.3	65.4	65.5
17	39.1	39.2	38.7	43.3	43.3	44.8	48.1	68.4	70.2	69.0	68.2	65.8	67.1	64.5
18	37.5	39.9	40.4	41.7	40.4	40.4	49.0	67.3	70.0	69.3	65.3	65.9	66.4	64.2
Grade														
6th	47.4	48.6	48.1	52.8	51.1	49.9	52.6	66.9	68.6	67.8	66.8	64.7	63.9	63.5
7th	44.7	45.2	44.7	48.6	50.2	47.6	50.4	68.3	66.8	66.7	66.4	65.5	64.6	63.7
8th	43.6	43.3	44.1	46.5	46.0	46.0	50.9	67.8	68.6	69.0	67.3	65.9	65.8	65.3
9th	36.7	40.7	42.3	42.4	41.8	44.2	48.0	66.4	69.2	67.0	65.1	63.9	64.8	64.1
10th	40.5	39.8	41.0	43.9	45.2	45.9	49.4	69.7	69.9	68.5	66.6	67.7	65.8	66.4
11th	38.4	40.0	39.4	44.4	43.5	44.5	47.8	69.5	70.2	69.3	68.7	66.7	66.5	64.3
12th	39.8	39.5	39.9	42.3	42.0	43.3	48.8	69.6	70.5	70.6	68.2	67.0	68.7	65.2
Middle School	45.2	45.7	45.7	49.3	49.1	47.8	51.3	67.6	68.0	67.9	66.8	65.4	64.8	64.2
High School	38.8	40.0	40.7	43.3	43.1	44.5	48.5	68.7	70.0	68.8	67.1	66.3	66.4	65.0
Total	**41.6**	**42.5**	**42.8**	**45.9**	**45.7**	**45.9**	**49.7**	**68.3**	**69.1**	**68.4**	**67.0**	**65.9**	**65.7**	**64.7**

Table 39. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2012 to 2024

	Perceive Great Risk of Harm If:												
	Smoke Marijuana Once or Twice a Week						Try Marijuana Once or Twice						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex													
Female	39.2	37.5	35.2	34.1	33.9	38.9	29.1	25.5	24.8	22.8	22.7	22.3	27.3
Male	36.3	35.2	33.7	32.8	34.8	39.2	26.0	25.3	25.0	23.6	23.6	24.6	28.6
Race/Ethnic group													
African American	32.5	31.4	29.8	28.2	29.8	33.3	27.1	24.7	23.8	23.2	22.2	23.0	26.4
Hispanic/Latino	38.5	36.2	34.9	35.6	36.6	42.5	29.8	28.1	26.7	25.0	26.1	26.3	32.4
White, non-Hispanic	38.7	38.6	35.9	34.9	34.6	39.8	25.4	23.6	24.3	21.8	21.9	21.5	26.4
Age													
11	70.0	65.1	62.5	57.3	57.8	56.2	46.5	51.7	47.7	44.3	41.2	39.9	41.4
12	60.9	58.8	56.1	52.9	51.5	52.3	43.0	43.0	41.0	38.0	36.3	35.5	36.4
13	50.9	48.4	44.9	44.3	43.7	47.0	36.5	33.7	33.5	29.3	29.8	29.4	33.4
14	37.5	38.3	34.6	32.5	36.2	40.6	28.2	24.1	25.3	22.5	22.0	24.8	29.3
15	30.1	29.0	28.0	26.8	29.3	35.3	21.5	18.4	19.6	17.9	18.4	19.2	25.1
16	24.6	24.3	21.6	21.5	25.6	32.6	19.0	15.8	16.4	15.0	14.6	17.4	23.2
17	20.2	19.5	19.7	21.3	20.9	28.2	17.0	13.6	12.9	14.1	15.3	14.9	20.6
18	21.0	21.4	19.1	17.7	18.2	26.1	16.7	14.8	13.9	13.4	13.1	12.6	19.6
Grade													
6th	62.8	61.0	57.9	53.4	53.0	53.7	43.7	46.3	44.6	41.2	38.1	38.0	38.8
7th	53.9	51.5	50.0	47.6	47.3	48.0	38.4	36.5	35.6	32.6	32.6	31.2	33.7
8th	44.5	42.8	39.4	39.5	39.7	44.7	33.0	28.7	28.4	25.5	26.1	27.4	32.2
9th	31.4	32.4	29.5	27.5	31.5	36.9	22.2	19.9	21.7	19.2	19.1	20.8	26.0
10th	26.6	26.1	24.2	24.1	26.9	34.2	20.8	16.3	17.5	16.3	16.3	17.7	24.7
11th	22.9	21.1	20.8	20.6	22.8	29.4	17.9	15.3	14.2	14.3	14.3	16.0	20.6
12th	19.3	20.0	18.6	19.0	18.6	26.6	15.9	13.1	13.0	13.1	13.9	12.9	19.8
Middle School	53.8	51.7	49.1	46.8	46.5	48.7	38.4	37.1	36.1	33.2	32.3	32.1	34.8
High School	25.4	25.2	23.3	22.9	25.2	31.9	19.4	16.3	16.8	15.8	16.0	17.0	22.9
Total	**37.7**	**36.3**	**34.4**	**33.4**	**34.3**	**39.0**	**27.6**	**25.3**	**24.9**	**23.2**	**23.1**	**23.5**	**27.9**

Table 40. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor's orders or having five or more alcoholic drinks once or twice a week—2012 to 2024

	Perceive Great Risk of Harm If:													
	Take a Prescription Drug without a Doctor's Orders							Five or More Alcoholic Drinks Once or Twice a Week						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %		2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	71.9	72.3	70.0	69.5	69.4	69.3	69.3		57.7	58.4	61.3	60.4	58.3	60.8
Male	65.5	70.3	67.3	65.9	65.8	66.5	65.6		51.7	51.2	54.9	54.1	54.8	57.5
Race/Ethnic group														
African American	67.4	66.0	63.3	61.7	60.8	60.1	59.6		55.4	55.4	56.4	55.0	53.6	55.7
Hispanic/Latino	67.3	69.3	67.2	66.7	66.4	67.4	66.7		54.1	53.5	57.9	56.3	57.3	59.4
White, non-Hispanic	69.7	74.2	71.5	70.8	71.5	71.6	71.8		53.6	54.1	58.4	57.9	56.2	60.1
Age														
11	--	76.0	72.8	74.1	72.3	71.4	70.6		66.8	63.4	68.3	65.6	65.3	64.8
12	--	72.6	69.0	69.2	69.4	67.5	67.1		60.8	60.0	64.7	63.6	62.2	64.2
13	--	70.7	69.0	66.9	68.4	66.2	66.5		57.6	57.7	60.8	60.8	57.8	60.7
14	70.3	71.4	69.0	66.2	66.6	67.7	67.0		55.3	55.8	57.7	55.7	57.7	59.3
15	69.5	71.1	67.9	66.0	66.3	67.3	67.3		52.9	52.5	56.7	56.2	55.7	58.6
16	68.2	70.2	67.7	66.5	67.4	68.2	68.4		51.9	52.5	53.7	54.4	54.0	58.0
17	68.4	70.6	68.0	68.6	67.1	68.3	67.4		49.5	50.4	55.3	53.1	53.1	55.3
18	66.6	69.8	68.1	68.2	65.4	68.5	68.2		46.9	49.7	51.9	50.4	49.8	54.3
Grade														
6th	--	71.9	68.9	70.0	68.9	67.9	67.7		61.1	59.6	64.4	61.8	61.4	62.5
7th	--	70.4	68.3	67.4	69.1	66.2	66.2		57.6	57.8	61.8	62.3	59.7	61.5
8th	--	72.7	70.0	67.1	67.7	66.9	67.1		57.5	56.6	60.1	59.2	58.3	61.0
9th	67.7	71.2	68.2	65.4	66.3	67.8	66.6		53.5	53.9	55.5	55.4	55.5	58.4
10th	69.8	70.5	67.8	66.5	66.7	68.1	68.0		52.8	52.4	55.7	54.8	55.0	58.9
11th	68.2	71.2	68.2	68.0	67.1	67.5	68.2		51.0	51.6	55.3	54.4	54.6	56.5
12th	68.6	70.0	68.3	68.7	67.1	70.1	68.2		47.7	51.0	53.3	51.9	51.5	55.2
Middle School	--	71.7	69.1	68.2	68.5	67.0	67.0		58.8	58.1	62.1	61.1	59.7	61.6
High School	68.6	70.8	68.2	67.1	66.8	68.4	67.7		51.4	52.3	55.0	54.2	54.2	57.3
Total	**--**	**71.2**	**68.5**	**67.6**	**67.6**	**67.8**	**67.4**		**54.6**	**54.7**	**58.0**	**57.2**	**56.6**	**59.1**

Table 41. Percentage of surveyed Florida youth who perceive great risk of harm in vaping nicotine or vaping marijuana, 2019 to 2024

	Perceive Great Risk of Harm If:												
	Vaping Nicotine						Vaping Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %		2019 %	2020 %	2021 %	2022 %	2023 %	2024 %
Sex													
Female	38.5	46.7	41.3	42.8	48.0	49.5		36.9	44.1	39.6	41.0	45.6	48.0
Male	36.5	43.1	43.0	44.5	50.7	51.1		36.1	41.5	40.4	42.6	46.7	48.6
Race/Ethnic group													
African American	37.7	47.3	43.9	43.0	49.9	47.3		34.2	42.0	40.2	39.6	44.5	43.9
Hispanic/Latino	40.1	44.9	39.4	43.4	46.2	51.0		39.0	43.6	39.4	43.0	47.1	50.2
White, non-Hispanic	36.0	43.6	43.1	43.4	50.4	51.5		36.5	42.9	41.1	41.6	45.4	49.3
Age													
11	56.2	60.1	56.9	59.2	58.2	59.6		63.7	64.3	61.2	63.0	61.6	62.7
12	46.8	54.2	51.3	52.4	55.1	56.9		51.6	57.2	55.4	56.7	57.4	59.2
13	41.1	48.1	44.7	46.2	49.8	53.6		44.1	50.1	46.5	48.3	52.2	55.1
14	36.0	41.6	39.1	44.1	49.1	50.3		37.0	40.2	38.3	43.6	47.2	49.7
15	32.2	41.6	37.2	39.5	47.6	47.9		29.3	38.2	33.8	36.7	42.8	44.8
16	31.0	39.6	36.5	40.0	44.9	47.8		25.3	34.6	31.2	35.0	39.8	42.7
17	34.7	40.9	38.2	38.4	47.4	45.1		28.1	33.6	31.1	31.1	39.1	39.2
18	32.5	39.0	42.3	36.4	51.7	45.6		25.1	32.3	32.3	28.6	38.4	37.9
Grade													
6th	51.3	55.2	54.9	54.2	55.1	57.5		57.6	58.9	57.4	58.2	58.0	60.0
7th	40.2	51.0	46.6	48.2	51.0	53.6		44.2	53.6	49.5	51.9	53.5	55.5
8th	40.1	45.2	41.9	45.3	50.0	53.0		41.8	45.5	43.1	46.1	48.6	53.2
9th	33.4	40.9	37.7	41.2	45.5	48.7		32.1	37.5	36.1	38.7	42.4	46.7
10th	31.5	40.3	34.9	40.5	47.1	48.2		26.5	36.3	30.1	36.5	40.4	44.4
11th	31.7	41.0	37.9	38.2	46.0	44.9		25.3	34.2	31.8	31.7	39.8	39.3
12th	34.2	39.5	41.9	37.8	50.6	46.5		27.3	32.2	32.0	29.6	38.2	39.0
Middle School	43.9	50.4	47.7	49.1	52.1	54.6		47.9	52.6	49.9	51.9	53.3	56.2
High School	32.7	40.5	38.0	39.5	47.1	47.1		27.9	35.1	32.5	34.3	40.3	42.5
Total	**37.5**	**44.8**	**42.2**	**43.6**	**49.3**	**50.3**		**36.5**	**42.8**	**40.1**	**41.8**	**46.0**	**48.2**

Table 42. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2012 to 2024

	Think It Would Be Wrong for Someone Their Age To:													
	Drink Alcohol Regularly							Smoke Cigarettes						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	70.5	72.7	74.1	75.9	77.4	78.6	82.6	86.1	88.7	91.1	92.6	93.8	93.2	94.3
Male	70.3	73.8	75.2	76.7	79.2	82.0	85.0	85.1	88.5	91.0	92.1	93.3	94.1	94.8
Race/Ethnic group														
African American	75.8	77.9	78.8	79.1	83.1	84.6	87.2	91.0	92.6	93.7	94.5	95.4	95.6	96.7
Hispanic/Latino	70.8	72.6	74.8	76.6	79.5	82.1	85.1	87.9	89.8	91.4	92.9	94.3	94.7	94.5
White, non-Hispanic	67.5	70.1	72.2	74.5	75.2	76.9	81.3	82.0	85.7	89.5	90.9	92.0	92.1	93.2
Age														
11	94.1	96.3	96.4	94.4	94.4	94.4	96.0	97.7	98.3	98.4	98.1	97.9	97.9	98.5
12	92.1	92.8	92.9	92.5	91.8	93.7	93.4	96.1	96.7	97.1	96.9	97.5	97.5	97.5
13	84.4	87.1	87.2	86.2	87.5	88.0	90.1	93.2	94.1	95.1	95.0	95.1	95.7	96.4
14	74.8	78.1	79.8	79.9	80.9	82.6	87.1	89.1	91.8	92.9	93.7	94.4	94.6	95.8
15	64.8	69.2	71.8	74.3	75.8	79.1	82.4	85.1	88.6	91.1	91.9	93.4	93.7	94.3
16	58.6	61.6	65.5	67.6	70.8	73.7	78.6	81.8	85.7	89.3	91.5	92.5	92.1	93.9
17	51.3	54.7	56.8	60.9	65.1	68.9	74.3	74.6	80.3	86.0	88.8	90.9	90.5	91.0
18	49.2	50.1	53.6	58.5	62.0	65.0	70.8	67.2	72.4	78.3	81.6	85.8	87.0	88.8
Grade														
6th	93.2	94.3	94.5	93.5	92.9	93.9	94.6	96.8	97.0	97.7	97.2	97.5	97.5	98.0
7th	86.8	88.9	89.3	88.6	89.2	90.0	91.5	94.0	94.7	95.7	95.7	96.1	96.4	96.9
8th	78.0	81.3	82.7	82.9	84.1	85.2	88.3	89.9	92.2	93.3	93.9	94.6	95.2	96.2
9th	66.5	72.1	74.4	76.4	77.9	81.0	85.0	85.9	89.7	91.1	93.2	93.6	93.8	95.0
10th	61.5	63.9	68.2	70.6	72.2	76.0	80.0	83.2	87.0	90.3	91.5	93.5	93.1	93.9
11th	54.2	58.5	60.2	63.4	68.4	70.7	75.6	77.9	82.8	87.2	89.9	91.2	91.0	91.9
12th	49.2	49.8	53.3	57.9	61.6	65.2	71.9	69.2	74.4	81.5	84.3	87.7	88.1	89.8
Middle School	86.1	88.2	88.8	88.4	88.7	89.6	91.4	93.6	94.7	95.6	95.6	96.1	96.4	97.0
High School	58.3	61.7	64.5	67.2	70.3	73.5	78.3	79.5	83.9	87.7	89.8	91.6	91.6	92.7
Total	**70.4**	**73.2**	**74.7**	**76.3**	**78.3**	**80.4**	**83.8**	**85.6**	**88.6**	**91.0**	**92.3**	**93.5**	**93.6**	**94.5**

Table 43. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2012 to 2024

	Think It Would Be Wrong for Someone Their Age To:													
	Smoke Marijuana							Use Other Illicit Drugs						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	78.9	75.2	74.4	72.9	73.9	77.0	84.6	96.0	95.2	95.8	96.2	95.9	96.4	97.8
Male	74.3	72.8	73.3	72.8	75.4	79.7	85.8	94.4	94.5	94.7	95.1	94.6	96.1	97.1
Race/Ethnic group														
African American	77.1	74.0	73.7	72.9	73.6	77.1	83.4	96.1	96.1	96.1	96.5	96.0	96.3	97.8
Hispanic/Latino	79.8	75.6	75.8	74.8	78.6	82.9	88.9	94.9	94.4	94.5	95.5	95.4	96.6	97.4
White, non-Hispanic	74.6	72.4	73.1	71.8	73.2	76.1	83.9	95.0	94.5	95.1	95.5	95.0	96.0	97.4
Age														
11	98.0	98.2	98.0	96.9	97.0	97.2	98.0	98.9	99.4	99.3	99.0	98.5	99.1	99.1
12	95.6	94.8	94.8	93.9	93.8	95.7	96.3	98.3	98.5	98.3	98.2	98.5	98.8	98.5
13	89.3	88.4	88.4	86.3	87.2	89.6	92.9	96.9	97.0	97.2	96.8	97.0	97.4	98.0
14	80.4	78.0	78.2	76.0	78.5	83.0	89.0	95.7	95.6	96.0	95.9	96.2	96.7	97.8
15	71.3	68.9	68.7	68.0	70.2	76.9	84.6	94.4	94.4	94.7	95.5	94.8	96.4	97.1
16	65.7	60.9	62.4	60.1	62.6	68.5	78.4	93.3	93.0	93.2	94.6	93.5	95.4	97.1
17	60.4	55.4	55.3	55.0	57.5	60.8	74.0	93.0	91.2	92.8	93.5	92.5	93.8	96.3
18	58.2	53.4	54.2	52.2	52.7	58.2	70.2	92.3	90.4	92.2	92.6	90.9	93.2	96.1
Grade														
6th	96.8	96.4	96.3	95.1	95.5	96.2	97.3	98.6	98.8	98.7	98.4	98.6	98.9	99.0
7th	90.9	90.2	90.8	89.3	90.0	92.7	94.0	97.2	97.1	97.7	97.3	97.5	97.8	98.1
8th	83.2	81.5	82.1	80.9	82.6	85.1	89.9	95.6	96.1	95.9	96.2	96.4	97.0	97.5
9th	73.4	72.2	71.6	71.4	73.0	79.7	87.2	95.1	95.1	95.2	96.0	95.7	96.4	97.7
10th	68.3	63.9	64.5	63.0	65.7	73.1	81.7	93.4	93.1	94.0	94.9	93.8	96.4	97.2
11th	62.4	58.4	58.1	56.9	59.5	63.2	75.4	93.7	92.3	92.4	93.9	93.1	94.3	96.3
12th	58.4	52.0	53.6	51.7	53.4	57.3	70.5	92.1	90.4	92.5	92.3	91.3	93.1	96.1
Middle School	90.3	89.4	89.7	88.5	89.4	91.2	93.7	97.1	97.4	97.5	97.3	97.5	97.9	98.2
High School	66.1	62.2	62.3	60.9	63.2	68.7	79.0	93.6	92.9	93.6	94.3	93.5	95.1	96.9
Total	**76.6**	**74.0**	**73.8**	**72.8**	**74.6**	**78.3**	**85.2**	**95.2**	**94.8**	**95.2**	**95.6**	**95.3**	**96.3**	**97.4**

Table 44. Percentage of surveyed Florida youth who think it would be wrong for someone their age to vape nicotine or vape marijuana, 2019 to 2024

	Think It Would Be Wrong for Someone Their Age To:												
	Vape Nicotine						Vape Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %		2019 %	2020 %	2021 %	2022 %	2023 %	2024 %
Sex													
Female	81.2	83.7	80.2	82.4	86.6	88.3		79.5	81.7	79.8	81.3	84.6	87.2
Male	80.6	85.0	84.9	87.5	90.7	91.6		80.0	82.8	82.4	84.9	87.6	89.4
Race/Ethnic group													
African American	87.1	89.5	89.0	87.3	91.8	91.6		83.6	85.7	86.1	84.4	88.5	88.9
Hispanic/Latino	83.8	86.8	82.8	86.0	88.1	91.5		82.2	84.8	83.6	86.2	87.8	90.6
White, non-Hispanic	76.4	80.7	79.1	82.9	87.8	88.2		77.2	79.6	77.5	80.7	84.1	86.8
Age													
11	95.4	96.0	95.6	96.0	95.4	97.0		97.3	97.2	96.1	97.2	96.4	98.3
12	91.1	93.2	92.1	93.9	94.0	95.5		94.0	95.1	95.2	96.0	96.4	96.6
13	86.8	88.1	85.9	89.1	91.0	92.8		90.4	89.9	89.2	90.8	92.2	93.7
14	81.5	84.8	81.7	86.0	88.3	90.8		82.6	84.3	83.4	86.5	88.5	90.8
15	77.4	82.4	81.4	83.7	88.3	88.9		75.6	79.6	80.7	81.9	83.7	87.5
16	75.9	80.2	78.2	80.6	86.7	87.9		71.3	74.2	72.5	76.1	81.4	83.9
17	74.4	78.8	76.3	78.6	85.9	85.7		68.6	72.0	68.8	70.8	78.1	80.5
18	69.4	73.2	74.7	74.4	83.6	83.0		62.5	67.2	66.4	68.0	76.7	77.0
Grade													
6th	94.1	94.5	94.4	94.8	94.4	96.1		95.9	96.1	95.9	96.4	96.9	97.4
7th	88.1	90.0	88.0	90.7	91.3	94.0		91.5	91.9	92.0	93.0	92.6	95.0
8th	83.9	86.1	83.0	87.0	88.7	91.5		87.4	86.9	85.8	88.0	88.5	91.6
9th	78.7	83.6	82.4	84.7	87.4	90.1		77.6	82.0	82.1	83.9	84.4	89.3
10th	76.0	80.7	79.0	83.1	87.4	88.1		73.1	75.6	74.4	80.0	82.1	85.7
11th	75.1	79.6	76.4	78.6	86.5	86.6		68.0	73.1	70.9	72.1	80.6	81.5
12th	70.3	75.1	75.0	75.3	84.4	83.8		64.3	68.4	66.3	67.5	75.7	77.6
Middle School	88.7	90.2	88.4	90.7	91.5	93.8		91.6	91.6	91.2	92.4	92.7	94.7
High School	75.1	79.9	78.3	80.6	86.5	87.2		70.9	75.0	73.7	76.2	81.0	83.7
Total	**81.0**	**84.4**	**82.7**	**84.9**	**88.7**	**90.0**		**79.8**	**82.2**	**81.2**	**83.1**	**86.0**	**88.3**

Table 45. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco or drink alcohol regularly—2014 to 2024

	Friends Feel It Would Be Wrong for You To:												
	Smoke Tobacco						Drink Alcohol Regularly						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %		2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex													
Female	89.4	91.1	92.1	92.1	91.5	93.2		84.0	85.6	87.1	87.6	87.9	91.3
Male	86.7	89.5	90.2	90.6	91.9	93.1		81.0	82.9	83.7	85.7	88.0	90.2
Race/Ethnic group													
African American	92.8	93.1	93.8	93.5	93.8	95.3		85.9	86.5	87.8	88.9	89.7	92.8
Hispanic/Latino	89.4	91.5	92.1	93.0	92.9	93.9		81.9	84.4	85.3	86.5	88.4	91.4
White, non-Hispanic	85.0	88.3	89.2	89.3	89.9	91.5		80.7	82.8	84.2	85.4	86.6	89.4
Age													
11	98.1	98.0	97.6	97.1	98.1	97.7		96.6	96.9	95.7	95.4	96.0	96.6
12	95.7	96.4	96.0	96.2	95.9	96.7		93.8	94.5	93.7	94.1	93.9	94.9
13	94.4	94.0	93.0	93.3	93.5	94.9		89.9	89.9	89.4	89.7	90.3	92.8
14	89.8	91.8	91.7	91.6	91.6	94.2		83.1	85.6	85.0	87.2	87.2	91.0
15	87.7	90.3	91.0	90.8	91.4	92.3		79.1	81.5	83.7	83.9	86.5	89.7
16	84.5	87.6	89.4	89.1	89.7	91.5		76.6	79.0	80.7	82.8	85.1	88.4
17	79.7	85.2	87.4	87.5	87.6	89.7		73.6	76.6	79.6	81.4	83.9	88.0
18	75.2	80.4	83.9	84.8	87.7	89.7		71.7	74.8	78.9	80.2	84.6	87.1
Grade													
6th	96.7	97.1	96.9	96.5	97.0	97.5		94.8	95.4	94.8	94.5	94.9	96.0
7th	93.8	94.7	94.4	94.3	94.2	95.1		90.6	91.4	90.7	91.2	91.5	93.3
8th	91.8	92.5	91.8	92.4	92.3	94.1		85.3	87.1	87.0	88.2	88.2	91.2
9th	87.6	90.7	91.1	90.8	91.6	93.5		80.4	83.0	84.1	85.5	86.9	90.1
10th	86.3	88.3	90.4	90.0	90.3	91.8		77.2	80.0	81.3	82.9	85.7	89.5
11th	81.9	86.0	88.7	88.8	88.3	90.2		75.0	78.1	80.1	82.6	84.0	87.7
12th	76.0	82.2	84.3	85.2	87.6	89.7		72.5	74.1	79.0	80.1	84.5	87.3
Middle School	94.2	94.8	94.4	94.4	94.5	95.6		90.3	91.3	90.9	91.3	91.4	93.5
High School	83.3	87.0	88.7	88.8	89.5	91.4		76.5	79.0	81.2	82.8	85.3	88.7
Total	**88.0**	**90.3**	**91.1**	**91.3**	**91.7**	**93.1**		**82.5**	**84.2**	**85.3**	**86.6**	**87.9**	**90.7**

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents "what are the chances you would be seen as cool." As a result, a direct comparison between these data and older survey results is not possible.

Table 46. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke marijuana or use prescription drugs not prescribed to you—2014 to 2024

	Friends Feel It Would Be Wrong for You To:												
	Smoke Marijuana						Use Rx Drugs Not Prescribed to You						
	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %		2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex													
Female	72.8	72.6	71.5	73.0	76.0	83.5		93.8	93.4	94.1	93.7	94.5	96.0
Male	70.2	71.3	70.6	73.6	79.1	84.7		92.6	92.2	92.3	92.6	94.2	95.5
Race/Ethnic group													
African American	71.6	72.3	71.8	72.9	76.8	83.7		94.0	93.3	93.4	93.5	94.4	95.7
Hispanic/Latino	72.1	74.0	72.6	76.6	81.4	87.2		92.6	91.9	93.3	93.4	94.7	96.2
White, non-Hispanic	70.6	71.2	69.7	71.9	75.5	82.6		93.1	93.1	93.2	93.2	94.2	95.3
Age													
11	97.8	97.7	96.8	95.9	97.3	97.2		98.5	98.0	97.1	96.8	97.5	97.8
12	93.8	94.2	93.3	93.1	94.0	95.6		97.2	96.7	96.4	96.8	96.1	96.9
13	87.5	86.3	83.9	85.5	88.4	92.2		96.1	95.4	94.4	94.1	94.7	96.3
14	73.3	75.8	72.4	76.3	80.6	87.6		93.3	93.7	92.4	93.3	93.2	96.2
15	65.2	66.5	66.2	67.9	75.7	82.4		92.0	91.6	92.2	91.7	94.0	94.5
16	58.0	59.0	58.4	60.1	68.2	77.4		91.1	89.4	91.8	91.4	94.1	95.2
17	52.9	53.4	53.1	56.2	60.3	71.8		89.8	90.0	91.7	90.9	92.7	94.5
18	51.6	52.9	52.0	54.7	60.8	71.7		88.5	90.4	91.3	91.1	93.8	95.7
Grade													
6th	95.7	96.1	95.2	94.6	95.3	97.0		97.6	97.4	97.0	96.8	97.0	97.7
7th	89.0	89.3	88.1	88.6	90.9	93.1		96.1	95.9	95.0	95.1	95.2	96.2
8th	78.8	80.3	77.5	80.4	83.3	88.7		94.4	94.0	93.1	93.7	93.1	95.9
9th	67.4	68.7	68.6	71.5	77.9	85.1		92.2	92.4	92.8	92.4	93.6	95.5
10th	61.1	61.7	61.5	62.9	72.1	80.2		92.0	90.7	91.6	91.6	94.2	95.0
11th	54.9	55.8	55.1	57.1	63.0	73.5		90.1	89.6	91.5	91.0	92.9	94.6
12th	50.6	51.9	50.4	54.6	59.0	70.6		89.0	89.3	91.1	90.8	93.9	95.2
Middle School	87.9	88.6	87.0	87.9	89.7	92.9		96.1	95.7	95.0	95.2	95.1	96.6
High School	59.0	59.9	59.1	61.8	68.4	77.6		90.9	90.6	91.8	91.5	93.7	95.1
Total	**71.5**	**72.0**	**71.0**	**73.3**	**77.6**	**84.1**		**93.1**	**92.7**	**93.2**	**93.1**	**94.3**	**95.7**

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents "what are the chances you would be seen as cool." As a result, a direct comparison between these data and older survey results is not possible.

Table 47. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to vape nicotine or vape marijuana, 2019 to 2024

	Friends Feel It Would Be Wrong for You To:												
	Vape Nicotine						Vape Marijuana						
	2019 %	2020 %	2021 %	2022 %	2023 %	2024 %		2019 %	2020 %	2021 %	2022 %	2023 %	2024 %
Sex													
Female	75.8	78.3	75.3	77.6	81.9	84.7		76.0	78.9	77.5	78.7	81.4	84.8
Male	75.5	80.3	81.0	83.8	86.7	89.0		77.1	79.5	81.0	82.8	84.8	87.5
Race/Ethnic group													
African American	86.0	87.7	84.2	85.2	88.6	89.3		82.6	84.5	83.5	83.5	85.9	87.5
Hispanic/Latino	78.9	81.4	79.7	81.8	84.0	88.4		78.1	80.9	81.4	83.0	84.6	88.6
White, non-Hispanic	68.8	74.3	75.2	77.4	82.8	84.8		73.2	76.1	76.6	78.1	81.1	84.3
Age													
11	94.5	95.3	94.0	94.8	93.4	95.2		96.2	96.5	96.1	96.9	95.4	97.1
12	88.0	91.4	90.3	90.2	91.4	93.6		91.8	93.8	93.7	93.4	94.1	95.4
13	83.4	84.8	82.8	85.6	87.2	90.7		86.7	87.7	86.8	88.7	89.5	92.5
14	74.5	79.8	77.1	80.6	83.9	87.8		78.8	81.4	81.2	83.2	84.5	88.7
15	70.5	75.6	76.8	78.5	82.4	85.2		72.1	75.4	77.5	79.2	80.3	84.4
16	67.9	72.7	70.6	75.6	80.7	84.1		65.6	69.7	69.8	73.5	77.3	81.1
17	68.3	69.8	70.5	72.4	81.0	80.6		66.0	66.3	68.1	67.3	75.8	77.1
18	65.2	69.0	70.0	73.7	80.2	80.4		61.8	66.0	64.3	67.9	73.7	76.4
Grade													
6th	92.3	93.6	92.9	92.5	92.4	94.6		95.0	95.2	95.1	95.0	95.3	96.7
7th	85.0	87.6	85.7	87.1	87.1	91.7		88.4	90.4	90.1	90.7	89.5	93.5
8th	77.7	82.3	79.7	82.9	85.0	88.4		81.2	84.4	83.8	85.3	85.2	89.5
9th	72.1	77.0	75.5	79.4	82.0	87.5		74.8	78.2	78.7	80.8	81.5	87.2
10th	68.2	73.7	73.7	77.5	80.9	84.3		67.8	71.4	72.6	77.0	77.8	82.8
11th	68.6	71.3	70.7	72.9	81.3	81.5		65.3	67.6	68.1	68.9	76.8	77.7
12th	64.6	68.2	69.3	72.2	80.0	80.1		62.5	65.0	65.2	66.5	73.1	75.9
Middle School	85.1	87.8	86.0	87.4	88.2	91.5		88.2	90.0	89.6	90.2	90.0	93.2
High School	68.4	72.7	72.4	75.6	81.1	83.5		67.7	70.7	71.3	73.6	77.5	81.1
Total	**75.7**	**79.3**	**78.3**	**80.7**	**84.2**	**86.9**		**76.6**	**79.2**	**79.3**	**80.8**	**83.0**	**86.2**

Table 48. Percentage of surveyed Florida youth who reported that their parents feel it would be wrong to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, 2024

	Parents Feel It Would Be Wrong for You To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
Sex				
Female	96.8	98.5	94.0	97.9
Male	96.5	98.6	94.6	98.3
Race/Ethnic group				
African American	97.1	98.9	94.3	97.8
Hispanic/Latino	97.0	98.7	96.8	98.1
White, non-Hispanic	96.1	98.3	93.0	98.4
Age				
11	98.5	99.2	99.1	98.6
12	98.3	98.9	98.6	98.4
13	97.4	98.8	97.2	98.4
14	97.5	98.8	96.0	98.5
15	96.4	98.2	93.6	97.0
16	95.6	98.6	91.5	98.2
17	95.7	98.4	90.9	98.0
18	94.2	97.5	87.6	97.9
Grade				
6th	98.4	99.1	98.9	98.8
7th	97.9	98.9	97.5	98.3
8th	97.1	98.8	96.0	98.3
9th	96.6	98.4	95.0	97.7
10th	96.0	98.2	92.5	97.4
11th	95.4	98.6	91.3	98.2
12th	95.3	98.0	88.7	98.1
Middle School	97.8	98.9	97.4	98.4
High School	95.8	98.3	92.0	97.9
Total	**96.7**	**98.6**	**94.3**	**98.1**

Table 49. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2024

	Think It Would Be Wrong for Their Parents To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
Sex				
Female	80.1	86.0	88.2	96.1
Male	82.8	89.6	91.7	97.3
Race/Ethnic group				
African American	87.4	91.7	90.3	96.7
Hispanic/Latino	85.4	90.5	93.8	97.1
White, non-Hispanic	74.8	84.2	88.1	96.7
Age				
11	84.4	91.7	94.8	97.3
12	81.1	88.0	92.6	96.8
13	81.0	86.9	88.6	96.7
14	80.3	86.0	85.6	96.4
15	--	--	--	--
16	--	--	--	--
17	--	--	--	--
18	--	--	--	--
Grade				
6th	83.0	90.2	93.8	97.3
7th	81.5	87.0	90.4	96.6
8th	79.9	86.1	85.8	96.2
9th	--	--	--	--
10th	--	--	--	--
11th	--	--	--	--
12th	--	--	--	--
Middle School	81.4	87.7	89.9	96.7
High School	--	--	--	--
Total	--	--	--	--

Table 50. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2024

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
	%	%	%	%	%
Sex					
Female	35.6	29.5	11.7	35.8	13.6
Male	40.9	37.0	11.7	21.6	9.0
Race/Ethnic group					
African American	47.5	31.7	11.2	24.1	10.7
Hispanic/Latino	33.5	28.6	9.9	25.3	10.7
White, non-Hispanic	36.3	36.3	12.3	31.9	11.5
Age					
11	35.9	47.1	17.9	25.7	9.8
12	37.4	47.1	18.2	21.9	9.4
13	38.3	42.3	16.4	22.0	8.2
14	40.4	35.0	12.1	24.3	9.5
15	41.1	30.2	9.0	28.4	10.4
16	38.6	25.5	8.3	33.6	13.7
17	35.3	21.8	7.1	36.6	13.8
18	36.2	22.4	6.9	38.9	16.2
Grade					
6th	37.6	48.0	17.5	23.3	9.8
7th	38.5	42.5	17.8	20.8	8.3
8th	38.3	40.4	14.7	22.9	9.2
9th	40.8	30.8	9.0	25.4	9.5
10th	40.5	26.9	8.5	32.1	12.3
11th	37.2	23.4	7.4	36.9	13.7
12th	33.9	21.3	7.2	39.1	16.1
Middle School	38.2	43.6	16.7	22.3	9.1
High School	38.2	25.7	8.1	33.2	12.8
Total	**38.2**	**33.3**	**11.7**	**28.6**	**11.2**

Table 51. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2024

	Skipped School Because of Bullying	Was Kicked or Shoved	Was Taunted or Teased	Victim of Cyber Bullying	Physically Bullied Others	Verbally Bullied Others	Cyber Bullied Others
	%	%	%	%	%	%	%
Sex							
Female	13.7	36.6	64.0	36.7	15.9	30.0	14.6
Male	4.7	34.3	53.2	21.6	18.9	31.8	12.2
Race/Ethnic group							
African American	6.6	31.5	52.4	24.9	21.4	32.8	15.1
Hispanic/Latino	7.1	28.1	50.6	23.0	13.9	26.1	10.0
White, non-Hispanic	11.5	40.0	64.9	34.0	15.9	31.3	13.7
Age							
11	8.3	50.2	71.3	25.2	23.3	36.1	11.9
12	9.2	49.6	70.3	28.5	24.0	36.8	13.2
13	10.6	45.1	66.5	31.1	24.0	38.6	15.1
14	9.5	38.5	61.8	30.2	20.7	33.7	15.6
15	9.2	32.5	55.3	30.3	16.2	29.5	14.1
16	9.2	26.1	51.4	29.0	12.9	26.9	13.1
17	8.4	23.9	48.7	27.5	10.2	23.4	11.0
18	7.9	23.0	47.9	27.7	8.7	22.4	10.5
Grade							
6th	9.3	49.5	70.4	27.3	23.8	37.2	12.6
7th	10.0	48.1	68.1	30.0	24.8	38.4	14.6
8th	10.6	42.2	65.3	31.6	23.7	36.4	16.5
9th	8.8	33.2	56.1	29.6	16.8	30.2	14.1
10th	8.9	28.2	53.1	28.9	13.3	26.7	13.0
11th	9.0	24.9	48.9	28.3	11.8	24.7	12.0
12th	7.7	22.9	48.3	27.4	8.2	22.8	10.9
Middle School	10.0	46.6	67.9	29.6	24.1	37.4	14.6
High School	8.6	27.4	51.7	28.6	12.6	26.2	12.5
Total	**9.2**	**35.5**	**58.5**	**29.0**	**17.5**	**30.9**	**13.4**

Table 52. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2024

	Bought in a Store	Bought in a Restaurant, Bar or Club	Bought at a Public Event	Someone Bought it for Me	Someone Gave it to Me	Took it from a Store	Took it from a Family Member	Some Other Way
	%	%	%	%	%	%	%	%
Sex								
Female	10.1	3.5	0.6	7.0	43.9	1.3	15.2	18.4
Male	17.7	2.8	1.9	7.3	37.3	3.1	9.5	20.2
Race/Ethnic group								
African American	9.2	3.4	2.0	4.3	46.2	3.2	11.7	20.1
Hispanic/Latino	10.5	5.9	1.5	2.8	38.3	2.3	14.4	24.4
White, non-Hispanic	16.1	2.2	0.6	10.1	41.3	1.7	11.5	16.4
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	7.6	0.9	2.5	2.6	43.0	4.5	22.2	16.8
15	4.4	3.5	0.8	4.8	41.0	3.2	22.7	19.6
16	10.0	2.6	1.1	8.9	42.7	1.6	12.5	20.7
17	18.2	2.7	1.7	7.4	42.4	0.8	9.0	17.9
18	21.0	4.6	0.6	7.9	36.9	3.1	6.2	19.7
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	6.2	2.5	1.9	4.4	36.4	4.1	21.6	22.8
10th	7.4	2.6	1.1	6.7	42.2	2.3	17.9	20.0
11th	14.4	2.5	0.7	7.3	46.4	2.1	9.0	17.5
12th	20.1	4.5	1.3	8.5	38.3	1.0	8.1	18.2
Middle School	--	--	--	--	--	--	--	--
High School	13.4	3.2	1.2	7.1	41.1	2.1	12.8	19.2
Total	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 53. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2024

	My Home	Another Person's Home	Car or Other Vehicle	Restaurant, Bar or Club	Public Place	Public Event	School Property	Some Other Place
	%	%	%	%	%	%	%	%
Sex								
Female	44.6	31.4	1.6	5.3	5.4	2.6	0.9	8.3
Male	41.3	29.0	3.1	6.1	5.0	3.4	2.3	9.9
Race/Ethnic group								
African American	44.1	23.8	3.0	3.9	6.3	5.4	6.0	7.7
Hispanic/Latino	43.4	25.5	2.1	7.6	6.5	3.5	0.9	10.5
White, non-Hispanic	41.7	34.3	1.8	5.0	4.8	2.4	0.9	9.1
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	52.5	24.7	2.4	1.6	4.9	1.6	1.9	10.2
15	47.9	26.9	2.6	1.9	4.1	3.9	1.8	10.9
16	45.9	28.2	3.3	5.7	4.9	2.8	1.4	7.9
17	40.9	34.7	1.2	5.7	5.8	1.9	1.6	8.3
18	35.1	32.8	1.6	10.2	6.2	3.9	0.9	9.2
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	49.2	25.2	2.7	1.1	3.8	3.4	1.2	13.4
10th	46.4	25.9	2.2	4.6	6.3	2.9	2.2	9.4
11th	41.8	33.7	3.1	5.4	4.1	2.7	1.1	8.0
12th	39.2	33.3	1.2	8.7	6.0	2.8	1.4	7.4
Middle School	--	--	--	--	--	--	--	--
High School	43.3	30.3	2.2	5.6	5.2	2.9	1.5	9.0
Total	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 54. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2024

	1	2	3	4	5 or More
	%	%	%	%	%
Sex					
Female	34.8	25.2	17.8	7.0	15.1
Male	30.9	20.0	17.6	7.1	24.5
Race/Ethnic group					
African American	41.3	19.5	22.2	4.0	13.0
Hispanic/Latino	33.1	27.5	18.0	5.0	16.4
White, non-Hispanic	28.5	22.9	18.2	8.5	22.0
Age					
11	--	--	--	--	--
12	--	--	--	--	--
13	--	--	--	--	--
14	35.9	26.9	16.7	8.7	11.8
15	42.8	19.9	16.7	6.0	14.6
16	30.9	26.4	18.3	6.8	17.5
17	29.1	23.5	19.8	8.4	19.2
18	33.5	18.9	16.0	5.7	25.9
Grade					
6th	--	--	--	--	--
7th	--	--	--	--	--
8th	--	--	--	--	--
9th	38.4	25.0	17.7	6.3	12.6
10th	36.1	24.7	15.6	5.4	18.2
11th	32.1	21.1	20.5	9.6	16.7
12th	29.8	22.4	17.1	6.2	24.4
Middle School	--	--	--	--	--
High School	33.2	23.0	17.8	7.0	19.0
Total	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 55. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana—2012 to 2024

	Riding in a Vehicle Driven by Someone Who Had Been:													
	Drinking Alcohol							Using Marijuana						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	22.8	20.1	17.5	15.1	16.2	16.0	14.1	25.5	24.4	23.7	24.4	24.0	20.6	16.7
Male	19.9	16.2	15.3	13.4	13.3	11.2	10.7	25.3	22.7	21.7	21.5	20.2	15.1	13.0
Race/Ethnic group														
African American	18.3	14.8	14.7	12.5	11.6	10.1	8.8	27.0	27.1	26.2	25.4	26.7	20.0	16.1
Hispanic/Latino	22.0	19.0	17.2	14.2	15.4	13.8	11.6	23.5	20.6	19.9	19.8	18.0	15.2	10.5
White, non-Hispanic	22.2	19.4	16.7	15.0	15.6	14.9	14.3	25.0	23.3	21.6	22.5	21.3	18.3	16.2
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	18.7	16.8	15.6	15.2	14.8	15.6	12.1	13.0	14.8	14.3	16.4	16.4	12.9	11.1
15	20.9	17.8	17.1	14.5	15.9	14.9	14.0	21.5	19.1	18.9	18.7	18.5	15.8	13.8
16	20.6	17.2	15.2	13.7	14.8	13.1	12.7	26.0	23.6	22.6	23.8	22.0	17.6	14.7
17	22.1	19.3	16.7	14.8	13.6	12.8	11.0	30.5	28.7	27.2	25.8	25.0	20.5	15.8
18	23.7	18.9	17.0	13.7	14.6	11.1	11.3	31.6	28.9	27.9	29.0	28.6	21.9	18.2
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	21.3	18.2	17.2	15.4	15.8	15.6	13.1	19.9	17.5	16.9	17.7	17.2	14.3	12.9
10th	20.0	18.0	15.6	14.2	14.8	13.8	13.7	22.5	22.7	21.9	22.3	20.4	16.3	14.0
11th	21.3	17.8	16.3	13.9	13.9	12.8	12.0	29.5	26.1	24.6	24.2	24.6	19.9	16.1
12th	23.1	18.6	16.3	13.9	14.4	11.6	10.5	31.0	29.3	28.1	28.0	26.7	21.4	16.5
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	21.4	18.1	16.4	14.3	14.7	13.5	12.4	25.4	23.5	22.7	22.9	22.1	17.8	14.8
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 56. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana—2012 to 2024

	Driving a Vehicle After: Drinking Alcohol							Using Marijuana						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	7.4	6.2	5.0	3.8	3.6	3.2	2.1	8.8	9.6	9.1	8.7	8.2	6.7	4.5
Male	8.8	6.8	5.8	4.9	4.6	3.4	2.8	13.4	12.2	11.4	10.1	9.8	6.1	4.3
Race/Ethnic group														
African American	6.4	4.8	5.0	3.7	3.2	2.5	1.8	11.1	10.0	10.3	9.4	9.6	7.0	4.8
Hispanic/Latino	8.0	6.7	5.5	4.1	4.1	2.3	2.0	9.4	10.2	9.5	7.7	7.5	4.3	2.9
White, non-Hispanic	8.8	7.4	5.6	4.8	4.4	4.3	2.9	11.8	11.4	10.4	10.1	9.3	7.2	5.0
Age														
11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
14	3.1	2.6	1.9	1.5	2.0	1.1	1.0	3.0	4.5	4.3	3.0	2.2	2.8	2.0
15	5.1	4.2	3.4	3.1	2.7	2.1	1.4	6.5	7.1	6.0	5.3	5.7	3.9	3.0
16	8.1	6.1	5.0	3.8	3.4	3.2	2.5	11.8	10.1	9.7	9.7	9.1	6.5	4.3
17	10.4	8.6	7.1	5.9	5.4	4.2	3.0	15.0	15.1	13.9	12.5	11.7	8.5	5.8
18	12.8	10.5	8.9	7.2	7.2	5.6	4.0	17.0	16.5	16.5	15.8	16.0	10.0	6.1
Grade														
6th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--	--	--
9th	5.2	3.8	3.1	2.5	2.5	2.1	1.4	6.2	6.5	5.8	4.6	4.2	3.7	2.4
10th	6.0	5.8	4.5	3.9	2.9	2.2	2.1	8.8	9.6	8.5	7.8	7.3	5.0	4.0
11th	9.8	7.3	5.9	4.6	4.4	4.0	3.0	14.3	12.5	11.8	11.4	11.5	7.3	4.9
12th	12.4	10.2	8.5	6.8	6.9	5.3	3.5	16.5	16.1	15.7	14.5	13.8	9.9	6.3
Middle School	--	--	--	--	--	--	--	--	--	--	--	--	--	--
High School	8.1	6.6	5.4	4.4	4.1	3.3	2.4	11.2	10.9	10.3	9.5	9.0	6.4	4.4
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 57. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Drinking Alcohol	Smoking Marijuana	Using Another Drug
	%	%	%
Sex			
Female	3.7	6.8	2.3
Male	2.4	5.0	1.8
Race/Ethnic group			
African American	2.4	5.8	2.3
Hispanic/Latino	2.6	5.0	1.9
White, non-Hispanic	3.3	6.3	1.9
Age			
11	1.5	0.9	0.5
12	1.6	1.2	1.0
13	2.6	3.4	2.4
14	3.7	5.8	2.2
15	3.8	7.3	2.5
16	4.0	9.0	2.5
17	3.2	9.2	2.2
18	2.8	7.7	1.7
Grade			
6th	1.5	1.1	0.9
7th	2.5	2.5	1.8
8th	3.8	5.6	2.7
9th	3.5	5.7	2.1
10th	3.6	8.2	2.4
11th	3.7	9.6	2.7
12th	2.7	8.3	1.7
Middle School	2.6	3.1	1.8
High School	3.4	7.9	2.2
Total	**3.1**	**5.9**	**2.1**

Table 58. Percentage of surveyed Florida youth who have talked with a parent or guardian in the past 12 months about the dangers of taking a prescription drug that was not prescribed to you—2018 to 2024

	Talked with a Parent about Prescription Drug Abuse						
				2018 %	2020 %	2022 %	2024 %
Sex							
Female				25.2	26.1	22.9	22.4
Male				23.7	25.1	21.6	20.2
Race/Ethnic group							
African American				20.4	20.4	16.5	16.4
Hispanic/Latino				26.2	26.9	24.5	21.7
White, non-Hispanic				25.7	27.6	24.1	23.6
Age							
11				28.6	27.4	24.2	22.3
12				27.0	26.4	24.1	21.7
13				25.1	26.3	22.4	22.0
14				24.9	27.3	23.8	21.4
15				25.2	26.5	23.4	21.9
16				24.0	24.9	22.2	22.7
17				22.1	22.6	18.9	19.7
18				19.9	23.6	18.9	16.6
Grade							
6th				27.8	27.7	24.3	22.1
7th				24.6	25.1	22.3	21.4
8th				25.6	26.7	22.9	22.1
9th				25.3	27.5	23.9	21.0
10th				25.5	24.9	22.5	22.7
11th				22.1	24.7	20.5	21.8
12th				20.5	22.4	18.8	17.4
Middle School				26.0	26.5	23.1	21.9
High School				23.4	24.9	21.5	20.8
Total				**24.5**	**25.6**	**22.2**	**21.2**

Table 59. Percentage of surveyed Florida high school youth who have heard about or have used products that contain Delta-8 THC or Delta-10 THC or kratom, 2024

	Heard about products that contain Delta-8 THC or Delta-10 THC	Used products that contain Delta-8 THC or Delta-10 THC	Heard about products that contain kratom	Used products that contain kratom
	%	%	%	%
Sex				
Female	27.0	9.3	8.5	1.2
Male	27.6	8.2	8.8	1.1
Race/Ethnic group				
African American	19.9	6.2	4.7	0.8
Hispanic/Latino	19.3	6.0	5.6	0.9
White, non-Hispanic	36.4	11.5	12.6	1.3
Age				
11	--	--	--	--
12	--	--	--	--
13	--	--	--	--
14	19.7	4.7	7.9	0.6
15	23.4	6.4	7.7	0.8
16	28.5	9.7	9.1	0.9
17	31.7	10.4	9.0	1.5
18	31.5	11.4	9.7	1.9
Grade				
6th	--	--	--	--
7th	--	--	--	--
8th	--	--	--	--
9th	20.2	5.1	7.7	0.6
10th	25.8	8.0	8.1	0.9
11th	30.7	10.5	9.2	1.2
12th	33.1	11.6	9.8	1.8
Middle School	--	--	--	--
High School	27.3	8.7	8.7	1.1
Total	**--**	**--**	**--**	**--**

Table 60. Percentage of surveyed Florida youth who "agree" or "strongly agree" with statements indicating impulsiveness or a lack of self-control, 2024

	Lack of Self-Control					
	Do what brings me pleasure now	More concerned with the short run	Getting in trouble is exciting	Excitement more important than security	People better stay away from me when I'm angry	I get upset when I have a disagreement
	%	%	%	%	%	%
Sex						
Female	31.4	27.2	26.7	23.6	27.3	48.8
Male	27.0	22.9	25.2	25.8	21.1	31.2
Race/Ethnic group						
African American	32.2	28.3	24.3	21.8	29.3	40.4
Hispanic/Latino	28.0	26.3	24.7	24.6	21.2	36.5
White, non-Hispanic	27.5	22.0	26.5	25.8	21.8	41.0
Age						
11	31.6	29.6	23.5	25.0	29.3	51.0
12	32.1	28.5	25.2	24.7	29.6	48.4
13	30.1	26.9	27.8	27.5	26.9	46.3
14	28.8	26.0	27.9	26.1	24.7	42.1
15	27.7	23.9	26.0	24.5	22.1	37.5
16	28.8	23.9	25.9	23.2	21.5	34.5
17	27.6	21.7	25.2	23.7	20.4	32.6
18	28.3	21.6	24.0	22.1	21.7	31.3
Grade						
6th	30.7	28.7	24.0	24.6	29.9	48.3
7th	32.1	28.3	26.9	27.0	28.4	47.3
8th	29.4	26.4	29.6	27.6	27.1	45.4
9th	27.6	25.2	25.3	24.0	22.1	38.3
10th	28.0	23.2	25.2	23.8	20.9	35.3
11th	28.2	22.6	25.7	22.3	20.9	33.2
12th	28.4	21.3	25.0	23.6	20.5	32.0
Middle School	30.7	27.7	26.9	26.5	28.4	47.0
High School	28.0	23.1	25.3	23.4	21.1	34.8
Total	**29.2**	**25.1**	**26.0**	**24.7**	**24.2**	**39.9**

Table 61. Average number of hours of sleep on a school night reported by surveyed Florida youth—2018 to 2024

	Hours of Sleep on a School Night						
				2018	2020	2022	2024
Sex							
Female				6.9	6.8	6.7	6.9
Male				7.0	6.9	7.0	7.1
Race/Ethnic group							
African American				6.9	6.9	6.8	7.0
Hispanic/Latino				6.9	6.8	6.8	7.0
White, non-Hispanic				7.0	6.9	6.9	7.0
Age							
11				8.2	7.9	7.9	8.0
12				7.9	7.7	7.7	7.7
13				7.5	7.3	7.3	7.4
14				7.0	6.9	6.9	7.0
15				6.7	6.6	6.6	6.8
16				6.4	6.4	6.4	6.6
17				6.3	6.2	6.2	6.4
18				6.2	6.2	6.2	6.3
Grade							
6th				8.0	7.8	7.8	7.9
7th				7.6	7.5	7.4	7.5
8th				7.3	7.1	7.2	7.3
9th				6.7	6.6	6.7	6.8
10th				6.5	6.5	6.5	6.7
11th				6.3	6.3	6.3	6.5
12th				6.2	6.2	6.2	6.3
Middle School				7.6	7.5	7.4	7.6
High School				6.4	6.4	6.4	6.6
Total				**6.9**	**6.9**	**6.9**	**7.0**

Note: In 2022, two additional response options, “11 hours” and “12 or more hours,” were added.

Table 62. Percentage of surveyed Florida youth who reported symptoms of depression—2012 to 2024

	Symptoms of Depression													
	Sometimes I think that life is not worth it							At times I think I am no good at all						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	28.0	30.3	31.1	35.9	39.5	43.0	35.1	41.0	46.4	46.2	49.9	55.8	57.5	48.5
Male	16.6	15.3	15.8	20.5	21.9	23.2	18.9	24.2	24.9	25.2	29.6	33.5	34.5	30.2
Race/Ethnic group														
African American	20.7	20.2	22.1	27.1	29.9	33.0	27.9	27.7	30.9	33.0	35.4	39.7	41.8	35.5
Hispanic/Latino	21.5	22.5	22.8	27.2	29.2	30.9	24.3	32.6	35.7	35.6	39.6	43.9	46.3	38.2
White, non-Hispanic	21.3	22.9	23.6	27.8	30.7	33.0	27.0	32.3	35.8	35.7	40.0	46.2	46.4	40.5
Age														
11	16.8	15.1	16.7	22.7	27.3	31.4	29.2	30.8	31.2	32.8	36.2	43.5	48.5	44.7
12	18.9	19.6	19.9	23.3	28.1	30.8	27.6	31.5	32.6	32.7	36.4	43.8	47.1	42.4
13	22.1	24.2	24.0	28.4	31.4	33.6	29.3	31.7	36.7	35.4	40.4	45.9	47.5	42.2
14	24.2	25.0	26.0	30.4	31.3	36.4	28.2	33.9	37.2	37.6	40.7	45.2	47.5	39.9
15	24.4	26.3	25.9	29.3	32.0	34.3	27.9	34.8	38.3	38.1	40.3	45.2	45.3	38.2
16	23.9	23.7	25.1	30.4	31.4	34.4	25.8	34.0	37.4	37.2	42.1	45.9	46.5	37.1
17	21.9	22.2	22.8	30.6	31.7	33.4	24.2	31.4	34.5	34.9	42.4	44.6	44.7	36.4
18	21.3	20.0	23.1	26.6	31.2	28.2	23.1	30.4	31.8	33.9	35.7	41.8	41.5	36.2
Grade														
6th	18.6	18.3	18.8	23.5	28.6	31.7	28.2	31.0	32.4	32.8	36.4	43.6	48.2	43.1
7th	21.5	22.5	22.4	26.3	29.8	33.0	28.7	32.3	34.4	34.9	38.1	45.2	47.2	42.3
8th	23.6	24.5	25.8	29.7	31.3	34.3	29.5	33.0	37.2	36.0	40.3	45.2	46.5	41.1
9th	24.2	25.9	25.8	29.4	30.9	34.2	27.4	34.6	38.1	37.8	41.4	44.7	45.7	38.5
10th	24.3	25.2	25.5	29.5	31.8	35.3	26.3	34.7	37.9	37.9	40.8	45.6	46.0	37.5
11th	22.1	22.2	23.2	29.6	31.8	34.2	25.2	32.2	35.8	35.6	41.4	45.9	46.2	37.1
12th	20.6	20.5	22.7	29.5	31.1	30.0	23.0	29.7	32.5	34.4	39.5	42.2	42.8	35.3
Middle School	21.2	21.8	22.3	26.5	29.9	33.0	28.8	32.1	34.7	34.5	38.2	44.7	47.3	42.2
High School	22.9	23.6	24.4	29.5	31.4	33.5	25.5	32.9	36.3	36.5	40.8	44.6	45.2	37.1
Total	**22.2**	**22.8**	**23.5**	**28.2**	**30.7**	**33.3**	**26.9**	**32.6**	**35.6**	**35.7**	**39.7**	**44.7**	**46.1**	**39.3**

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 63. Percentage of surveyed Florida youth who reported symptoms of depression—2012 to 2024

	Symptoms of Depression													
	All in all, I am inclined to think that I am a failure							In the past year, felt depressed or sad on most days						
	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %	2012 %	2014 %	2016 %	2018 %	2020 %	2022 %	2024 %
Sex														
Female	20.3	26.1	27.6	32.1	36.6	38.6	33.4	49.2	51.0	50.5	53.1	57.0	58.4	50.7
Male	13.4	14.4	15.3	18.8	20.8	22.4	20.7	31.0	29.9	29.0	32.2	35.5	36.0	30.9
Race/Ethnic group														
African American	13.9	16.1	17.5	21.2	23.7	25.9	23.1	44.1	43.4	42.0	45.2	46.0	47.5	41.1
Hispanic/Latino	16.4	21.2	22.6	25.8	29.4	30.7	26.1	43.2	43.2	41.9	43.9	47.6	47.9	39.6
White, non-Hispanic	16.3	20.2	21.7	26.1	29.6	31.2	28.2	34.6	36.0	36.3	38.6	44.2	44.9	39.4
Age														
11	15.3	16.8	17.7	22.8	27.5	32.5	30.3	38.8	35.3	35.5	37.3	41.2	46.5	41.8
12	16.6	19.0	19.1	22.8	28.2	30.5	29.5	39.4	38.5	37.1	38.2	43.5	44.3	43.6
13	16.9	22.3	21.9	25.8	29.2	32.6	29.8	38.9	40.4	39.5	42.0	45.0	47.4	41.7
14	17.8	21.8	24.3	26.4	28.6	31.4	28.3	41.0	41.7	40.9	42.6	46.5	48.3	40.9
15	17.3	21.3	24.1	27.3	29.5	30.8	26.1	40.9	42.2	41.1	44.0	47.6	47.0	40.6
16	17.9	21.3	21.8	27.8	29.7	31.4	24.6	40.8	41.8	41.2	46.9	48.5	48.5	38.9
17	15.6	18.5	19.9	26.7	27.8	28.9	25.3	39.6	40.8	39.7	44.8	47.9	48.9	39.2
18	14.8	17.0	18.7	21.1	28.7	26.7	23.2	39.1	38.5	39.0	40.7	48.1	46.1	39.7
Grade														
6th	17.0	18.6	18.7	22.8	28.1	32.3	29.4	40.1	39.4	37.1	39.1	43.0	46.2	42.8
7th	16.9	20.6	21.7	24.5	28.6	31.9	30.6	39.2	39.3	39.3	39.9	44.4	46.4	43.0
8th	16.9	22.6	22.5	26.1	29.6	31.1	28.8	40.2	40.5	39.9	42.7	46.1	47.9	42.0
9th	18.4	21.4	24.4	27.4	28.0	30.7	26.5	41.8	42.0	41.3	43.4	46.4	45.8	39.8
10th	17.4	21.7	22.7	26.9	29.9	31.1	25.0	40.8	43.0	41.2	45.2	48.1	47.9	39.0
11th	16.5	19.4	20.1	26.8	29.1	31.1	25.2	39.3	40.5	40.5	45.0	49.0	50.1	40.0
12th	14.3	16.6	19.7	24.1	27.5	26.8	23.8	38.0	37.4	38.1	42.9	46.8	46.9	38.7
Middle School	16.9	20.6	21.0	24.5	28.8	31.7	29.6	39.8	39.7	38.8	40.6	44.5	46.9	42.6
High School	16.8	19.9	21.9	26.3	28.6	30.0	25.1	40.1	40.9	40.3	44.1	47.6	47.7	39.3
Total	**16.9**	**20.2**	**21.5**	**25.5**	**28.7**	**30.7**	**27.0**	**40.0**	**40.4**	**39.7**	**42.6**	**46.2**	**47.3**	**40.7**

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 64. Percentage of surveyed Florida youth who reported suicidal ideation or behavior in the past 12 months, 2024

	Felt sad or hopeless for 2 or more weeks	Seriously considered attempting suicide	Made a suicide plan	Attempted suicide one or more times	Suicide attempt that required medical care
	%	%	%	%	%
Sex					
Female	38.7	17.8	14.2	10.1	2.3
Male	21.1	8.9	7.5	4.4	1.1
Race/Ethnic group					
African American	28.6	12.5	10.7	8.2	2.0
Hispanic/Latino	29.8	10.8	9.2	6.2	1.5
White, non-Hispanic	29.1	14.3	11.0	6.5	1.3
Age					
11	27.9	12.9	10.3	7.8	1.4
12	29.8	14.5	11.6	8.7	1.8
13	30.7	15.4	13.0	9.7	2.3
14	31.7	14.8	12.6	8.3	1.8
15	31.3	13.6	11.1	7.6	1.9
16	30.0	13.0	10.3	6.4	1.9
17	28.6	11.7	9.0	4.9	1.2
18	26.1	9.0	7.0	3.0	0.9
Grade					
6th	29.4	13.9	10.7	9.0	1.8
7th	30.5	14.7	13.0	9.4	2.4
8th	32.1	15.8	13.0	9.5	2.2
9th	30.7	14.0	11.5	7.5	1.4
10th	29.9	12.6	10.1	6.3	1.8
11th	29.8	12.4	9.7	5.3	1.6
12th	26.5	10.3	7.9	3.9	0.8
Middle School	30.7	14.8	12.3	9.3	2.1
High School	29.3	12.4	9.8	5.8	1.4
Total	**29.9**	**13.4**	**10.9**	**7.3**	**1.7**

Table 65. Percentage of surveyed Florida youth who have heard the prevention message One Pill Can Kill, would be "very likely" to call the 988 crisis line when experiencing suicidal thoughts, or would be "very likely" to use phone, text, or chat to talk with a crisis counselor, 2024

	Heard about One Pill Can Kill	"Very likely" to call 988	"Very likely" to use phone to contact crisis counselor	"Very likely" to use text to contact crisis counselor	"Very likely" to use chat to contact crisis counselor
	%	%	%	%	%
Sex					
Female	38.6	14.2	18.8	24.1	18.2
Male	34.2	20.7	25.3	23.8	22.9
Race/Ethnic group					
African American	32.7	15.5	22.2	22.6	20.3
Hispanic/Latino	34.2	16.9	22.1	23.3	20.7
White, non-Hispanic	40.0	19.5	22.1	25.3	20.5
Age					
11	30.8	27.0	32.1	29.2	27.1
12	34.0	23.9	29.9	28.8	26.9
13	35.5	19.0	24.9	26.6	22.6
14	33.4	16.2	20.7	22.8	18.6
15	36.6	15.6	19.4	23.4	19.1
16	39.4	14.4	18.5	21.3	17.4
17	39.9	14.0	17.5	21.1	17.8
18	38.6	15.2	18.8	20.6	18.4
Grade					
6th	32.9	25.6	31.6	28.6	27.8
7th	34.2	21.2	26.5	28.5	23.8
8th	34.4	16.2	21.7	23.4	20.3
9th	34.9	16.4	20.7	23.9	18.9
10th	38.2	14.5	18.4	21.1	17.3
11th	39.2	14.2	18.5	21.3	18.4
12th	40.1	14.8	17.6	21.1	17.9
Middle School	33.8	20.9	26.5	26.8	23.9
High School	38.1	15.0	18.8	21.9	18.1
Total	**36.3**	**17.5**	**22.1**	**24.0**	**20.5**

Table 66. Percentage of surveyed Florida high school youth who reported adverse childhood experiences (ACEs), 2024

	Emotional Abuse	Physical Abuse	Sexual Abuse	Parents Separated or Divorced	Physical Abuse in Household	Substance Abuse in Household	Mental Illness in Household	Incarcerated Household Member	Emotional Neglect	Physical Neglect
	%	%	%	%	%	%	%	%	%	%
Sex										
Female	17.8	10.6	7.5	41.5	8.6	26.3	35.0	23.2	30.4	7.2
Male	8.8	7.2	2.3	36.0	5.2	19.3	20.4	20.2	19.7	5.3
Race/Ethnic group										
African American	11.1	10.0	4.0	44.2	5.7	12.6	15.9	23.1	25.3	6.8
Hispanic/Latino	12.0	8.3	4.2	35.3	6.0	20.1	22.2	16.5	23.0	5.1
White, non-Hispanic	13.9	7.8	5.6	37.5	7.8	29.8	36.0	24.0	25.0	6.3
Age										
11	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--
14	11.3	8.3	3.7	35.7	5.4	20.4	25.9	21.7	24.4	3.8
15	14.2	8.9	4.5	38.9	7.0	23.9	28.4	23.4	26.0	6.1
16	13.3	9.6	5.4	38.6	7.0	22.6	28.0	21.8	25.0	6.2
17	13.4	8.7	5.6	40.1	7.3	24.2	28.0	21.0	25.6	7.1
18	12.8	8.0	4.4	39.3	7.4	21.0	27.9	20.1	23.4	6.8
Grade										
6th	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--
9th	12.2	8.1	3.9	37.4	5.8	21.9	26.7	23.1	25.5	5.5
10th	14.2	9.3	5.1	39.8	7.0	23.3	28.1	22.9	25.3	6.0
11th	14.0	9.9	5.4	39.2	7.6	24.0	28.2	20.7	25.8	6.5
12th	12.6	8.3	5.1	38.6	7.4	22.0	28.0	19.9	23.7	7.0
Middle School	--	--	--	--	--	--	--	--	--	--
High School	13.3	8.9	4.9	38.7	6.9	22.8	27.7	21.7	25.1	6.2
Total	--	--	--	--	--	--	--	--	--	--

Table 67. Number of adverse childhood experiences (ACEs) reported by surveyed Florida high school youth, 2024

	Number of Adverse Childhood Experiences										
	0	1	2	3	4	5	6	7	8	9	10
	%	%	%	%	%	%	%	%	%	%	%
Sex											
Female	31.9	20.2	13.9	11.2	8.4	5.4	3.6	2.7	1.5	0.8	0.3
Male	43.9	21.1	13.0	8.9	5.5	3.4	2.0	1.1	0.6	0.3	0.2
Race/Ethnic group											
African American	39.4	22.3	13.9	10.2	5.8	3.6	2.1	1.2	0.9	0.5	0.2
Hispanic/Latino	42.0	20.5	14.0	9.7	5.5	3.2	2.6	1.3	0.6	0.4	0.2
White, non-Hispanic	36.1	19.6	12.6	10.3	7.9	5.3	3.4	2.4	1.3	0.8	0.3
Age											
11	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--
14	38.5	23.5	13.0	9.2	7.0	3.9	2.5	1.1	1.1	0.2	0.1
15	37.4	20.4	13.4	10.4	6.6	4.7	3.1	2.0	1.3	0.5	0.3
16	37.9	20.4	13.6	9.6	7.5	4.4	2.7	1.8	1.1	0.6	0.3
17	37.3	19.7	13.8	10.6	7.5	4.5	2.5	2.1	0.9	0.8	0.3
18	38.7	21.0	12.8	10.3	6.0	4.2	3.6	2.1	0.6	0.3	0.3
Grade											
6th	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--
9th	38.0	21.7	14.1	9.5	6.7	4.0	2.8	1.7	1.1	0.3	0.2
10th	38.0	19.9	13.1	10.1	7.1	5.0	2.8	1.8	1.4	0.6	0.3
11th	37.4	19.9	13.4	10.4	7.6	4.3	3.0	2.0	1.0	0.6	0.3
12th	38.5	21.0	13.1	10.1	6.5	4.3	2.7	2.1	0.7	0.7	0.3
Middle School	--	--	--	--	--	--	--	--	--	--	--
High School	37.9	20.6	13.4	10.0	7.0	4.4	2.8	1.9	1.1	0.5	0.3
Total	--	--	--	--	--	--	--		--	--	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 68. Percentage of Florida youth with elevated protective factor scale scores, 2024

	Middle School	High School	Overall
Family Domain			
Family Opportunities for Prosocial Involvement	55	58	56
Family Rewards for Prosocial Involvement	49	52	51
School Domain			
School Opportunities for Prosocial Involvement	49	62	57
School Rewards for Prosocial Involvement	45	57	52
Peer and Individual Domain			
Religiosity	43	54	49
Protective Factor Average	**48**	**57**	**53**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 69. Percentage of Florida youth with elevated risk factor scale scores, 2024

	Middle School	High School	Overall
Community Domain			
Laws and Norms Favorable to Drug Use	40	25	32
Perceived Availability of Drugs	30	13	20
Perceived Availability of Handguns	24	29	27
Family Domain			
Poor Family Management	47	35	40
Family Conflict	40	30	34
School Domain			
Poor Academic Performance	45	45	45
Lack of Commitment to School	76	68	71
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	54	38	45
Favorable Attitudes toward ATOD Use	27	22	24
Early Initiation of Drug Use	19	11	14
Risk Factor Average	**40**	**32**	**35**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 70. Percentage of youth from the national normative sample with elevated protective factor scale scores

	Middle School	High School	Overall
Family Domain			
Family Opportunities for Prosocial Involvement	59	54	56
Family Rewards for Prosocial Involvement	54	55	55
School Domain			
School Opportunities for Prosocial Involvement	57	60	59
School Rewards for Prosocial Involvement	53	58	55
Peer and Individual Domain			
Religiosity	56	62	59
Protective Factor Average	**56**	**58**	**57**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 71. Percentage of youth from the national normative sample with elevated risk factor scale scores

	Middle School	High School	Overall
Community Domain			
Laws and Norms Favorable to Drug Use	42	42	42
Perceived Availability of Drugs	45	45	45
Perceived Availability of Handguns	25	42	34
Family Domain			
Poor Family Management	44	45	45
Family Conflict	42	37	39
School Domain			
Poor Academic Performance	45	48	47
Lack of Commitment to School	47	46	46
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	40	46	43
Favorable Attitudes toward ATOD Use	39	45	42
Early Initiation of Drug Use	41	46	43
Risk Factor Average	**41**	**44**	**43**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 72. Percentage of Florida middle school youth with elevated protective factor scale scores—2012 to 2024

	2012	2014	2016	2018	2020	2022	2024
Family Domain							
Family Opportunities for Prosocial Involvement	59	60	60	58	57	53	55
Family Rewards for Prosocial Involvement	55	55	56	50	50	46	49
School Domain							
School Opportunities for Prosocial Involvement	50	51	53	54	51	51	49
School Rewards for Prosocial Involvement	52	50	49	45	44	45	45
Peer and Individual Domain							
Religiosity	50	47	49	46	42	36	43
Protective Factor Average	**53**	**53**	**53**	**51**	**49**	**46**	**48**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 73. Percentage of Florida high school youth with elevated protective factor scale scores—2012 to 2024

	2012	2014	2016	2018	2020	2022	2024
Family Domain							
Family Opportunities for Prosocial Involvement	56	58	59	57	57	55	58
Family Rewards for Prosocial Involvement	54	56	56	51	53	49	52
School Domain							
School Opportunities for Prosocial Involvement	61	62	63	64	60	60	62
School Rewards for Prosocial Involvement	61	60	59	55	54	56	57
Peer and Individual Domain							
Religiosity	59	57	57	54	52	46	54
Protective Factor Average	**58**	**59**	**59**	**56**	**55**	**53**	**57**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 74. Percentage of Florida middle school youth with elevated risk factor scale scores—2012 to 2024

	2012	2014	2016	2018	2020	2022	2024
Community Domain							
Laws and Norms Favorable to Drug Use	38	36	37	38	41	41	40
Perceived Availability of Drugs	40	40	37	35	34	33	30
Perceived Availability of Handguns	23	24	24	24	23	25	24
Family Domain							
Poor Family Management	43	40	40	43	43	47	47
Family Conflict	38	38	38	39	42	43	40
School Domain							
Poor Academic Performance	41	42	42	43	46	48	45
Lack of Commitment to School	48	52	53	60	69	73	76
Peer and Individual Domain							
Favorable Attitudes toward Antisocial Behavior	41	38	39	43	49	52	54
Favorable Attitudes toward ATOD Use	34	32	32	35	35	33	27
Early Initiation of Drug Use	29	25	23	24	24	21	19
Risk Factor Average	**38**	**37**	**37**	**38**	**41**	**42**	**40**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 75. Percentage of Florida high school youth with elevated risk factor scale scores—2012 to 2024

	2012	2014	2016	2018	2020	2022	2024
Community Domain							
Laws and Norms Favorable to Drug Use	35	33	31	32	32	29	25
Perceived Availability of Drugs	32	31	27	24	20	15	13
Perceived Availability of Handguns	34	37	36	34	31	30	29
Family Domain							
Poor Family Management	41	38	38	37	35	34	35
Family Conflict	35	33	33	34	34	34	30
School Domain							
Poor Academic Performance	44	43	44	43	46	48	45
Lack of Commitment to School	46	52	54	57	63	68	68
Peer and Individual Domain							
Favorable Attitudes toward Antisocial Behavior	38	36	35	36	38	39	38
Favorable Attitudes toward ATOD Use	39	38	36	34	32	29	22
Early Initiation of Drug Use	30	26	22	19	17	13	11
Risk Factor Average	**37**	**37**	**36**	**35**	**35**	**34**	**32**

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.