

2020 Florida Youth Substance Abuse Survey

Taylor County Data Tables

Table 1. Major demographic characteristics of surveyed Taylor County and Florida Statewide youth, 2020

	Taylor County		Florida Statewide	
	N	%	N	%
Sex				
Female	175	55.0	25,191	48.4
Male	143	45.0	26,328	50.5
Race/Ethnic group				
African American	72	22.6	11,284	21.7
American Indian	6	1.9	491	0.9
Asian	8	2.5	671	1.3
Hispanic/Latino	5	1.6	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	56	17.6	7,227	13.9
White, non-Hispanic	169	53.1	20,904	40.1
Age				
10	1	0.3	44	0.1
11	25	7.9	3,151	6.0
12	59	18.6	7,124	13.7
13	48	15.1	7,698	14.8
14	64	20.1	7,616	14.6
15	43	13.5	7,582	14.6
16	29	9.1	7,502	14.4
17	23	7.2	7,073	13.6
18	24	7.5	3,807	7.3
19 or older	2	0.6	394	0.8
Grade				
6th	73	23.0	7,718	14.8
7th	54	17.0	7,555	14.5
8th	64	20.1	7,632	14.6
9th	40	12.6	7,668	14.7
10th	29	9.1	7,481	14.4
11th	28	8.8	7,117	13.7
12th	30	9.4	6,923	13.3
Overall Middle School	191	60.1	22,904	44.0
Overall High School	127	39.9	29,189	56.0
Total	318	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Taylor County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.2	37.8	29.7	33.5	27.4	36.8	31.6	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	15.9	14.3	17.6	--	18.4	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	16.5	13.3	8.2	21.6	14.1	17.1	15.0	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	23.8	21.5	21.6	23.9	21.6	24.5	22.8	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	8.9	12.7	6.1	15.1	8.8	14.2	10.7	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	11.7	18.2	10.7	18.7	12.1	19.4	14.7	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.2	2.3	0.0	--	1.8	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.2	0.2	6.7	3.5	8.4	0.9	5.0	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	2.6	2.1	2.9	1.9	2.5	2.8	2.4	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.6	3.8	3.2	1.0	0.5	5.1	2.1	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.6	2.1	2.7	0.0	0.6	2.8	1.3	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.0	2.9	2.8	0.9	0.9	3.8	1.8	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.5	1.2	1.7	0.0	0.5	1.6	0.8	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	3.0	6.4	4.0	5.2	2.3	8.4	4.6	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	6.1	6.9	5.9	7.0	6.4	7.1	6.5	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.0	3.4	4.3	1.0	2.4	3.7	2.6	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	4.2	3.6	3.2	4.6	4.0	3.7	3.9	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	2.2	4.3	0.0	--	1.8	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	24.9	23.8	19.0	29.6	25.2	26.1	24.4	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	18.2	11.2	13.7	16.2	18.2	12.5	15.0	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	10.8	19.9	17.3	12.8	11.5	18.0	15.0	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	35.7	43.3	36.0	42.3	36.5	44.0	39.2	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	8.8	5.6	6.2	8.5	8.7	7.0	7.3	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Taylor County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	13.6	13.5	12.3	14.8	14.7	10.6	13.6	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	5.0	8.8	6.5	7.0	5.5	7.1	6.8	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.2	5.2	2.0	5.2	2.1	3.5	3.6	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	8.0	10.1	8.2	9.7	8.1	10.0	8.9	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	3.9	3.4	2.9	4.4	3.5	5.0	3.7	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	4.1	9.5	5.5	7.7	4.7	9.2	6.6	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.3	0.6	0.0	--	0.4	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	1.2	0.5	1.8	0.0	0.8	1.3	0.9	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	2.3	1.2	1.7	1.9	2.2	1.6	1.8	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.6	1.2	1.7	0.0	0.5	1.6	0.9	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.6	0.6	1.2	0.0	0.6	0.8	0.6	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.5	0.6	1.2	0.0	0.5	0.8	0.6	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.5	0.0	0.6	0.0	0.5	0.0	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	2.5	3.2	2.6	3.1	3.2	3.0	2.8	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.2	0.8	1.5	0.6	1.2	0.0	1.0	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	1.3	0.0	0.6	0.8	1.3	0.0	0.7	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	3.1	1.2	1.7	2.7	2.9	1.6	2.2	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	11.1	10.3	8.4	13.0	10.8	11.2	10.8	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	8.2	5.1	6.6	7.0	8.3	5.1	6.8	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	7.9	7.2	8.3	6.9	8.7	4.2	7.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	19.0	17.4	16.6	19.8	19.4	15.4	18.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	4.6	3.7	4.1	4.3	4.1	4.5	4.2	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Taylor County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	52.1	63.3	58.0	37.8	65.4	52.6	31.3	52.1	42.7	29.4	45.1	34.7	--	--	--	26.2	37.8	31.6
Blacking Out	--	--	--	--	--	--	--	24.0	--	--	19.4	--	--	--	--	--	15.9	--
Cigarettes	27.0	38.4	33.0	23.0	41.8	33.2	20.0	33.1	27.2	15.9	36.3	22.5	--	--	--	16.5	13.3	15.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	23.8	21.5	22.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.9	12.7	10.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	15.5	36.8	22.5	--	--	--	--	--	--
Marijuana or Hashish	17.9	34.1	26.4	10.2	32.0	22.0	7.8	25.5	17.5	7.3	32.7	15.8	--	--	--	11.7	18.2	14.7
Synthetic Marijuana	--	--	--	--	22.7	--	--	11.1	--	--	7.5	--	--	--	--	--	1.2	--
Inhalants	14.2	5.2	9.4	6.8	6.4	6.6	9.7	5.9	7.6	6.9	5.8	6.5	--	--	--	9.2	0.2	5.0
Club Drugs	1.8	6.1	4.0	1.2	3.4	2.4	1.1	3.2	2.3	0.7	4.8	2.1	--	--	--	2.6	2.1	2.4
LSD, PCP or Mushrooms	3.0	3.9	3.5	2.6	2.7	2.7	2.0	3.0	2.5	2.2	3.9	2.8	--	--	--	0.6	3.8	2.1
Methamphetamine	1.3	0.8	1.0	1.2	0.9	1.1	1.9	1.1	1.4	0.0	3.1	1.0	--	--	--	0.6	2.1	1.3
Cocaine or Crack	2.1	5.1	3.7	1.8	2.0	1.9	2.9	4.6	3.9	0.4	3.3	1.3	--	--	--	1.0	2.9	1.8
Heroin	1.7	0.5	1.0	0.8	1.1	1.0	1.0	0.3	0.6	0.4	0.0	0.2	--	--	--	0.5	1.2	0.8
Prescription Depressants	4.9	9.9	7.5	3.3	7.4	5.5	3.2	3.7	3.5	3.4	10.1	5.6	--	--	--	3.0	6.4	4.6
Prescription Pain Relievers	6.8	13.6	10.4	4.3	9.1	6.9	3.0	4.4	3.8	3.7	7.9	5.1	--	--	--	6.1	6.9	6.5
Prescription Amphetamines	0.8	1.5	1.2	0.6	4.6	2.8	1.5	4.7	3.3	2.4	0.9	1.9	--	--	--	2.0	3.4	2.6
Over-the-Counter Drugs	7.3	3.2	5.1	3.0	5.6	4.4	5.0	5.7	5.4	3.7	8.1	5.2	--	--	--	4.2	3.6	3.9
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.0	--	--	--	--	--	2.2	--
Any illicit drug	30.7	42.9	37.1	20.7	42.5	32.5	21.8	35.7	29.5	20.5	41.5	27.4	--	--	--	24.9	23.8	24.4
Any illicit drug other than marijuana	24.5	23.6	24.0	16.4	21.5	19.2	19.1	18.9	19.0	15.4	19.6	16.8	--	--	--	18.2	11.2	15.0
Alcohol only	24.8	25.6	25.2	19.4	25.4	22.6	16.4	23.1	20.1	13.3	12.4	13.0	--	--	--	10.8	19.9	15.0
Alcohol or any illicit drug	55.8	68.4	62.4	39.2	67.7	54.5	37.7	58.4	49.1	33.2	53.9	40.1	--	--	--	35.7	43.3	39.2
Any illicit drug, but no alcohol	3.7	4.7	4.2	1.9	2.9	2.4	6.2	7.0	6.6	2.7	8.8	4.7	--	--	--	8.8	5.6	7.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Taylor County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	31.9	41.8	37.1	17.4	37.0	28.0	12.2	29.0	21.5	14.4	23.5	17.5	--	--	--	13.6	13.5	13.6
Binge Drinking	16.6	22.5	19.7	6.1	20.3	13.8	7.4	18.1	13.3	7.6	18.9	11.4	--	--	--	5.0	8.8	6.8
Cigarettes	9.0	15.8	12.5	5.8	13.0	9.7	6.0	9.8	8.1	3.2	12.6	6.3	--	--	--	2.2	5.2	3.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.0	10.1	8.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.9	3.4	3.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	7.5	11.1	8.6	--	--	--	--	--	--
Marijuana or Hashish	8.5	16.1	12.5	6.7	10.7	8.9	3.4	13.4	8.9	2.7	21.4	9.1	--	--	--	4.1	9.5	6.6
Synthetic Marijuana	--	--	--	--	8.6	--	--	0.0	--	--	3.8	--	--	--	--	--	0.3	--
Inhalants	7.3	0.8	3.9	3.7	0.9	2.1	4.1	1.1	2.4	3.8	0.0	2.5	--	--	--	1.2	0.5	0.9
Club Drugs	0.9	3.1	2.0	0.6	0.7	0.6	1.1	1.4	1.3	0.0	0.0	0.0	--	--	--	2.3	1.2	1.8
LSD, PCP or Mushrooms	1.8	2.0	1.9	1.2	0.2	0.7	0.3	0.6	0.5	0.9	2.3	1.4	--	--	--	0.6	1.2	0.9
Methamphetamine	0.9	0.0	0.4	0.0	0.2	0.1	1.2	0.0	0.5	0.0	3.1	1.0	--	--	--	0.6	0.6	0.6
Cocaine or Crack	1.2	3.0	2.2	0.5	0.0	0.2	1.5	1.5	1.5	0.0	0.0	0.0	--	--	--	0.5	0.6	0.6
Heroin	0.5	0.5	0.5	0.0	0.0	0.0	0.4	0.0	0.2	0.4	0.0	0.2	--	--	--	0.5	0.0	0.3
Prescription Depressants	3.0	2.4	2.7	1.4	2.4	1.9	0.0	2.4	1.3	2.1	7.4	3.8	--	--	--	2.5	3.2	2.8
Prescription Pain Relievers	4.8	5.3	5.1	2.2	4.7	3.6	0.5	1.6	1.1	0.9	6.9	2.9	--	--	--	1.2	0.8	1.0
Prescription Amphetamines	1.7	0.6	1.1	0.6	2.3	1.6	0.0	2.4	1.3	0.0	0.0	0.0	--	--	--	1.3	0.0	0.7
Over-the-Counter Drugs	6.2	1.9	3.9	0.9	3.3	2.2	2.4	2.8	2.6	3.3	8.2	4.9	--	--	--	3.1	1.2	2.2
Any illicit drug	18.9	22.8	21.0	13.4	20.6	17.3	9.9	18.6	14.7	9.5	24.2	14.5	--	--	--	11.1	10.3	10.8
Any illicit drug other than marijuana	14.8	11.8	13.2	8.8	10.4	9.7	8.4	8.4	8.4	7.8	13.2	9.6	--	--	--	8.2	5.1	6.8
Alcohol only	18.3	27.7	23.3	9.2	20.7	15.5	8.5	18.3	13.9	8.6	8.5	8.5	--	--	--	7.9	7.2	7.6
Alcohol or any illicit drug	36.6	50.2	43.7	22.1	41.1	32.3	17.9	36.1	27.9	17.0	32.7	22.2	--	--	--	19.0	17.4	18.2
Any illicit drug, but no alcohol	4.8	8.4	6.7	5.5	4.5	4.9	5.2	7.3	6.4	2.8	9.2	5.0	--	--	--	4.6	3.7	4.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Taylor County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	14.6	16.8	12.3	--	15.7	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	3.5	3.5	3.4	--	3.7	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	5.9	0.0	11.9	--	6.6	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	6.9	3.4	10.5	--	8.7	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	48.1	35.0	43.9	40.1	48.5	32.0	42.0	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	61.3	41.8	55.6	49.0	60.9	41.4	52.3	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	60.4	52.5	55.1	58.3	59.5	60.0	56.7	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	52.6	37.7	48.1	43.3	51.6	39.8	45.7	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	54.2	35.9	49.5	42.2	53.4	37.7	45.8	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	48.3	28.3	42.5	35.8	46.2	31.4	39.0	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	35.0	22.1	32.9	25.3	33.0	24.7	29.0	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	67.4	60.8	67.3	61.5	65.9	65.9	64.3	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	89.9	90.1	94.3	85.9	90.6	88.9	90.0	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	78.7	69.8	79.3	69.7	77.3	69.6	74.4	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	81.8	75.6	84.5	73.6	81.3	74.5	78.9	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	86.4	79.3	86.4	79.7	87.3	76.6	83.0	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	87.2	79.8	90.9	76.6	87.3	77.2	83.6	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.1	97.1	96.1	98.1	96.5	97.3	97.1	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	84.5	74.6	82.0	77.7	85.2	73.7	79.8	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	88.0	81.0	90.7	79.0	90.0	74.6	84.7	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	81.8	69.4	78.3	73.8	83.0	63.7	76.0	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	82.6	72.4	78.7	77.1	83.7	67.8	77.9	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	85.5	74.3	81.8	78.8	86.8	68.5	80.3	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.8	93.2	95.1	92.0	93.6	91.6	93.5	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Taylor County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	20.5	--	--	32.1	--	--	25.4	--	--	20.3	--	--	--	--	14.6	--	--
Drink monthly	--	5.9	--	--	5.1	--	--	4.1	--	--	4.9	--	--	--	--	3.5	--	--
Smoke cigarettes	--	20.0	--	--	24.5	--	--	18.0	--	--	16.5	--	--	--	--	5.9	--	--
Smoke marijuana	--	8.6	--	--	11.7	--	--	13.5	--	--	12.0	--	--	--	--	6.9	--	--
Great risk of harm																		
Daily alcohol use	37.1	46.8	42.1	38.2	39.5	38.9	42.0	31.8	36.4	41.4	28.5	37.3	--	--	--	48.1	35.0	42.0
5+ drinks daily	--	--	--	--	--	--	52.7	42.9	47.4	50.4	36.2	45.9	--	--	--	61.3	41.8	52.3
Daily cigarette use	63.2	66.6	65.0	60.4	69.9	65.5	62.3	62.6	62.5	63.0	51.6	59.3	--	--	--	60.4	52.5	56.7
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	52.6	37.7	45.7
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.2	35.9	45.8
Marijuana weekly*	--	--	--	--	--	--	57.4	27.2	40.9	53.7	15.9	41.4	--	--	--	48.3	28.3	39.0
Try marijuana	37.0	34.4	35.6	43.1	24.9	33.3	47.2	23.0	34.0	42.9	15.3	33.9	--	--	--	35.0	22.1	29.0
Prescription drugs	--	--	--	--	70.1	70.1	73.3	61.9	67.1	69.5	59.8	66.4	--	--	--	67.4	60.8	64.3
Think it wrong																		
Smoke cigarettes	84.6	75.7	79.9	91.0	76.3	83.1	91.0	84.5	87.5	93.6	74.7	87.5	--	--	--	89.9	90.1	90.0
Drink regularly	70.1	59.7	64.7	79.8	61.4	69.9	79.7	64.9	71.8	86.0	44.8	72.9	--	--	--	78.7	69.8	74.4
Smoke marijuana	83.3	76.8	79.8	90.8	72.5	81.0	93.2	71.6	81.7	91.3	55.5	79.9	--	--	--	81.8	75.6	78.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.4	79.3	83.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.2	79.8	83.6
Other illicit drugs	96.6	95.8	96.2	99.2	98.2	98.6	97.5	97.0	97.3	98.3	89.0	95.3	--	--	--	97.1	97.1	97.1
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	82.5	70.5	76.0	88.5	57.9	78.5	--	--	--	84.5	74.6	79.8
Smoke tobacco	--	--	--	--	--	--	86.4	77.4	81.6	92.9	71.4	85.9	--	--	--	88.0	81.0	84.7
Smoke marijuana	--	--	--	--	--	--	86.4	70.7	77.9	89.2	60.7	80.0	--	--	--	81.8	69.4	76.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.6	72.4	77.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	85.5	74.3	80.3
Prescription drugs	--	--	--	--	--	--	94.1	90.6	92.2	95.5	85.3	92.2	--	--	--	93.8	93.2	93.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Taylor County and Florida Statewide youth, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	7.1	3.1	10.6	--	0.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	7.8	0.0	14.6	--	11.8	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	6.7	0.0	12.5	--	10.1	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	20.2	0.0	37.8	--	22.0	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	23.6	50.6	0.0	--	18.9	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	2.0	4.2	0.0	--	3.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	7.8	16.7	0.0	--	11.7	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	24.9	25.4	24.4	--	22.5	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Taylor County and Florida Statewide youth, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	38.0	35.6	40.0	--	39.0	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	15.8	11.3	19.6	--	17.4	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	15.9	20.7	11.7	--	17.2	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	3.7	0.0	6.9	--	5.8	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	10.4	10.9	10.1	--	8.4	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	16.2	21.4	11.8	--	12.2	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Taylor County and Florida Statewide youth, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	14.4	25.9	0.0	--	10.2	--	--	31.9	34.7	28.6	--	32.9	--
2	--	6.4	11.4	0.0	--	11.2	--	--	21.8	24.0	19.2	--	21.1	--
3	--	23.9	8.4	43.3	--	24.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	13.2	13.9	12.4	--	3.4	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	42.1	40.3	44.3	--	51.1	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Taylor County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	5.1	6.5	9.4	2.2	5.7	6.1	5.8	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	4.3	6.7	7.5	3.4	4.9	6.3	5.4	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	1.4	3.5	4.3	0.5	2.1	2.1	2.4	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Taylor County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	19.1	9.7	10.1	19.3	19.2	8.1	14.8	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.8	3.5	4.0	1.2	1.7	3.3	2.6	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.9	3.6	2.8	2.5	1.9	3.4	2.7	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.1	5.1	3.1	3.8	2.1	5.3	3.5	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.4	1.3	1.4	0.3	0.4	0.4	0.8	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	19.2	16.5	11.1	24.6	16.6	19.1	18.0	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	8.5	10.3	4.9	13.5	8.2	12.4	9.3	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Taylor County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	13.0	10.0	11.4	10.6	7.8	9.1	15.2	14.8	14.9	5.8	6.3	6.0	--	--	--	19.1	9.7	14.8
Selling drugs	5.1	5.5	5.3	0.5	3.3	2.0	2.7	7.0	5.1	0.8	8.8	3.4	--	--	--	1.8	3.5	2.6
Attempting to steal a vehicle	3.5	2.2	2.8	1.6	1.0	1.3	1.8	1.8	1.8	0.0	3.9	1.3	--	--	--	1.9	3.6	2.7
Being arrested	4.6	4.2	4.3	3.4	1.4	2.3	1.5	3.2	2.5	2.4	1.5	2.1	--	--	--	2.1	5.1	3.5
Taking a handgun to school	3.4	2.8	3.1	0.0	1.4	0.8	0.3	3.4	2.0	0.0	2.6	0.8	--	--	--	0.4	1.3	0.8
Getting suspended	24.2	20.1	22.0	22.3	18.2	20.1	22.8	25.0	24.1	28.9	21.9	26.6	--	--	--	19.2	16.5	18.0
Attacking someone with intent to harm	15.0	8.3	11.4	8.7	9.4	9.0	8.4	10.8	9.8	4.1	8.6	5.5	--	--	--	8.5	10.3	9.3

Table 14. Percentages of Taylor County and Florida Statewide youth who reported symptoms of depression, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	35.8	26.1	37.9	24.9	35.8	25.1	31.3	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	48.6	40.0	53.4	35.9	47.8	44.6	44.6	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	28.2	29.1	33.5	23.9	28.0	30.5	28.6	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.0	43.9	55.1	40.5	49.7	46.5	47.7	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Taylor County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	15.3	8.9	14.1	10.4	15.0	8.2	12.2	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	39.3	26.9	33.3	33.5	36.4	29.2	33.4	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	69.1	43.1	59.4	53.9	65.8	46.5	56.6	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	36.6	22.3	35.6	24.1	35.1	21.4	29.7	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	29.7	19.1	19.7	29.3	27.9	19.0	24.6	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	39.4	21.7	27.7	34.0	38.8	21.8	30.9	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	17.8	7.9	11.6	14.4	15.5	8.2	13.0	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Taylor County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	7.1	9.2	5.0	--	7.5	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	4.8	2.5	7.1	--	4.3	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	6.5	6.2	6.7	--	5.7	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	34.9	44.9	24.8	--	35.4	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	5.4	5.3	5.6	--	6.8	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	25.5	22.5	28.6	--	28.6	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	26.0	31.2	20.7	--	25.5	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	28.9	29.6	28.1	--	35.1	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	26.1	31.6	20.7	--	23.9	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.5	8.9	6.1	--	5.8	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Taylor County and Florida Statewide high school youth, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	37.7	35.8	39.5	--	37.9	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	18.6	17.3	20.0	--	18.6	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	16.5	15.3	17.7	--	14.1	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	8.4	9.3	7.4	--	7.4	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	9.5	9.4	9.6	--	11.2	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	3.8	5.2	2.4	--	5.6	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	1.5	3.1	0.0	--	2.3	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.5	3.9	1.1	--	0.8	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.1	0.0	2.2	--	1.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.3	0.6	0.0	--	0.5	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Taylor County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	31.4	23.1	27.1	28.1	31.0	16.5	27.6	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	26.0	25.2	25.9	25.4	26.9	22.0	25.6	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	27.6	22.6	27.2	23.4	27.6	21.6	25.3	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	27.6	22.5	24.7	25.8	27.2	24.5	25.3	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	46.1	29.7	38.7	38.2	47.7	24.6	38.5	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	54.7	31.7	47.6	40.3	55.1	29.1	43.9	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Taylor County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	50.1	42.8	45.1	48.0	51.9	40.6	46.6	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	35.9	20.7	22.0	34.8	35.5	24.3	28.6	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	18.1	11.8	18.3	12.0	18.8	11.1	15.1	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	12.9	11.6	16.6	8.2	13.3	8.3	12.3	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	11.6	11.4	19.1	4.2	11.6	11.0	11.5	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Taylor County and Florida Statewide youth, 2020

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	16.4	15.1	17.8	--	13.8	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	19.4	19.5	19.4	--	16.9	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	7.6	10.3	5.0	--	3.7	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	9.5	12.0	7.0	--	6.5	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Taylor County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	26.4	--	--	23.4	--	--	28.7	--	--	--	--	--	16.4	--
Marijuana	--	--	--	--	22.4	--	--	17.1	--	--	29.5	--	--	--	--	--	19.4	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	9.1	--	--	6.3	--	--	13.5	--	--	--	--	--	7.6	--
Marijuana	--	--	--	--	5.3	--	--	6.9	--	--	19.5	--	--	--	--	--	9.5	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Taylor County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Taylor County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	64	57	57	57	59	54
	Family Rewards for Prosocial Involvement	51	50	50	53	54	55
School	School Opportunities for Prosocial Involvement	50	45	51	60	57	60
	School Rewards for Prosocial Involvement	45	43	44	54	53	58
Peer and Individual	Religiosity	54	62	42	52	56	62
Average Prevalence Rate		53	51	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Taylor County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Taylor County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	53	34	41	32	42	42
	Perceived Availability of Drugs	41	15	34	20	45	45
	Perceived Availability of Handguns	46	37	23	31	25	42
Family	Poor Family Management	44	40	43	35	44	45
	Family Conflict	42	24	42	34	42	37
School	Poor Academic Performance	50	53	46	46	45	48
	Lack of Commitment to School	70	65	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	48	34	49	38	40	46
	Favorable Attitudes toward ATOD Use	40	23	35	32	39	45
	Early Initiation of Drug Use	36	16	24	17	41	46
Average Prevalence Rate		47	34	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Taylor County, 2010 to 2020

Domain	Scale	Taylor County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	57	59	62	61	--	64
	Family Rewards for Prosocial Involvement	44	50	52	57	--	51
School	School Opportunities for Prosocial Involvement	43	48	45	58	--	50
	School Rewards for Prosocial Involvement	45	52	53	58	--	45
Peer and Individual	Religiosity	64	66	67	63	--	54
Average Prevalence Rate		51	55	56	59	--	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Taylor County, 2010 to 2020

Domain	Scale	Taylor County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	56	45	48	45	--	53
	Perceived Availability of Drugs	58	36	39	33	--	41
	Perceived Availability of Handguns	43	32	37	36	--	46
Family	Poor Family Management	59	50	43	45	--	44
	Family Conflict	42	34	43	41	--	42
School	Poor Academic Performance	55	45	48	55	--	50
	Lack of Commitment to School	67	55	57	56	--	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	33	37	37	--	48
	Favorable Attitudes toward ATOD Use	52	40	42	36	--	40
	Early Initiation of Drug Use	56	38	31	29	--	36
Average Prevalence Rate		54	41	43	41	--	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Taylor County, 2010 to 2020

Domain	Scale	Taylor County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	59	58	58	56	--	57
	Family Rewards for Prosocial Involvement	56	56	52	50	--	50
School	School Opportunities for Prosocial Involvement	57	58	46	53	--	45
	School Rewards for Prosocial Involvement	67	60	56	50	--	43
Peer and Individual	Religiosity	69	74	69	82	--	62
Average Prevalence Rate		62	61	56	58	--	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Taylor County, 2010 to 2020

Domain	Scale	Taylor County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	33	40	34	37	--	34
	Perceived Availability of Drugs	37	32	25	28	--	15
	Perceived Availability of Handguns	45	52	48	52	--	37
Family	Poor Family Management	45	35	47	41	--	40
	Family Conflict	30	35	32	26	--	24
School	Poor Academic Performance	40	43	41	41	--	53
	Lack of Commitment to School	43	37	51	55	--	65
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	35	29	31	28	--	34
	Favorable Attitudes toward ATOD Use	32	35	35	43	--	23
	Early Initiation of Drug Use	29	36	34	34	--	16
Average Prevalence Rate		37	37	38	39	--	34

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.